


W782 WIRRAH-1 WCR W1.1

ESSO EXPLORATION AND PRODUCTION AUSTRALIA INC.

Page 1 of 119 + 4 enclosure



GIPPSLAND BASIN VICTORIA

ESSO AUSTRALIA LIMITED

Compiled by: J. ROCHE

FEBRUARY, 1984

WIRRAH-1

WELL COMPLETION REPORT

VOLUME 1

CONTENTS

1.	Well Data Record
2.	Operations Summary
3.	Casing Data
4.	Cement Data
5.	Samples, Conventional Cores, Sidewall Cores
6.	Wireline Logs and Surveys
7.	Summary of Formation Test Program
8.	Temperature Record
	•

FIGURES

1.	Locality Map
2.	Well Progress Curve
3.	Well Bore Schematic
4.	Abandonment Schematic
5.	Horner Temperature Plot

APPENDICES

1.	Lithological Descriptions
2.	Core Descriptions
3.	Sidewall Core Descriptions
4.	Velocity Survey Report

ESSO AUSTRALIA LTD.

COMPLETION REPORT

1. WELL DATA RECORD

LOCATION

WELL NAME WIRRAH-1	i	shore	PERMI	T of		ENC	E		GEOLOGIC Gipps		FIELD Wirrah
WINDAIL I	Vict	oria								. and	wirran
CO-ORDINATES LATITUDE 38° 11' 2 LONGITUDE 147° 48' 5	2.33"	S					. .	JE	CTION	GEOGRAPHIC LOCATION	AL
X 571447m € Y 5772826m N 2	7.12"	Е		: :		į	Mer	cca	sverse ator Cone 55	Bass Str Victoria	
		1	ELEVATI	ONS	& DE	PTH	5				
ELEVATIONS	WAT	ER DEPT	ł			'OT	-		EPTH	Average	Angle
KB 21m			49m			ME	AS U	02 RE 02	D DEPTH		
NI Dea Hevel	PLU	G BACK :	TYPE	i en		RE.	ASOI	NS	FOR PLUC	GING BACK	
	Ва	lanced	Plug				P1	Luç	, & Aband	onment	
			DA	TES							
MOVE IN		RIG UP							SPUDDED		
14-9-82			14-9	82			.			15-9-82	
RIG DOWN COMPLETE		RIG REI	EASED	:		·			PRODUCTI	ON UNIT -	RIG UP
6-12-82			6-12	2-82							
PRODUCTION UNIT - RI	G DO	ΝN				IN	IIT:	IA	L PRODUCI	'ION ESTABL	ISHED
:			MISC	ELLA	NEOUS	<u> </u>				***************************************	
OPE RATOR	DE	RMI TTEE	or LT	CENIC	r.		FCC		INTEREST		
Esso Exploration & Production Australia Inc. (EEPA)	EE	PA, BHP y Ltd.							R INTERES	300	
CONTRACTOR South Seas Drilling	Co.		NAME Souther	rn Cı	coss					T TYPE mersible E-2000	
TOTAL RIG DAYS 85		ING AFE			COMP	PLET	4OI.	- I		TYPE COMPI	ETION
LAHEE WELL			Bef	ore	Drill	ing	,		New Field	d Wildcat	······································
CLASSIFICATION			Aft	er D	rilli	.ng				Abandoned d discovery AAS	

WIRRAH - 1

2. OPERATIONS SEQUENCE

Move and Moor

The semi-submersible Southern Cross departed the Bream-5 location at 0100 hours on 14 September 1982 and arrived at the Wirrah-1 location at 0800 hours on the same day. The rig was towed 28 km (20 nautical miles) by the workboat Atlas Dampier in 7 hours at any average speed of 4 km/hr (2.9 knots).

Anchor No. 1 was dropped from the rig on approach of the well location while the remaining seven anchors were run by the workboats Atlas Dampier, Bass Tide, and Lady Vera in 11-1/2 hours.

26" Hole for 20" Conductor Casing

The drilling template was landed on the seafloor at 70m RKB. The 26" hole was drilled to 206m using seawater and displaced with high viscosity gel mud before running casing.

The 18-3/4" Cameron wellhead and 20" casing were run and cemented at a shoe depth of 191m. The BOP and riser were run and latched to the wellhead and then pressure tested to 3400 kPa (500 psi).

17-1/2" Hole for 13-3/8" Surface Casing

The 17-1/2" hole was drilled to 799m, even though a spinning chain had been inadvertently dropped in the hole while drilling at 770m. Before running logs, a junk sub was run and 0.7m was made while drilling on the junk. Because the electric logs showed sandstone at TD, a bit was run and the hole was deepened to 845m so that a more competent casing seat could be obtained. The 13-3/8" casing was run and cemented at 830m. The seal assembly was set and pressure tested along with the BOP and 13-3/8" casing.

12-1/4" Hole

The 13-3/8" float equipment and 6m of new hole were drilled and a Phase II PIT was run to 1.62 SG (13.5 ppg) EMW without leakoff. The 12-1/4" hole was drilled to 1356m where the mud weight was increased from 1.09 SG (9.2 ppg) to 1.18SG (9.8 ppg). This increase was programmed so that a 2100 kPa (300 psi) overbalance would be present if the anticipated 50 metres of closure in the top objective sand was gas filled. The mud weight increase was programmed to occur 150 metres above the top of the Latrobe group, which was predicted to be at 1506m.

Drilling continued to 1488m, where the bit was pulled for cores. Three cores were cut to 1524m, with recoveries of 94%, 86% and 22%. Drilling continued to 1537m, where two more cores were cut to 1596m. Core recoveries were 65% and 24%. Drilling then continued to 1770m, where intermediate logs and 9 RFT's were run.

The hole was drilled to the next core point at 2046m. One core was cut to 2061m with 99% recovery. The hole was then drilled to the programmed TD of 2321m, where logs, a velocity survey, and 7 RFT's were run.

Drilling continued after the decision was made to deepen the well to 2800m. A bit trip was made at 260lm, where a J22 bit and shock sub were run. Metamorphic rock was encountered at 2645m, which severely reduced the ROP. The bit was pulled at 2676m and replaced with a J33 bit. The 12-1/4" hole was drilled to 2797m, where the J33 bit was pulled, leaving all three cones in the hole. Again, logs were run along with a velocity survey, sidewall cores, and 8 more RFT's.

9-5/8" Casing/Production Test No. 1

After running logs, a bit was run to 2796m for a conditioning trip. Bad weather prevented off loading the 9-5/8" casing, resulting in a loss of 3.8 days. The 9-5/8" casing was run to 2788m and cemented in two stages with a multiple stage cemented collar at 2313m. After several unsuccessful attempts to set the 9-5/8" seal assembly, a bit was run to drill out the stage collar. A CBL-VDL-GR-CCL log was then run. After modifying the lead thread on the 9-5/8" seal assembly, the seal assembly was rerun and successfully set and pressure tested to 24,100 kPa (3500 psi). The casing and BOP stack were then pressure tested.

A casing scraper was run on open-ended drillpipe to the TOC at 2717m and the hole reverse circulated. Because a 9-5/8" gauge ring/junk basket run was unable to go below 2313m, a bit without nozzles and scraper were run and worked through the stage collar. The hole was again reverse circulated. The 9-5/8" gauge ring/junk basket was then run to 2665m and a 9-5/8" permanent production packer was set at 2603m. The test string was run and pressure tested along with the casing below the packer and the surface equipment to 24,100 kPa (3500 psi). The string was pulled above the packer and displaced with diesel before the test zone was perforated.

8-1/2" Hole

After Production Test No. 1 was killed, the decision was made to deepen the hole. A packer picker was unsuccessfully used to remove the permanent packer, and a junk mill was run to mill up the packer. The open P.T. No. 1 perforations were sealed off by setting a balanced cement plug across the perforations and then bradenhead squeezing 6 barrels of cement. The cement in the casing was drilled out and the casing was successfully pressure tested to 24,100 kPa (3500 psi).

The baffle plate and float equipment were drilled and the mud weight was reduced from 1.17 SG (9.8 ppg) to 1.10 SG (9.2 ppg). The three 12-1/4" cones left in the hole prior to running the casing and the production test were removed after several mill and junk basket trips. During the fishing operation, a PIT was conducted to 1.98 SG (16.5 ppg) EMW without a leakoff. After the junk was removed from the hole, Core No. 7 was cut from 2805m to 2807.8m. Only 8% of the conglomerate core was recovered.

The 8-1/2" hole was drilled with a packed hole assembly to 2914m. Core No. 8 was then cut from 2914 to 2916m. None of the core was recovered. Drilling continued at an average rate of 3.5m/hr before a drilling break was encountered at 2964m. A flow check at 2964m was negative but gas units remained high (100 units and above) until the mud weight was raised in stages from 1.10 SG (9.2 ppg) to 1.28 SG (10.7 ppg).

Drilling was terminated at 3026m with a final mud weight of 1.34 SG (11.2 ppg). Logs, a dipmeter, sidewall cores, a velocity survey, and one RFT were run. The RFT gave a valid pore pressure at 2973.8m of 1.27 SG (10.64 ppg).

Plug and Abandonment/Production Test No. 2

The well was plugged back with a cement plug whose top extended inside the 9-5/8" casing to 2750m. The initial pressure test failed. With the use of a retrievable packer, the leak was located at the Production Test No. 1 perforations and the abandonment plug was tested to 24,100 kPa (3500 psi). After the mud weight was reduced to 1.16 SG (9.7 ppg), two permanent production packers were set at 2668m and 2612m to isolate the leaking perforations. The test string was run and pressure tested along with the casing below the packer and the surface equipment to 24,100 kPa (3500 psi). The string was displaced with dissel before the test zone was perforated.

After P.T. No. 2 was completed, the test string was pulled and a tubing stinger on drill pipe was run inside both packers. Both P.T. No. 1 and P.T. No. 2 perforations were covered by a balanced cement plug. The initial pressure test on the plug was unsuccessful. A bridge plug was set on the top of the production packer, however the pressure leak was still present. With the use of a retrievable packer, the pressure leak was located at the 9-5/8" casing seal assembly, and the abandonment plug was successfully tested to 24,100 kPa (3500 psi). Several unsuccessful attempts were made to tighten and to release the seal assembly while the casing patch equipment was being mobilized to the rig.

While cutting the casing for the patch, the decision was made to abort P.T. No. 3 and abandon the well. After an unsuccessful attempt to retrieve the casing with a casing spear, the casing was recut at 252m and then retrieved. A 13-3/8" cement retainer was set above the cut at 242m. Cement was squeezed below the retainer and a balanced cement plug was set on top of the retainer. The plug was pressure tested to 10,400 kPa (1500 psi) during the cement squeeze.

To seal the 13-3/8" x 20" casing annulus, the 13-3/8" casing was perforated from 15lm to 15l.5m with a 4 inch casing gun, and an injection rate was established. A 13-3/8" cement retainer was set at 14lm and cement was squeezed below the retainer and dumped on top. The top of the cement was calculated to be 105m and the plug was pressure tested to 6900 kPa (1000 psi).

The riser was displaced with seawater and the BOP stack and riser were pulled. A 15kg explosive charge was run and the wellhead and casing stubs were blown free. The wellhead, casing stubs, drilling template and quidebase were then retrieved.

Pulling Anchors

The Atlas Dampier and Bass Tide pulled seven anchors with the rig pulling the No. 8 anchor. The spliced anchor wires on No. 4 and No. 7 anchors were replaced with new anchor wires and the No. 1 anchor fairleader was replaced. The Southern Cross completed the Wirrah-l well and departed for the Pilotfish-l well at 1900 hours on 6 December, 1982

3. CASING DATA

CSG O.D. IN	WT. LBS/FT	GRADE	CONN.	CSG LENGTH METRES	SHOE DEPTH R.K.B.	CENTRALIZER POSITION	REMARKS
24	610	-	CC	11.00			PILE JOINT
20	129	X-52	JVCC	13.25		1 ACROSS COLLAR	CROSS OVER JOINT
20	94	X-52	JV	86.70	:	FOR 5 COLLARS ABOVE SHOE	7 JOINTS
20	94	X-52	JV	13.21	191		FLOAT SHOE JOINT
13 3/8	54.5	K-55	BUTT	3.50	:	1 ACROSS EACH	HGR & PUP JT
13 3/8	54.5	K-55	BUTT	734.54		COLLAR FOR 6 COLLARS ABOVE SHOE	63 JOINTS
13 3/8	54.5	K-55	BUTT	11.93		1 ACROSS EACH COLLAR FOR	FLOAT COLLAR JT.
13 3/8	54.5	K-55	BUIT	12.41	830	6 COLLARS INSIDE 20" CSG.	FLOAT SHOE JT.
9 5/8	47	- N80	BUIT	1.85		1 ACROSS EACH	HGR & PUP JT.
9 5/8	47	N80	BUTT	2244.47	:	COLLAR FOR 13 COLLARS ABOVE FIFTH	191 JOINTS
9 5/8				1.09		JOINT OF CSG.	D.V. COLLAR

CASING DATA

CSG O.D. IN.	WT.	. GRADE	CONN.	CSG LENGTH METRES	SHOE DEPTH R.K.B.	CENTRALIZER POSITION	REMARKS
9 5/8	47	N80	BUTT	317.46		TWO COLLARS BELOW AND FOUR	27 JOINTS
9 5/8	47	N80	BUTT	2.95		COLLARS ABOVE D.V. COLLAR	PUP JOINT
9 5/8	47	N80	BUIT	128.49		1 ACROSS	11 JOINTS
9 5/8	47	N80	BUTT	11.60		EACH COLLAR FOR 10 COLLARS INSIDE	FLOAT COLLAR JT.
9 5/8	47	N80	BUIT	12.47	2788	13 3/8" CASING	FLOAT SHOE JT.
							;
-							

4. CEMENT DATA

DATE	DEPTH METRES	TYPE JOB	TYPE CEMENT	AMOUNT	ADDITIVES	REMARKS
16/9/82	191	20'' CSG LEAD	CLASS 'N'	630 sx	3.3% GEL & 0.5% CFR-2	50% FRESHWATER 50% SEAWATER SLURRY WT 12.3 PPG
16/9/82	191	20" CSG TAIL	CLASS 'N'	350 sx	-	SEAWATER SLURRY WT 15.6 PPG
19/9/82	830	13-3/8" CSG LEAD	CLASS 'N'	971 sx		SEAWATER SLURRY WT 15.6 PPG
24/10/82	2788	9-5/8" CSG 1ST STAGE	CLASS 'N'	614 sx	2.3% HR6L & 0.75% CFR-2	FRESHWATER SLURRY WT 15.8 PPG
24/10/82	2788	9-5/8" CSG 2ND STAGE	CLASS 'N'	1150 sx	1.6% HR6L & 0.75% CFR-2	FRESHWATER SLURRY WT 15.6 PPG
7/11/82	2624 - 2633.5	P&A SQUEEZE PERFS ON PT #1 IN 9-5/8" CSG	CLASS 'N'	100 sx	0.8%HALAD 22 0.75% CFR-2 & 1.75% HR6L	TESTED TO 3500 PSI SLURRY WT 15.6 PPG.
21/11/82	3026 - 2903	P&A OPEN HOLE BAL. PLUG	CLASS 'N'	240 sx	2.25% HR6L & 0.75 % CFR-2	SLURRY WT 15.6 PPG
21/11/82	2903 - 2750	P&A OPEN HOLE/CSG SHOE BAL PLUC	CLASS 'N'	360 sx	2.25% HR6L & 0.75% CFR-2	TESTED TO 3500 PSI SLURRY WT 15.6 PPG
29/11/82	2750 - 2691	P&A SQUEEZE PERFS ON PT #2 IN 9-5/8" CSG	CLASS 'N'	182 sx	2.2% HR6L 0.75% CFR2	TESTED TO 3500 PSI SLURRY WT 15.8 PPG
3/12/82	RET. @ 242	P&A CASED HOLE BAL. PLUG	CLASS 'N'	25 sx	SEAWATER	
3/12/82	242 - 192	P&A BAL. PLUG ON RETAINER	CLASS 'N'	97 sx	SEAWATER	

CEMENT DATA

DATE	DEPTH METRES	TYPE JOB	TYPE CEMENT	TNUOMA	ADDITIVES	REMARKS
3/12/82	151.5 - 141	P&A SQUEEZE 13-3/8"x20" ANN. & 13-3/8 CSG	" CLASS 'N'	299 sx	SEAWATER	TESTED TO 1000 PSI
3/12/82	141 - 91	P&A BAL. PLUC ON RETAINER		87 sx	SEAWATER	TESTED TO 1000 PSI
	}				-	
-	; ,	·				
		·				

6. WIRELINE LOGS AND SURVEYS

	Type and Scale		From	<u>To</u>
	<u>Su</u>	ite l		
BHC CAL GR	1:200 1:500		800	70m
	<u>Su</u>	ite 2		
DLL MSFL GR	1:200 1:500		830	1766m
LDL CNL GR	1:200 1:500		830	1770m
HP Recording	Run 1 Run 2,3,4,5 Run 6,7,8,9		1491	1757m
RFT Recording	g Run 1 Run 2,3,4,5 Run 6,7,8,9		1491	1757m
Pretests:	58 attempted 42 successful			
Samples:	8 attempted 8 successful			
	<u>Su:</u>	ite 3		
DLL MSFL GR	1:200 1:500		2318	1700m
LDL CNL GR	1:200 1:500		2304	1710m
HP Recording	Run 10 Run 11,12,13 Run 14,15 Run 17		1926	2032
RFT Recording	Run 11,12,13 Run 14,15		1926	2032m
Pretests:	Run 17 53 attempted			
Samples:	30 successful 6 attempted 6 successful			
Checkshot Su	rvey 15 Levels		71	2260m
'.	Sui	ite 4		
DLL MSFL GR	1:200 1:500		2254	2801m
LDL CNL GR	1:200 1:500		2243	2804m
BHC GR	1:200 1:500		830	2803m
HDT	1:200		2804	1425m

5. SAMPLES, CONVENTIONAL CORES, SIDEWALL CORES

INTERVAL		TYPE	
3026 - 206m	washed bagg	ed samples, mples from	dried samples, 1 set of 1 tin containing each 15m interval (1/3
1488.2 - 1500.6m	Conventiona	l Core No.	1
1500.6 - 1513.4m	Conventiona	L Core No.	2
1513.4 - 1527.0m	Conventiona	Core No.	3
1573.4 - 1585.6m	Conventiona	L Core No.	4
1585.6 - 1596.6m	Conventiona	Core No.	5
2046.0 - 2061.2m	Conventiona	Core No.	6
2805.0 - 2807.8m	Conventiona	Core No.	7
2914.0 - 2916.0m	Conventiona	L Core No.	8
2800 - 848m	Sidewall Co	res - shot	132, recovered 118.
3032 - 2798m	Sidewall Co	res - shot	81, recovered 36.

02241/81

Checkshot Survey	8 Levels	1506	2800m
HP Recording	Run 18,19 Run 20 Run 21,22,23,24	2301	2789m
RFT Recording	Run 18,19 Run 20 Run 21,22,23,24	2301	2789m
Pretests: Samples:	61 attempted 15 successful 5 attempted 3 successful		
CST GR	Run 1,2,3 132 Shot 118 Recoveries	2800	848m
1	Suite 5		
DLL MSFL GR	1:200 1:500	2788	3031m
LDL CNL GR	1:200 1:500	2788	3031m
BHC GR	1:200 1:500	2788	3031m
HDT	1:200	2788	3033m
VSP Survey	57 Levels	1405	3020m
HP Recording Producti	on Test Run 1 Run 2	2624 2624	2633.5m 2633.5m
RFT Recording Pretests: Samples:	Run 25 10 attempted 1 successful 10 attempted 1 successful	2973.7	3014.5m
CST GR	Run 4,5 81 Shot 36 Recoveries	2798	3032m
Junk Basket & Product	ion Packer Setting & GR CCL Run 2,3	2500	2755m
Perforation Log	Run 2 Run 3 Run 4	2725 2736 2691	2736m 2747m 2702m
Bridge Plug Setting	Run 1		
Junk Basket GR CCL	Run 2	2500	2620m
1.		1	

		DEPTH.	RECOVERY (LITRES) HEWLETT-PACKARD FORMATION PRESSURE		HEWLETT-F								
TEST	SEAT	(METRES)			COND:		FORMATION WATER	FILTRATE	MPaa	Psia	MPaa	Psia	REMARKS
			Litres	Litres	Litres	_m 3	Li tres	Litres					
ı	1	1757	Pretest						17.107	2481.1	20.350	2951.5	
	2	1740	11						16.942	2457.2	20.145	2921.8	
	3	1717	**						16.720	2425.1	19.878	2883.1	
	4	1710	"		,				16.655	2415.6	19.800	2871.8	
	5	1689.5	77 11						16.482	2390.5	19.566	2837.8	
	6	1683							16.405	2379.4	19.492	2827.1	
	7	1678	**						16.358	2372.5	19.438	2819.2	
	8	1671							16.296	2363.6	19.360	2807.9	6
	9 10	1650	"						-	-	19.121	2773.3	Tight
	11	1649 . 5 1635	"						16.092	2333.8	19.114	2772.3	
	12	1624.5	11						15.977	2317.3	18.972	2751.6	
	13	1619	11						15.837	2297.0	18.828	2730.8	
	را 14	1619	"						15.786 15.701	2289.6	18.768	2722.0	
 	15	1605						NOTES THE STREET STREET, AND ADMINISTRATION OF STREET, AND ADMINIS	15.701	2277.3	18.666	2707.3	
	16	1599	"						12.022	2270.l -	18.606	2698.6 2688.7	Cool Failure
	17	1598	11						15.589	2260.9	18 . 538 18 . 533	2687.9	Seal Failure
	18	1595	**						15.612	2264.2	18.549	2690.2	•
	19	1583.5	11						15.497	2247.4	18.364	2690.2 2663.4	
	20	1575	11						15.376	2232.0	18.269	2649.5	
	21	1565	91						15.255	2212.5	18.149	2632.1	
	22	1550	**						15.108	2191.1	18.020	2613.4	
	23	1535	**						14.967	2170.6	17.809	2582.8	
	24	1530	11						14.929	2165.2	17.748	2574.0	
	25	1509	78						14.911	2162.5	17.748	2539.9	

					סרסי	OMETON 1	LITOPO			F-PACKARD	HEWLETT-		
					RECO	OVERY (LITRES)		FORMATIO	ON PRESSURE	HYDROSTAT I	C PRESSURE	
EST	SEAT	DEPTH (METRES) K.B.	CHAMBER	OIL	COND.	GAS	FORMATION WATER	FILTRATE	<u>MPaa</u>	Psia	MPaa	Psia	REMARKS
		N.D.	Litres	Litres	Litres	m ³	Litres	Litres					
	26	1491	11						14.883	2158.5	17.304	2509.6	
	27	1574	**							-	18.304	2654.6	Seal Failure
	28	1574	17						15.391	2232.2	18.262	2648.5	
	29	1585	\$1						-	-	18.373	2664.7	Tight
	30	1585.5	17							-	18.380	2665.7	Tight
	31	1594.0	19						15.552	2255.5	18.475	2679.5	
2	32	1576.0	Pretest						-	-	18.268	2649.4	Seal Failure
	33	1574	91						15.382	2230.8	18.245	2646.1	
	34	1595	22.7	22.5		1.06			15.557	2256.3	18.487	2681.1	Sample
			3.8	Samp	le Prese	erved			-	_			Sample
3	35	1592	Pretest						15.549	2255.0	18.449	2675.7	
	36	1571	***								18.205	2640.3	Ti ght
	37	1570.5	¥1						15.364	2228.2	18.202	2639.8	
	38	1575	22.7		•				-	-	18.255	2647.5	No sample - Seal Failure
	39	1575	22.7	23		1.42			15.837	2231.1	18.253	2647.2	Sample
			3.8	Samp	le Prese	erved			-		-	-	Sample
4	40	1638	Pretest								18.982	2753.0	Seal Failure
	41	1638.5	55 55						-	-	18,982	2753.0	Tight
	42	1633	15						-	-	18.920	2743.9	Tight
	43	1634							15.947	2312.8	18.934	2746.0	
	44	1613	22.7	0					-	-	. 18.693	2711.1	No sample - Seal Failure
	45	1613	22.7	Scum			22.2		15.727	2280.9	18.693	2711.1	Sample
=	16	1507 6	10.4				9.0		-		•	-	Sample
5	46	1583.5	22.7							_	18.356	2662.2	No sample - Seal Failure
	47	1583.5	22.7						15.486	2246.0	18.356	2662.2	No sample - Tight
	48	1584	22.7						-		18.357	2662.3	No sample - Tight
	49	1584	22.7	_						•••	18.345	2660.6	No sample - Tight
	50	1584	22.7	6		0.139		14	15.484	2245.7	18.356	2662.2	Sample
	51	1583.5	10.4	Scum		0.008	5 6.5		15.459	2242.0	18.352	2661.7	Sample

atromes, page a seri	V 				RECO	OVERY (L	ITRES)			T-PACKARD ON PRESSURE	HEWLETT-1		
TEST	SEAT	DEPTH (METRES) K.B.	CHAMBER	OIL	COND.	GAS	FORMATION WATER	FILTRATE	MPaa_	<u>Psia</u>	MPaa	Psia	<u>REMARKS</u>
		11.01	Litres	Litres	Litres	m ³	Litres	Litres					
б	52	1678	22.7						-	-	19.428	2817.8	No sample - Seal Fallure
	53	1678	22.7	Scum		0.0312			16.357	2372.2	19.420	2816.5	Sample
7	-,	1570	10.4			0.0142	9	-	-	-	-		Sample
7	54	1532	22.7	20		1.719			14.935	2166.0	15.690	2275.6	Sample
8	55	1641	3.8		le Prese	erved			-	-		-	Sample
0	56	1605	Pretest 22.7						16.016	2322.8	15.571	2258.2	
	57	1605	22.7	Scum		0.0014	22.0		-		18.595	2696.8	No sample - Seal Failure
	<i>)</i> (1007	10.4	SCuin		0.0014	22.0 9.0		15.648 -	2269.4	18.595	2696.9	Sample
9	58	1529.5		0.10		3.379	0.43		- 14.935			-	Sample
	20	1029.0	3.8		ole Prese		0.45		14.933	2166.0	17.731	2571.5	Sample
10	59	2302	Pretest		716 11656	er veu			22.619	3280.4	- 26.960	- 3910.0	Sample
. •	60	2279	#						-	J200.4 -	26.680	3869.4	Tield
	61	2280	77						22.426	3252.4	26.680	3869.4	Tight
	62	2264	11							J2J2.4 -	26.546	3849.9	Tight
	63	2262	84							-	26.499	3843 . 2	Seal Failure
	64	2261	11						_		26.496	3842.7	Tight
	65	2258.5	17					•	23.143	3356.4	26.414	3830.8	Supercharged?
	66	2258.5	**						23.140	3356.0	26.414	3830.8	Supercharged? Slow Seal Failure?
	67	2249	tt						22.244	3226.0	26.349	3821.4	
	68	2244	11						22.171	3215.5	26.244	3806.2	
	69	2237	19						22.205	3220.4	26.207	3800.8	
	70	2239	11						22.164	3214.5	26.181	3979.0	
	71	2236	99						22.166	3214.7	26.151	3792.7	
	72	2219	77						-		25.942	3762.4	Tight
	73	2205	77						21.733	3151.9	25.942	3737.1	
	74	2196	17						21.724	3150.6	25.666	3722.3	
	75	2167	11						21.256	3082.8	25.387	3681.9	

										r-PACKARD	HEWLETT-F		
			•		REC	OVERY (L	ITRES)		FORMATIO	ON PRESSURE	HYDROSTATIO	PRESSURE	
		DEPTH					FORMATION						
TEST	SEAT	(METRES)	CHAMBER	OIL	COND.	GAS	WATER	FILTRATE	MPaa	Psia	MPaa	Psia	REMARKS
		K.B.									,		
			Litres	Litres	Litres	_m 3	Litres	Litres					
							· · · · · · · · · · · · · · · · · · ·						
	76	2155 .	9.0						21.115	3062.3	25.224	3658.2	
	77	2113	11						20.738	3007.7	24.770	3592.4	
	78	2086	**						20.417	2961.1	24.409	3540.0	
	79	2053.5	#1						20.117	2914.6	24.039	3486.4	
	80	2047	ŧŧ						-		23.968	3476.1	Seal Failure
	81	2046.2	77						20.035	2905.7	23.960	3474.9	
	82	2034.5	11						19.923	2889.4	23.827	3455.6	
	83	2027.5	17						19.850	2878.8	23.760	3445.9	
	84	2005	19				•		-	-	23.510	3409.6	Tight
	85	2004	11						19.632	2847.3	23.508	3409.3	
	86	1926	***						18.813	2728.5	22.610	3279.2	
11	87	2247	Pretest						-		26.290	3812.8	Seal Failure
	88	2249	22.7	18.0		1.702	Trace		22.209	3221.0	26.313	3816.2	Sample
			3.8	Samp	le Pres	erved			-	-	-	-	Sample
12	89	2205	22.7						-	-	25.770	3737.4	No sample - Seal Failure
	90	2205	22.7	13.0		1.444		3.0	21.743	3153.4	25.771	3737.6	Sample
			3.8	Samp	le Pres	erved			-	-	-	-	Sample
13	91	2034.5	22.7					•	-	-	23.836	3456.9	No sample - Seal Failure
	92	2034.5	22.7						-	-	23.836	3456.9	No sample - Seal Failure
	93	2034.5								-	23.836	3456.9	No sample - Seal Failure
	94	2034	22.7						-		23.826	3455.5	No sample - Seal Failure
	95	2031.5	22.7						-	-	23.792	3450.5	No sample - Seal Failure
	96	2032	22.7						-	-	23.790	3450.2	No sample - Seal Failure
	97	2032	22.7	6.5		0.77		11	19.910	2887.5	23.788	3450.0	Sample
			3.8	Samp	le Pres	served		•	-	-	-	-	Sample
14	98	2280	22.7						-	-	26.548	3850.2	No sample - Seal Failure
	99	2280	22.7							-	26.546	3850.0	No sample - Seal Failure
	100	2280	22.7			0.082		20.5	22.439	3254.4	36.546	3850.0	Sample
			3.8			0.008	5	3.25		_	-		Sample

									HEM ET	Γ-PACKARD	HEWLETT-	DACK ADD	
					RECO	OVERY (L	(TRES)			ON PRESSURE	HYDROSTATI		
									1 01111111	JI I NESSONE	111010317111	O T NESSONE	
		DEPTH					FORMATION						
TEST	SEAT	(METRES)	CHAMBER	OIL	COND.	GAS	WATER	FILTRATE	MPaa	Psia	MPaa	Psia	REMARKS
- 		K.B.	- · · · · · · · · · · · · · · · · · · ·							W-1172			1127 11110
			Litres	Litres	Litres	_m 3	Litres	Li tres					
									1				
15	101	2046	22.7						_	-	23.903	3466.6	No sample - Seal Failure
	102	2046 -	22.7	2.75		0.153		17.25	20.043	2906.8	23.903	3467.0	Sample
			10.4	4.75		0.244		2.75	-	~	-		Sample
16			Abandone	d becau	se of pu	ıll on t	tool.						
17	103	2258.6							23.363	3388.4	26.314	3816.3	No sample - tight
	104	2261.6							-	-	26.337	3819.6	No sample - Seal Failure
	105	2261.6							***	-	26.335	3819.3	No sample - Seal Failure
	106	2259.8	22.7						22.678	3289.0	26.330	3818.7	No sample - Seal Failure
	107	2259.8	22.7						22.595	3277.0	26.325	38!7.9	No sample - tight
	108	2196	22.7				•		-	-	25.627	3706.7	No sample - Seal Failure
	109	2196.2	22.7						-	-	25.569	3708.2	No sample - Seal Failure
	110	2196.2	22.7						-	_	25.569	3708.2	No sample - Seal Failure
	111	2195.3	22.7	0.1		2.52		2.0	21.738	3152.6	25.589	3711.2	Sample
			10.4	0.055		1.25		0.17	-	-		_	Sample
18	112	2548	Pretest						25.002	3626.0	29.262	4243.9	•
	113	2584.5	11						_	-	29.676	4303.9	Seal Failure
	114	2584.5	11						· -	_	29.676	4303.9	Seal Failure
	115	2604.5	11						_	_	29.912	4338.2	Seal Failure
	116	2633	22.7					•	-		30.225	4383.6	No sample - Seal Fallure
	117	2633	22.7	Waxy	Scum	0.082		19.6	26.133	3709.1	30.225	4383.6	Sample
			10.4	OII F		0.0142	2	3.4	-	-	~	-	Sample
19	118	2781	Pretest								31.920	4629.4	Seal Failure
	119	2781	17								31.915	4628.6	Seal Failure
	120	2786	17							_	32.009	4642.3	Seal Failure
	121	2786	15								32.009	4641.7	Seal Failure
	122	2787	17						_	_	31.997	4640.5	Seal Failure
	123	2766	11								31.733	4640.3	Seal Failure
	124	2756	11		*				_	_			
	125	2749	;t								31.638	4587.9	Seal Failure
	120	2149	.•						-	-	31.495	4567.7	Seal Failure

					RECO	VERY	(LITRES)			T-PACKARD ON PRESSURE	HEWLETT-I		
TEST	SEAT	DEPTH (METRES) K.B.	CHAMBER	OIL	COND.	GAS	FORMATION WATER	FILTRATE	<u>MPaa</u>	Psia	<u>MPaa</u>	Psia	REMARKS
			Litres	Litres	Litres	_m 3	Litres	Litres					
									,				
	126	2693	**						26.905	3902.0	30.868	4476.8	
	127	2604.5	£4						25.658	3721.2	30.546	4430.1	
	128	2593	24						-	-	29.619	4295.4	Tight
	129	2583.5	**								26.621	4296	Tight
20	130	2786	77							-	32.173	4666	Seal Failure
	131	2785	11						-	-	32.173	4666	Seal Failure
	132	2789	97						-	-	32.228	4674	Seal Failure
	133	2789 ′	**						-	-	32.228	4674	Tight
	134	2781	29						-	-	32.035	4656	Seal Failure
	135	2781	. 11						-	_	32.035	4656	Seal Failure
	136	2781.5	Ħ						-	-	32.117	4658	Seal Failure
	137	2760.8	11							•••	31.876	4623	Tight
	138	2618							-	-	30.256	4388	Tight
	139	2621	11						-	-	30.283	4392	Seal Failure
	140	2621	11						-	-	30.283	4392	Seal Failure
	141	2627	**						-	479	30.352	4402	Tight
	142	2576	11						25.615	3715.0	29.732	4312	
	143	2576	Pretest						25.629	3717.0	29.725	4311	
	144	2557	11						25.082	3637.6	29.518	4281	
	145	2583.5	**						-	-	29.821	4325	Tight
	146	2583	11							-	29.815	4324	Tight
	147	2624.5	tt.						25.978	3767.6	30.304	4395	
	148	2516.5	?7						-	-	29.043	4212	Seal Fallure
	149	2516.5	17						-	-	29.043	4212	Tight
	150	2478	17						24.519	3556.0	28.608	4149	

DEOTH.					RECO	VERY (LI	TRES)			F-PACKARD ON PRESSURE	HEWLETT-		
									7 011 111 11	777 ! !!!!!	7110110317111	O T NESSONE	•
		DEPTH				F	FORMAT ION						
EST S	EAT		CHAMBER	OIL	COND.	GAS	WATER	FILTRATE	MPaa	Psia	MPaa	Psia	REMARKS
		K.B.				7							
			L! tres	Litres	Litres	m ³	Litres	Litres					
1	51	2461.5	**						24.293	3523.2	28.422	4122	
I	52	2446	11						24.096	3494.6	28.242	4096	
i	53	2501.5	71						-	_	28.891	4190	Tight
1	54	2433	15						-	~	28.098	4075	Ti ght
ı	55	2402.5	91						23.619	3425.4	27.732	4022	g
1	56	2314	17						22.746	3298.9	26.719	3875	
1	57	2302	**						-	-	26.615	3860	Seal Failure
1	58	2302	11								26.615	3860	Seal Failure
ł	59	2302	11						-	_	26.615	3860	Seal Failure
1	60	2301 -	11						22.626	3281.5	26.601	3858	
1	61	2604.5	22.7						25.680	3724.4	30.049	4358	No sample - Seal Failure
1	62	2604.5	22.7	Scum		0.0142		20.5	25.671	3723.1	30.049	4358	Sample
			10.4	Scum		0.0142		9.0	-	-		_	Sample
1	63	2461.5	22.7	Trace		0.005	20.25		24.234	3514.6	28.435	4124	Sample-Seal Failure
1	64	2461	10.4	Trace	•			5	24.21	3511.2	28.470	4129	Sample - Seal Failure
i	65	2461	10.4				•		-	_	28.463	4128	No sample - Seal Failure
i	66	2461	10.4						_	_	28.463	4128	No sample - Seal Failure
5	67	2633	22.7					•	-	-	30.387	4407	No sample - Seal Failure
!	68	2633	22.7	Scum		0.07		20.1	26.095	3784.5	30.394	4408	Sample
			10.4	Trace		0.0312		9.1		-	_	_	Sample
. 1	69	2461.5	22.7	Trace		0.0396		19.6	24.225	3513.4	28.415	4124	Sample
			10.4	Trace					-		-	_	Sample - Seal Failure
1	70	2461.5	10.4						-		28.435	4124	Seal Failure
1	71	2461.5	10.4							-	28.435	4124	Seal Failure
1	72	2461	10.4	Trace		0.0085		9.3	24.222	3512.9	28.435	4124	Sample - Seal Failure

					RECO	VERY	(LITRES)			T-PACKARD ON PRESSURE	HEWLETT- HYDROSTATI	PACKARD C PRESSURE	
TEST	SEAT	DEPTH (METRES) K.B.	CHAMBER	-	COND.	GAS m ³	FORMATION WATER Litres	FILTRATE Litres	MPaa	<u>Psia</u>	<u>MPaa</u>	Psia	REMARKS
25	173	3013.5	22.7										
2.7	174	3013.4							-	-	39.771	5768	Tight
	175	3013.6							-	-	39.771	5743	Seal Failure
	176								-		39.247	5692	Tight
		3014.5	22.7						~	-	38,944	5648	Seal Failure
	177	3001.5								~	39.013	5658	Tight
	178	3001.4							-	-	38.689	5611	Seal Failure
	179	3001.4	22.7						-		38.771	5623	Seal Failure
	180	3005.5	22.7						-	-	38.806	5628	Seal Failure
	181	2973.7	22.7				•		-	_	38.764	5622	Tight
	182	2973.8	22.7					2.0	36.958	5360	38.626	5602	Sample - Tight
		•	3.8					0.9	-		***	-	Sample - Tight

TABLE 1

8. SUMMARY OF WIRRAH-I WELL PRODUCTION TEST NO. I RESULTS

Test No	Date (1982)	Perforation Interval (m RKB)	Production Fluid Time ——(-/Hrs)	Choke Size (64th)	Flowing WHP PSIG	Stabilised Prod. Rate (STB/D)		BHP PSIA	Maximum BHT(°F)	Damage Ratio	Productivity Index (STB/D/PSI)	Thickness	Permeability (md)
l	29/10/82 - 4/11/82	- 2624-2633.5	13.5	28	580	610	3764 psia 2	2610	221	1.07	0.56	1129	5.8

Note: (1) All depths relative to KB (KB Southern Cross = 21m)

TABLE |
SUMMARY OF WIRRAH NO. | WELL PRODUCTION TEST RESULTS

Test No	Date	Perforation Interval	Production Fluid Time	Choke Size	Flowing WHP	Average Prod. Rate	Initial SBHP*	Flowing BHP	Maximum BHT	Damage Ratio	Productivity Index	Permeabllity Thickness	Permeability
-	(1982)	(m RKB)	(-/Hrs)	(64th)	[kPa (gauge)]	(kL/D)	[kPa (abs)]	[kPa (abs)]	(°C)		(ST kL/D/kPa)	(md-f+)	(md)
2	24-28 Nov	2725-2747	-	-	-			-	-	-	-		-
-		2691-2702	Water/14.58	48	0	1.11	27,093	22,643	105.40.	0.36	2.5×10 ⁻⁴	2.33	0.065
						(7 STB/D)	(3929.4	(3284	(221.7°F)		(0.0109		
							psia)	psia)	@ 2684m		STB/D/psi)		
					•		@ 2685m	@ 2685m					

Notes: (1) All depths relative to KB (KB Southern Cross = 21m)

⁽²⁾ The damage ratio of 0.36 indicate the wellbore or near wellbore region was stimulated. This corresponds to a skin factor of -2.9.

9. WIRRAH-l

TEMPERATURE RECORD

								_
	LOGGING RUN	THERMOMETER DEPTH (m)	MAX. RECORDED TEMPERATURE (CO)	CIRCULATION TIME (t _k) (hours)	TIME AFTER CIRCULATION STOPPED (t)	HORNER* TEMPERATURE (C ^O)	GEOTHERMAL GRADIENT (CO/km)	
	Suite #1 BHC-GR Suite #2 DLT-MSFL-GR LDT-CNL-GR HP Recording	799.0m 1766.3m 1770.0m 1770.0m	42.7° C 60.5° C 66.0° C 75.0° C	2	3-3/4hrs 5-1/2hrs 10-3/4hrs 16 hrs	- 80.5 [°] C	41° C/km	
-	Suite #3 DLT-MSFL-GR LDT-CNL-GR Suite #4	2318.0m 2304.0m	77.7° C 84.4° C	1	5hrs 9-1/2hrs	96.6° C	39° C/km	
	DLT-MSFL-GR LDT-CNL-GR	2801.0m 2804.0m	97.0° C	1.5	9-1/2hrs 14-1/2hrs	117.0° C	39 [°] C/km	1
	BHC-GR HDT-GR Suite #5	2803.0m 2803.5m	104.5° C		18-1/2hrs 23-1/2hrs			
	DLT-MSFL-GR LDT-CNL-GR BHC-GR	3031.0m 3034.0m 3033.0m	107.0° C 108.0° C 113.0° C	1 1/4	6-1/2hrs 10-3/4hrs 14.0hrs	116.6° C	36 [°] C/km	1

FIGURES

LOCALITY MAP WIRRAH - 1

的变形。1977年,1977年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年

SCALE - 1:250,000




Figure 1





Figure 2.



9-5/8" Bridge Plug @ 2605m Press. Tested to 24150 kPa (3500 psi)

P.T. No. 2- Baker 'D' Packer @ 2612m

Baker 'D' Packer @ 2668m

70m

13-3/8" Cmt Ret @ 141m.

13-3/8" Cmt Ret @ 242m

Cut 9-5/8" Csg @ 252m

49m

Note: Baker 'D' Packer for PT

No. 1 was set at 2603m but drilled out to deepen

well.

P.T. No. 2 perfs 2691-2702m 2725-2736m 2736-2747m

Balanced cmt plug 2750-2612m


PLUG No. 2.


2750-2903m Press tested to 24150 kPa (3500 psi)


PLUG No. 1.


2903-3026m

Figure 4.









APPENDIX 1

APPENDIX --1

The state of the s

The state of the s

Accounts of the contract of th

11

To age of the second

-

The second secon

The state of the s

Company Compan

The state of the s

4

LITHOLOGICAL DESCRIPTIONS

The state of the s

WIRRAH - 1

Lithology Description

215 - 220m	50 40 trace 10	CALCARENITE: agglomerates of medium to fine grained clasts, medium to light grey, firm, very calcareous, subrounded to subangular clasts, calcareous cement, well sorted, mineral fluorescence. CEMENT Angular shell fragments: quartzose sand sized clasts, white, tan, subangular, hard, forams. SANDSTONE: red brown, non calcareous, quartzose clasts, fine, hard, some cuttings have calcareous cement.
220 - 230m	70 30 trace trace trace trace	CALCARENITE: as above. CEMENT: as above. SHELL FRAGMENTS SANDSTONE QUARTZ CLASTS CALCAREOUS SPICULES
230 - 240m	20 trace trace trace	CALCARENITE: as above, agglomerates are smaller. CEMENT: as above. SHELL FRAGMENTS SANDSTONE SANDSTONE CLASTS
240 - 250m	90 10 trace trace	CALCARENITE: as above. SANDSTONE CLASTS: quartzose, coarse sand sized, tan, white, angular. SANDSTONE: as above. SHELL FRAGMENTS: as above.
250 ~ 260m	90 10 trace trace	CALCARENITE: as above, finer agglomerates than above. SANDSTONE CLASTS: quartzose, coarse sand sized, tan, white, angular. SANDSTONE: as above. SHELL FRAGMENTS: as above.
260 - 270m	90 10 trace trace trace	CALCARENITE: as above. BRYOZOANS SANDSTONE CLASTS SHALE FRAGMENTS SANDSTONE
270 - 280m	95 5	CALCARENITE: very fine grained, medium light grey with dark flecks, hard and friable, angular to subangular, calcareous cement. FOSSILS: echinoid spines, bryozoans, forams
280 - 290m	90	CALCARENITE: very fine grained, medium light grey with occasional dark flecks, hard and friable, angular to subangular, calcareous cement. FOSSILS: echinoid spines, bryozoans, forams, shells.
290 - 300m	100	CALCARENITE: as above, with up to 10% fossils, eg. echinoids, bryozoans, forams, shell fragments, gastropods.
300 - 310m	100	CALCARENITE: as above, but some very soft water sensitive.

310 - 320m	100	CALCARENITE: as above, up to 50% fossils.
320 - 330m	100	CALCARENITE: as above, up to 20% fossils, the finer material forms soft water sensitive aggregates as above, and fossils are mixed with these as well as being found separately.
330 - 340m	100	CALCARENITE: as above, with soft water sensitive material as above, some of the fine material is made up of small aggregates of light to medium grey fine grained calcareous clasts, calcareous cement, rounded to subrounded, firm, well sorted; 15% fossils, as above.
340 - 350m	100	CALCARENITE: as above, 80% fossils, bryozoans, echinoids, gastropods, shells; 20% fine calcareous material, as above, trace of the soft material, as above.
350 - 360m	100	CALCARENITE: as above, 60% fossils, as above; 30% soft material, as above; 10% fine calcareous material, as above.
360 - 370m	100	CALCARENITE: as above, 20% fossils, as above; 30% soft material, as above; 50% fine calcareous material, as above; mineral fluorescence.
370 - 380m	100	CALCARENITE: as above, 10% fossils, as above; 20% soft material, as above; 70% fine calcareous material, as above.
380 - 390m	100	CALCARENITE: as above, trace fossils, 20% soft material, as above; 80% fine calcareous material, as above; many of the bryozoans, and echinoid spines are covered in fine sand clasts with calcareous cement, mineral fluorescence.
390 - 400m	100	CALCARENITE: 90% medium grained, light grey, very calcareous, agglomerates of calcareous cement, fine clasts, rounded, well sorted, dark grey, hard; trace fossils, bryozoans; trace light grey soft masses of calcareous material which is sensitive to water.
400 - 410m	100	CALCARENITE: as above, 90% agglomerates of fine clasts as above, 10% fossils - bryozoans, echinoid spines, trace soft material, as above.
410 - 420m	100	CALCARENITE: as above, 90% agglomerates of fine clasts, as above; bimodal (split 50-50) of very coarse sized aggregates and coarse sized aggregates; 10% fossils - echinoid spines, bryozoans, trace gastropods; trace soft material, as above.
420 - 430m	100	CALCARENITE: as above, 100% agglomerates of fine clasts, as above; trace fossils - bryozoans and echinoid spines; trace soft material, as above.
430 - 440m	1.00	CALCARENITE: as above.
440 - 450m	100	CALCARENITE: as above.

450 - 460m	100	CALCARENITE: medium light grey to medium dark grey, hard, very fine to fine grained aggregates, well rounded to subangular grains, poorly sorted, calcareous cement, occasional crystalline carbonate, clear to opaque; fossils - bryozoans, forams, echinoid spines.
460 - 470m	100	CALCARENITE: as above.
470 - 480m	100	CALCARENITE: as above, with occasional soft water sensitive claystone.
480 - 490m	100	CALCARENITE: as above, with trace microcrystalline pyrite.
490 - 500m	100	CALCARENITE: as above.
510 - 520m	100	CALCARENITE: as above, with less forams and echinoid spines than above.
520 - 530m	100	CALCARENITE/CALCILUTITE: clear, as above but grading to calcilutite; calcilutite is medium light grey to dark grey, very hard and brittle, occasionally crystalline, angular cuttings.
530 - 540m	100	CALCARENITE/CALCILUTITE: as above, less fossils.
540 - 550m	100	CALCARENITE/CALCILUTITE: as above, in part very soft and water sensitive.
550 560m	100	CALCARENITE/CALCILUTITE: as above, in part very soft and water sensitive.
560 - 570m	100	CALCARENITE/CALCILUTITE: predominantly calcilutite, medium light grey to medium grey, soft to very soft, occasionally firm as grain size increases, grades into clear as above, abundant fossil fragments - bryozoans, shell fragments, occasional forams.
570 - 580m	100	CALCILUTITE/CALCARENITE: as above, but less calcilutite and less fossils.
580 - 590m	100	CALCILUTITE/CALCARENITE: light grey to medium light grey, soft and sticky calcilutite, grades to hard, fine grained to very fine grained, clear, well rounded to subangular, well sorted, calcareous cement; occasional fossils; high proportion of soft water sensitive claystone (gumbo) coming over shakers.
590 - 600m	100	CALCILUTITE/CALCARENITE: as above.
600 - 610m	100	CALCARENITE: as above, occasional calcilutite, occasional fossils - forams, bryozoans.
610 - 620m	100	CALCARENITE/CALCULITITE: as above, occasional fossils.
620 - 630m	100	CALCARENITE/CALCULITITE: as above.
630 - 640m	100	CALCARENITE/CALCULITITE: as above.
640 - 650m	100	CALCARENITE/CALCULITITE: as above.
650 - 660m	100	CALCARENITE/CALCILUTITE: as above, occasional fossil fragments.

660 - 670 m	100	CALCARENITE/CALCILUTITE: as above, occasional fossil fragments.
670 - 680m	100	CALCARENITE/CALCILUTITE: light to medium light grey, few soft sticky calcareous aggregates, grading to hard; hard aggregates composed of calcareous angular grains, medium to fine grained, and perhaps small shell fragments, micritic and calcareous cement. Some grains striated (with grain linearments crossed and held together by grain linearments running perpendicular to the first set), medium grained minerals. Also some dark grains, perhaps carbonaceous; occasional fossils – forams, shell fragments, bryozoans, echinoid spines. SANDSTONE: quartz grains, hard, subrounded, very coarse, well sorted.
680 - 690m	100	CALCILUTITE/CALCARENITE: as above, trace white to light grey, very soft calcilutite.
690 – 700m	100	CALCILUTITE/CALCARENITE: as above, trace white to light grey, very soft calcilutite.
700 - 710m	100	CALCILUTITE/CALCARENITE: as above, many coarse sand sized cuttings of bryozoans, trace fossils – forams.
710 - 720m	100	CALCILUTITE/CALCARENITE: as above, bryozoans and forams, as above.
720 - 730m	100	CALCILUTITE/CALCARENITE: as above, occasional bryozoan fossils, trace pyrite forming cement around fine sand sized calcareous grains; high proportion of soft water sensitive calcareous clay.
730 - 740m	100	CALCILUTITE/CALCARENITE: as above.
740 - 750m	100	CALCILUTITE/CALCARENITE: as above, occasional bryozoan fossils, forams, echinoids fragments; high proportion of soft water sensitive calcareous clay, as above.
750 - 760m	100	CALCILUTITE/CALCARENITE: as above.
760 - 770m	70 30 trace trace	CALCILUTITE/CALCARENITE: as above. SANDSTONE: quartzose grains, very light grey, calcareous cement, hard, medium to finely sorted, subangular to subrounded, well sorted. FOSSILS: forams, bryozoans. SANDSTONE: quartzose clear grains, coarse to medium grained, subrounded, moderately well sorted.
770 - 780m	50 40 10	CALCILUTITE/CALCARENITE: as above. SANDSTONE: loose quartz grains, clear, coarse to medium grained, rounded to subrounded, moderately well sorted, trace bryozoans. SANDSTONE: as above.
780 – 790 m	10 80 10	CALCILUTITE/CALCARENITE: as above. SANDSTONE: loose quartz grains, as above. SANDSTONE: as above.

790 - 800m	80 10 10 trace	SANDSTONE: as above, loose quartz grains. CALCILUTITE/CALCARENITE: as above. SANDSTONE: as above. FOSSILS: bryozoan fragments.
800 - 810m	60	SANDSTONE: loose quartz grains, clear, medium to very coarse grained, well rounded to rarely subangular, occasionally fine grained to medium grained aggregates with dolomitic cement, (mineral fluorescence), aggregate grains angular to subangular.
	40	CALCILUTITE/CALCARENITE: light grey to medium dark grey, soft to firm, rounded to subangular cuttings, carbonaceous cement, trace fossils.
810 - 820m	80 20	SANDSTONE: as above, medium to very coarse grained, well rounded. CALCILUTITE/CALCARENITE: as above.
820 - 830m	70 30	SANDSTONE: as above. CALCILUTITE/CALCARENITE: some very light grey to white, very soft, argillaceous cuttings, also some very hard with cemented argillaceous quartz aggregates.
830 - 840m	80	CALCILUTITE/CALCARENITE: very light grey to medium light grey, soft to firm, rounded to subangular cuttings, sometimes soft when calcilutite forms matrix for quartzose sand grains, calcareous cement, trace fossil fragments. SANDSTONE: loose quartz grains, as above.
840 - 845m	100 trace	CALCILUTITE/CALCARENITE: as above. SANDSTONE: as above.
845 - 850m	100	CALCILUTITE/CALCARENITE: 3 types of cuttings: medium dark grey (approx. 30%); very hard, very fine grained, calcareous cement, medium light grey (approx. 50%); firm to friable, very fine grained to calcilutite, very light grey (approx. 20%); very soft, water sensitive calcilutite, occasional fossils, (bryozoans and forams).
850 - 855m	100	CALCILUTITE/CALCARENITE: as above.
855 - 860m	100	CALCILUTITE/CALCARENITE: as above.
860 - 865m	100	CALCILUTITE/CALCARENITE: as above, occasional microcrystalline carbonate, hard, brittle, white.
865 - 870m	100	CALCILUTITE/CALCARENITE: as above.
870 - 875m	100	CALCILUTITE/CALCARENITE: as above.
875 - 880m	100	CALCILUTITE/CALCARENITE: as above.
880 - 885m .	100	CALCILUTITE/CALCARENITE: predominantly medium light grey, otherwise as above.
885 - 890m	100	CALCILUTITE/CALCARENITE: as above, predominantly medium light grey, very hard to firm, angular cuttings, occasional forams.

890 - 895m	100	CALCILUTITE/CALCARENITE: approx equal proportions of calcilutite and calcarenite; calcilutite is medium dark grey, hard to firm, calcarenite is very light grey to light grey, very fine grained to fine grained, firm to soft, friable; ocasionally very light grey to white calcilutite, very soft.
895 - 900m	100	CALCILUTITE/CALCARENITE: as above.
900 - 905m	100	CALCILUTITE/CALCARENITE: as above.
905 - 910m	100	CALCILUTITE/CALCARENITE: as above.
910 - 915m	100	CALCILUTITE/CALCARENITE: as above.
915 - 920m	100	CALCILUTITE/CALCARENITE: as above.
920 - 925m	100	CALCILUTITE/CALCARENITE: as above.
925 - 930m	100	CALCILUTITE/CALCARENITE: as above.
930 - 935m	100	CALCILUTITE/CALCARENITE: as above.
935 - 940m	100	CALCILUTITE/CALCARENITE: majority soft to very soft, medium light grey to light grey, occasionally hard cuttings, otherwise as above.
940 - 945m	100	CALCILUTITE/CALCARENITE: as above.
945 - 950m	100	CALCILUTITE/CALCARENITE: predominantly firm to hard, medium dark grey to medium grey, otherwise as above.
950 - 955m	100	CALCILUTITE/CALCARENITE: as above.
955 - 960m	100	CALCILUTITE/CALCARENITE: as above.
960 - 965m	100	CALCILUTITE/CALCARENITE: as above.
965 - 970m	100	CALCILUTITE/CALCARENITE: as above.
970 - 975m	100	CALCILUTITE/CALCARENITE: as above.
975 - 980m	100	CALCILUTITE/CALCARENITE: as above.
980 - 985m	100	CALCILUTITE/CALCARENITE: medium dark grey to medium light grey to less common very light grey, very soft to firm and friable; calcarenite generally very fine grained to fine grained, calcite cement, rare fossils, forams.
935 - 990m	100	CALCILUTITE/CALCARENITE: as above.
990 - 995m ·	100	CALCILUTITE/CALCARENITE: as above, some cuttings contain glauconite.
995 - 1000m	100	CALCILUTITE/CALCARENITE: as above.
1000 - 1005m	100	CALCILUTITE/CALCARENITE: trace microcrystalline pyrite, otherwise as above.
1005 - 1010m	100	CALCILUTITE/CALCARENITE: as above, trace microcrystalline carbonate.
1010 - 1015m	100	CALCILUTITE/CALCARENITE: as above.
1015 - 1020m	100	CALCILUTITE/CALCARENITE: as above.

1020 - 1025m	100	CALCILUTITE/CALCARENITE: trace microcrystalline pyrite aggregates, otherwise as above.
1025 - 1030m	100	CALCILUTITE/CALCARENITE: as above.
1030 - 1035m	100	CALCILUTITE/CALCARENITE: as above.
1035 - 1040m		CALCARENITE: medium dark grey to light grey, soft to firm and friable, generally fine grained, calcareous cement, occasional fossil:
	trace	CALCILUTITE
1040 - 1045m	100	CALCARENITE: predominantly light grey, otherwise as above.
1045 - 1050m	100	CALCARENITE: as above.
1050 - 1055m	100	CALCARENITE: as above.
1055 - 1060m	100	CALCARENITE: as above, predominantly medium light grey.
1060 - 1065m	100	CALCARENITE: as above, fine grained.
1065 - 1070m	100	CALCARENITE: as above, fine grained.
· 1070 - 1075m	100	CALCARENITE: as above, fine grained.
1075 - 1080m	100	CALCARENITE: as above, fine grained.
1080 - 1085m	100	CALCARENITE: as above, fine grained, 75% light grey, 25% medium light grey.
1085 - 1090m	100	CALCARENITE: as above, fine grained, 50% light grey, 50% medium light grey; a green mineral is present in some of the light grey cuttings and is fine grained, possibly glauconite.
1090 - 1095m	100	CALCARENITE: as above, fine grained, 50% light grey, 50% medium light grey and green mineral as above; some dark flecks in light grey cuttings.
1095 - 1100m	100	CALCARENITE: as above, fine grained, 60% light grey, 40% medium light grey, and green mineral as above, dark flecks, as above.
1100 - 1105m	100	CALCARENITE: as above, fine grained, 60% light grey, 40% medium light grey and green mineral as above, dark flecks as above.
1105 - 1110	100	CALCARENITE: very light grey, medium light grey, argillaceous, very soft to hard, fine to very fine grained, subrounded, well sorted, some cuttings show light and dark types mottled together, calcareous cement, cuttings generally subrounded to subangular of grit size.
1110 - 1115m	100	CALCARENITE: as above.
1115 - 1120m	100	CALCARENITE: as above.
1120 - 1125m	100	CALCARENITE: as above, occasional bryozoan fossil fragments.
1120 - 1125m	100	CALCARENITE: as above.
1125 - 1130m	100	CALCARENITE: as above.

1130	**	1135m	100	CALCARENITE:	as	above.	
1135		1140m	100	CALCARENITE:	as	above.	
1140	***	1145m	100	CALCARENITE:	as	above.	
1145	•	1150m	100	CALCARENITE: light grey.	as	above,	predominantly medium
1150	424	1155m	100	CALCARENITE:	as	above.	
1155		1160m	100	CALCARENITE:	as	above.	
1160		1165m	100	CALCARENITE: observed.	as	above,	a fossil foram was
1165	400	1170m	100	CALCARENITE:	as	above.	
1170	_	1175m	100	CALCARENITE:	as	above.	
1175		1180m	100	CALCARENITE: fragment was o			a fossil bryozoan
1180		1185m	.100	CALCARENITE:	as	above.	
1185		1190m	100	CALCARENITE: predominate.	as	above,	fossil echinoid spines
1190	mo	1195m	100				much water sensitive oming over the shakers.
1195	****	1200	100	CALCARENITE:	as	above.	
1200		1205m	100	CALCARENITE: grey.	as	above,	predominantly light
1205	-	1210m	100	CALCARENITE:	as	above.	
1210		1215m	100	CALCARENITE:	as	above.	
1215		1220m	100	CALCARENITE:	as	above,	predominantly soft.
1220		1225m	100	CALCARENITE:	as	above,	predominantly soft.
1225	~	1230m	100	CALCARENITE:	as	above.	
1230		1235m	100	calcarenite, m calcareous, fi cement; some c	ediu ne d alci e, d	um grey, to very ilutite, trace mi	predominantly , firm, argillaceous, fine grained, weak , light grey, soft and icrocrystalline pyrite ne calcite.
1235	-	1240m	100				trace calcarenite, due when dissolved in
1240		1245m	100	CALCILUTITE:	as	above,	trace calcarenite.
1245	***	1250m	100	CALCILUTITE: calcarenite.	as	above,	with approx 40%
1250	***	1255m	100	CALCILUTITE: calcarenite.	as	above,	with occasional
1255	teo-	1260m	100	ÇALCILUTITE: calcarenite.	as	above,	with occasional

1260 - 1265m	100	CALCILUTITE: as above, with occasional calcarenite.
1265 - 1270m	100	CALCILUTITE: as above.
1270 - 1275m	100	CALCILUTITE/CALCARENITE: as above.
1275 - 1280m	100	CALCILUTITE/CALCARENITE: predominantly calcilutite (approx. 80%), very light grey, very soft, calcareous (argillaceous residue when dissolved in HCl), water sensitive; calcarenite is medium dark grey, firm, calcareous, very fine grained.
1280 - 1285m	100	CALCILUTITE/CALCARENITE: as above.
1285 - 1290m	100	CALCILUTITE/CALCARENITE: as above.
1290 - 1295m	100	CALCILUTITE/CALCARENITE: as above, with trace crystalline carbonate.
1295 - 1300m	100	CALCILUTITE: as above, with trace crystalline carbonate.
1300 - 1305m	100	CALCILUTITE: as above.
1305 - 1310m	100	CALCILUTITE: as above, with minor calcarenite.
1310 - 1315m	100	CALCILUTITE: as above.
1315 - 1320m	70 30	CALCILUTITE: very light grey to white, very soft, sticky, argillaceous, dissolves in HCl, calcareous. SILTSTONE: medium grey to medium light grey, firm, calcareous, occasional glauconite, occasional fossil – forams.
1320 - 1325m	80 20	CALCILUTITE: as above. SILTSTONE: as above.
1325 - 1330m	50 50	CALCILUTITE: as above. SILTSTONE: as above.
1330 - 1335m	90 1.0	CALCILUTITE: as above. SILTSTONE: as above.
1335 - 1340m	90 10	CALCILUTITE: as above. SILTSTONE: as above, forams common.
1340 - 1345m		CALCILUTITE: as above. SILTSTONE: as above.
1345 - 1350m	60 40	CALCILUTITE: as above. SILTSTONE: as above.
1350 - 1355m		CALCILUTITE: as above. SILTSTONE: as above.
1355 - 1360m	40 60	CALCILUTITE: as above, trace forams SILTSTONE: as above.
1360 - 1365m	90 10	CALCILUTITE: as above. SILTSTONE: as above.

1365 - 1370m 100	SILTSTONE: two types of cuttings: very light grey, very soft, water sensitive, argillaceous cuttings - previously described as calcilutite - have graded into a less calcareous claystone, approx 60% of sample; medium grey to medium light grey siltstone, firm, blocky, argillaceous, calcareous; occasional fossil foram.
1370 - 1375m 100	SILTSTONE: as above, 40% soft type, 60% firm type.
1375 - 1380m 100	SILTSTONE: as above, 70% soft type, 30% firm type.
1380 - 1385m 100	SILTSTONE: as above, 30% soft type, 70% firm type, occasional foram.
1385 - 1390m 100	SILTSTONE: as above.
1390 - 1395m 100	SILTSTONE: as above.
1395 - 1400m 100	SILTSTONE: as above.
1400 - 1405m 100	SILTSTONE: as above, medium light grey, firm type dominates sample.
1405 - 1410m 100	SILTSTONE: as above, soft type dominates.
1410 - 1415m 100	SILTSTONE: as above, predominantly firm type, angular cuttings.
1415 - 1420m 100	SILTSTONE: as above.
1420 - 1425m 100	SILTSTONE: as above.
1425 - 1430m 100	SILTSTONE: as above, many forams.
1430 - 1435m 100	SILTSTONE: as above.
1435 - 1440m 100	SILTSTONE: as above, trace green mineral, possibly glauconite, some dark flecks in medium grey siltstone cuttings, occasional foram.
1440 - 1445m 100	SILTSTONE: as above.
1445 - 1450m 100	SILTSTONE: as above.
1450 - 1455m 100	SILTSTONE: as above.
1455 - 1460m 100	SILTSTONE: as above.
1460 - 1465m 100	SILTSTONE: as above, trace glauconite.
1465 - 1470m 100	SILTSTONE: rare yellow brown, medium light grey to very light grey, firm to very soft, angular to blocky cuttings, abundant glauconite and black, well rounded, medium grain size grains, trace blocky pyrite, calcareous.
1470 - 1475m 100	SILTSTONE: as above.
1475 - 1480m 5 95	SANDSTONE: opaque, white to clear, coarse to very coarse, well rounded to subangular, predominantly subrounded, well sorted, no shows. SILTSTONE: as above.

1480 - 1485m	70 30	SANDSTONE: as above, no fluore SILTSTONE: as above.	escence, no shows.
1486m	80 20	Grab Sample SANDSTONE: as above, no fluore SILTSTONE: as above.	escence.
1487m	70 30	Grab Sample SANDSTONE: as above, no fluore SILTSTONE: as above.	scence.
1488m	10 90	Grab Sample SANDSTONE: as above, no fluore SILTSTONE: as above.	escence.
1488.2 - 1500).6m	See Core Description No. 1	
1500.6 - 1513	3.4m	See Core Description No. 2	
1513.4 - 1527	7.Om	See Core Description No. 3	
1527m	90	Bottoms Up Sample SANDSTONE: quartzose, clear to very coarse to coarse grains, an subrounded, predominantly subang sorted, no shows. SILTSTONE: medium grey to medi hard, blocky cuttings, slightly trace cubic pyrite crystals.	ngular to gular, moderately um dark grey,
1527 - 1530m	60 40	SANDSTONE: as above. SILTSTONE: multicoloured, ligh dark grey, brown, pale brown, wi glauconite and trace pyrite, oth	th green
1530 - 1535m	80	SANDSTONE: as above, trace mir	eral
	20	fluorescence. SILTSTONE: cuttings as above, black carbonaceous and micaceous glauconite, trace pyrite, calcar	, trace
1535 - 1540m	80 20	SANDSTONE: as above. SILTSTONE: cuttings softer tha otherwise as above, some very so sensitive.	
1540 - 1545m	80 20	SANDSTONE: as above. SILTSTONE: as above.	
1545 - 1550m	70 30	SANDSTONE: quartzose, clear to very coarse to medium grained, p coarse, subangular to subrounded sorted, no fluorescence, trace m fluorescence, no shows. SILTSTONE: medium light grey t firm to hard, blocky cuttings, m	redominantly , moderately ineral o light grey,
1550 - 1555m	70 30	SANDSTONE: as above, plus fine cemented aggregates of angular comicrocrystalline pyrite, trace m forams. SILTSTONE: as above.	dolomite puartz, trace
1555 - 1560m	5 95	SANDSTONE: as above. SILTSTONE: as above.	
1560 - 1565m	5 95	SANDSTONE: as above. SILTSTONE: as above.	

1565 - 1570m	50 50 trace	SILTSTONE: as above. COAL: black, blocky, angular, vitreous. SANDSTONE: as above.
1572.4	95 5 trace	Bottoms Up Cheer: SANDSTONE: quartzose, predominantly clear, coarse grains, subrounded to rounded, well sorted, fluorescence 20 - 30%, bright yellow to white, dull yellow cut, dull yellow, slow streaming crush cut. SILTSTONE: as above. COAL
1573.4	80 20	Grab Sample SANDSTONE: as above, except very slow streaming crush cut; 20-30% bright yellow to white fluorescence. SILTSTONE: as above, but grading into dark grey to black carbonaceous siltstone and trace coal (cavings?).
1573.4 - 158	5.6m	See Core Description No. 4
1585.6 - 159	6.6m	See Core Description No. 5
1596.6 - 1598m	90 10 trace	Bottoms Up Sample SANDSTONE: quartzose, medium light grey, generally loose clasts, very coarse to coarse, hard, subangular to subrounded, moderately well sorted, dolomitic cement, poor visible porosity. SILTSTONE: medium light grey to dark brown, calcareous. CARBONATE Mineral fluorescence, 30% bright yellow; trace hydrocarbon fluorescence, yellow to white, slow diffuse cut and crush cut.
1598 - 1599m	30 70 trace	Grab Sample from slow drilling break. SILTSTONE: as above. SANDSTONE: 1) 60% loose quartz grains, clear, angular to subangular, moderately well sorted, very coarse to coarse, probably caveins; 2) 10% sandstone with dolomitic cement, clear, coarse clasts, angular, hard, moderately well sorted, fluorescence mineral 10%, no cut. COAL: black, blocky, vitreous.
1600m	30 70 trace trace	SILTSTONE: 50% light grey, occasional glauconitic grains, calcareous cement, firm; 50% brown, micromicaceous, soft, carbonaceous. SANDSTONE: 30% loose quartz grains, as above; 40% sandstone with dolomitic cement, as above; mineral fluorescence 40%. COAL: as above. PYRITE
1600 - 1604m	80 20	SANDSTONE: two types: dolomite cemented sandstone approx 70% - very hard, medium to coarse grained, angular to subangular, dolomitic cement, mineral fluorescence, no cut; 10% loose quartz grains - clear to white, very coarse, subrounded, no shows, no cut, probably cavings. SILTSTONE: medium light grey, greenish grey, medium dark grey, (ie. multicoloured), hard, in part carbonaceous.

1604 - 1605m	50 50 trace trace	SANDSTONE: two types: 40% with dolomitic cement as above, gives mineral fluorescence, no cut; 10% loose clear quartz grains, very coarse, subangular to angular, no shows or cut. SILTSTONE: as for 1600m, 90% light grey. PYRITE COAL: as above.
1605 - 1607.2m	20 70	Grab Sample COAL: as above, grading into very carbonaceous dark brown siltstone (see below). SANDSTONE: two types: approx. 60% dolomitized, very hard, medium to coarse grained, angular to subangular, dolomitic cement, mineral fluorescence, no cut; 10% loose quartz grains, clear to white, very coarse, subrounded, no shows, probably cavings.
•	10	SILTSTONE: medium light grey to pale brown, occasionally white, very soft to hard, water sensitive in part, brittle and blocky in part, calcareous cement.
1607.2 - 1610m	100 trace trace	SANDSTONE: 90% loose clear quartz grains, coarse to very coarse, angular to subangular, moderately sorted, no fluorescence, no cut; 10% sandstone with dolomitic cement, as above, mineral fluorescence, no cut. SILTSTONE: as above. COAL: as above.
1610 - 1615m	10 trace	SANDSTONE: two types: 20% clear quartz grains, very coarse to coarse grained, angular to subangular, well sorted, no fluorescence; 60% clear, quartz grains, hard cuttings, wel cemented, medium grained, well sorted, angular, dolomitic cement, mineral fluorescence, no cut. SILTSTONE: as above PYRITE COAL: as above.
1615 - 1620m	90 10 trace trace	SANDSTONE: 80% loose quartz grains, as above, except being subrounded to subangular, no fluorescence; 10% sandstone aggregates with dolomitic cement, as above, mineral fluorescence, no cut. COAL: as above. SILTSTONE: grey, as above. PYRITE
1620 - 1625m	50 50 trace trace	SANDSTONE: 40% loose quartz grains, as above; 10% sandstone aggregates with dolomitic cement, as above; 10% yellow mineral fluorescence, no cut. COAL: as above. SILTSTONE: brown, grey, argillaceous, carbonaceous, micromicaceous. PYRITE
1625 - 1628m	40 40 20	SANDSTONE: loose quartz grains, as above, no fluorescence; trace of sandstone aggregates with dolomitic cement, with yellow mineral fluorescence. COAL: black, blocky, vitreous, subfissile. SILTSTONE: as above.

		•
1628 - 1632m	60 20 20	Grab Sample SANDSTONE: 40% loose clear quartz grains, very coarse to medium grained, moderately well sorted, subrounded to angular; 20% sandstone aggregates with dolomitic cement as above, mineral fluorescence. SILTSTONE: as above. COAL: as above, has quite a lot of dolomite
		mineral fluorescence.
1632 - 1634m	90	Grab Sample SANDSTONE: 70% clear quartz grains, as above; 20% sandstone with dolomitic cement, as above, mineral fluorescence.
	10	SILTSTONE: as above, with occasional
	trace	glauconite grains. COAL
1635m	70	SANDSTONE: two types: 55% loose quartz grains, white, very coarse to coarse, shattered appearance, low visible porosity, no fluorescence; 15% quartzose aggregates, fine to medium grained, angular to subangular, very hard, dolomitic cement, mineral fluorescence, orange/yellow.
	30	SILTSTONE: medium grey to medium light grey,
		very soft to very hard, calcareous, trace pyrite, trace mica, blocky to subfissile.
	trace	COAL: as above.
1635 - 1640m	100 trace trace	SANDSTONE: two types, as above: 70% dolomitic cemented aggregates; 30% loose quartz grains. SILTSTONE: as above. COAL: as above.
1640 - 1645m	•	SANDSTONE: two types, as above: 60% dolomitic
	trace trace	cemented aggregates; 40% loose quartz grains. SILTSTONE: as above. COAL: as above.
1645 - 1650m	trace	SANDSTONE: two types, as above: 10% dolomitic cemented, 70% loose quartz grains. SILTSTONE: as above.
	20	COAL: as above.
1650 - 1655m	100	COAL: as above.
1655 - 1660m	100	COAL: as above.
1660 - 1665m	100	COAL: as above.
1665 - 1670m	90 5 5	COAL: as above. SILTSTONE: as above. SANDSTONE: predominantly dolomitic cemented, as above, but trace with hydrocarbon fluorescence.
1670 - 1675m	90 5 5	SANDSTONE: quartzose, clear to opaque, very coarse, loose, subangular to subrounded, moderately to well sorted, trace mineral fluorescence, some quartz grains have brown black stain (?) but no fluorescence. COAL: as above. SILTSTONE: as abve.
1675 - 1680m	100	SANDSTONE: as above.
	trace	COAL

SANDSTONE: loose quartz grains as above, trace 1680 - 1685m 40 dolomitic cemented quartz aggregates as above, with 5-10% yellow mineral fluorescence, no cut. 20 as above. medium light grey, light grey, SILTSTONE: 40 light brown, medium grey, carbonaceous. SANDSTONE: loose quartz grains, as above, some 1685 - 1690m 30 of the grains have a slight dolomitic coating; occasional dolomitic cemented quartz aggregates, as above, 10% yellow mineral fluorescence. COAL: as above. 40 30 SILTSTONE: as above. loose quartz grains, as above, 1690 - 1695m 10 SANDSTONE: trace dolomitic cemented quartz aggregates as above, with yellow mineral fluorescence. medium to light grey, 90 SILTSTONE: carbonaceous, micromicaceous, calcareous, argillaceous, firm. trace COAL: as above. medium light grey, medium grey, 1695 - 1700m 90 SILTSTONE: light brown grey, micromicaceous, carbonaceous, firm, occasionally calcareous. as above. 10 SANDSTONE: as above, loose quartz grains, one trace fine grain aggregate with calcareous cement, subrounded to subangular grains, well sorted, hard, poor visible porosity, weak pale yellow fluorescence, very slow weak streaming cut (pale yellow), weak very pale yellow crush cut. the rest of the fluorescence was yellow mineral fluorescence from dolomite. 1700 - 1705m 30 SILTSTONE: as above. quartzose, two kinds, predominantly SANDSTONE: aggregates of clear, medium grained, angular to subangular, hard, well cemented, dolomitic cement, very poor visible porosity, 70% fluorescence, yellow to gold, bright yellow to white cut, bright yellow to gold, immediate, very slow streaming cut; loose quartz grains, as above. COAL: as above. trace SANDSTONE: as above, 90% fluorescence, as 1705 - 1707m 90 above. 10 SILTSTONE: as above. trace COAL: as above. SANDSTONE: two types: - clear, very coarse to 1707 - 1710m 100 coarse loose grains, subangular to subrounded, well sorted, no fluorescence, 10% sandstone aggregates with dolomitic cement as above, gives 10% fluorescence, bright yellow to gold, immediate yellow/gold slow cut, yellow/gold crush cut. trace COAL SILTSTONE: as above. trace SANDSTONE: clear to opaque, very coarse 1710 - 1715m 100 grained, angular to subangular, well sorted, trace mineral fluorescence in dolomitic cemented aggregates - quartz has shattered appearance low visible porosity, trace pyritic encrustment.

trace

SILTSTONE:

as above.

1715 - 1720m	100	SANDSTONE: as above, but angular to subrounded.
1720 - 1722m	80 20	SANDSTONE: as above. COAL: as above.
1722 - 1723m	80	SANDSTONE: as above, trace pyrite encrustment
	10	on grains. SILTSTONE: as above, and some white to very
	10	light grey, very soft claystone. COAL: as above.
1723 - 1725m	80	SANDSTONE: as above, trace pyrite encrustment
	10 10	and rutilated quartz. SILTSTONE: as above. COAL: as above.
1728.4m	60 40	CBU SANDSTONE: two types: 1) loose quartz grains, very coarse to medium grained, very angular to subrounded, 2) very hard, finc grained, quartzose, subangular, dolomitic cement, fluorescence, grades to siltstone. SILTSTONE: white to medium dark grey, very soft to hard, in part water sensitive, dolomitic cement, grades into very fine sandstone.
1728 - 1730m	100 trace trace	SANDSTONE: quartzose, very coarse, angular to subrounded, occasional dolomite cemented aggregates, trace mica. COAL: as above. SILTSTONE: as above.
1730 - 1735m	.100 trace	SANDSTONE: as above. COAL.
1735 - 1740m	100	SANDSTONE: as above.
1740 - 1745m	80 20	SANDSTONE: as above. SILTSTONE: very light grey to medium dark grey, very soft to hard, blocky to subfissile, carbonaceous flecks in part, grades to a dirty coal.
1745 - 1750m	90 10	CLAYSTONE: very light grey, very soft, sticky, water sensitive. SANDSTONE: as above.
1750 - 1755m	70 10 20 trace	CLAYSTONE: as above. SANDSTONE: as above. COAL: as above. SILTSTONE
1755 - 1760m	10 40 20 grains.	COAL: as above. CLAYSTONE: as above. SANDSTONE: as above, very coarse to medium
	30	SILTSTONE: medium light grey to pale brown, soft to firm, blocky to subfissile, slightly calcareous.
1760 - 1765m	20 10 20 50	COAL: as above. CLAYSTONE: as above. SILTSTONE: as above. SANDSTONE: as above.

1765 - 1770m 50 SANDSTONE: quartzose, white to clear, coarse grained, angular to subangular. SILTSTONE: 50 as above, grading to claystone. COAL trace clear to frosty, subangular to 1770 - 1775m 90 SANDSTONE: angular, very coarse quartz grains, predominantly loose. Occasionally brown stain on some grains, dolomitic cement with 25% of sample, no shows. SILTSTONE: moderately firm to hard, grey to 10 dark brown, occasionally carbonaceous, subrounded cuttings, non calcareous. **PYRITE** trace SANDSTONE: as above, but predominantly medium 1775 - 1780m 100 to coarse grained, dolomitic cement with 20% of sample. COAL trace SILTSTONE trace trace **PYRITE** as above, but predominantly coarse 1780 - 1785m 100 SANDSTONE: grained, increased amount of cemented fine quartz grains, dolomitic cement with 40% of sample. COAL trace as above, sometimes very soft, SILTSTONE: trace white to light grey. **PYRITE** trace as above, predominantly loose 1785 - 1790m 100 SANDSTONE: grained although cemented aggregates increasing, dolomite cement with 50% of sample. COAL trace SILTSTONE trace PYRITE trace 1790 - 1795m 100 SANDSTONE: as above, about 50% loose quartz grains and 50% dolomite cemented aggregates. trace SILTSTONE **PYRITE** trace 50% loose very coarse grained, 50% 1795 - 1800m 100 SANDSTONE: fine to medium sandstone aggregates with dolomitic cement. 90% clear to frosty, very coarse, SANDSTONE: 1800 - 1805m 100 subangular to subrounded loose quartz grains, 10% fine to medium angular quartz grains in a dolomite cement - dull white fluorescence. **PYRITE** trace as above, trace brown staining on 1805 - 1810m 100 SANDSTONE: some grains, 10% dolomitic cemented sandstone. SILTSTONE: as above. trace as above, 100% loose, very coarse 1810 - 1815m 100 SANDSTONE: quartz grains. SANDSTONE: dolomitic. trace SANDSTONE: as above. 1815 - 1820m 100 · trace SANDSTONE: dolomitic. SANDSTONE: SANDSTONE: as above. 1820 - 1825m 100 trace

dolomitic.

1825	entosi	1830m	100	SANDSTONE: clear to frosty, subrounded to subangular, loose, very coarse quartz grains, well sorted, no shows.
1830	***	1835m	20 80	SANDSTONE: as above. COAL: black.
1835		1840m	100 trace	COAL: black. SANDSTONE: as above.
1840	6540	1845m	60 40 trace trace	COAL: as above. SILTSTONE: brown to dark brown, firm to hard, carbonaceous, subangular to subrounded cuttings non calcareous. SANDSTONE: as above. PYRITE
1845	****	1850m	10 60 30	COAL: as above. SANDSTONE: as above, loose quartz grains, trace dolomite. SILTSTONE: as above.
1850		1855m	60 40	SILTSTONE: as above. SANDSTONE: as above.
1855		1860m	60 40	SANDSTONE: as above. SILTSTONE: as above.
1860	Carina	1865m	100 trace trace	SANDSTONE: predominantly (75%) clear to frosty, subrounded to subangular, loose, well sorted, very coarse quartz grains with (25%) dolomitic cemented fine to medium sandstone aggregates. SILTSTONE: as above. COAL
1865	•••	1870m	100 trace	SANDSTONE: 75% coarse quartz grains, 25% dolomitic; as above. SILTSTONE: as above.
1870		1875m	100 trace	COAL SANDSTONE: as above.
1875	***	1880m	60 40	COAL SANDSTONE: as above, predominantly very coarse loose quartz grains, 10% with dolomitic cement.
1880		1885m	100 trace	COAL SANDSTONE: as above.
1885	***	1890m	40 60 trace	COAL SILTSTONE: brown to dark brown, firm to hard, often very carbonaceous, subrounded cuttings, non calcareous. SANDSTONE: as above.
1890 -		1895m	100 trace trace	COAL SANDSTONE: as above. SILTSTONE: as above.
1895 -	e-nd		100 trace trace	SILTSTONE: light brown to dark brown, very soft to hard, very carbonaceous in part, non calcareous; some white clayey material also. COAL SANDSTONE

1900		1905m	60 30 10	SILTSTONE: 6 SANDSTONE: 6 COAL: as abo	as above.
1905		1910m	80 20	SILTSTONE: a fluffy clay ma SANDSTONE: a	
1910	-	1915m	100		in part as above, in part a white , fluffy (kaolinitic?) siltstone,
1915	#13s	1920m	30 70	subrounded, we	as above. clear to frosty, subangular to ell sorted, loose very coarse , no shows, no dolomite.
1920		1925m	100 trace trace	SANDSTONE: a COAL: as abo SILTSTONE: a	ove.
1925	***	1930m	40 60	=	as above. in part dark brown - firm; in part
1930	4424	1935m	60 40 trace		as above. as above. reasing amount.
1935	•	1940m	40 <i>6</i> 0 trace	SANDSTONE: 6 SILTSTONE: 6 PYRITE	as above. as above.
1940	•••	1945m	30 70 trace trace	SILTSTONE: p	as above. predominantly white, soft, fluffy, s, engulfs other cuttings.
1945	-	1950m	100 trace trace	SILTSTONE: & SANDSTONE PYRITE	as above.
·1950	6 .2	1955m	100 trace trace trace	SILTSTONE COAL	coarse quartz grains. ese discrete lumps.
1955	****	1960m	100 trace trace trace	SANDSTONE: a SILTSTONE COAL PYRITE	as above.
1960	-	1965m	90 10 trace		as above. as above.
1965		1970m	40 60 trace		as above. as above.
1970	6.ib	1975m	90	sorted, loose, shows.	elear to frosty, subangular, well very coarse quartz grains, no

1975 - 1980	n 100 trace trace	SANDSTONE: SILTSTONE: PYRITE	
1980 - 1985	n 80°	SILTSTONE: very carbona cuttings, so SANDSTONE:	
1985 - 1990r	n 100 trace	SILTSTONE: SANDSTONE:	as above.
1990 - 1995r	n 70 30	SILTSTONE: SANDSTONE:	as above. as above.
1995 - 2000r	n 80 20 trace	SILTSTONE: SANDSTONE: COAL	
2000 - 2005r	n 90 10 trace	SILTSTONE: SANDSTONE: PYRITE	as above.
2005 - 2010r	n 100 trace	SILTSTONE: SANDSTONE:	as above. as above.
2010 - 2015r	60 60	SANDSTONE: aggregates. SILTSTONE:	as above, with some fine sandstone as above.
2015 - 2020r	n 90 10	SILTSTONE: SANDSTONE:	as above. as above.
2023.5	50 50	a silty matr fluorescence	as above. predominantly light brown, soft, f fine to medium quartz grains with ix. Bright blue to white on approx. 40% of sample. Slow ue white fluorescence.
2023.5 - 2025m	60 40 trace	grained quar firm, subrou occasional c instant cut,	predominantly medium to fine tz aggregates, dull brown, soft to nded cuttings, silty matrix; oarse quartz grains; slow to no good crush cut, bright blue/white and residue on 40% of sample. as above.
2025 - 2Q30r	40	instant cut. SILTSTONE:	luorescence and crush cut, very slow
2030 - 2032r		cavings.	coarse grains and fine aggregates, sample has fluorescence, probably
2032 - 2 035n	80 100	SILTSTONE:	as above.
2072 - 2077	trace	SANDSTONE:	as above.

```
2035 - 2040m 40
                       SANDSTONE:
                                    white to light brown, fine to
                       medium grained quartz aggregates, soft to firm,
                       subrounded cuttings often with black or brown
                       staining, silty matrix, most grains have bright
                       blue white fluorescence and crush cut.
              60
                       SILTSTONE:
                                    as above.
2040 - 2046m 40
                       SANDSTONE:
                                     as above.
                       SILTSTONE:
                                    as above.
              60
                       See Core Description No. 6
2046 - 2061m
2062 - 2065m 100
                       SILTSTONE:
                                    as above.
2065 - 2070m 90
                       SILTSTONE:
                                    as above.
                       SANDSTONE:
              10
                                    as above, no shows.
                                     grey to brown, soft to very hard,
2070 - 2075m 80
                       SILTSTONE:
                       carbonaceous in part, non calcareous.
                                    grey, fine to medium quartz
              20
                       SANDSTONE:
                       aggregates, moderately hard, no shows.
              trace
                       COAL
                       PYRITE
              trace
2075 - 2080m 20
                       COAL
                       SANDSTONE:
              60
                                    as above, no shows.
              20
                       SILTSTONE:
                                    as above.
2080 - 2085m 60
                                    as above.
                       SILTSTONE:
              40
                       SANDSTONE:
                                    as above, no shows.
              trace
                       COAL
                                    grey, fine to medium grained, well
2085 - 2090m 80
                       SANDSTONE:
                       sorted, quartzose sandstone; very hard, 30% of
                       sample bright blue/white fluorescence, no cut,
                       no crush cut able to be coaxed.
                       SILTSTONE:
             20
                                    as above.
                                    as above, 15% of sample has bright
2090 - 2095m 30
                       SANDSTONE:
                       blue white fluorescence, no cut, bright blue
                       white crush cut.
              50
                       COAL:
                               as above.
                       SILTSTONE:
             20
                                    as above.
2095 - 2100m 60
                       SILTSTONE:
                                    as above.
              20
                       COAL:
                               black.
                       SANDSTONE:
                                    as above, trace shows - cavings?
             20
2100 - 2105m 50
                       SANDSTONE:
                                    as above, no shows.
             50
                       SILTSTONE:
                                    as above.
                       COAL
             trace
2105 - 2110m 80
                       SILTSTONE:
                                    as above.
                                    as above, no shows.
             20
                       SANDSTONE:
2110 - 2115m 60
                       SANDSTONE:
                                    as above, no shows.
             40
                       SILTSTONE:
                                    as above.
                       COAL
             trace
2115 - 2120m 80
                       SANDSTONE:
                                    white to grey, fine to medium
                       grained, well sorted, hard, silty matrix, low
                       visible porosity, no shows.
             20
                       SILTSTONE:
                                    as above.
2120 - 2125m 50
                       SANDSTONE:
                                    as above.
             50
                       SILTSTONE:
                                    as above.
                       COAL
             trace
```

2125 - 2130m	40 60	SANDSTONE: SILTSTONE:	as above. as above.
2130 - 2135m	60 40 trace	SILTSTONE: SANDSTONE: COAL	as above.
2135 - 2140m	40 10	white to gre porosity; fl blue/white, bright blue/ SILTSTONE:	
2140 - 2145m	50 50	SANDSTONE: SILTSTONE:	trace fluorescence, no cut. as above.
2145 - 2150m	10 50 40	COAL: as all SANDSTONE: loose coarse - cavings? SILTSTONE:	in part fine aggregates, in part quartz grains – trace fluorescence
2150 - 2155m	35 65	medium to coa aggregates, a sorted, low p SILTSTONE: prown and dar predominantly	ose quartz grains, some aggregates, arse grained, occasionally fine angular to subangular, poorly porosity, no shows. white to medium grey, occasionally be grey, slightly quartzose, clay rich, some varieties of moderately calcareous, moderate
2155 - 2160m	30 70	subrounded, s pyrite cement	as above, becoming subangular to ome quartz grains are coated with as above.
2160 - 2165m	10 90	SILTSTONE: slightly quar	as above. mostly white to light grey, tzose, clay rich, some cuttings are lcareous, moderate amounts of mica.
2165 - 2170m	40 60	white, transl poorly sorted the fine frac subangular to shows. SILTSTONE: carbonaceous;	quartzose, clear, occasionally off ucent, fine to coarse grained, , generally loose quartz grains, tion occurs as aggregates, subrounded, trace mica books, no many varieties, dark grey, light grey to white argillaceous tings with ferro cement.
2170 - 2175m		SANDSTONE:	as above.
2175 - 2180m			as above. as above.
2180 - 2185m			as above. as above.

2185 - 2190m	40 60	fine to media subrounded, a	
2190 - 2195m			as above.
2195 - 2200m	30 70	SANDSTONE: SILTSTONE:	as above.
2200 - 2205m	35 65	SANDSTONE: SILTSTONE:	as above.
2205 - 2210m	10 90	SANDSTONE: SILTSTONE:	as above.
2210 - 2215m	100	mainly light	firm to hard, various colours, to medium grey to black, others are zose, mostly argillaceous, abundant
2215 - 2220m	100	SILTSTONE:	as above.
2220 - 2225m	100	SILTSTONE:	as above.
2225 - 2230m	30 70	mainly aggreg angular to re subrounded, a porosity, tra giving a stro	clear to white quartz grains, gates, medium to coarse grained, bunded, dominantly subangular to abundant dolomite cement, very low ace to 5% blue white fluorescence ong fast milky white cut, trace light brown cut residue.
2230 - 2235m		SANDSTONE: SILTSTONE:	as above.
2235 - 2240m	50 50	SANDSTONE: SILTSTONE:	as above.
2240 - 2245m	60 40	cement, hard aggregates, s subrounded, a porosity, the fluorescence white cut and	quartzose, clear grains, white to brittle, medium grains in firm subangular to rounded, dominantly abundant dolomite cement, low e sandstone has 50% blue white which gives a slow streaming milky d a moderate crush cut. as above.
2245 - 2250m	100	firm to very	quartzose, light to medium grey, soft, some cuttings are moderately thers are argillaceous, rich in
2250 - 2255m	100	SILTSTONE:	as above.
2255 - 2260m	100	SILTSTONE:	as above.
2260 - 2265m	100	SILTSTONE:	as above.

2265 - 2270m	20	SANDSTONE: fine to coarse grained, mainly aggregates held together by dolomite cement, trace pryite, bright yellow gold mineral fluorescence. SILTSTONE: as above.
2270 - 2275m	65 35	SANDSTONE: white, very hard, consists of quartz aggregates with some loose shattered grains; unbroken grains are fine to coarse, subangular to subrounded, poorly sorted, abundant dolomite cement, common mineral fluorescence and trace blue white fluorescence with weak crush cut. SILTSTONE: as above.
2275 - 2280m		SANDSTONE: as above. SILTSTONE: as above.
2280 - 2285m	30 70	SANDSTONE: as above. SILTSTONE: as above.
2285 - 2290m	20 60 20	SANDSTONE: as above, trace blue white fluorescence, no cut. SILTSTONE: as above, trace pyrite. CLAYSTONE: medium grey, soft water soluble to firm and brittle, non calcareous, blocky to subfissile.
2290 - 2295m	25 65 10	SANDSTONE: as above, dolomite cement, common mineral fluorescence. SILTSTONE: as above. CLAYSTONE: as above.
2295 - 2300m	35 60 5	SANDSTONE: quartzose, clear, white to medium grey, hard, occurs mainly as aggregates and as fractured grains, very fine to very coarse, poorly sorted, subangular to subrounded, common dolomite cement, low porosity, blue white mineral fluorescence, no cut. SILTSTONE: as above. CLAYSTONE: as above.
2300 - 2305m	30 60 10	SANDSTONE: as above. SILTSTONE: as above. CLAYSTONE: as above.
2305 - 2310m	50 40 10	SANDSTONE: as above, abundant dolomite cement, abundant mineral fluorescence, no cut. SILTSTONE: as above. CLAYSTONE: as above.
2310 - 2315m	60 40	SILTSTONE: as above. SANDSTONE: as above.
2315 - 2321m	80 20	SILTSTONE: as above. SANDSTONE: as above.
2321 - 2325m	35 65	SILTSTONE: as above. SANDSTONE: as above.
2325 - 2330m	20	SANDSTONE: quartzose, light grey, friable to brittle, fine to very coarse grained, poorly sorted, dolomite and calcareous cement, occurs as aggregates, with occasional loose grains, 100% blue white (mineral?) fluorescence, no cut, very low visual porosity. SILTSTONE: medium to dark grey, mainly non calcareous, argillaceous, quartzose, trace pyrite.

2330 - 2335m	80 20	SANDSTONE: SILTSTONE:	as above, as above.	trace	very	weak	crush	cut.
2335 - 2340m	70 30	SANDSTONE: SILTSTONE:	as above, as above.	trace	very	weak	crush	cut.
2340 - 2345m	30 7 0	SANDSTONE: SILTSTONE:	as above. as above.					
2345 - 2350m	30 70	SANDSTONE: SILTSTONE: and brittle, some cuttings of cuttings of crystals commouttings.	quartzose, s are calca contain car	, mostl areous, bonace	y arq mind eous n	gillad or pro matte	ceous, oportion, oportion,	on
2350 - 2355m	90 10	SANDSTONE: SILTSTONE:						
2355 - 2360m	65 35	SANDSTONE: SILTSTONE:						
2360 - 2365m	70	SANDSTONE: occasional aggrains, but of to coarse grains or ted sands each aggregaticement, very permeability fluorescence, SILTSTONE:	ggregates a mostly constained, most , although te is diffe low visibl , 50-80% fa , no cut.	are fri sists c aggre the ma erent, e poro	able of ago gates in gr abund sity	, a fe gregat s cont rain s dant d and	ew loos ces, fi cain we size ir dolomit	se ine ell n ce
2365 - 2370m	90 10	SANDSTONE: SILTSTONE:	as above. as above.					
2370 - 2375m	70 20 10	SANDSTONE: SILTSTONE: COAL: black subfissile, h carbonaceous	as above. k, shiny to mard, britt	le, aĺ				<u> </u>
2375 - 2380m	40 35 25	SANDSTONE: fluorescence, COAL: as ab SILTSTONE:	, trace ver oove.					
2380 - 2385m	45 35 20	SANDSTONE: COAL: as ab SILTSTONE:	oove.					
2385 - 2390m	25 45 30	SANDSTONE: SILTSTONE: COAL: as ab	as above.					
2390 2395m	45 50 5	SANDSTONE: occasionally coarse graine sorted, angul dolomitic and porosity or p fluorescence cut and a mod fluorescence, fluorescence, SILTSTONE: COAL: as ab	light browed, dominant ar to subred calcareous ermeabilit which give derate milk 90% blue no cut. as above.	n, fir tly fi ounded s ceme y; 5% s a ve y whit	m to ne, m , abu nt, r yello ry we e cru	hard, nodera undant no vis ow gol eak st	fine stely sible d reamin	

2395 - 2400	90 10	SANDSTONE: as above. SILTSTONE: as above, with common pyrite clusters.
2400 - 2405m	30 70	SANDSTONE: as above. SILTSTONE: as above.
2405 - 2410m	70 30	SANDSTONE: as above, with 5% yellow gold fluorescence, no cut or crush cut. SILTSTONE: as above.
2410 - 2415m		SANDSTONE: as above, with 5-10% yellow gold (mineral?) fluorescence, no cut.
	75	SILTSTONE: as above.
2415 - 2420m	2575	SANDSTONE: as above, about half of sample now consists of medium to coarse loose quartz grains, subangular to subrounded, the rest consists of dolomitized, calcareous, fine to medium sand aggregates, trace yellow gold mineral fluorescence, no cut. SILTSTONE: light to dark grey, also dark brown cuttings are common, soft to hard, quartzose, carbonaceous, pyrite very common, micromica common.
2420 - 2425m	35 65	SANDSTONE: as above. SILTSTONE: as above.
2425 - 2430m	10 90	SANDSTONE: as above. SILTSTONE: as above.
2430 - 2435m	90 10	SANDSTONE: as above. SILTSTONE: as above, with common pyrite.
2435 - 2440m	90 10	SANDSTONE: as above. SILTSTONE: as above.
2440 - 2445m	10 90	SANDSTONE: as above. SILTSTONE: quartzose, off white, medium to dark grey, also brown variety, blocky to subfissile, mostly non calcareous, clay rich, pyrite common, mica common.
2445 - 2450m	90	SANDSTONE: quartzose, clear, mostly white translucent grains, (about 15% of grains are grey to dark grey to black), hard, mostly as aggregates with some loose quartz grains, calcareous/dolomitic cement, very low porosity and permeability, trace to 5% yellow gold mineral fluorescence, no cut. SILTSTONE: as above.
2450 - 2455m	100	SANDSTONE: as above.
2455 - 2460m	20 80	SANDSTONE: as above. SILTSTONE: as above.
2460 - 2465m	20 80	SANDSTONE: as above. SILTSTONE: as above.
2465 - 2470m	15	SANDSTONE: as above, a few of the coarse grains are very well rounded, shiny and smooth, the rest are either angular to subrounded, no
	85	shows. SILTSTONE: as above, common pyrite and trace micromica.
2470 - 2475m	35 65	SANDSTONE: as above. SILTSTONE: as above.

2480 - 2485m 100 SANDSTONE: as above, no shows. 2485 - 2490m 95 SANDSTONE: as above, no shows. 2490 - 2495m 90 SANDSTONE: as above, pyrite common. 2495 - 2500 65 SANDSTONE: as above. 2500 - 2505m 5 SANDSTONE: as above. 2500 - 2510m 100 SANDSTONE: as above. 2505 - 2510m 100 SANDSTONE: as above. 2505 - 2510m 100 SANDSTONE: as above. 2511TSTONE: as above. 2510 - 2515m 100 SANDSTONE: as above. 2510 - 2520m 5 SANDSTONE: as above. 2510 - 2515m 100 SANDSTONE: as above. 2510 - 2515m 100 SANDSTONE: as above. 2510 - 2520m 5 SANDSTONE: as above. 2510 - 2520m 5 SANDSTONE: as above. 2510 - 2525m trace 100 SANDSTONE: as above. 2520 - 2525m 100 SANDSTONE: as above. 2520 - 2545m 250 SANDSTONE: as above. 2520 - 2550m 100 SANDSTONE: as above.	2475	न्यस	2480m	100	to medium we calcareous do yellow gold n	as above, mostly aggregates of fine ll cemented quartz grains, cement is plomite, trace visible porosity, 10% mineral fluorescence and 70% blue al fluorescence, no cut, no shows.
5 SILTSTONE: as above, pyrile common. 2490 - 2495m 90 SANDSTONE: as above. 10 SILTSTONE: mostly dark grey to black, carbonaceous variety, pyrite very common. 2495 - 2500 65 SANDSTONE: as above. 2500 - 2505m 5 SANDSTONE: as above. 2505 - 2510m 100 SANDSTONE: quartzose, off white to light grey brown overall, most grains are milky white translucent, about 10% of grains are medium to dark grey, fine to coarse grained, dominantly fine to medium (as aggregates), the medium to coarse fraction occurs as loose grains, subrounded to angular, moderately to poorly sorted, calcaneous odlomite pement, low visible porceity, 5% yellow gold mineral fluorescence, blue to violet mineral fluorescence, no cut. 2510 - 2515m 100 SANDSTONE: as above. 2510 - 2520m 5 SANDSTONE: as above. 2511 - 2520m 5 SANDSTONE: as above. 2520 - 2525m trace SANDSTONE: as above. 2520 - 2525m trace SANDSTONE: as above. 2520 - 2535m 100 SANDSTONE: as above. 2525 - 2530m 10 SANDSTONE: as above. 2526 - 2530m 10 SANDSTONE: as above. 2527 - 2535m 100 SILTSTONE: as above. 2528 - 2535m 100 SILTSTONE: as above. 2529 - 2535m 100 SANDSTONE: as above. 2530 - 2535m 100 SILTSTONE: as above. 2530 - 2535m 100 SILTSTONE: as above. 2540 - 2545m 80 SANDSTONE: quartzose, mostly loose quartz grains, with a few aggregates, white to off white, friable, fine to coarse grained, dominantly fine and medium (bimodal), angular to subangular, reasonably well sorted, non calcareous, non dolomitic (clay and silica?) cement, moderate visible porceity, 5% yellow gold fluorescence quiving a sonotaneous slow streaming milky white cut fluorescence, and a moderate crush cut. 20 SILTSTONE: as above.	2480	•••	2485m	100	SANDSTONE:	as above, no shows.
SILTSTONE: mostly dark grey to black, carbonaceous variety, pyrite very common. 2495 - 2500 65 SANDSTONE: as above. 2500 - 2505m 5 SILTSTONE: as above. 2505 - 2510m 100 SANDSTONE: quartzose, off white to light grey brown overall, most grains are medium to dark grey, fine to coarse grained, dominantly fine to medium (as aggregates), the medium to coarse fraction occurs as loose grains, subrounded to angular, moderately to poorly sorted, calcareous dolomite cement, low visible porosity; 5% yellow gold mineral fluorescence, blue to violet mineral fluorescence, no cut. 2510 - 2515m 100 SANDSTONE: as above. 2515 - 2520m 5 SANDSTONE: as above. 2516 - 2525m trace SILTSTONE: as above. 2517 SANDSTONE: as above. 2520 - 2525m trace SANDSTONE: as above. 2520 - 2535m 100 SANDSTONE: as above. 2521 SANDSTONE: as above. 2525 - 2530m 10 SANDSTONE: as above. 2525 - 2530m 10 SANDSTONE: as above. 2526 SILTSTONE: as above. 2527 SANDSTONE: as above. 2528 SANDSTONE: as above. 2529 SILTSTONE: as above. 2520 - 2535m 100 SANDSTONE: as above. 2520 - 2540m 50 SANDSTONE: as above. 2521 SANDSTONE: as above. 2522 SANDSTONE: as above. 2523 - 2540m 50 SANDSTONE: as above. 25240 - 2545m 80 SANDSTONE: as above. 2525 - 2540m 50 SANDSTONE: as above. 2526 SANDSTONE: as above. 2527 SANDSTONE: as above. 2528 SANDSTONE: as above. 2529 SANDSTONE: as above. 2529 SANDSTONE: as above. 2530 - 2545m 80 SANDSTONE: as above. 2540 - 2545m 80 SANDSTONE: as above.	2485	4.01	2490m			
2500 - 2505m 5 SANDSTONE: as above. 2505 - 2510m 100 SANDSTONE: quartzose, off white to light grey brown overall, most grains are milky white translucent, about 10% of grains are medium to dark grey, fine to coarse grained, dominantly fine to medium (as aggregates), the medium to coarse fraction occurs as loose grains, subrounded to angular, moderately to poorly sorted, calcareous dolomite cament, low visible porosity, 5% yellow gold mineral fluorescence, blue to violet mineral fluorescence, no cut. 2510 - 2515m 100 SANDSTONE: as above. 2515 - 2520m 5 SANDSTONE: as above. 2520 - 2525m trace 100 SANDSTONE: as above. 2520 - 2525m trace 100 SANDSTONE: as above. 2525 - 2530m 10 SANDSTONE: as above. 2525 - 2530m 10 SANDSTONE: as above. 2526 - 2535m 100 SILTSTONE: as above. 2527 - 2540m 50 SANDSTONE: as above. 2528 - 2540m 50 SANDSTONE: as above. 2529 - 2540m 50 SANDSTONE: as above. 2530 - 2540m 50 SANDSTONE: as above. 2540 - 2545m 80 SANDSTONE: as above. 2540 - 2545m 80 SANDSTONE: quartzose, mostly loose quartz grains, with a few aggregates, white to off white, friable, fine to coarse grained, dominantly fine and medium (bimodal), angular to subangular, reasonably well sorted, non calcareous, non dolomitic (clay and silica?) cement, moderate visible porosity, 5% yellow gold fluorescence giving a sonotaneous slow streaming milky white cut fluorescence, and a moderate crush cut. 200 SILTSTONE: as above.	2490	***	2495m		SILTSTONE:	mostly dark grey to black,
SILTSTONE: as above. 2505 - 2510m 100 SANDSTONE: quartzose, off white to light grey brown overall, most grains are milky white translucent, about 10% of grains are medium to dark grey, fine to coarse grained, dominantly fine to medium (as aggregates), the medium to coarse fraction occurs as loose grains, subrounded to angular, moderately to poorly sorted, calcareous, dolonite cement, low visible porosity, 5% yellow gold mineral fluorescence, blue to violet mineral fluorescence, no cut. 2510 - 2515m 100 SANDSTONE: as above. 2515 - 2520m 5 SANDSTONE: as above. 2520 - 2525m trace 100 SILTSTONE: as above. SILTSTONE: as above. SILTSTONE: as above. 2525 - 2530m 10 SANDSTONE: as above. 2526 - 2535m 100 SILTSTONE: as above. 2527 - 2535m 100 SILTSTONE: as above. 2530 - 2535m 100 SILTSTONE: as above. 2530 - 2540m 50 SANDSTONE: as above. 2540 - 2545m 80 SANDSTONE: quartzose, mostly loose quartz grains, with a few aggregates, white to off white, friable, fine to coarse grained, dominantly fine and medium (bimodal), angular to subangular, reasonably well sorted, non calcareous, non dolomitic (clay and silica?) cement, moderate visible porosity, 5% yellow gold fluorescence giving a spontaneous slow streaming milky white cut fluorescence, and a moderate crush cut. 20 SILTSTONE: as above.	2495	4380	2500			
brown overall, most grains are milky white translucent, about 10% of grains are medium to dark grey, fine to coarse grained, dominantly fine to medium (as aggregates), the medium to coarse fraction occurs as loose grains, subrounded to angular, moderately to poorly sorted, calcareous dolomite cement, low visible porosity, 5% yellow gold mineral fluorescence, blue to violet mineral fluorescence, no cut. 2510 - 2515m 100 SANDSTONE: as above. 2515 - 2520m 5 SANDSTONE: as above. 2520 - 2525m trace 100 SANDSTONE: as above. 2520 - 2525m trace 251LTSTONE: as above. 2521 - 2530m 10 SANDSTONE: as above. 2525 - 2530m 10 SANDSTONE: as above. 2526 - 2535m 100 SILTSTONE: as above. 2527 - 2530m 10 SANDSTONE: as above. 2530 - 2535m 100 SILTSTONE: as above. 2530 - 2540m 50 SANDSTONE: as above. 2540 - 2545m 80 SANDSTONE: as above. 2540 - 2545m 80 SANDSTONE: quartzose, mostly loose quartz grains, with a few aggregates, white to off white, friable, fine to coarse grained, dominantly fine and medium (bimodal), angular to subangular, reasonably well sorted, non calcareous, non dolomitic (clay and silica?) cement, moderate visible porosity, 5% yellow gold fluorescence giving a soontaneous slow streaming milky white cut fluorescence, and a moderate crush cut. 20 SILTSTONE: as above.	2500		2505m			
2515 - 2520m 5 95 SANDSTONE: as above. 2520 - 2525m trace 100 SANDSTONE: as above. 2521 - 2525m trace 100 SANDSTONE: as above. SILTSTONE: quartzose, mainly medium grey to dark grey with some light coloured cuttings, argillaceous, non calcareous matrix, pyrite clusters common, trace micromica. 2525 - 2530m 10 SANDSTONE: as above. 2530 - 2535m 100 SILTSTONE: as above. 2535 - 2540m 50 SANDSTONE: as above. 2540 - 2545m 80 SANDSTONE: quartzose, mostly loose quartz grains, with a few aggregates, white to off white, friable, fine to coarse grained, dominantly fine and medium (bimodal), angular to subangular, reasonably well sorted, non calcareous, non dolomitic (clay and silica?) cement, moderate visible porosity, 5% yellow gold fluorescence giving a spontaneous slow streaming milky white cut fluorescence, and a moderate crush cut. 20 SILTSTONE: as above.	2 505	enne	2510m	100	brown overall translucent, dark grey, fi fine to media coarse fract; subrounded to sorted, calca porosity, 5%	I, most grains are milky white about 10% of grains are medium to ine to coarse grained, dominantly um (as aggregates), the medium to ion occurs as loose grains, angular, moderately to poorly areous dolomite cement, low visible yellow gold mineral fluorescence,
2520 - 2525m trace 100 SANDSTONE: as above. 2520 - 2525m trace 100 SILTSTONE: quartzose, mainly medium grey to dark grey with some light coloured cuttings, argillaceous, non calcareous matrix, pyrite clusters common, trace micromica. 2525 - 2530m 10 SANDSTONE: as above. 2530 - 2535m 100 SILTSTONE: as above. 2535 - 2540m 50 SANDSTONE: as above. 2540 - 2545m 80 SANDSTONE: quartzose, mostly loose quartz grains, with a few aggregates, white to off white, friable, fine to coarse grained, dominantly fine and medium (bimodal), angular to subangular, reasonably well sorted, non calcareous, non dolomitic (clay and silica?) cement, moderate visible porosity, 5% yellow gold fluorescence giving a soontaneous slow streaming milky white cut fluorescence, and a moderate crush cut. 20 SILTSTONE: as above.	2510	en con	2515m	100	SANDSTONE:	as above.
SILTSTONE: quartzose, mainly medium grey to dark grey with some light coloured cuttings, argillaceous, non calcareous matrix, pyrite clusters common, trace micromica. 2525 - 2530m 10	2515	à Cas	2520m			
90 SILTSTONE: as above. 2530 - 2535m 100 SILTSTONE: as above. 2535 - 2540m 50 SANDSTONE: as above. 2540 - 2545m 80 SANDSTONE: quartzose, mostly loose quartz grains, with a few aggregates, white to off white, friable, fine to coarse grained, dominantly fine and medium (bimodal), angular to subangular, reasonably well sorted, non calcareous, non dolomitic (clay and silica?) cement, moderate visible porosity, 5% yellow gold fluorescence giving a spontaneous slow streaming milky white cut fluorescence, and a moderate crush cut. 20 SILTSTONE: as above.	2520	eca	2525m		SILTSTONE: dark grey wit argillaceous,	quartzose, mainly medium grey to th some light coloured cuttings, non calcareous matrix, pyrite
2535 - 2540m 50 SANDSTONE: as above. 2540 - 2545m 80 SANDSTONE: quartzose, mostly loose quartz grains, with a few aggregates, white to off white, friable, fine to coarse grained, dominantly fine and medium (bimodal), angular to subangular, reasonably well sorted, non calcareous, non dolomitic (clay and silica?) cement, moderate visible porosity, 5% yellow gold fluorescence giving a spontaneous slow streaming milky white cut fluorescence, and a moderate crush cut. 20 SILTSTONE: as above.	2525		2530m			
SANDSTONE: as above. SANDSTONE: quartzose, mostly loose quartz grains, with a few aggregates, white to off white, friable, fine to coarse grained, dominantly fine and medium (bimodal), angular to subangular, reasonably well sorted, non calcareous, non dolomitic (clay and silica?) cement, moderate visible porosity, 5% yellow gold fluorescence giving a spontaneous slow streaming milky white cut fluorescence, and a moderate crush cut. SILTSTONE: as above.	2530		2535m	100	SILTSTONE:	as above.
grains, with a few aggregates, white to off white, friable, fine to coarse grained, dominantly fine and medium (bimodal), angular to subangular, reasonably well sorted, non calcareous, non dolomitic (clay and silica?) cement, moderate visible porosity, 5% yellow gold fluorescence giving a spontaneous slow streaming milky white cut fluorescence, and a moderate crush cut. 20 SILTSTONE: as above.	2535	****	2540m			
	2540	***	2545m	-	grains, with white, friable dominantly fire subangular, recalcareous, recement, moder gold fluorese streaming mil moderate cruss	a few aggregates, white to off e, fine to coarse grained, ne and medium (bimodal), angular to reasonably well sorted, non non dolomitic (clay and silica?) rate visible porosity, 5% yellow rence giving a spontaneous slow ky white cut fluorescence, and a sh cut.
•	2545	yel y	2550m			

2550 - 2555m	10 80 10	SANDSTONE: as above. SILTSTONE: as above, predominantly dark carbonaceous variety. COAL: black, shiny to dull, blocky to subfissile, brittle to earthy.
2555 - 2560m	10 90	SANDSTONE: as above. SILTSTONE: as above.
2560 - 2565m	100	SILTSTONE: dominantly carbonaceous, as above.
2565 - 2570m	10 90 trace	SANDSTONE: as above. SILTSTONE: as above, common pyrite clusters. COAL: as above.
2570 - 2575m	70	SANDSTONE: quartzose, pale brown grey overall, grains are mostly white translucent, fine to coarse, fine grains occur as aggregates, the medium to coarse grains occur as loose quartz grains, angular to subrounded, aggregates consist of well sorted fine grains, the loose grains are poorly sorted, some aggregates are non calcareous, while most are moderately calcareous, possibly some clay and silica cement, no quartz overgrowths, moderate porosity and permeability is indicated; the sandstone has 80 - 100% dull to bright blue white even fluorescence which gives spontaneous slow-streaming cut and a strong crush cut from the aggregates and a rapid cut from the coarser grains, leaving behind a clear colourless hydrocarbon stain. SILTSTONE: carbonaceous, as above.
2575 - 2580m	30 70	SANDSTONE: with shows as above, 80 - 100% fluorescence. SILTSTONE: as above.
2580 - 2585m	40 <i>6</i> 0	SANDSTONE: as above, with 80 - 100% fluorescence. SILTSTONE: as above.
2585 - 2590m	10 90	SANDSTONE: as above, with 80 - 100% fluorescence. SILTSTONE: as above.
2590 - 2595m	95	SANDSTONE: quartzose, very coarse loose grains and well sorted fine aggregates, conglomerate? interbedded with fine sandstone, 80 - 100% bright to dull blue white fluorescence; loose grains give little if any cut, but fine aggregates give a strong milky white crush cut fluorescence, low porosity and permeability is indicated. SILTSTONE: as above.
2595 - 260lm	75 25	SANDSTONE: as above. SILTSTONE: as above.
2601 - 2605m	30 70	SANDSTONE: as previously described, with shows. SILTSTONE: many coloured varieties, off white, light to medium grey, dark grey, brown, dark grey cuttings are carbonaceous, the brown cuttings are non calcareous, and the rest are calcareous, all are argillaceous; pyrite fragments are very common.

2605 - 2610m	10 90	SANDSTONE: as above, with shows. SILTSTONE: as above.
2610 - 2615m	80 20	SANDSTONE: as above, 80 - 100% even, bright, blue white fluorescence; the fine aggregates give a spontaneous moderately fast streaming milky white cut fluorescence and a very strong instant crush cut, and a clear colourless residue. SILTSTONE: as above.
2615 - 2620m	90 10	SANDSTONE: as above. SILTSTONE: as above.
2625 - 2630m	100	SANDSTONE: mostly loose quartz grains with some fine to medium aggregates: the loose quartz grains are white translucent, medium to very coarse, dominantly coarse, subangular to subrounded, mostly subrounded (not shattered by bit suggesting fairly friable sand) well sorted, no cement visible; the loose quartz grains have moderate, even, blue white to violet (mineral?) fluorescence, which gave a very weak blue white cut; the aggregates are light to dark brown, fine to medium grained, mostly fine, very well sorted, subrounded, matrix consists of slightly calcareous cement in some cuttings, but is generally non calcareous, moderate porosity and permeability is indicated; the aggregates have a strong, even, blue white fluorescence which gives a spontaneous moderately fast streaming milky white cut fluorescence and a very strong crush cut and a clear, colourless residue.
2630 ~ 2635m	100	SANDSTONE: as above, mostly loose quartz grains, with only a small fraction of aggregates, shows are same as for previous description.
2635 - 2640m	10 90	SANDSTONE: as above. IGNEOUS: medium light grey to olive grey, very hard, massive, crystalline texture, mainly quartz, also contains ferromagnesian silicates, small amounts of feldspar and common graphite as plates and as intercrystalline fill, trace pyrite.
2640 - 2645m	100 trace trace	<pre>IGNEOUS (?): as above. SILTSTONE: (cavings?) SANDSTONE: (cavings?)</pre>
2645 - 2650m	100	IGNEOUS (?): as above.
2650 - 2655m	100	IGNEOUS (?): as above, mostly massive without any preferred orientation of grains and crystals, although a few cuttings do show irregular banding similar to gneiss, feldspar laths, graphite plates are finer and more scattered, some chlorite (?).
2655 - 2660m	100	IGNEOUS: as above.
2660 - 2665m	100	IGNEOUS: as above.
2665 - 2670m	100	IGNEOUS: as above.

2670 - 2675m 100 IGNEOUS: as above.

2675 - 2682m	100	IGNEOUS:	as above.
2682 - 2684m	65 15	granule siz	quartzose, white, clear, medium to ze, angular to well rounded (frosted some dolomite cement visible, trace
	20	reddish bro	quartzose, mainly medium grey and own, firm to soft, some cuttings calcareous, trace pyrite.
2684 - 2690m	50		as above, but becoming finer grained quartz rich as above.
	25 25	SANDSTONE:	as above.
2690 - 2695m	15 70 15	SANDSTONE:	as above, cavings. as above, no shows. as above.
2695 - 2700m	5 55 40	SANDSTONE:	as above, cavings. as above. as above.
2700 - 2705m	60 40		as above. as above.
2705 - 2710m	60 40	proportion dull, even trace spon crush cut residue.	mainly coarse, as above with small of fine aggregates; these have a yellow gold fluorescence which give a taneous cut, a very strong milky white fluorescence and a clear colourless as above.
			as above, the broken quartz grains
2710 - 2715m	35	clear, whi	te, also common grey to dark grey ins; trace show as for 2705 - 2710m. as above.
2715 - 2720m	65 3 5		as above. as above.
2720 - 2725m	60	SANDSTONE: cut as abo	
	40	SILTSTONE:	
2725 - 2730m	35		as above, 5% yellow gold ce with slow streaming cut.
	65	SILTSTONE:	
2730 - 2735m	40 60	SANDSTONE: SILTSTONE:	as above, no cut, no shows. as above.
2735 - 2740m	50 50	SANDSTONE: fluorescen SILTSTONE:	as above, trace mineral ce, no cut, no shows. as above.
2740 - 2745m		SANDSTONE: grains are medium gre loose quar pebbles, s aggregates	mainly white translucent, some clear and colourless and a few are y to dark grey, consists of fractured tz grains, probably broken granules or mall fraction consists of fine , trace dolomite cement, very low rosity, no shows.

	2745 -	2750m	40 60		as above.
	2750 -	2755m	65 35	-	as above.
	2755 -	2760m	40 60	grained aggre rest are loos SILTSTONE: reddish brown	as above, contains about 10% medium egates which are very dolomitic, se quartz grains. white, off white, grey and dark n, some varieties are calcareous, on calcareous, common pyrite, trace
	2760 -	2765m	50 50	SANDSTONE: common, other SILTSTONE:	dolomitic aggregates becoming more wise as above. as above.
	2765 -	2770m	65 35	SANDSTONE: SILTSTONE:	as above.
	2770 -	2775m	65 35	pebbles, the dolomitized.	seems to contain granules and medium sized grains are completely as above.
	2775 -	2780m	100	coarse sandst and 50% mediu angular, quar	approximately 50% conglomerate and cone, fractured grains in sample, am grained sandstone consisting of ctz grains in an abundant dolomite visible porosity, no shows.
	2780 -	2785m	100	SANDSTONE:	as above, no shows.
	2785 -	2790m	100	SANDSTONE:	as above, no shows.
	2790 -	2797m	85 15	SANDSTONE: SILTSTONE:	as above, no shows. as above.
	2797 -	2805m	85 15		as above.
	2805 -	2807.8	3m	See Core Desc	eription No. 7.
	2807.8 2810m		60		e to light grey, non crystalline,
281	201011	OII	20	very hard angular fragments. SANDSTONE: white, fine grained aggregates, well cemented, subangular grains, minor fluorescence (yellow), very slow streaming cut.	
			10 10	BASALT: bla	ack, angular fragments. tan, hard, angular, fine grained,
	2810 -	2815m	30 60	grains, well slightly calc of dark grey very slow str	clear, medium grained quartz cemented, siliceous cement, also careous, with occasional intrusions ?basalt; minor yellow fluorescence, reaming cut. ce to light grey, angular fragments,
			5	SILTSTONE:	light brown, subangular fragments, mitic, with carbonaceous flecking.
			5		ack, hard, angular fragments.

2815 - 2820m	40 60 trace trace	SANDSTONE: as above, becoming friable, with minor very pale yellow to white fluorescence, very slow streaming cut. CHERT: as above. SILTSTONE: as above. BASALT: as above.
2820 - 2825m	55 trace trace trace	SANDSTONE: clear, subangular to subrounded, fine to medium grained, quartz grains in siliceous and in part slightly calcareous cement, rare whitish fluorescence, very slow, weak crush cut. CHERT: white to medium grey, hard fragments. SILTSTONE: light brown. BASALT: black PYRITE
2826.2		Spot Sample corresponding to gas peak of 5.5 units, as above with more sandstone: gas peak corresponds to minor sandstone stringer — has slightly more fluorescence.
2825 - 2830m	50 50 trace	SANDSTONE: clear, subrounded, fine to medium grained, quartz grains in a siliceous and at times slightly calcareous cement, well cemented, with black?basalt and pyrite inclusions, sandstone has very minor whitish fluorescence - very slow, very weak streaming cut, and weak crush cut. CHERT: milky white to medium grey, hard, angular fragments. SILTSTONE: light brown to occasionally dark grey, hard, subangular fragments, with carbonaceous flecking.
2830 - 2835m	55 45 trace	SANDSTONE: as above, with very minor pale yellow to whitish fluorescence – slow weak, diffuse cut and crush cut. Trace glauconite. CHERT: as above. SILTSTONE: as above, with dark grey siltstone, friable to firm.
2835 - 2840m	30 20 40 10 trace	CHERT: as above. SANDSTONE: loose sand grains, coarse, angular grains, poorly sorted. SANDSTONE: white, fine grained aggregates in white clay matrix, siliceous cement. SILTSTONE: light tan, as above. PYRITE: microcrystalline aggregates.
2840 - 2845m	50 15 5 30 trace	SANDSTONE: clear, subangular to rounded quartz grains in a white siliceous cement/clay matrix. SANDSTONE: clear to white, fine to coarse grained loose quartz. SILTSTONE: light brown to dark brown-grey, hard, containing inclusions of black material (?basalt). CHERT: whitish to pale grey, very hard, angular to subangular fragments. PYRITE: as above. Bronze mineral fluorescence, sandstone has very minor, weak, whitish fluorescence and very weak crush cut.

2845 - 2850m	20 20 20 10	SANDSTONE: quartz grains as above in matrix/cement, as above, with soft black material and pyrite inclusions. Minor dull yellow fluorescence - no cut. Also rare whitish fluorescence with slow streaming cut. SANDSTONE: loose quartz, as above. CHERT: as above.
2850 - 2855m	60 30 10 trace trace	SANDSTONE: as above. SANDSTONE: loose grains, as above. CHERT: as above. PYRITE SILTSTONE: dark grey to tan, as above.
2855 - 2860m	50 10 30 10 trace	SANDSTONE: white, fine to medium grained, well cemented, poorly sorted, subangular to subrounded, poor visual porosity, common dull yellow fluorescence, weak to no crush cut. SANDSTONE: clear quartz, loose grains. SILTSTONE: medium grey to light tan, fine grained, angular cuttings. BASALT/HORNFELS? very minor dark grey to black, very fine grained, apparently as clasts within sands, slightly conchoidal fracture. PYRITE
2860 - 2865m	50 30 20 trace trace trace trace	SANDSTONE: clear, very fine to medium grained, subangular quartz grains, occasionally with encrusting pyrite, and very fine, hard, black ?basalt inclusions. Dull yellowish fluorescence - slow streaming cut and crush cut. SANDSTONE: loose clear to translucent, angular to subangular, medium to very coarse size quartz fragments. SILTSTONE: yellow grey to pale brown, very friable, with common carbonaceous flecking and some very fine carbonaceous layering. BASALT: black, hard, angular fragments. CHERT: medium light gry, very hard. PYRITE: pyrite aggregates, also encrusting/associated with sandstone.
'2865 - 2870m	60 30 10 trace trace	SANDSTONE: aggregates as above, minor yellow fluorescence, very faint crush cut. SANDSTONE: loose quartz, as above, rare pieces have fluorescence, as above. SILTSTONE: as above. BASALT PYRITE
2871.9m		Spot Sample corresponding to Gas Peak of 2 units.
2870 - 2875m	50 20 20 10 trace trace	SANDSTONE: white to light tan or greenish, fine grained aggregates, subrounded grains in whitish matrix. SANDSTONE: loose quartz, angular fragments, poorly sorted, coarse grained. SILTSTONE: dark grey, brown, fine grained, carbonaceous, rounded to angular cuttings. SILTSTONE: light tan, fine angular grains, slightly dolomitic. BASALT/HORNFELS? black, very fine grained. PYRITE: microcrystalline aggregates in quartz, cream and yellow fluorescence in sands (40% of
		sands), very weak cut to no cut.

Spot Sample corresponding to Gas Peak of 2 2871.9m Lithology as above, slightly more fluorescence. clear, subangular, very fine to 2875 - 2880m 50 SANDSTONE: medium grained quartz grains in a partly calcareous cement and clay matrix (some sandstone has very poorly sorted quartz grains ie. size range from very fire to medium. sandstone fragments are well sorted ie. grain size range mostly very fine). Dull pale yellow fluorescence, faint to no cut. loose, angular to subangular, fine 40 SANDSTONE: to very coarse grained quartz. buff to grey/brown, carbonaceous, SILTSTONE: 10 moderately hard to friable. black, hard, angular fragments. trace BASALT: **PYRITE** trace aggregates, as above, very minor SANDSTONE: 2880 - 2885m 70 whitish fluorescence - slow, weak cut and crush cut. SANDSTONE: loose grains, as above. 30 SILTSTONE trace BASALT trace PYRITE trace aggregates as above, with sandstone 2885 -2890m SANDSTONE: 80 in parts tending to light grey due possibly to common black ?basalt inclusions and pyrite. Non calcareous. Dull pale yellow fluorescence, very faint to no crush cut. clear, translucent loose quartz, as 20 SANDSTONE: above. hard, black, angular fragments. BASALT: trace PYRITE: loose aggregates. trace very fine to medium grained, 2890 - 2895m 70 SANDSTONE: predominantly fine grained, angular to subangular, quartz grains in a non calcareous matrix, has inclusions of hard, black?basalt, trace glauconite and pyrite. Sandstone is friable to moderately hard and has dull yellow fluorescence which gives a weak crush cut. clear to translucent, fine to very 20 SANDSTONE: coarse grained, angular, quartz fragments. SILTSTONE: white, soft to firm, containing 10 very fine quartz grains and carbonaceous matter. BASALT trace **PYRITE** trace becoming finer grained, otherwise SANDSTONE: 2895 - 2900m 60 as above, pale yellow fluorescence, no cut. loose quartz as above, whitish SANDSTONE: 20 fluorescence, slow crush cut. white, as above, with occasional 20 SILTSTONE: coarse quartz grains, and only minor carbonaceous matter. **PYRITE**

trace

trace

BASALT

```
white quartz fragments, angular,
2900 - 2905m 30
                       SANDSTONE:
                       loose, poorly sorted, type 1.
                                    white, quartzose, very fine grained
                       SANDSTONE:
             40
                       to medium grained, poorly sorted, white clay
                       matrix, well cemented, type 2.
                                    carbonaceous, blocky angular
                       SILTSTONE:
             20
                       cuttings, type 1.
                                    dark grey, massive angular
                       SILTSTONE:
             10
                       cuttings, type 2.
                       PYRITE
             trace
                       BASALT/HORNFELS
             trace
                       30% dull yellow fluorescence, no cut.
                                     loose quartz grains, as above.
2905 - 2910m 30
                       SANDSTONE:
                                     fine to medium aggregates, as above.
                       SANDSTONE:
             40
                                    carbonaceous, as above.
             20
                       SILTSTONE:
                       SILTSTONE:
                                     dark grey, as above.
             10
                       CHERT
             trace
                       PYRITE
             trace
                       BASALT FRAGMENTS
             trace
                                     loose quartz grains, as above.
                       SANDSTONE:
2910 - 2914m 30
                                     fine to medium aggregates, as above.
              50
                       SANDSTONE:
                                     carbonaceous, as above.
             10
                       SILTSTONE:
                       SILTSTONE:
                                     dark grey, as above.
             10
                       CHERT
             trace
                       PYRITE
             trace
             trace
                       BASALT
                       See Core Description No. 8.
2914 - 2916m
                                     loose quartz grains, as above.
                       SANDSTONE:
2916 - 2920m 30
                                     fine to medium aggregates, as above.
             40
                       SANDSTONE:
                                     light tan, dolomitic, hard angular
             10
                       SILTSTONE:
                       cuttings.
                       SILTSTONE:
                                     carbonaceous, as above.
             10
                                     dark grey, as above.
              10
                       SILTSTONE:
                       CHERT
             trace
                                     very fine to fine grained, well
                       SANDSTONE:
2920 - 2925m 60
                       sorted quartz grains, moderately well cemented
                       by white clay matrix/or non calcareous cement.
                       Also present: clear, medium to coarse grained,
                       subrounded quartz aggregates with pyrite
                       aggregates between the grains, common white
                       fluorescence, moderately fast streaming cut,
                       weak crush cut.
                                     colourless to predominantly
             20
                       SANDSTONE:
                       traslucent, angular, medium to very coarse grain size, loose quartz fragments.
                                     white, soft, with common
                       SILTSTONE:
             10
                       carbonaceous material and occasional very fine,
                       clear quartz grains.
                                     greyish-red, firm with carbonaceous
             10
                       SILTSTONE:
                       flecking.
                                medium light grey, angular, very hard
                       CHERT:
              trace
                       fragments.
                                     both coarse and fine grained
                       SANDSTONE:
2925 - 2930m 40
                       aggregates as above, whitish fluorescence, weak
                       cut and crush cut.
                                     loose quartz fragments, as above.
                       SILTSTONE:
              30
                       SILTSTONE:
                                     white siltstone, as above.
              20
                                     greyish red, as above.
              10
                       SILTSTONE:
                       CHERT:
                                as above.
              trace
```

2930 - 2935m	50	SANDSTONE: coarse and fine grained aggregates
		as above, minor whitish fluorescence - (only small parts of the quartz grains fluoresce) - fast streaming cut.
	30 20	SANDSTONE: loose quartz, as above. SILTSTONE: white siltstone, as above.
	trace trace	CHERT BASALT: black, hard, angular fragments.
2935 - 2940m	60	SANDSTONE: both coarse and fine grained
	20	aggregates as above, very minor pale yellow fluorescence, no cut. SANDSTONE: loose quartz fragments, as above.
	10	SILTSTONE: white with common carbonaceous flecking, as above.
	trace	SILTSTONE: yellow brown, soft, with abundant carbonaceous flecking.
	10 trace	CHERT: as above. BASALT: as above.
2940 - 2945m	50	SANDSTONE: both fine and coarse grained aggregates tending to dark grey in part,
		inclusions of ?basalt fragments and flecks, and pyrite are common. Minor yellow fluorescence,
	30	weak cut. SANDSTONE: loose quartz fragments, as above.
	10 10	SILTSTONE: white, as above. BASALT
2945 - 2950m	40 40	SANDSTONE: as above. SANDSTONE: as above, quartz fragments.
	10	SILTSTONE: light tan, fine grained, angular fragments.
	10	SILTSTONE: light green, fine grained, subangular fragments.
	trace	BASALT Minor fluorescence in sandstones, 5-10% very weak crush cut.
2950 - 2955m	40 40	SANDSTONE: as above. SANDSTONE: as above, quartz fragments.
	10 10	SILTSTONE: light tan, as above. SILTSTONE: light green, as above.
	trace	BASALT Minor fluorescence in sandstones, 5-10% very
2055 2040-	40	weak crush cut.
2955 - 2960m	30 20	SANDSTONE: as above. SANDSTONE: as above, quartz fragments. SILTSTONE: light tan, as above.
	10	SILTSTONE: light green, as above.
2960 - 2964	60	C.B.U. SANDSTONE: white, medium grained, friable, well sorted, subangular to subrounded, white
	20 .	cement and matrix. SANDSTONE: clear, loose quartz grains, not
	10	fragments, as previously. SILTSTONE: light tan, as above.
	10	SILTSTONE: light green, as above. 5-10% dull yellow fluorescence in sands, weak
		crush cut.

2964 - 2965	50	SANDSTONE: a) fine grained, well cemented quartz sandstone, generally white, occasionally grey with <u>fine black flecking</u> : b) clear, medium grained, subangular, well sorted, very slightly calcareous cement, with common black, medium grained, firm to hard inclusions, rare whitish fluorescence, very slow, weak cut and crush cut.
	20	SANDSTONE: translucent, coarse to very coarse grained, angular quartz fragments.
	10	SILTSTONE: medium light grey, friable with common black flecking - carbonaceous?, slightly
	20	calcareous. SILTSTONE: tan, friable, slightly calcareous, common black ?carbonaceous flecking.
	trace	PYRITE: sometimes as discrete aggregates otherwise associated with sandstones.
	trace	BASALT: black, hard, angular fragments.
2965 - 2970m	20	SANDSTONE: a) fine grained, as above: b) medium grained aggregates, as above, rare whitish fluorescence, very slow weak cut and crush cut.
	20 30	SANDSTONE: loose quartz, as above. SILTSTONE: tan siltstone, as above.
	20	SILTSTONE: grey siltstone, as above, tending to brownish grey.
	10 trace	SILTSTONE: dark brownish grey, hard. BASALT
2970 - 2975m	10	SANDSTONE: fine and coarse grained aggregates, as above, very rare pale whitish yellow fluorescence.
	10 50	SANDSTONE: loose quartz fragments, as above. SILTSTONE: buff to tan, as above, soft to friable, blocky cuttings.
	30	SILTSTONE: dark brownish grey, as above, friable to hard, blocky to angular fragments.
2975 - 2980m	30	SANDSTONE: white, coarse to fine grained, angular grains, poorly sorted, finer grains cemented in a white clay matrix, friable, dull yellow white fluorescence in 5-10% of sands, slow streaming cut.
•	70	SILTSTONE: argillaceous, dark brown to dark grey, fine grained, blocky rounded cuttings, occasionally fine grained disseminated carbonaceous matter.
	trace	PYRITE: very fine grained.
2980 - 2985m	50	SANDSTONE: white, fine grained, well cemented quartz sandstone; also present: clear, subrounded, medium grained, friable, quartz sandstone, with black, hard, medium grain size inclusions - possibly basalt. Approximately 10-20% of sandstone has pale yellow to white fluorescence - moderately fast cut, strong crush cut.
	30 20	SANDSTONE: loose angular fragments of quartz. SILTSTONE: dark brown to dark grey, blocky cuttings, with carbonaceous flecking.
	trace	PYRITE: as above.

2985 - 2990m 30 SANDSTONE: fine and medium grained aggregates as above, approximately 10-20% of the sandstone (both cemented and loose, as below) has patchy whitish fluorescence, very weak to no cut. loose quartz fragments - angular, 60 SANDSTONE: medium to very coarse or larger size grains, also present: medium to very coarse, subrounded to rounded, possibly loose quartz grains, shows patchy white fluorescence, as above, very weak to no cut. as above, (dark brown to dark grey). 10 SILTSTONE: trace PYRITE white to light grey, dominantly 2990 - 2995m 90 SANDSTONE: loose angular fragments of quartz, some fine grained aggregates cemented in a white matrix, poor visual porosity in aggregates, 5-10% of grains dull yellow fluorescence, rare weak streaming cut, mostly weak crush cut. 10 SILTSTONE: as above. **PYRITE** trace 2995 - 3000m 70 SANDSTONE: as above, mainly fine aggregates. SILTSTONE: as above. trace **PYRITE** COAL trace 10-20% fluorescence in sandstone and siltstone. clear to white, coarse to fine 3000 - 3005m 60 SANDSTONE: grained, poorly sorted, coarse grains, loose angular fragments, finer grains cemented in a white clay matrix, 10-20% moderate yellow fluorescence, immediate streaming cut from some grains, otherwise crush cut, poor visual porosity in aggregates. 40 SILTSTONE: dark grey, brown, blocky angular cuttings, carbonaceous. **PYRITE** trace SANDSTONE: as above. 3005 - 3010m 60 40 SILTSTONE: as above. trace PYRITE SANDSTONE: as above, 5-10% fluorescence, 3010 - 3015m 80 occasional streaming cut. as above. 20 SILTSTONE: **PYRITE** trace 3015 - 3020m 70 SANDSTONE: as above, 0-5% fluorescence, white matrix common. as above. 30 SILTSTONE: trace PYRITE as above, mostly coarse grained, 3020 - 3025m 80 SANDSTONE: 5-10% fluorescence. 20 SILTSTONE: as above. trace PYRITE

APPENDIX 2

APPENDIX 2

Core Descriptions

COSE DESCRIPTION

Core No. . . 1 (Page 1)

Depth & Coring Rate (m/hr)	Graphic	Shows	interval (m)	Descriptive Lithology
15 0			1488	1488.2-1489.00 No Recovery
++++++				1489.0-1492.48m SANDSTONE: quartzose, light grey
	AND		·	firm, predominantly fine grained, angular to
			1489	subrounded, well sorted, non calcareous, carbonac
			1489	flecks, no fluorescence, no shows, occasional mic
			Listable Country of the Country of t	1492.48-1493.60m SANDSTONE: quartzose, very li
++}}++++	7		1490	grey, fine to very coarse grained (fining upwards
			1490	well sorted, predominantly angular to subrounded,
				firm, friable, non calcareous, trace carbonaceous
				matter, trace mica, no fluorescence, no shows.
			1491	1493.60-1497.12m SANDSTONE: as above, grading
				upwards from very coarse grains to fine grains.
			\$-	1497.12-1497.59m SANDSTONE: dominantly fine grai
<u> Kalabal</u> .			1492	to occasional coarse grain, calcareous cement, ot
[wise as above.
<u> </u>	j j.			1497.59-1499.28m SANDSTONE: quartzose, medium gr
 			1493	firm, friable, fine to medium grained, angular to
	J. ', L. ', L. '			subrounded, moderately well sorted, calcareous ce
 	1 -			trace mineral fluorescence, orange to yellow; no
	ر. با ب ^د . و		1494	shows.
		·	A-CONTRACTOR OF THE CONTRACTOR	1499.28-1499.79m COAL: bituminous, black, vitreo
		4320		blocky, hard, clean.
		economic de la constante de la	1405	1499.79-1500.6m SANDSTONE: quartzose, olive grey
	Q	and the second	1495	fine grained to very fine grained, firm and friab
	Q.	ne i pane pane	e de la companya de l	angular to subrounded, calcareous cement in part
	o	Opiniosis-nas	1405	argillaceous, micaceous, immediately below coal i
<u> </u>		Chapter Street, Fee Spo	1496	interlaminated with siltstone stringers.
	Q	The state of the s	1402	
	Q . 		1497	
++++++	7 : : : :			
	Q' . ' . Q' .		The state of the s	
	SEL ALLE AND THE PROPERTY OF T	AND THE PROPERTY OF THE PROPER	n sannt caracter i i i i i i i i i i i i i i i i i i i	

con neonem

Core No. 1 (Page 2)

Depth & Coring Rate (m/hr)	Graphic	Shows	Interval (m)	Descriptive Lithology
0	Q .		1498	
	Q		1499	
			1500	1
	- Carriera de Maria di Carriera de Maria de Carriera de La Carriera de Carriera de Carriera de Carriera de Car		1501	
		SEAPHERSON II. II. SHIPPER ARRAY SIDE PROPERTY OF THE SEAPHERSON III.	•	
	manacipi e verezente incondinacio.		<u>.</u>	
	nagar Warang Abba (Shapandar wang			
adadadadadadada.	المساور		egy jugg tyjentak kiligolykolykolykolykolykoloksisia piete gant ;	

CORE DESCRIPTION

Core No. 2 (Page 1)

Depth & Coring Rate (m/hr)	Graphic	Shows	Interval (m)	Descriptive Lithology
25 0	CONTRACTOR		1500	1500.6-1505.75m SANDSTONE: quartzose, hard and
				friable, very coarse to very fine grained, (graded
				bedding), angular to subrounded, predominantly
	· · · · · · · ·		1501	subangular, poor to moderately well sorted, trace
				mica, dolomite cement decreasing with depth, trace
	٠٠٠٠٠ سر.		D. Constantian in	glauconite in upper section, bioturbated in part w
	Q .			burrows up to 1 cm diameter, less consolidated and
			1502	coarser with depth; no fluorescence, no shows.
			A. epithwa pase A.	1505.75-1506.99m INTERBEDDED SANDSTONE/SILTSTONE:
			e I	quartzose, very fine grained to siltstone, medium
			1503	light grey to pale brown, very thin carbonaceous
 	Q .			laminae, well sorted, non calcareous, bioturbated,
				micaceous, pale yellow pinpoint fluorescence and
			1504	slow streaming crush cut (weak and yellow) from
	ġ · · ·			sandstone laminae within siltstone.
<u> </u>		the exist area and	- [1506.99-1510.40m SANDSTONE: quartzose, clear to
			1505	white, very coarse to medium grained, predominantl
				coarse, very angular to subangular, moderately wel
		de Chrestops pe pe		sorted, argillaceous, dolomitic matrix, high
	M FM		1506	visual porosity, occasionally coaly and carbonaceo
	. · . · . · . · . · . · . · . · . · . ·	8		stringers; fluorescence - pale yellow pinpoint wit
1116	. '¬.' ¬.'	9		'bright yellow, slow streaming cut and crush cut.
	W 7 W		1507	1510.40-1513.40m No Recovery.
 	.7 7.			,
HHAHI.	F29	Cantina.	a de Commune	
		0	1508	
			Sections	
			C Comment Comm	
			1509	
		as-ven-policy.		
		adicustines.		
		A Company of the Comp		
danahni dasabarah mbanka dan dasa	est estation-invitationistismospherica-matematemospherica-	Carles and St. William Control of the		
e a management of the state of	all the control of the second	entpristation of a countricident englands (M).	COLVINION COMPANY OF THE PROPERTY OF THE PROPE	

CORE DESCRIPTION

Core No. ...2 (Page 2)

Depth & Coring Rate (m/hr)	Graphic	Shows	interval (m)	Descriptive Lithology
25) 	0	1510	
			1511	
			1512	1
x 10			1513	
			1514	
			-	
	-			
			.,	
			wer channes now with grants were. Joseph publicate country	

CORE DESCRIPTION

Core No. . . 3 (Page 1)

Well .WIRRAH-1 1513.4-Interval Cored 1527.0 m, Cut 13.6 m, Recovered 2.54 m, (.19 %) Fm. LATROBE Bit Type....... Bit Size...... 8-1/2.... in., Desc by CROWTHER....... Date 22/9/82... Depth & Interval (m) Descriptive Lithology Coring Rate Graphic Shows (m/hr) 1513.4-1513.89 SANDSTONE: light grey, quartzose, 1513 hard, very poor visual porosity, dolomitic cement, 50% bright yellow mineral fluorescence. Q: 1513.89-1514.30 SANDSTONE: medium light grey, quartz-1514 ose, very friable, gritty to medium grained, dolomitic cement, very good visual porosity, 20% bright yellow mineral fluorescence. 1515 1514.3-1514.99 SANDSTONE: as above, grading more finely down to:-1514.99-1515.22 SANDSTONE: quartzose, friable, light 1516 grey, very coarse to coarse grained, angular to subangular, calcareous cement, no fluorescence, moderate visual porosity. 1517 1515.22-1515.32 SILTSTONE: medium dark grey, trace pale yellow fluorescence and cut. 1515.32-1515.64 SANDSTONE: quartzose, light olive 1518 grey, fine to medium grained, predominantly fine, clasts very light brown, angular to subangular, predominantly angular, well sorted, very friable, trace carbonaceous, poorly cemented, slightly 1519 calcareous. No fluorescence. 1515.64-1515.74 SILTSTONE: as above. 1515.74-1515.94 SANDSTONE: quartzose, medium light 1520 grey, medium to coarse grained, predominantly medium, angular to subangular, non calcareous, trace carbonaceous, trace fluorescence, dull yellow, slow 1521 diffuse pale yellow cut. 1515.94-1527.0 No Recovery 1522

CORE DESCRIPTION

Core No. 3 (Page 2)

Well WIRRAH - 1 1513.4-Interval Cored 1527.0...m. Cut 13.6 ... m, Recovered 2.54 m, (.19.%) Fm LATROBE Bit Type RC-4 Bit Size 8-1/2 in., Desc by CROWTHER Date 22/9/82 Depth & Coring Rate Graphic Shows Interval (m) Descriptive Lithology (m/hr) 1523 1524 1525 1526 1527

come description

Core No. . 4 (Page 1)

Well . WIRRAH . - . 1 ... 1573.4-Interval Cored 1585.6 m. Cut 12.2 m, Recovered 7.9 m, (.64.8%) Fm. LATROBE Bit Type RC-3 ... Bit Size ... 8.5 ... in., Desc by DAVIDSON/CROWTHER Date .. 23/9/82 Denth & Descriptive Lithology Interval (m) Coring Rate Graphic Shows (m/hr) 1573.4-1574.2 COAL: black, bright, hard, brittle, 1573 conchoidal fracture. 1574.2-1575.3 INTERBEDDED COAL/CARBONACEOUS SHALE: medium dark grey, very carbonaceous, with fine bright 1574 coal laminae, as above, hard, argillaceous, fissile. 1575.30-1576.88 COAL: as above. quartzose, hard, friable 1576.88-1572.52 SANDSTONE: 1575 clear, fine to coarse grained, dominantly medium, angular to well rounded, dominantly subangular, well sorted, no cement, moderate visual porosity, fluorescence: 95-100% bright yellow/white instant 1576 blooming bright yellow/white cut and crush cut; yellow brown (very light) residue, pale brown to brown (1577 residue coating grains, strong hydrocarbon odour. 1577.52-1577.90 INTERBEDDED SANDSTONE/COAL: 40% ٩ fluorescence, slow pale yellow streaming cut. 1578 1577.90-1578.48 COAL: as above. 1578.48-1578.82 INTERBEDDED SANDSTONE/COAL: 40% fluorescence, slow pale yellow streaming cut. 1578.82-1579.17 COAL: as above. 1579 1579.17-1579.80 INTERLAMINATED SILTSTONE/SANDSTONE: 9 medium light grey sandstone/medium dark grey, carbonaceous siltstone, hard and friable, quartzose, 9 1580 very fine grained, argillaceous, with trace mica; fluorescence: 10% dull to moderate yellow, slow streaming pale to bright yellow white cut and crush (1581 cut. quartzose, medium to 1579.80-1581.3 SANDSTONE: light grey, firm, friable, argillaceous, well sorted, 1582 bioturbated, see further descriptions below: Fluorescence 1579.86m fine to medium grained, subangular - 60% dull yellow fluorescence, conchoidal P.T.O. in burrows and coarser fractions.

CORE DESCRIPTION

Core No. 4 (Page 2)

Depth & Coring Rate Graphic (m/hr)	Shows	Interval (m)	Descriptive Lithology
		1583	Fluorescence 1580.23m low visible porosity, medium
	/		grained, subangular - 80% pale yellow with bright
			yellow spots (up to 10%), brightyellow slow streamin
		1.504	cut, bright yellow crush cut.
		1584	Fluorescence 1580.54m as above, low visible porosit
			90% bright yellow, slow streaming cut and crush cut
			visible brown stain on quartz grains.
		1585	Fluorescence 1580.92m fine to medium grained,
	\		predominantly fine grained, friable, visible brown
	Vacant Va		stain, moderate visible porosity, - 60% bright
		1586	yellow slow streaming cut, bright yellow crush cut.
			Fluorescence 1581.30m as above, 30% bright yellow,
			slow blooming diffuse cut, dull yellow crush cut.
			1581.3-1585.6 No Recovery
			CONSTRUCTION OF THE CONFIDENCE
+++++		-	
EXTENSION CONTROL CONT			
			The second se
			1. 1967 (1. 4. 3d) 1. 1968 (1. 4. 3d)
 			
	1	THE PARTY OF THE PARTY PROPERTY OF THE PARTY	
	CONTRACTOR OF THE STATE OF THE	all a second free front on the first state of the first o	
s de la companya del companya de la companya del companya de la co	-		
The second secon			
		segges estas animalismo mes es em materiales animales estas contra	

CORE DESCRIPTION

Core No. 5 (Page 1)

1585.6Interval Cored 1596.6 m. Cut 11.0 m. Recovered 2.6 m. (.23.6%) Fm. LATROBE

Bit Type ... CHRIS RC-3 Bit Size 8-1/2 in. Desc by DAVIDSON/CROWTHER Date .. 24/9/82.

Depth & Coring Rate (m/hr)	Graphic	Shows	Interval (m)	Descriptive Lithology
			1585	1585.6-1586.24m SILTSTONE: quartzose, brown grey,
				hard, argillaceous, very carbonaceous, micromicaceou
				trace mineral fluorescence, subfissile.
	7		1586	1586.24-1587.24m COAL: black, brittle, conchoidal
++++++	$\sim M$		1300	fracture.
		4		1586.47-1587.24m SANDSTONE: quartzose, medium dark
		9	h	grey to medium light grey, mottled by bioturbation,
	1 7 w		1587	hard, not easily friable, fine grained with more
×10	A CONTRACTOR OF THE PARTY OF TH	*		argillaceous, mottled laminae, carbonaceous,
HHH	and the second			micromicaceous; fluorescence : 80-100%, generally
		1588	2/3 bright yellow-white, white slow streaming cut,	
+++++			-	1/3 dull yellow fluorescence, bright fluorescence
			1589	restricted to less argillaceous fraction.
++++}+				1587.24-1588.2m COAL: black, brittle, conchoidal
	/ /	PPC/Accessor		fracture.
 				1588.2-1596.6m No Recovery
	/ /		1590	The state of the s
		-		
	$\backslash / / /$		1591	
++++//-				
	. /	***Commercial	-	
++++++++	\wedge			
	$/ \setminus $		1592	
 			<u> </u>	
	/ \		_	
			1593	
		and the second		
			L594	i i i i i i i i i i i i i i i i i i i
 	\ \ \ \ \ \			
+++++/	1			

CORE DESCRIPTION

Core No. 5 (Page 2)

and the second s			Recovered 2.6 m, in. Desc by DAVIDSON/CRO	and the second of the second o
	Dil 3i		promonent transport of the second sec	
Depth &			Page 1946.	tona.
Coring Rate Graphic (m/hr)	Snows	Interval (m)	Descriptive	Lithology
	STANCES SECTION AND ASSESSED.	ACTIVITIES HELIARISMENTICIES SERVICIONES DE CONTRESENTA	Proposition 200, Principal companies and control of the control of	The first of the control of the cont
		1595		
++++++++++++++++++++++++++++++++++++				
		1596		
++++++	4	1597		
		1397		
				a de la companya de La companya de la co
	ì			
	R.ACilon-siziva			
		. :		
		₹ •		
		`		
		. *		
		÷		
	.]	•		
		-		
	ery i que		. •	
	et itonus			
		, .		
		Corporate Annual Corpor		
	THE SHEET STATE OF THE SHEET STA	docentivosenos		
	- And a	dominarystose s		The state of the s
ониционня в нестроит и мерени по в нестроительной просторый в нестроительной посторый по нестроительной постор	The second secon	The state of the s		
		i kanagayyan ni qada siy e di adaga ayr isaasiyan da amid isaa siga di ababi Baraya ya ayra ayra ayra ayra ayra ayra		na a constitut de describirant autorità di colori de colori de colori de colori de colori de colori de colori d
	na mangangan paganadhan bara			

CORE DESCRIPTION

Core No. . . 6 .(Page 1)

Well .WIRRAH. - 1

2046.0Interval Cored 2061.20. . . m, Cut 15.20. m, Recovered 15.12. m, (.99.5%) Fm. LATROBE.

Bit Type CHRIST RC-3 Bit Size . 8-1/2 in, Desc by L. FINLAYSON Date 1/10/82

Depth & Coring Rate Graphic (m/hr)	Shows	Interval (m)	Descriptive Lithology
5 Garanteeta faranteeta martin martin anti anti anti anti anti anti anti a	0	2046	'2046-2048.18m SANDSTONE: grey, hard, medium to
1			grained, well sorted, quartzose, micaceous,
			moderate visual porosity, fluorescence: 40% bright
		2047	blue to white, very slow cut, good crush cut, bright
			blue white.
			2048.18-2049.22m SILTSTONE: grey, very hard,
1		0040	micaceous, trace carbonaceous material, trace pyrite.
HHHH m ¬	0	2048	2049.22-2049.58m SANDSTONE: grey, very hard,
HH W			fine grained, well sorted, micaceous, carbonaceous,
MATTER MA		0.0.10	low visual porosity, fluorescence: 80% bright
m •		2049	blue white, slow streaming cut, good crush cut,
	• 🚱		bright blue white.
HIIIIII M M		3.	2049.58-2052.00m SILTSTONE: grey, very hard,
- HILLIAM T		2050	micaceous, trace carbonaceous material, trace pyrite.
├ 			2052.00-2054.50m MUDSTONE: light grey, very hard,
			micaceous, trace carbonaceous material, trace pyrite.
		2051	2054.50-2061.12m SILTSTONE: grey, very hard,
			micaceous, trace carbonaceous material, trace pyrite.
M I			2061.12-2061.20m No Recovery
m M		2052	
		2032	
H			
M M		2053	
~		2033	
* 		2054	
	İ	2054	
HHHHHHM			
- I	.		
m l		2055	
H-H-H-M Sal			
~ ~ ~	Company of the Compan	a and a second	
	Account managed	minister and the second subject of the second for the	

CORE DESCRIPTION

Core No. . 6. (Page. 2)

Well WIRRAH 1 2046.0-Bit Type. . . . CHRIST RC-3. Bit Size . . . 8-1/2 in. Desc by . . L. FINLAYSON . . Date . 1/10/82 Depth & Descriptive Lithology Coring Rate Graphic Shows Interval (m) (m/hr) 2056 2057 2058 7 2059 0 \sim 監護 2060 \mathcal{M} 2061 2062

cor orscriptor

2805Interval Cored 2807.8 m, Cut 2.8 m, Recovered 0.22 m, (...8.%) Fm.LATROBE

Bit Type C 20 Bit Size 8.469 in, Desc by MORETON/PRIEST Date 12/13-11-82

Depth &

Depth & Coring Rate (m/hr)	Graphic	Shows	interval (m)	Descriptive Lithology
5	THE COURSE AND ASSESSMENT OF THE COURSE AND A		2805	2805.00-2805.22m CONGLOMERATE: subangular to well
				rounded coarse to pebble sized clasts in a poorly
			·	sorted, quartz, dolomitic sandstone matrix (matrix
			2806	supported). Pebble imbrication tends to be
	\		2000	perpendicular to the core direction - clasts have
	X		•	extended C-axis. Very minor fluorescence.
		,	2807	Contains clasts of quartz: clear to milky white,
			2007	both very coarse, subangular and well rounded
	/ \			pebble sized clasts present; shale: dark grey,
			e e e e e e e e e e e e e e e e e e e	both very coarse grained, subangular and (less
			2808	commonly) well rounded pebble sized clasts;
		***************************************		cherty sandstone: medium grey, well rounded pebbles;
		,	8≥	also occasionally medium dark grey cherty matrix with
			,	quartz, minor dark grey shale, ?pyrite; sandstone:
				fine to medium grained, quartz sandstone, slightly
	n en	-	-	calcareous, well rounded pebbles, ?basalt:
		DATION CONTRACTOR		dark grey, crystalline, occasional pebbles.
		reencoding		2805.22-2807.80m No Recovery
			·	
<u>, </u>		2.		
			P. Carrier and Car	
		ESSAND VOICE WOOD VOICE	-	
		************	A Company Design	
		****	The state of the s	
THE ADMINISTRATION OF			A STATE OF THE STA	

CORE DESCRIPTION

Core No. . . . 8

***				m, Recovered Om, (O.%) Fm. LATROBE 69in., Desc by D. MORETON Date 15/11/82
Depth & Coring Rate (m/hr)	Graphic	Shows	Interval (m)	Descriptive Lithology
and the second s		B. TOOL B. T. S. R. C. S. C	2914	2914-2916m No Recovery
	X		2915	
			2916	Note: 4 pebbles 2-3cm across recovered from core
			·	barrel, l of which was a fragment of a larger
				pebble; .2 pebbles of quartz - well rounded;
			•	l pebble of sandstone/quartzite - subrounded;
			5.	l pebble metamorphic rock - hornfels, dark grey to
	·	~	transport	black, very hard, also well rounded. Consistent with a well worked conglomerate.
			and consideration of the constant of the const	
			September of the Septem	
	· · ·		ALL-LOS COMPANY OF THE PARTY OF	
				The Market Control of the Control of
	-			·
		1	,	
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		No. 1 (1) (1) (1) (1) (1) (1) (1) (1) (1) (
		et august and a		
		PAGE THE TREE PAGE TO T	annuch care	
		E-HO-EB-H-CHEL	**************************************	
		V zeprete misse		
		A-respinosaca,		
	Total action, that he commence we are a second commence.	NEW BOOK OF CHILD		
and the state of t	Figure and the First Williams for the Assessment Section 1		and the second s	
	ner van gegen der parte van der verschadel verschiebe	s agentum og till geni e en gjærfa Sammi	The second contract of the second contract contr	
	Carried Comments of the Commen			
			The second secon	

Appendix 3

APPENDIX 3

Sidewall Core Descriptions

WIRRAH - 1

SIDEWALL CORE DESCRIPTIONS

No.	<u>Depth</u>	Rec.	Rock Type	Description
1	2800	40	Siltstone	Blue grey to very light grey, soft, water sensitive, non calcareous.
2	2788	30	Siltstone	As above, with trace dolomite and dull gold fluorescence.
3	2781			No Recovery
4	2778.5	20	Sandstone	Predominantly light grey, quartzose, friable, poorly sorted, fine to very coarse, angular, slightly argillaceous, dolomitic - trace mineral fluorescence, trace pyrite.
5	2760.5	20	Sandstone	Light grey, quartzose, fine grained, very dolomitic - 40% mineral fluorescence.
6	2752.5	30	Siltstone	Medium dark grey, very carbonaceous, occasional coaly pieces, subfissile, soft to firm.
7	2731.0	15	Sandstone	Quartzose, rock fluorescence (powder) to quartz pebbles (5mm), friable, dolomitic matrix, mineral fluorescence.
8	2715.3	20	Siltstone	Dark grey, very carbonaceous, subfissile, soft to firm.
9	2705	25	Siltstone	Medium dark grey, as above, with thin more carbonaceous dark laminae.
10	2693.0			No Recovery
11	2686.0	25	Siltstone	Medium dark grey, as above, trace micropyrite aggregates, no laminae.
12	2684.4	30	Siltstone	Medium grey, hard, abundant micropyrite evenly dispersed throughout, no laminae, trace dolomite.
13	2678.5	30	Sandstone	Shattered quartzose rock with pieces up to 10mm in length, dolomitic cement, fine grained, white to light grey matrix, soft to friable apart from large pieces, black cubic metallic crystalline substances, possibly galena.
14	2677.0	20	Quartzitic?	Shattered quartzitic rock: possibly igneous.
15	2655	20	Quartzitic?	Shattered quartzitic rock: mottled medium dark grey and light grey, calcareous, HCl leaves green residue.

16	2644.5	Siltstone	Mottled medium grey and white, slightly calcareous, soft to firm, very pyritic (approx. 30%), microcrystalline aggregates, no fluorescence.
17	2641.4	Siltstone	White to very light, soft to hard, no visible porosity, but absorbs HCl while being non calcareous (rock fluorescence from SWC?).
18	2640	Sandstone	Very coarse angular grains in a fine quartzose matrix. Very poorly sorted. 90% bright yellow fluorescence with diffuse yellow cut and crush cut. Low visible porosity.
19	2634.2	Sandsone	Very light grey, quartzose, slightly argillaceous, friable, soft to firm, very fine grained, 30% bright yellow hydrocarbon fluorescence in patches (not evenly distributed), diffuse dull yellow cut and crush cut.
20	2633	Sandstone	Very light grey, quartzose, slightly argillaceous, very coarse to medium grained quartz and lithic fragments (basic volcanics), abundant pyrite, slightly argillaceous, 90 - 100% fluorescence, as above.
21	2625m	Saridstone	Very light grey, quartzose, slightly argillaceous, very coarse to medium grained quartz and lithic fragments (basic volcanics), but badly shattered, no visible large grains, 90 - 100% fluorescence, trace dolomite.
22	2621	Sandstone	Quartzose, medium grained, well sorted, angular to subangular, friable, trace dolomite matrix, no cement, trace pyrite, 100% fluorescence with a slow diffuse cut.
23	2615.5	Siltstone	Medium to dark grey, firm, slightly calcareous.
24	2604.5	Sandstone	Medium to dark grey, firm, slightly calcareous, very friable, fine to medium grained, well sorted, probably shattered, 100% fluorescence, bright yellow, slow streaming yellow cut.
25	2598.0	Sandstone	Very poorly sorted, fine to pebble (15mm) size quartz, in part argillaceous, fine sand around pebble, fluorescence as above, more argillaceous section, no fluorescence (note: also found 1 very coarse bipyramidal quartz crystal).
26	2593,5	Sandstone	Very fine to medium grained, angular to subangular, quartzose, moderately sorted, friable, no cement, possibly light brown oil staining, moderate visual porosity, 100% fluorescence, bright yellow, bright yellow streaming cut.

27	2590	30	Siltstone	Medium to dark grey, firm, slightly calcareous.
28	2583			No Recovery
29	2576	15	Sandstone	With minor Siltstone, very fine grain quartzose sandstone, low visual porosity, interbedded with occasional siltstone stringers, trace dolomite; fluorescence 100% in sand only, bright yellow but reluctant diffuse dull yellow crush cut only.
30	2569	30	Siltstone	Medium to dark grey, firm, slightly calcareous.
31 ,	2567.7	40	Siltstone— Coal	Medium light grey, firm, brittle, carbonaceous siltstone with coal in parts; coal - black, brittle, bright.
32	2557.5			No Recovery
33	2543.5	15	Shale	Medium light grey, firm, subfissile, rare coal interlaminae.
34	2525.2	30	Siltstone/ Shale	Medium grey, soft to firm, subfissile
35	2500			No Recovery.
36	2479.5	3 U	Sandstone/ Siltstone	Fine quartzose sandstone, moderately sorted, grades into siltstone - medium grey, micaceous, firm and friable.
37	2478	20	Sandstone	Very fine to fine grained, quartzose, angular to subangular, friable.
38	2455.0	25	Sandstone	Quartzose, medium grained, dolomitic in part, angular to subangular, friable.
39	2452	40	Shale	Medium grey, firm, subfissile, rare coal interlaminae.
40	2435	40	Shale	Medium grey, firm, subfissile, rare coal interlaminae.
41	2433	41	Sandstone	Medium grained, rarely micaceous, quartzose, angular to subangular, friable.
42	2413.5	20	Sandstone	Medium grained, rarely micaceous, quartzose, angular to subangular, friable, trace dolomite.
43	2409.0	20	Shale	Medium dark grey, firm, subfissile, rare coal interlaminae.
44	2401.0	30	Sandstone	Medium grained, rarely micaceous, quartzose, angular to subangular, friable, trace dolomite.
45	2383.0	40	Shale	Medium dark grey, firm, subfissile, with trace coal stringers.
46	2377.0			No Recovery.

47	2363.0	25	Siltstone/ Coal	Medium dark grey, soft to firm, subfissile.
48	2339.5	40	Shale	Medium light grey, trace carbonaceous stringers.
49	2320.0	20	Shale	Medium light grey, trace carbonaceous stringers.
50	2306.0	30	Siltstone	Medium grey, carbonaceous flecks, quartzose, soft, subfissile.
51	2286.0	20	Shale	Medium grey, trace carbonaceous stringers.
52	2255.0	10	Siltstone	Interbedded very pyritic layer with less pyritic layer, medium light grey, soft.
53	2232	30	Shale	Medium grey, trace carbonaceous stringers, with plant fossils.
54	2226	10	Sandstone	Very argillaceous, trace dolomite, medium grained, rarely micaceous, quartzose, angular to subangular, friable.
55	2223.0	20	Sandstone	Quartzose, coarse to very fine grained, predominantly medium grained, angular to rounded, very argillaceous, poorly sorted, dolomitic inclusions and matrix.
56	2219.5	20	Siltstone	Medium dark grey to medium light grey, mottled to very pyritic, 40% fluorescence.
57	2215.9			No Recovery
58	2212.0			No Recovery
59	2198.5	35	Shale	Medium light grey, soft, non calcareous, quartzitic.
60	2186.5	35	Shale	Medium light grey, soft, non calcareous, quartzitic.
61	2164.0	10	Siltstone/ Sandstone	Interbedded medium grey soft siltstone and medium to fine quartzose, friable, sandstone.
62	2142.0	20	Sandstone	Quartzitic, fine to very fine grained, well sorted, subrounded, friable, argillaceous.
63	2106.9	20	Siltstone	Medium dark grey with medium light grey interlaminae, soft, subfissile.
64	2094.0	20	Sandstone	Light grey, quartzose, medium grained, angular to subrounded, well sorted, argillaceous, hard but friable.
65	2072	10	Siltstone	Medium light grey, soft, subfissile.
66	2048	20	Siltstone	Interlaminated light and dark (carbonaceous) laminae - soft, occasionally sandstone, very fine grained to medium grained.

67	2034	30	Sandstone	Quartzose, medium to rare coarse grains, well sorted, subrounded to well rounded, poor visual porosity, slightly brownish oil stain, strong hydrocarbon odour, 100% blue/white fluorescence, with instant streaming blue/white cut.
68	2030.7	20	Sandstone	Quartzose, fine to medium grained, well sorted, sublounded to well rounded, poor visual porosity, slightly brownish oil stain, strong hydrocarbon odour, 100% fluorescence, slow diffuse cut, (dull yellow) and crush cut.
69	2030m	20	Sandstone	Quartzose, fine to medium grained, well sorted, subrounded to well rounded, poor visual porosity, slightly brownish oil stain, strong hydrocarbon odour, 60% fluorescence, dull yellow slow diffuse cut.
70	2029	15	Sandstone	Quartzose, fine to medium grained, well sorted, subrounded to well rounded, poor visual porosity, slightly brownish oil stain, strong hydrocarbon odour, fluorescence as above, but very slow diffuse crush cut although unconsolidated.
71	2025.9	15	Sandstone	Quartzose, fine grained, well sorted, subrounded to well rounded, poor visual porosity, trace fluorescence, no cut.
72	2025.2	25	Shale	Dark grey, carbonaceous.
73	2006.5	25	Sandstone	Quartzose, very fine grained, well sorted, angular grading to siltstone, no cement, slightly argillaceous.
74	1975.0	20	Siltstone	Quartzose, grading to very fine sandstone, light grey.
75	1950.0	40	Siltstone	Quartzose, grading to very fine sandstone, light grey.
76	1929.0	60	Siltstone	Quartzose, grading to very fine sandstone, light grey.
77	1922.0	30	Sandstone	Quartzose, very fine grained, well sorted, angular grading to siltstone,
			•	no cement, slightly argillaceous, 30% bright yellow fluorescence, slow diffuse crush cut only.
78	1912.0	55	Claystone	Light grey, very soft and sticky.
79	1896.0	50	Claystone	Light grey, very soft and sticky.
80	1855	50	Claystone	Light grey, very soft and sticky.
81	1840.0	25	Sandstone	Very coarse to very fine grained, quartzose, poorly sorted, angular to subrounded, argillaceous matrix, friable and hard.

82	1817.0		Siltstone	Interlaminated light and dark grey, quartzose, soft, subfissile.
83	1811.0		Siltstone	Medium grey to medium dark grey, quartzose, soft, subfissile.
84	1771.0		Mudstone	Interlaminated siltstone/claystone.
85	1751.0		Claystone/Si	ltstone.
86	1726.0		Siltstone	Blue grey, quartzose, soft, subfissile.
87	1702.2	20	Siltstone	Interbedded with minor carbonaceous, dark grey areas, quartzose, soft, subfissile.
88	1685.5	25	Siltstone/ Sandstone	Well sorted mixture of very fine grained sand and siltstone, medium dark grey, soft and friable.
89	1678.0	20	Sandstone	Quartzose, very fine grained, well sorted, angular grading to siltstone, no cement, slightly argillaceous, spotty yellow fluorescence (less than 10%), no cut.
90	1671.0	20	Sandstone	Quartzose, very fine grained, well sorted, angular grading to siltstone, no cement, slightly argillaceous, trace dull yellow fluorescence, dull yellow crush cut.
91	1652.8	30	Sandstone	With minor dark grey carbonaceous siltstone interbeds, very fine to fine grained, fluorescence 60% bright yellow, dull yellow cut and crush cut.
92	1627	20	Sandstone/ Siltstone	Poorly sorted, carbonaceous, mixture of siltstone and fine to very coarse grained quartzose sandstone.
93	1612	40	Sandstone	Medium to very coarse grained, quartzose, dolomitic but very friable.
94	1608	40	Sandstone	Medium to very coarse grained, quartzose, dolomitic.
95	1604.0			No Recovery
96	1590.0	40	Shale	Medium dark grey, firm to hard, subfissile, carbonaceous.
97	1567.0			No Recovery
98	1543	30	Sandstone	Medium to coarse grained, quartzose, dolomitic.
99	1491.0	20	Sandstone	Fine to medium grained, quartzose, well sorted, angular to subrounded.
1.00	1488	30	Sandstone	Poorly sorted, fine to very coarse grained, very coarse grains well rounded, no fluorescence, abundant glauconite.

101	1482.0	35	Sandstone/ Siltstone	Glauconite pellets, medium to very coarse, dark green to black, occasionally very coarse, well rounded quartz grains, very argillaceous.
102	1478.0	10	Siltstone	Glauconitic pellets, medium grey to dark brown, very soft.
103	2781.0	15	Sandstone	Medium grey, quartzose, angular, white to light grey, very dolomitic, argillaceous, soft, trace pyrite, mineral fluorescence.
104	2693.0	20	Sandstone	Medium to coarse grained, quartzose, angular, white to very light grey, very dolomitic, soft, trace pyrite, 30% mineral fluorescence, no cut.
105	2640		Sandstone	Very coarse angular grains in a fine quartzose matrix. Very poorly sorted. 90% bright yellow fluorescence with diffuse yellow cut and crush cut. Low visible porosity.
106	2621		Sandstone	Quartzose, medium grained, well sorted, angular to subangular, friable, trace dolomite matrix, trace pyrite, 100% fluorescence with slow diffuse cut.
107	2583	10	Sandstone	Quartzose, white to very light grey, predominantly medium grained, angular to subangular, unconsolidated, dolomitic, bright yellow to yellow gold fluorescence, slow bright to dull yellow cut, and crush cut.
108	2557.5			No Recovery
109	2500			No Recovery
110	2377	20	Sandstone	Quartzose, white to very light grey, predominantly medium grained, angular to subangular, unconsolidated, very dolomitic, no cut.
111	1604.0	40	Sandstone	Quartzose, medium to fine grained, subangular, well sorted, low visible porosity, unconsolidated, fluorescence: bright yellow, moderately streaming bright blue-yellow cut, strong hydrocarbon odour.
112	1476	40	Siltstone/ Sandstone	Brownish grey, hard, siltstone grading to very fine quartzose sandstone, argillaceous, interlaminated with dark green medium grained glauconite concentrated in bands, abundant calcareous cement.

113	1472	50	Sandstone/ Siltstone	Brownish grey, hard, siltstone grading to very fine quartzose sandstone, argillaceous, interlaminated with dark green medium grained glauconite concentrated in bands, very calcareous cement, micropyrite infilling burrows up to 0.5mm in diameter.
114	1446	40	Calcisiltite	Medium light grey, hard, subfissile, trace fine dark green glauconite pellets, calcareous.
115	1412	55	Calcilutite	Medium light grey, soft, very calcareous.
116	1384	50	Calcilutite	Medium light grey, soft, very calcareous.
117	1344	50	Calcilutite	Medium light grey, soft, very calcareous, trace pyrite.
118	1305	35	Calcisiltite	Medium light grey, hard to firm, very calcareous.
119	1275.9	50	Calcilutite	Medium light grey, soft, very calcareous, trace pyrite.
120	1242	35	Calcisiltite	Medium light grey, hard to firm, very calcareous.
121	1208.1	45	Calcisiltite	Medium light grey, hard to firm, very calcareous.
122	1171	50	Calcisiltite	Medium light grey, hard to firm, very calcareous, trace pyrite.
123	1141	50		Medium light grey, hard to firm to soft, very calcareous, poorly sorted.
124	1106	10	Calcilutite	Medium light grey, soft, very calcareous, trace pyrite.
125	1072	15	Calcisiltite	Medium light grey, hard to firm, very calcareous, trace pyrite.
126	1038	20	Calcisiltite	Medium light grey, hard to firm, very calcareous, trace pyrite.
127	1005	10	Calcilutite	Medium light grey, soft, very calcareous, trace pyrite, trace green soft glauconite, and trace forams.
128	970	35	Calcisiltite	Medium light grey, hard to firm, very calcareous, trace pyrite.
129	936	20	Calcisiltite	Medium light grey, hard to firm, very calcareous, trace pyrite, trace green soft glauconite and trace forams.
130	902	30	Calcisiltite	Medium light grey, hard to firm, very calcareous, trace pyrite, trace green soft glauconite and trace forams.
131	868	50	Calcilutite	Medium light grey, soft, very calcareous, trace pyrite, trace green soft glauconite, and trace forams.

132	848	50	Calcisiltite	Medium dark grey, hard to firm, vcry calcareous, trace pyrite, trace green soft glauconite and trace forams.
133	3032	20	Sandstone	Poorly sorted, very fine to medium grain size, subangular quartz, white clay matrix, friable, also medium grain size black grains, trace spotty dull bronze fluorescence, no cut.
134	3030	20	Sandstone	Poorly sorted, very fine to medium grain size, subangular quartz, white clay matrix, friable, also medium grain size black grains, with a trace of faint spotty dull bronze fluorescence, no cut.
135	3028.5			Misfire
136	3026	30	Sandstone	Predominantly very fine grained, otherwise as above, trace of spotty, dull bronze fluorescence, no cut.
137	3021.5	20	Sandstone	Very fine to occasional very coarse quartz grains, predominantly medium, otherwise as above, trace to 5% spotty dull bronze fluorescence.
138	3020			No Recovery
139	3018	30	Sandstone	As above, with a trace of spotty, dull bronze fluorescence.
140	3016.5	20	Sandstone	As above, with 20% patchy diffuse dull bronze fluorescence, and very very weak pale yellow crush cut.
141	3015		•	Misfire
142	3013.5	25	Sandstone	As above, with 5% dull bronze fluorescence, no cut.
143	3010	15	Sandstone	Grey, friable, fine grained, moderately well sorted, clay matrix, no fluorescence.
144	3007			Misfire
145	3006	20	Sandstone	Grey, very fine to very coarse grained, friable, subangular to subrounded, poorly sorted, clay matrix, occasional very coarse grain sized fragment of chert, no fluorescence.
146	3004.5			Misfire
147	3001.5			Misfire
148	3000			Misfire
149	2998.5			Misfire
150	2994.5			Misfire
151	2993.5			Misfire
152	2992			Misfire

154	2986			
エンサ	2500			Misfire
155	2985			Misfire
156	2982.5		•	Misfire
157	2975			Misfire
158	2973.5			Misfire
159	2969.5			Misfire
160	2968.5			Misfire
161	2958			Misfire
162	2945			Misfire
163	2940	15	Siltstone	Grey, friable, with occasional subrounded quartz grains, 5-10% patchy very dull bronze fluorescence, and a trace of diffuse yellow crush cut.
164	2934.5			Misfire
165	2922	15	Conglomerate	Clasts of quartz, chert, quartz fragments in a white clay matrix, grey siltstone with common quartz grains or fragments, poorly sorted, trace in streak of yellow spotty fluorescence, flurescent grains crush cut, yellow to creamy white.
166	2917.5	20	Siltstone	Sandy, white, friable siltstone with common quartz grains, 5% moderate yellow fluorescence in streak, immediate diffuse creamy yellow cut.
167	2916.5	5	Siltstone	Sandy, grey, friable siltstone with common pyrite and quartz grains, 2% moderate yellow fluorescence in streak, immediate diffuse creamy yellow cut.
168	2906			No Recovery
169	2892			No Recovery
170	2879	10	Conglomerate	Clasts of : green, friable, sandstone, dark grey siltstone, white friable sandstone, quartz grains in a white clay matrix, quartz fragments, trace dull yellow fluorescence, no cut.
171	2866.5	15	Siltstone	Dark grey, friable, no fluorescence.
172	2865	25	Siltstone	Dark grey, friable, no fluorescence.
173	2860	20	Siltstone	Sandy, white, friable with very fine quartz grains, and very occasionally coarse quartz grains, trace dull yellow fluorescence, no cut.

174	2854	30	Sandstone	Silty, very fine grained quartz sandstone with silty matrix, trace pyrite, trace dull bronze fluorescence, no cut.
175	2845.5	20	Conglomerate	Clasts of : quartz fragments, white sandstone with fine to very coarse subrounded grains in a clay matrix, dark grey siltstone, friable conglomerate, trace dull yellow fluorescence, no cut.
176	2843	10	Conglomerate	As above, with the siltstone clasts containing pyrite, no fluorescence.
177	2830.5			Misfire
178	2820	20	Siltstone	Dark grey, friable, with hard quartzose bands, no fluorescence.
179	2815	20	Sandstone	Grey, friable, very fine to medium grains in a clay matrix, with dark grey siltstone, and quartz fragments, trace to 5% dull yellow fluorescence.
180	2806.5	10	Sandstone	White to grey, fine to coarse quartz grains in a clay matrix, friable, trace pyrite, 40% bright yellow fluorescence and instant dull yellow cut.
181	2805	10	Sandstone	As above, 40% dull bronze fluorescence, no cut.
182	2800.5	10	Sandstone	Very carbonaceous, otherwise as above, faint trace of spotty yellow fluorescence.
183	2798.5	10	Sandstone	Moderately carbonaceous, otherwise as above, 50% moderate yellow fluorescence, and strong yellow cream crush cut.
184	3028.5	10	Sandstone	White, very fine to medium grain sized, predominantly fine, angular quartz fragments, white clay matrix, friable, with dark grey bands of carbonaceous rich matrix, minute to spotty yellow fluorescence, no cut.
185	3024	30	Sandstone	With dispersed pyritic, carbonaceous matter, otherwise as above, 30% moderate yellow spotty fluorescence - moderate yellow crush cut.
186	3020	25	Sandstone	Light grey, friable, very fine grained, quartzose, with clay matrix and occasional fine carbonaceous matter, trace pyrite, no fluorescence.
187	3015	20	Sandstone	Fine to medium grained, otherwise as above, trace to 5% dull bronze fluorescence, no cut.
188	3008.5	20	Siltstone	Dark grey, soft, with trace fine grained quartz and pyrite. No fluorescence.

189	3007	25	Sandstone	Light grey, friable, very fine to coarse grained, angular fractured quartz grains, common black fractured grains, trace dull bronze fluorescence - no cut.
190	3004.5	20	Sandstone	Silty, bands of sandstone as above, and siltstone: dark grey, soft, with trace quartz and soft, black ?carbonaceous material, 5–10% dull bronze spotty fluorescence, no cut.
191	3001	20	Sandstone	Angular quartz grains and common carbonaceous matter, friable, 90% bright yellow fluorescence, instant moderate yellow cut.
192	3000	25	Sandstone	Friable, fine to very coarse grained, dominantly medium grain size, subangular to subrounded quartz grains, occasional rounded quartz pebbles, common carbonaceous matter; no fluorescence.
193	2998.5			No Recovery
194	2994.5	15	Sandstone	As above, without quartz pebbles, patchy dull diffuse yellow fluorescence, very weak creamy yellow crush cut.
195	2993.5			Misfire
196	2992			Misfire
197	2987			Misfire
198	2986			Misfire .
199	2985			Misfire
200	2982.5			Misfire
201	2975			Misfire
202	2973.5			Misfire
203	2969.5			Misfire
204	2968.5			Misfire
205	2958			Misfire
206	2945			Misfire
207	2934.5			Misfire
208	2930			Misfire
209	2916.5			Misfire
210	2906			Misfire
211	2903			Misfire

Misfire

213 2815

Misfire

ND,PP/bjr 02241/39-51 30/11/82 Appendix 4

APPENDIX 4

Velocity Survey Report

VELOCITY SURVEY REPORT

Marine Velocity Survey report. l. Processing report. 2. 3. Gun geometry sketch. 4. Check shot data - observed and corrected. Drift Calibration sheet. 5. 6. Sonic Calibratin curve. 7. Time-Depth Curve. 8. Velocity Data well velocity records. 9. Velocity Data sythetic seismogram. 10. Velocity Data vertical seismic profile report. Velocity Data vertical seismic profile displays 1-9. 11. S.S.L. Vertical seismic profile report. 12. S.S.L. Vertical seismic profile display. 13. 0745L

MARINE VELOCITY SURVEY REPORT

WELL : Wirrah-l

BASIN : Gippsland

DATE OF SURVEY : 1st run 4.10.82

2nd run 17.10.82

V.S.P. 20.10.82

CONTRACTOR : Velocity Data Pty. Ltd.

RECORDED BY : W.J. Larson

E.A. Poole

WITNESSED BY : B. Hardiman

WATER DEPTH : 50.0m

K.B. ELEVATION : 21.0m

T.D. WHEN SHOT : 2318mKB

CASING DEPTH : 20" @ 191mKB 13 3/8" @ 830mKB

NO. OF SHOOTING LEVELS : 1st survey - 16

2nd survey - 8

V.S.P. - 54

SOURCE : Marine gas gun 3.5 cub. ft.

WEATHER CONDITIONS : lst survey - windy and rough

2nd survey - windy and moderate swell

V.S.P. - slight seas

PROCESSING REPORT

WIRRAH-1

Data Processing Information

Elevation seismic datum - sea level.

Kelly bushing - 21.0m above sea level.

Ground level - 50.0m below sea level.

Hydrophones above gun and in the moonpool at 6.1m below sea level.

Gun depth - 12.0m below sea level.


Gun offset distance to moonpool - 37.5m.

Average velocity between sea level and sea bed - 1500 m/sec.

Vertical Seismic Profile Processing Report

A vertical seismic profile was run by Velocity Data on the 20th October 1982. The data was also forwarded to SSL (England) for processing. Processing Reports from both companies are attached.

0745L



NOT TO SCALE

ESSO AUSTRALIA LTD.

WIRRAH No.I

SHOT POINT LOCATION SKETCH

Figure 2

VELOCITY SURVEY - WIRRAH-1

LEVEL NUMBER	MEASURED DEPTH FROM KB (m)	VERTICAL DEPTH FROM MSL (m)	OBSERVED TRAVEL TIME (ms)	VERTICAL TRAVEL TIME MSL/ GEOPHONE (ms)	AVERAGE VELOCITY MSL/GEOPHO (m/s)	DELTA DEPTH BETWEEN SHOTS (m)	DELTA TIME BETWEEN SHOTS (ms)	INTERVAL VELOCITY BETWEEN SHOTS (m/s)
1	71.0	50.0	41.0	34.2	1462			
2	450.0	429.0	202.0	208.9	2054	379.0	174.7	2169
3	600.0	579.0	259.5	266.7	2171	150.0	57.8	2595
4	750.0	729.0	305.5	312.9	2330	150.0	46.2	3246
5	850.0	829.0	344.0	351.5	2358	100.0	38.6	2591
6	1050.0	1029.0	411.0	418.6	2458	200.0	67.1	2981
7	1330.0	1309.0	501.5	509.2	2571	280.0	90.6	3091
8	1506.0	1485.0	Š.			176.0	61.8	2848
9	1705.0		563.3	571.0	2601	199.0	67.2	2961
		1684.0	630.5	638.2	2639	140.0	38.6	3627
10	1845.0	1824.0	669.0	676.8	2695	180.0	60.0	3000
11	2025.0	2004.0	729.0	736.8	2720	115.0	26.0	4423
12	2140.0	2119.0	755.0	762.8	2778	97.0	28.0	3464
13	2237.0	2216.0	783.0	790.8	2802			
14	2260.0	2239.0	788.0	795.8	2813	23.0	5.0	4600
15	2375.0	2354.0	812.5	820.4	2869	115.0	24.6	4675
16	2500.0	2479.0	845.0	852.9	2906	125.0	32.5	3846
0678L/70						140.0	30.5	4590

.

VELOCITY SURVEY - WIRRAH-1

LEVEL NUMBER	MEASURED DEPTH FROM KB (m)	VERTICAL DEPTH FROM MSL (m)	OBSERVED TRAVEL TIME (ms)	VERTICAL TRAVEL TIME MSL/ GEOPHONE (ms)	AVERAGE VELOCITY MSL/GEOPHONE (m/s)	DELTA DEPTH BETWEEN SHOTS (m)	DELTA TIME BETWEEN SHOTS (ms)	INTERVAL VELOCITY BETWEEN SHOTS (m/s)
17	2640.0	2619.0	875.5	883.4	2964	45.0	0.0	5000
18	2685.0	2664.0	884.5	892.4	2985	115.0	9.0 27.5	4181
19	2800.0	2779.0	912.0	919.9	3031	TT)*O .	£1•J	4101

Note: Values differ slightly from annotations on Time vs Depth Curve due to rounding in curve construction program.

0678L/71

~

DRIFT CALCULATION SHEET

WIRRAH-1

•					····	
Depth Rel.S.L. (m)	Depth Interval (m)	Av. Vertical Travel Time check shots (ms)	Ti Check Shots (ms)	Ti Sonic Log (ms)	Ti – Ti Check Sonic (ms)	Drift (ms)
429.0 579.0	150.0	208.9 266.7	57.8	51.6	6.2	6.2
579.0 729.0	150.0	266.7 312.9	46.2	47.8	-1.6	4.6
729.0 829.0	100.0	312.9 351.5	38.6	35.7	2.9	7.5
829.0 1029.0	200.0	351.5 418.6	67.1	63.4	3.7	11.2
1029.0	280.0	418.6 509.2	90.6	87.7	2.9	14.1
1309.0 1485.0	176.0	• 509.2 571.0	61.8	59.2	2.6	16.7
1485.0 1684.0	199.0	571.0 638.2	67.2	62.5	4.7	21.4
1684.0 1824.0	140.0	638.2 676.8	38.6	40.1	-1.5	19.9
1824.0	180.0	676 . 8 736 . 8	60.0	55.2	4.8	24.7
2004.0	115.0	736.8 762.8	26.0	29.2	-3.2	21.5

0702L/73

DRIFT CALCULATION SHEET

WIRRAH-1

Depth Rel.S.L. (m)	Depth Interval (m)	Av. Vertical Travel Time check shots (ms)	Ti Check Shots (ms)	Ti Sonic Log (ms)	Ti – Ti Check Son (ms)	
2119.0	97.0	762 . 8 790 . 8	28.0	25.1	2.9	24.4
2216.0	23.0	790.8 795.8	5.0	5 . 7	-0.7	23.7
2239.0	115.0	795.8 820.4	24.6	24.8	-0.2	23.5
2354.0	125.0	820.4 852.9	32.5	30.3	2.2	25.7
2479.0 2619.0	140.0 Y	852 . 9 883 . 4	30.5	32.1	-1.6	24.1
2619.0 2664.0	45.0	883.4 892.4	9.0	7.4	1.6	25.7
2664.0 2779.0	115.0	892 . 4 919 . 9	27.5	25.2	2.3	28.0

0702/74

This is an enclosure indicator page. The enclosure PE902620 is enclosed within the container PE902618 at this location in this document.

The enclosure PE902620 has the following characteristics:

ITEM_BARCODE = PE902620
CONTAINER_BARCODE = PE902618

NAME = Sonic Calibration Curve

BASIN = GIPPSLAND PERMIT = VIC/L2

TYPE = WELL

SUBTYPE = VELOCITY_CHART

DESCRIPTION = Sonic Calibration Curve (enclosure from

WCR vol.1) for Wirrah-1

REMARKS =

DATE_CREATED = 31/12/83 DATE_RECEIVED = 1/05/84

 $W_NO = W782$

WELL_NAME = Wirrah-1

CONTRACTOR = ESSO

 ${\tt CLIENT_OP_CO} \ = \ {\tt ESSO} \ {\tt EXPLORATION} \ {\tt AND} \ {\tt PRODUCTION}$

AUSTRALIA LTD

This is an enclosure indicator page.

The enclosure PE603950 is enclosed within the container PE902618 at this location in this document.

The enclosure PE603950 has the following characteristics:

ITEM_BARCODE = PE603950
CONTAINER_BARCODE = PE902618

NAME = Vertical Seismic Profile

BASIN = GIPPSLAND

PERMIT = VIC/L2

TYPE = WELL

SUBTYPE = VELOCITY_CHART

DESCRIPTION = Wirrah-1 Vertical Seismic Profile from

appendix 4 from WCR vol 1

REMARKS =

DATE_CREATED = 24/12/82 DATE_RECEIVED = 1/05/84

 $W_NO = W782$

WELL_NAME = WIRRAH-1

CONTRACTOR =

CLIENT_OP_CO = ESSO AUSTRALIA LIMITED

This is an enclosure indicator page.

The enclosure PE603951 is enclosed within the container PE902618 at this location in this document.

The enclosure PE603951 has the following characteristics:

ITEM_BARCODE = PE603951

CONTAINER_BARCODE = PE902618

NAME = Vertical Seismic Profile

BASIN = GIPPSLAND

PERMIT = VIC/L2

TYPE = WELL

SUBTYPE = VELOCITY_CHART

DESCRIPTION = Wirrah-1 Vertical Seismic Profile from appendix 4 from WCR vol 1

REMARKS =

DATE_CREATED = 28/02/83

DATE_RECEIVED = 1/05/84

 $W_NO = W782$

WELL_NAME = WIRRAH-1

CONTRACTOR = SEISMOGRAPH SERVICE (ENGLAND) LTD

CLIENT_OP_CO = ESSO AUSTRALIA LIMITED

This is an enclosure indicator page.

The enclosure PE603952 is enclosed within the container PE902618 at this location in this document.

The enclosure PE603952 has the following characteristics:

ITEM_BARCODE = PE603952
CONTAINER_BARCODE = PE902618

NAME = Vertical Seismic Profile

BASIN = GIPPSLAND PERMIT = VIC/L2

TYPE = WELL

SUBTYPE = VELOCITY_CHART

DESCRIPTION = Wirrah-1 Vertical Seismic Profile from

appendix 4 from WCR vol 1

REMARKS =

DATE_CREATED = 28/02/83

DATE_RECEIVED = 1/05/84

 $W_NO = W782$

WELL_NAME = WIRRAH-1

CONTRACTOR = SEISMOGRAPH SERVICE (ENGLAND) LTD

CLIENT_OP_CO = ESSO AUSTRALIA LIMITED

This is an enclosure indicator page.

The enclosure PE902619 is enclosed within the container PE902618 at this location in this document.

The enclosure PE902619 has the following characteristics:

ITEM_BARCODE = PE902619
CONTAINER_BARCODE = PE902618

NAME = Time Depth Curve

BASIN = GIPPSLAND PERMIT = VIC/L2

TYPE = WELL

SUBTYPE = VELOCITY_CHART

DESCRIPTION = Time Depth Curve (enclosure from WCR

vol.1) for Wirrah-1

REMARKS =

 $DATE_CREATED = 17/10/82$

DATE_RECEIVED = 26/01/84

 $W_NO = W782$

WELL_NAME = Wirrah-1

CONTRACTOR = ESSO

CLIENT_OP_CO = ESSO EXPLORATION AND PRODUCTION

AUSTRALIA LTD


WIRRAH-1

WELL VELOCITY RECORD

4/10/82



600 m RKB




Rec. No. 25

750 m RKB




Rec. No. 21

850 m RKB



Rec. No. 19


1050m RKB




WIRRAH-1


WELL VELOCITY RECORD

4/10/82






Rec. No. 12 1845 m RKB



Rec. No. 5 2260 m RKB




WIRRAH - 1


WELL VELOCITY RECORD

17-10-82


Rec. No. I 1506m R.K.B.




Rec. No. 20 I506m R.K.B.



Rec. No. 19 2140m R.K.B.



Rec. No. 17 2260 m R.K.B.




WIRRAH - 1


WELL VELOCITY RECORD

17-10-82


Rec. No. 14 2375 m R.K.B.



Rec. No. 8 2,640m R.K.B.



Rec. No. 7 2685 m R.K.B.



VERTICAL SEISMIC PROFILE

The VSP survey was run between the 1405 and 3020 metre levels. Generally, three shots were taken at each level which were spaced approximately 30 metres apart.

Constant depth traces were stacked to improve the signal to noise ratio.

Full scale playouts of the results accompany this report separately. Reduced copies are bound in the report.

The VSP display panels are as follows:

- Panels 1, 2 and 3 are raw data with AGC and a band pass filter applied.
- Panel 2 down-going events flattened
- Panel 3 up-going events flattened
- Panel 4 down-going events flattened with decon.
- Panel 5 down-going events flattened with decon. and an FK filter
- Panel 6 down-going events flattened with decon., FK filter and coherency filter
- Panels 7, 8 and 9 have up-going events flattened with the same processes applied as in Panels 4, 5 and 6 respectively.

COMMENTS

Apart from the first arrivals and the water bottom to surface multiple which follows, there is only minor down-going multiple energy above 15Hz in frequency. At frequencies below 10Hz, down-going multiples become dominant and present difficulties in extracting the up-going signals.

The 4.5Hz geophone assembly probably contributed to this problem and geophones with a higher resonant frequency may be preferred.

The correlation between the up-going event display of the VSP, the seismic section and the synthetic seismogram is good.

The strong peak at 1.254 secs. correlates to the P.asperopolus marker. It appears that the two peaks immediately below could be multiple energy associated with this event.

The Upper M.diversus marker at 1.361 secs. correlates to a strong peak on the synthetic seismogram and the VSP. This strong peak is not evident on the seismic section, however, the VSP does indicate that there is some multiple interference with this event.

The strong primary peak at 1.45 secs. on the VSP is not evident on the seismic section. At this level and below, down-going multiples and, to a lesser extent, up-going multiples interfere with the primary reflections. In particular, the Igneous Intrusives at 1.774 secs. and which appear as a strong trough on both the VSP display and the synthetic seismogram, are not well defined on the seismic section.

The following sequences have been applied when processing the VSP data in the Wirrah No. 1 well.

- 1. Reformat
- 2. Edit of bad records
- Vertical stack, 3-fold, to evenly spaced (30m. apart) depth locations.
- 4. Gap deconvolution, 45 msec. gap, total operator 180 msec. design gate 500 - 2800 msec.
- 5. Bandpass filter 5-45 Hz.

- 6. Static shifts to give sections with up-going waves horizontal (double the first breaks) and with down-going waves horizontal (remove first breaks times relative to the shallowest record)
- 7. AGC 1200 msec.
- 8. Design and application of F-K filter to separate up and down-going waves
- 9. AGC 1200 msec.
- 10. Coherency filtering pass ±2 msec./trace with 5-45 Hz. bandpass filter, to both up and down-going sections.
- 11. AGC 1200 msec.

L.W. Pfitzner



Seismograph Service [England] Limited

Directors:

R.C. Anderson (U.S.A.) H.W. Lawrence (U.S.A.) B.G. Baugh (U.S.A.) E.E. Wolf (U.S.A.) J.K. Smith D.A. Hartley

C.R. Hastings-Jones

Registered Office

HOLWOOD, WESTERHAM ROAD, KESTON, KENT, ENGLAND, BR2 6HD.

Registered in England No. 479770 V.A.T. Registration 205 9962 45 Tel Farnborough (Kent) 53355 Telex 24450 SSLHOL G-Cables and Inland Telegrams 'Seislim Bromley'

ESSO AUSTRALIA LIMITED

WELL:

WIRRAH NO. 1

V.S.P. PROCESSING COMMENT:

A V.S.P. check shot survey was carried out on 20.11.82, by Velocity Data Pty Ltd., when a total of 56 levels between 3020 and 1405 m below KB were recorded, of which 52 levels between 2990 and 1605 m below RT were V.S.P. processed. Dead traces were inserted for levels 22 and 43 (2365 and 1765 m below KB) as no times could be picked due to noise present. The waveform at 3020 m below KB had been affected by noise and so this level was omitted from the V.S.P. No data was recorded at 1525 m below KB thus dead trace was inserted for this level to maintain even trace spacing

The V.S.P. displays were produced using the processing sequence indicated on the side labels attached to each set of displays.

Downgoing wave subtraction and Special V.S.P. deconvolution designed from the appropriate downgoing wave using a window length of $2000~\mathrm{ms}$ were applied as appropriate during the processing.

The displays U, S & V were made using a filter of 1-5, 50-63 Hz designed to match the frequency content of the seismic section. The data prior to deconvolution only contains low frequencies as no source signature deconvolution was applied due to the poor data quality of the hydrophones. The higher frequencies are present after the data was deconvolved.

Approved by:

P. Kennett

Manager, Well Survey Division

Processed by:

N. J. Middletor

25th February, 1983.

/WMD/F


COMPANY: ESSO AUSTRALIA LIMITED

WELL: WIRRAH 1

V.S.P. STACKED GEOPHONE DATA

		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		=	-
LEVEL NO.	DEPTH IN FT BELOW KB	STACK	LEVEL NO.	DEPTH IN FT BELOW KB	STACK
1	2990	3	29	2155	3
2	2958	3	30	2125	2
3	2930	2	31	2095	2
4	2900	3	·· 32	2065	2
5	2870	3	33	2035	2
6	2842	2	34	2005	3
7	2818	2	35	1975	2
8	2785	3	36	1945	3
9	2755	2	37	1915	3
10	2725	3	38	1885	2
11	2695	3	39	1855	2
12	2665 ·	1	40	1840	.2
13	2642	2	41	1825	1
14	2605	2	42	1795	1
15	2573	1	43	1765	Blank
16	2545	1	44	1735	2
17	2515	1	45	1705	3
18	2485	3	46	1675	2
~19.	2455	3	47	1654	2
20	2425 t	3	·~ 48	1615	2
21	2395	2	49	1585	1
22	2365	Blank	50	1555	2
23	2335	2	51	1525	Blank
24	2305	2	52	1489	2
25	2275	2	53	1465	2
26	2236	3	54	1435	2
27	2215	1	55	1405	2
28	2190	2			

. , [] Contract of the state of the st



10233

JOB NO.

USP


LINE

RAW DATA, DOWN WAVES FLAT, 1200 AGC


24-DEC-1982 11:57:31.36

POLARITY NORMAL - POSITIUE

PROJECT : SPECIAL



.



10253

JOB NO.

PANEL NO

DATA(4000 MILLS 02.000)

DOUN WAVES FLAT, DECON, AGC 1200

PROJECT : SPECIAL

24-DEC-1982 14:39:15.98


- POSITIVE

POLARITY NORMAL

SECOND

USP

LINE




I

SECOND A AVERAGE, USING

4

DINDC



REF. = 0.9456E+08

10253

JOB NO. PANEL NO.

LINE

ABOUT LEURS FLAT, DECOM, FK, COHERE, ACC

Z4-DED-[982 14:48:17.16

DATAL 4888 MILLS #2.888)

SECOND AVERAGE USING 4 UINDOUS OVER ENTIRE TRACE

POLARITY NORTH - POSITIVE

0.1157E+09 10258 SECOND POLARITY NORMAL PROJECT : SPECIAL AVERAGE USING 4 WINDOWS OVER ENTIRE TRACE JOB NO. PANEL NO. LINE REF. = - POSITIVE 24-DEC-1982 15:43:14.47 *UP WAVES FLAT, DECON, AGC 1200* DATA(4000 MILLS @2.000) *UP WAVES FLAT, DECON, AGC 1288* AVERAGE USING 4 WINDOWS OVER ENTIRE TRACE DATA(4000 MILLS @2.000) 24-DEC-1982 15:43:14.47 - POSITIVE PROJECT : SPECIAL REF. - 0.1157E+09 PANEL NO. POLARITY NORMAL JOB NO. LINE SECOND USP 10258

- つていりにおりにはいいとりにって - つり・こう

