



INTEQ

Company : Stuart Petroleum Ltd

Well : Bazzard-1

Interval : 104.00 - 850 meters

Created : 25/Sep/2008 4:26:15 AM




FORMATION EVALUATION LOG

Drilling Rate ROP (m/hr) WEIGHT ON BIT (klbf) ROP Backup (m/hr)	CORE MD meters 1:500	LITHOLOGY %	INTERPRETED LITHOLOGY	TOTAL GAS & RESISTIVITY	CHROMATOGRAPH	Oil Show P F G	Calcimetry	Lithology Description
<p>NB1: 660mm (26") 914mm (36") H/Opener Make: Reed Type: Rock/Y11C Jets: 3x22, 1x16 Depth In: 106.4m Depth Out: 154.0m Grade:1-T-WT-A-NB-I-NO-TD</p> <p>WOB: 1-3 klbf RPM: 60-80 GPM: 600-1140 SPP: 250-1150 psi</p> <p>Set 762mm (30") casing shoe at 151.8m 21-22/09/08</p>	110 120 130 140 150 160	[Solid black bar]	[Cross-hatched pattern]					<p>RT-MSL: 38.54 mMDRT Water Depth: 68.0 mMDRT RT-Seabed: 106.54 mMDRT</p> <p>Spud Bazzard-1 @ 2330 hrs on 20/09/08</p> <p>Drill with seawater & Hi-Vis sweeps. Returns to seabed 106.4m - 850.0m</p> <p>36" Section TD, 154.0m</p>
<p>NB2: 406mm (16") Make: Hughes Type: Rock/GXC-4V Jets: 3x20 Depth In: 154.0m Depth Out: 850.0m Drilled 696.0 m in 19.5hrs Grade:xxxxxx</p> <p>WOB: 1-3 klbf RPM: 78-82 GPM: 622-629 SPP: 623-680 psi</p>	170 180 190 200 210		[Cross-hatched pattern]	<p>MD: 195.13m Azi: 244.66° TVD: 195.12m Incl: 0.92°</p>				<p>Drill with seawater & Hi-Vis sweeps. Returns to seabed 106.4m - 850.0m</p>
	220 230 240 250 260 270 28		[Cross-hatched pattern]					

WOB: 1-3 klbf
RPM: 80-180
GPM: 622-1224
SPP: 570-2780 psi

WOB: 5-12 klbf
RPM: 125-152
GPM: 1223-1224
SPP: 2090-2815 psi

0
290
300
310
320
330
340
350
360
370
380
390
400
410
420
430
440
450
460
470
480
490



MD: 341.42m Azi: 323.79°
TVD: 341.40m Incl: 0.03°

MD: 370.87m Azi: 246.56°
TVD: 370.85m Incl: 0.36°

MD: 399.83m Azi: 249.03°
TVD: 399.81m Incl: 0.45°

MD: 458.61m Azi: 256.30°
TVD: 458.59m Incl: 0.26°

MD: 488.50m Azi: 298.03°
TVD: 488.48m Incl: 0.55°

Drill with seawater & Hi-Vis sweeps.
Returns to seabed 106.4m - 850.0m


Drill with seawater & Hi-Vis sweeps.
Returns to seabed 106.4m - 850.0m

WOB: 4-22 kbf
RPM: 128-170
GPM: 1223-1224
SPP: 2254-3004psi

WOB: 15-22 kbf
RPM: 116-193
GPM: 1221-1229
SPP: 2187-3084psi

WOB: 15-25 kbf
RPM: 113-185
GPM: 1112-1228
SPP: 2226-2894psi

500
510
520
530
540
550
560
570
580
590
600
610
620
630
640
650
660
670
680
690
700
710



MD: 518.24m Azi: 302.41°
TVD: 518.22m Incl: 0.60°

MD: 607.51m Azi: 265.06°
TVD: 607.48m Incl: 0.34°

MD: 634.48m Azi: 227.13°
TVD: 634.45m Incl: 0.12°

MD: 698.14m Azi: 181.9°
TVD: 698.11m Incl: 0.30°

Drill with seawater & Hi-Vis sweeps.
Returns to seabed 106.4m - 850.0m

Drill with seawater & Hi-Vis sweeps.
Returns to seabed 106.4m - 850.0m

Drill with seawater & Hi-Vis sweeps.
Returns to seabed 106.4m - 850.0m

