

Bazzard-1 RT 200MD Log

Format: Bazzard_1 ARCSonic RT Log Vertical Scale: 1:200 Graphics File Created: 04-Oct-2008 05:22

Parameters

DLIS Name	Description	Value
DO	Depth Offset	0.0 m

PIP SUMMARY


└ Gamma Ray Samples


└ Delta-T Samples

└ Resistivity Samples

Neutron Samples └

ARC Gamma Ray, Real-Time (ARC_GR_RT) 0 (GAPI) 200		ARC BHCorr Phase-Shift Resistivity 40-in. at 2 MHz, Real-Time (P40H_RT) 0.2 (OHMM) 200	
Average Borehole Diameter, Real-Time (ADIA_ADN_RT) 6 (IN) 16	MWD Collar RPM (CRPM_RT) 0 250	ARC BHCorr Phase-Shift Resistivity 16-in. at 2 MHz, Real-Time (P16H_RT) 0.2 (OHMM) 200	
ROP*5 (ROP5) 200 (M/HR) 0	PKPK_RPM (Stick_RT) 0 500	ARC BHCorr Attenuation Resistivity 40-in. at 2 MHz, Real-Time (A40H_RT) 0.2 (OHMM) 200	Delta-T Compressional, Real-Time (DTCO_RT) 140 (US/F) 40







ROP*5 (ROP5) 200 (M/HR) 0		PKPK_RPM (Stick_RT) (RPM) 0 500	ARC BHCrr Attenuation Resistivity 40-in. at 2 MHz, Real-Time (A40H_RT) 0.2 (OHMM) 200	Delta-T Compressional, Real-Time (DTCO_RT) 140 (US/F) 40	
Average Borehole Diameter, Real-Time (ADIA_ADN_RT) 6 (IN) 16		MWD Collar RPM (CRPM_RT) (RPM) 0 250	ARC BHCrr Phase-Shift Resistivity 16-in. at 2 MHz, Real-Time (P16H_RT) 0.2 (OHMM) 200		
ARC Gamma Ray, Real-Time (ARC_GR_RT) 0 (GAPI) 200			ARC BHCrr Phase-Shift Resistivity 40-in. at 2 MHz, Real-Time (P40H_RT) 0.2 (OHMM) 200		

PIP SUMMARY

Gamma Ray Samples

Delta-T Samples

Resistivity Samples

Neutron Samples

IDEAL Version: ID13_0C_11
IDF