




# CBA A-28 Depth based Drill Mech 500MD


IDEAL Version: ID14\_OC\_16 <MD> Vertical Scale: 1:500


Graphics File Created: 19-Jul-2009 17:01

















































































<div>ROP*5 (ROP5)</div> <div>150 (M/HR) 0</div>	<div>MWD Vib X-Axis (VIBX_RT)</div> <div>0 (----) 10 0</div>	<div>MWD Lateral Vib (VIBLAT_RT)</div> <div>0 (----) 10 0</div>	<div>PKPK RPM (Stick_RT) (RPM)</div> <div>0 250</div>	<div>CONT_INC (INCL_CONT_RT)</div> <div>0 (DEG) 70</div>	<div>Equivalent Circulating Density (ECD_ARC)</div> <div>8 (LB/G) 18</div>
	<div>SWOB (SWOB)</div> <div>0 (KLBF) 60</div>	<div>STOR (TQA)</div> <div>0 (KFLB) 50</div>	<div>MWD Collar RPM (CRPM_RT) (RPM)</div> <div>0 250</div>	<div>CONT_AZIM (AZIM_CONT_RT)</div> <div>0 (DEG) 30</div>	<div>Annulus Temperature (ATMP)</div> <div>0 (DEGC) 120</div>
	<div>Mechanical Specific Energy (MSI) (LCOMP1)</div> <div>0 (----) 100</div>		<div>MWD Shock Peak (SHKP_K_RT) (----)</div> <div>0 100</div>	<div>Surface RPM (RPM)</div> <div>0 (RPM) 250</div>	<div>Standpipe Pressure (SPPA)</div> <div>0 (PSI) 5000</div>
					<div>TUR_RPM (TRPM_RT)</div> <div>0 (RPM) 5000</div>
					<div>T_FLOW (TFLO)</div> <div>0 (GPM) 1000</div>