

Coelacanth-1 GeoVISION Service RM 200TVD

IDEAL Version: ID13_OC_06
IDF


Format: GeoVISION Service Log Vertical Scale: 1:200 Graphics File Created: 18-Mar-2008 12:51


PIP SUMMARY

Density Samples Neutron Samples

Gamma Ray Samples
Ring Samples

Rate of Penetration, Averaged over Last 5ft (ROP5_RM) (M/HR)			
200 0			
RAB Gamma Ray (GR_RAB) (GAPI)		Thermal Neutron Porosity (TNPH) (PU)	
0 200		45 -15	
Vertical Hole Diameter (VERD) (IN)		Ring Resistivity (RES_RING) (OHMM)	Bulk Density, Bottom (ROBB) (G/C3)
6 16		0.2 2000	1.95 2.95
Horizontal Hole Diameter (HORD) (IN)		Shallow Button Resistivity (RES_BS) (OHMM)	Photoelectric Factor, Bottom (PEB) (----
6 16		0.2 2000	0 10
RAB Rotational Speed (RPM_RAB) (RPM)			
250 0			
Density Time After Bit (TAB_DEN) (HR)		Deep Button Resistivity (RES_BD) (OHMM)	Bulk Density Correction, Bottom (DRHB) (G/C3)
0 10		0.2 2000	-0.25 0.25
ADN Rotational Speed (RPM_ADN) (RPM)			
0 250			









TVD


950
TVD


975
TVD































































Density Time After Bit (TAB_DEN) (HR) 010	ADN Rotational Speed (RPM_ADN) (RPM) 0250	Deep Button Resistivity (RES_BD) (OHMM) 0.22000	Bulk Density Correction, Bottom (DRHB) (G/C3) -0.250.25
Horizontal Hole Diameter (HORD) (IN) 616	RAB Rotational Speed (RPM_RAB) (RPM) 2500	Shallow Button Resistivity (RES_BS) (OHMM) 0.22000	Photoelectric Factor, Bottom (PEB) (---- 010
Vertical Hole Diameter (VERD) (IN) 616		Ring Resistivity (RES_RING) (OHMM) 0.22000	Bulk Density, Bottom (ROBB) (G/C3) 1.952.95
RAB Gamma Ray (GR_RAB) (GAPI) 0200			Thermal Neutron Porosity (TNPH) (PU) 45-15
Rate of Penetration, Averaged over Last 5ft (ROP5_RM) (M/HR) 2000			

PIP SUMMARY			
		Density Samples	+
		Neutron Samples	+
+ Gamma Ray Samples			
+ Ring Samples			

IDEAL Version: ID13_0C_06			
IDF			

True Vertical Depth Log			
-------------------------	--	--	--