



Company : Apache


Well : Coelacanth-1

Interval : 125.00 - 2710.27 meters

Created : 21/Mar/2008 5:32:12 AM

INTEQ

DRILLING DATA PLOT




SPP: 1738 - 3139 psi

WOB: 1 - 10 klf
RPM: 48 - 96
GPM: 1139 - 1191
SPP: 2929 - 3110 psi

WOB: 4 - 18 klf
RPM: 96 - 120
GPM: 1163 - 1191
SPP: 3041 - 3599 psi

WOB: 7 - 28 klf
RPM: 112 - 121
GPM: 1166 - 1168
SPP: 2885 - 3737 psi



350.0

360

380

399.9

420

440

449.9

460

480

499.9

520

540

549.9


560

580

599.9

600


620



13/03/2008
NB3 216 mm (8.5")
Reed
Type: RSX661B
Jets: 4x14, 1x15
Depth In: 907.0 mMDRT
Depth Out: 1998.0 mMDRT
Drilled 1091 in 27.9 hrs
Grade:
1-1-BU-A-X-I-CT-PR
WOB: 18 - 54 kbf
RPM: 113 - 123
GPM: 1155 - 1171
SPP: 3463 - 3979 psi

WOB: 6 - 63 kbf
RPM: 37 - 123
GPM: 446 - 1171
SPP: 909 - 3900 psi

WOB: 14 - 25 kbf
RPM: 37 - 123
GPM: 590 - 596
SPP: 1642 - 2374 psi



949.9

999.9

1049.9



1099.9

1149.9

WOB: 10 - 27 klbf
RPM: 99 - 144
GPM: 440 - 614
SPP: 1389 - 2575 psi

WOB: 15 - 49 klbf
RPM: 105 - 144
GPM: 576 - 696
SPP: 1464 - 3880 psi

WOB: 30 - 49 klbf
RPM: 105 - 118
GPM: 588 - 608
SPP: 2588 - 4064 psi






17/03/2008

WOB: 24 - 42 klf
RPM: 81 - 112
GPM: 594 - 602
SPP: 2565 - 3483 psi

WOB: 23 - 41 klf
RPM: 78 - 124
GPM: 490 - 610
SPP: 2227 - 3596 psi

WOB: 20 - 43 klf
RPM: 18 - 131
GPM: 500 - 596
SPP: 2109 - 2914 psi







Depth In: 1998.0
mMDRT
Depth Out: 2116.0
mMDRT
Drilled 118 in 7.9 hrs
WOB: 4 - 32 klf
Grade:
RPM: 97 - 123
K1-BU-A-X13T-PR
GPM: 501 - 602
SPP: 2157 - 3842 psi
19/03/2008

WOB: 18 - 46 klf
RPM: 98 - 160
GPM: 613 - 707
SPP: 2894 - 4061 psi
NB5 216 mm (8.5")
Reed
Type: RSX519MA6
Jets: 3x11, 5x14
Depth In: 2116.0
mMDRT
Depth Out: 2700.0
mMDRT
Drilled 584 in 18.9 hrs
Grade: X-X-X-x


WOB: 12 - 52 klf
RPM: 43 - 161
GPM: 587 - 705
SPP: 2582 - 3894 psi




WOB: 7 - 36 klbf
RPM: 98 - 108
GPM: 698 - 702
SPP: 3587 - 4195 psi
20/03/2008

WOB: 9 - 42 klbf
RPM: 62 - 102
GPM: 697 - 702
SPP: 3345 - 4092 psi

WOB: 14 - 45 klbf
RPM: 47 - 147
GPM: 700 - 723
SPP: 3448 - 4326 psi





DRILLING DATA PLOT

ROP (m/hr)	FLOW IN (gpm)	RPM Avg	TORQUE Max (kft-lb)	DXC	INTERPRETED LITHOLOGY
200 175 150 125 100 75 50 25	300 600 900 1200 1500	70 140 210 280 350	5 10 15 20 25	0.2 2	
MD meters 1:1000	STANDPIPE (psi)	WOB Avg (klbs)	TORQUE Avg (kft-lb)		
	1000 2000 3000 4000 5000	16 32 48 64 80	5 10 15 20 25		
	VDEPTH				