

DAILY GEOLOGICAL REPORT

Date:	31 December 2008	Rig:	Ocean Patriot
Report Number:	13	Bit Diameter:	No bit in hole
Report Period:	06:00 - 06:00 Hours	Last Casing:	340 mm @ 1735.9 mMDRT
Spud Date:	20-Dec-2008 17:30 Hours	Integrity Test:	Not done.
Days From Spud:	10.5	Mud Weight:	1.18 sg
Depth @ 0600 Hrs:	3248.9 mMDRT	ECD:	N/A
	-2476.5 mTVDAHD	Mud Type:	KCl Polymer
Lag Depth:	3248.9 mMDRT	Mud Chlorides:	56000 mg/L
Last Depth:	3248.9 mMDRT	Est. Pore Pressure:	N/A
Progress:	0.0 m	Last Survey:	3225.02 mMDRT
Water Depth:	504.9 m	Deviation:	Inc. 47.61°
RT:	21.5 m		Az. 192.02°

OPERATIONS SUMMARY

24 HOUR SUMMARY: Continued pulling out of hole to surface. Downloaded recorded mode LWD data. Laid down 311 mm BHA. Retrieved wear bushing. Rigged up and ran 244 mm casing.

NEXT 24 HOURS: Continue running, set and cement 244 mm casing at the planned shoe depth of 3243.9 mMDRT.

CURRENT OPERATION

@ 06:00 HRS (31-Dec-2008): Running 244 mm casing at 1899.0 mMDRT.

GEOLOGICAL SUMMARY

LITHOLOGY

No new Lithology drilled in the past 24 hours.

MUDLOGGING EQUIPMENT / PERSONNEL

All systems fully functional.

BHI Mudlogging is monitoring depth through its Kelly bottle system and supplying Anadrill with this depth data through WITS.

Note: The communications through WITS between BHI Mudlogging and Anadrill is ONE WAY ONLY, from BHI Mudlogging to Anadrill, NOT from Anadrill to BHI Mudlogging.

MWD

Anadrill is monitoring depth through the supply of BHI Mudlogging's Kelly bottle depth tracking data through WITS. The Anadrill Geolograph has been rigged up on stand-by, ready to be used if BHI are unable to provide depth data.

REMARKS

The 311 mm drilling assembly continued to be pulled out of hole to surface and the recorded mode LWD data was downloaded. The wear bushing was retrieved after laying down the 311 mm BHA. After rigging up the casing running equipment, the 244 mm casing was run to 1899.0 mMDRT.

WELLSITE GEOLOGISTS

Trevor Lobo / Justin Eastwood