

HLA A2B RM GeoVISION 200 TVD

SAVE

File ID:Run_3

FN:30 14-Jan-2007 18:27

7818.0 FT

8041.6 FT

True Vertical Depth Log

IDEAL Version: ID11_0C_01.1
IDF


Format: GeoVISION Service Log Vertical Scale: 1:200 Graphics File Created: 14-Jan-2007 19:40


PIP SUMMARY

Density Samples  Neutron Samples 

 Gamma Ray Samples  Ring Samples

Rate of Penetration, Averaged over Last 5ft (ROP5_RM) 200 (M/HR) 0			
RAB Gamma Ray (GR_RAB) 0 (GAPI) 200		Ring Resistivity (RES_RING) 0.2 (OHMM) 2000	
Vertical Hole Diameter (VERD) 6 (IN) 16		Shallow Button Resistivity (RES_BS) 0.2 (OHMM) 2000	Thermal Neutron Porosity (TNPH) 45 (PU) -15
Horizontal Hole Diameter (HORD) 6 (IN) 16	RAB Rotational Speed (RPM_RAB) (RPM) 250 0	Medium Button Resistivity (RES_BM) 0.2 (OHMM) 2000	Bulk Density, Bottom (ROBB) 1.85 (G/C3) 2.85
Density Time After Bit (TAB_DEN) 0 (HR) 10	ADN Rotational Speed (RPM_ADN) (RPM) 0 250	Deep Button Resistivity (RES_BD) 0.2 (OHMM) 2000	Bulk Density Correction, Bottom (DRHB) (G/C3) -0.75 0.25





Density Time After Bit (TAB_DEN) (HR) 010	ADN Rotational Speed (RPM_ADN) (RPM) 0250	Deep Button Resistivity (RES_BD) (OHMM) 0.22000	Bulk Density Correction, Bottom (DRHB) (G/C3) -0.750.25
Horizontal Hole Diameter (HORD) (IN) 616	RAB Rotational Speed (RPM_RAB) (RPM) 2500	Medium Button Resistivity (RES_BM) (OHMM) 0.22000	Bulk Density, Bottom (ROBB) (G/C3) 1.852.85
Vertical Hole Diameter (VERD)		Shallow Button Resistivity (RES_BS) (OHMM)	Thermal Neutron Porosity (TNPH)

6 (IN) 16			0.2 (OHMM) 2000			45 (PU) -15		
RAB Gamma Ray (GR_RAB)			Ring Resistivity (RES_RING)					
0 (GAPI) 200			0.2 (OHMM) 2000					
Rate of Penetration, Averaged over Last 5ft (ROP5_RM)								
200 (M/HR) 0								
PIP SUMMARY								
Density Samples Density Samples Neutron Samples								
Gamma Ray Samples Ring Samples								
IDEAL Version: ID11_0C_01.1								
IDF								
True Vertical Depth Log								
Input DLIS Files								
SAVE File ID:Run_3 FN:30 14-Jan-2007 18:27 7818.0 FT 8041.6 FT								