



# Longtom-4 H LWD RT 500TVD

IDEAL Version: ID13\_0C\_08 <TVD> Vertical Scale: 1:500

Graphics File Created: 04-Aug-2008 05:13





<div>ROP*5 (ROP5)</div> <div>(M/HR)</div> <div>0200</div>	<div>PKPK RPM</div> <div>(Stick_RT)</div> <div>(RPM)</div> <div>0400</div>	<div>ARC Phase Shift Resistivity 16 inch at 2</div> <div>MHz, Real-Time (P16H_ECO_RT)</div> <div>(OHMM)</div> <div>0.22000</div>	<div>Bulk Density Correction, Bottom,</div> <div>Real-Time Computed Downhole (DRHB_</div> <div>DH_ECO_RT)</div> <div>(G/C3)</div> <div>-0.250.25</div>
<div>Gamma Ray, Average, Real-Time</div> <div>(GRMA_ECO_RT)</div> <div>(GAPI)</div> <div>0200</div>	<div>MWD Collar</div> <div>RPM</div> <div>(CRPM_RT)</div> <div>(RPM)</div> <div>0200</div>	<div>ARC Phase Shift Resistivity 28 inch at 2</div> <div>MHz, Real-Time (P28H_ECO_RT)</div> <div>(OHMM)</div> <div>0.22000</div>	<div>Photoelectric Factor, Bottom,</div> <div>Real-Time, Computed Downhole (PEB_</div> <div>DH_ECO_RT)</div> <div>(G/C3)</div> <div>010</div>

	0	400		
Raw Formation Sigma, Average, Real-Time, Computed Downhole (RFSA_DH_ECO_RT)			ARC Phase Shift Resistivity 40 inch at 2 MHz, Real-Time (P40H_ECO_RT)	Bulk Density, Bottom, Real-Time, Computed Downhole (ROBB_DH_ECO_RT)
0 (CU) 50			0.2 (OHMM) 2000	1.85 (G/C3) 2.85
Ultrasonic Caliper, Average Diameter, Real-Time, Computed Downhole (UCAV_DH_ECO_RT)				Thermal Neutron Porosity, Average, Real-Time (TNPH_ECO_RT)
6 (IN) 16				45 (PU) -15