

Madfish-1 VISION Resistivity 200TVD RM

RAB id13_0c_02

Format: GeoV_Ser_200MD Vertical Scale: 1:200 Graphics File Created: 11-Dec-2008 12:26

PIP SUMMARY


Density Ticks, 0.1-ft


Neutron Ticks, 0.1 ft



Ring Samples


Gamma Ray Samples


Ring Resistivity Time After Bit (TAB_RAB_RING) (HR)		Shallow Button Resistivity (RES_BS) (OHMM)		Photoelectric Factor, Bottom (PEB)		Bulk Density Correction, Bottom (DRHB)	
0 10		0.2 2000		0 10		-0.25 (G/C3) 0.25	
Rate of Penetration, Averaged over Last 5ft (ROP5_RM) (M/HR)		Medium Button Resistivity (RES_BM) (OHMM)		Deep Button Resistivity (RES_BD) (OHMM)		Thermal Neutron Porosity (TNPH) (PU)	
200 0		0.2 2000		0.2 2000		45 -15	
Vertical Hole Diameter (VERD) (IN)		Bit Resistivity (RES_BIT) (OHMM)		Ring Resistivity (RES_RING) (OHMM)		Bulk Density, Bottom (ROBB) (G/C3)	
6 16		0.2 2000		0.2 2000		1.95 2.95	
Horizontal Hole Diameter (HORD) (IN)							
6 16							
RAB Gamma Ray (GR_RAB) (GAPI)							
0 200							
Density Time After Bit (TAB_DEN) (HR)							
0 10							
















































[illegible]