

SNA A26A LWD (EcoScope) RT 500MD

Format: EcoScope MD RT Vertical Scale: 1:500 Graphics File Created: 11-Dec-2008 18:14


PIP SUMMARY


Gamma Ray Samples


Neutron Samples


Resistivity Samples


Ultrasonic Caliper, Average Diameter, Real-Time, Computed Downhole (UCAV_DH_ECO_RT) (IN)					
Gamma Ray, Average, Real-Time (GRMA_ECO_RT) (GAPI)		MWD Collar RPM (CRPM_RT) (RPM)	ARC Phase Shift Resistivity 40 inch at 2 MHz, Real-Time (P40H_ECO_RT) (OHMM)	Bulk Density from Neutron, Average, Real-Time (RHON_ECO_RT) (G/C3)	Equivalent Circulating Density, Real-Time (ECD_ECO_RT) (LB/G)
ROP*5 (ROP5) (M/HR)		PKPK_RPM (Stick_RT) (RPM)	ARC Phase Shift Resistivity 28 inch at 2 MHz, Real-Time (P28H_ECO_RT) (OHMM)	Best Thermal Neutron Porosity, Average, Real-Time (BPHI_ECO_RT) (PU)	Downhole Annulus Temperature, Real Time, Computed Downhole (DHAT_DH_ECO_RT) (DEGC)




















ROP*5 (ROP5) (M/HR) 0200	PKPK_RPM (Stick_RT) (RPM) 0400	ARC Phase Shift Resistivity 28 inch at 2 MHz, Real-Time (P28H_ECO_RT) (OHMM) 0.22000	Best Thermal Neutron Porosity, Average, Real-Time (BPHI_ECO_RT) (PU) 4515	Downhole Annulus Temperature, Real Time, Computed Downhole (DHAT_ DH_ECO_RT) (DEGC) 0200
Gamma Ray, Average, Real-Time (GRMA_ECO_RT) (GAPI) 0200	MWD Collar RPM (CRPM_RT) (RPM) 0400	ARC Phase Shift Resistivity 40 inch at 2 MHz, Real-Time (P40H_ECO_RT) (OHMM) 0.22000	Bulk Density from Neutron, Average, Real-Time (RHON_ ECO_RT) (G/C3) 1.852.85	Equivalent Circulating Density, Real-Time (ECD_ ECO_RT) (LB/G) 014
Ultrasonic Caliper, Average Diameter, Real-Time, Computed Downhole (UCAV_ DH_ECO_RT) (IN) 820				

PIP SUMMARY

Gamma Ray Samples

Resistivity Samples

Neutron Samples

IDEAL Version: ID14_0C_02

IDF