





Netherby 1DW1 LWD RT 200MD


IDEAL Version: ID13_OC_08 <MD > Vertical Scale: 1:200

Graphics File Created: 12-Aug-2008 02:49











775

800


825








850

875














1000


1025
















































































ROP*5 (ROP5) (M/HR) 2000	PKPK_RPM (Stick_RT) (RPM) 0400	ARC BHCorr Phase-Shift Resistivity 16-in. at 2 MHz, Real-Time (P16H_RT) 0.2200 (OHMM)	Bulk Density Correction, Bottom, Real-Time Computed Downhole (DRHB_ DH_ECO_RT) -0.250.25 (G/C3)
ARC Gamma Ray, Real-Time (ARC_GR_ RT) 0200 (GAPI)	MWD Collar RPM (CRPM_RT) (RPM) 0400	ARC BHCorr Phase-Shift Resistivity 28-in. at 2 MHz, Real-Time (P28H_RT) 0.2200 (OHMM)	Bulk Density, Bottom, Real-Time, Computed Downhole (ROBB_DH_ECO_ RT) 1.952.95 (G/C3)
Gamma Ray, Bottom, Real-Time (GRMB_ECO_RT) 0200 (GAPI)		ARC BHCorr Phase-Shift Resistivity 40-in. at 2 MHz, Real-Time (P40H_RT) 0.2200 (OHMM)	Thermal Neutron Porosity, Average, Real-Time (TNPH_ECO_RT) 45-15 (PU)
Gamma Ray, Up, Real-Time (GRMU_ ECO_RT) 0200 (GAPI)		ARC Phase Shift Resistivity 16 inch at 2 MHz, Real-Time (P16H_ECO_RT) 0.2200 (OHMM)	
Ultrasonic Caliper, Average Diameter, Real-Time, Computed Downhole (UCAV_DH_ECO_RT) 616 (IN)		ARC Phase Shift Resistivity 28 inch at 2 MHz, Real-Time (P28H_ECO_RT) 0.2200 (OHMM)	
		ARC Phase Shift Resistivity 40 inch at 2 MHz, Real-Time (P40H_ECO_RT) 0.2200 (OHMM)	
		ARC Attenuation Resistivity 40 inch at 400 KHz, Real-Time (A40L_ECO_RT) 0.2200 (OHMM)	
PIP SUMMARY			
		Density ROBB PIP	Neutron PIP
		RP40 PIP	