



END OF WELL REPORT

Lakes Oil N.L.

Wombat-4

17 October – 11 November 2009

by

BAKER HUGHES INTEQ

The information, interpretations, recommendations, or opinions contained herein are advisory only and may be rejected. Consultant does not warrant their accuracy or correctness. Nothing contained herein shall be deemed to be inconsistent with, nor expand, modify or alter consultant's obligation of performance as provided for in a written agreement between the parties, or, if none, in consultant's most recent price list..

Sampling Summary and Record of Distribution

Client : Lakes Oil N.L

Date of shipment 29 Nov. 09

Well : Wombat-4

Rig : Hunt Energy & Mineral Co. Rig #2

From : BHI Unit 403

SET A in 06nos of Cardboard Boxes and

SET B in 06nos of Cardboard boxes

SET C in 2 boxes: 1small cardboard box and 1small wooden box

To be consigned to:

Lakes Oil N.L.
Level 14, 500 Collins Street
Melbourne, Vic 3000

Items being shipped: Geological Samples

Method of Shipment: By ROAD

**BHI Data Engineers
Shiva Prasad Hosmut &
Raju Thottan**

**Operation Manager
Lakes Oil N.L**

DITCH CUTTING SAMPLING INTERVAL

Depth interval	Sample interval	Sample Type
16.0 – 20.0	4m	normal
20.0 – 1200.0	5m	normal
1200.0 – 2499.0	3m	normal
2499.0 – 2500.0	1m	normal

Total Cardboard boxes = 12Nos big & 01 No small

Total Wooden boxes = 1No small

Total estimated weight of sample ~ 150kg

Geological Sample Packing Summary

Sample Type	Large Box No.	Small Box No.	Interval (m)
Washed and dried Cutting Samples Set A & Set B	1 (16.0 – 765.0)	1	16.0 – 115.0
		2	115.0 – 215.0
		3	215.0 – 315.0
		4	315.0 – 405.0
		5	405.0 – 495.0
		6	495.0 – 585.0
		7	585.0 – 675.0
		8	675.0 – 765.0
	2 (765.0 – 1362.0)	9	765.0 – 855.0
		10	855.0 – 945.0
		11	945.0 – 1035.0
		12	1035.0 – 1125.0
		13	1125.0 – 1200.0
		14	1200.0 – 1254.0
		15	1254.0 – 1308.0
		16	1308.0 – 1362.0
	3 (1362.0 – 1725.0)	17	1362.0 – 1410.0
		18	1410.0 – 1461.0
		19	1461.0 – 1512.0
		20	1512.0 – 1548.0
		21	1548.0 – 1587.0
		22	1587.0 – 1641.0
		23	1641.0 – 1692.0
		24	1692.0 – 1725.0
	4 (1725.0 – 2061.0)	25	1725.0 – 1761.0
		26	1761.0 – 1797.0
		27	1797.0 – 1845.0
		28	1845.0 – 1890.0
		29	1890.0 – 1935.0
		30	1935.0 – 1980.0
		31	1980.0 – 2025.0
		32	2025.0 – 2061.0
	5 (2061.0 – 2331.0)	33	2061.0 – 2094.0
		34	2094.0 – 2127.0
		35	2127.0 – 2160.0
		36	2160.0 – 2196.0
		37	2196.0 – 2229.0
		38	2229.0 – 2265.0
		39	2265.0 – 2298.0
		40	2298.0 – 2331.0
	6 (2331.0 – 2500.0)	41	2331.0 – 2376.0
		42	2376.0 – 2421.0
		43	2421.0 – 2463.0
		44	2463.0 – 2500.0
Samplex Tray Samples Set C	Box 1 (Wooden Box)		15.0 – 2016.0
	Box 2 (Card Board Box)		2016 – 2500.0

FORMATION EVALUATION LOG

1:500

DRILLING DATA PLOT

1:500

GAS RATIO PLOT

1:1000