

IDEAL Version: ID13_0C_14
IDF

ARC8A-AA id13_0c_02


Format: LWD RT GVR SONIC Vertical Scale: 1:200 Graphics File Created: 27-Nov-2008 04:09


PIP SUMMARY


Delta-T Samples 


 GRRR_R PIP  RING_TR PIP


		Shallow Button Resistivity, Real-Time (RES_BS_RT)				
		0.2	200			
		Deep Button Resistivity, Real-Time (RES_BD_RT)				
		0.2	200			
RAB Gamma Ray, Real-Time (GR_RAB_RT)		MWD Collar RPM (CRPM_RT)	Bit Resistivity, Real-Time (RES_BIT_RT)			
0	200	(RPM)	0.2	200		
		0 250				
ROP*5 (ROP5)		PKPK_RPM (Stick_RT)	Ring Resistivity, Real-Time (RES_RING_RT)		Photoelectric Factor, Real-Time (PEF_ADN_RT)	Delta-T Compressional, Real-Time (DTCO_RT)
200	0	(RPM)	0.2	200	0	240
		0 500			10	






















1750


1775

















ROP*5 (ROP5) (M/HR)	PKPK_RPM (Stick_RT) (RPM)	Ring Resistivity, Real-Time (RES_RING_RT)	Photoelectric Factor, Real-Time (PEF_ADN_RT)	Delta-T Compressional, Real-Time (DTCO_RT)
200 0	0 500	0.2 (OHMM) 200	0 10	40 (US/F) 240

RAB Gamma Ray, Real-Time (GR_RAB_RT)	MWD Collar RPM (CRPM_RT)	Bit Resistivity, Real-Time (RES_BIT_RT)
0 (GAPI) 200	(RPM) 0 250	0.2 (OHMM) 200

	Deep Button Resistivity, Real-Time (RES_BD_RT)
	0.2 (OHMM) 200
	Shallow Button Resistivity, Real-Time (RES_BS_RT)
	0.2 (OHMM) 200

PIP SUMMARY	
GRRA_R PIP	Delta-T Samples
RING_TR PIP	

IDEAL Version: ID13_0C_14	
IDF	
ARC8A-AA	id13_0c_02