

Speke South-1 GeoVISION RM 500TVD

IDEAL Version: ID13_0C_06

IDF

RAB
ADN

id13_0c_02
id13_0c_02

MWD_10

id13_0c_02

Format: GeoVISION Service Log

Vertical Scale: 1:500

Graphics File Created: 17-Apr-2008 14:51

PIP SUMMARY

Density Samples +

Neutron Samples +

+ Gamma Ray Samples

+ Ring Samples

Rate of Penetration, Averaged over Last
5ft (ROP5_RM)
200 (M/HR) 0

RAB Gamma Ray (GR_RAB)
0 (GAPI) 200

Vertical Hole Diameter (VERD)
6 (IN) 16

Horizontal Hole Diameter (HORD)
6 (IN) 16

RAB
Rotational
Speed
(RPM_RAB)
(RPM)
250 0

Density Time After Bit (TAB_DEN)
0 (HR) 10

ADN
Rotational
Speed
(RPM_ADN)
(RPM)
0 250

Ring Resistivity (RES_RING)
0.2 (OHMM) 2000

Thermal Neutron Porosity (TNPH)
45 (PU) -15

Shallow Button Resistivity (RES_BS)
0.2 (OHMM) 2000


Bulk Density, Bottom (ROBB)
1.95 (G/C3) 2.95





Medium Button Resistivity (RES_BM)
0.2 (OHMM) 2000


Photoelectric Factor, Bottom (PEB)
0 (----) 10


Deep Button Resistivity (RES_BD)
0.2 (OHMM) 2000


Bulk Density Correction, Bottom
(DRHB)
(G/C3) -0.25 0.25

















































Density Time After Bit (TAB_DEN) (HR) 010	ADN Rotational Speed (RPM_ADN) (RPM) 0250	Deep Button Resistivity (RES_BD) (OHMM) 0.22000	Bulk Density Correction, Bottom (DRHB) (G/C3) -0.250.25
Horizontal Hole Diameter (HORD) (IN) 616	RAB Rotational Speed (RPM_RAB) (RPM) 2500	Medium Button Resistivity (RES_BM) (OHMM) 0.22000	Photoelectric Factor, Bottom (PEB) (-----) 010
Vertical Hole Diameter (VERD) (IN) 616		Shallow Button Resistivity (RES_BS) (OHMM) 0.22000	Bulk Density, Bottom (ROBB) (G/C3) 1.952.95
RAB Gamma Ray (GR_RAB) (GAPI) 0200		Ring Resistivity (RES_RING) (OHMM) 0.22000	Thermal Neutron Porosity (TNPH) (PU) 45-15
Rate of Penetration, Averaged over Last 5ft (ROP5_RM) (M/HR) 2000			

PIP SUMMARY			
		Density Samples	+
		Neutron Samples	+
+ Gamma Ray Samples			
+ Ring Samples			

