

Speke South-1 GeoVISION Service RM 200MD


RABid13_0c_02MWD_10id13_0c_02ADNid13_0c_02


Format: GeoVISION Service LogVertical Scale: 1:200Graphics File Created: 18-Apr-2008 23:56


PIP SUMMARY


Density Samples Density Samples Neutron Samples Gamma Ray Samples Ring Samples




Rate of Penetration, Averaged over Last 5ft (ROP5_RM) (M/HR)		Ring Resistivity (RES_RING) (OHMM)		Thermal Neutron Porosity (TNPH) (PU)	
2000		0.22000		45-15	
RAB Gamma Ray (GR_RAB) (GAPI)		Shallow Button Resistivity (RES_BS) (OHMM)		Bulk Density, Bottom (ROBB) (G/C3)	
0200		0.22000		1.952.95	
Vertical Hole Diameter (VERD) (IN)		Medium Button Resistivity (RES_BM) (OHMM)		Photoelectric Factor, Bottom (PEB) (----	
616		0.22000		010	
Horizontal Hole Diameter (HORD) (IN)		Deep Button Resistivity (RES_BD) (OHMM)		Bulk Density Correction, Bottom (DRHB) (G/C3)	
616		0.22000		-0.250.25	
Density Time After Bit (TAB_DEN) (HR)		RAB Rotational Speed (RPM_RAB) (RPM)			
010		2500			
		ADN Rotational Speed (RPM_ADN) (RPM)			
		0250			







































1350


1375














































































































Density Time After Bit (TAB_DEN) (HR) 010	ADN Rotational Speed (RPM_ADN) (RPM)	Deep Button Resistivity (RES_BD) 0.22000 (OHMM)	Bulk Density Correction, Bottom (DRHB) (G/C3) -0.250.25
	0250		
Horizontal Hole Diameter (HORD) (IN) 616	RAB Rotational Speed (RPM_RAB) (RPM)	Medium Button Resistivity (RES_BM) 0.22000 (OHMM)	Photoelectric Factor, Bottom (PEB) (---- 010
	2500		
Vertical Hole Diameter (VERD) (IN) 616		Shallow Button Resistivity (RES_BS) 0.22000 (OHMM)	Bulk Density, Bottom (ROBB) 1.952.95 (G/C3)
RAB Gamma Ray (GR_RAB) (GAPI) 0200		Ring Resistivity (RES_RING) 0.22000 (OHMM)	Thermal Neutron Porosity (TNPH) (PU) 45-15
Rate of Penetration, Averaged over Last 5ft (ROP5_RM) (M/HR) 2000			

PIP SUMMARY			
		Density Samples	+
		Neutron Samples	+
+ Gamma Ray Samples			
+ Ring Samples			

IDEAL Version: ID13_0C_06			
IDF			
RAB	id13_0c_02	MWD_10	id13_0c_02
ADN	id13_0c_02		