

Apache Wasabi-1 RT GR Res

IDEAL Version: ID13_OC_05 <MD > Vertical Scale: 1:200

Graphics File Created: 23-Feb-2008 18:34

PIP SUMMARY


- ├ GR Samples
- └ Ring Samples


		Shallow Button Resistivity, Real-Time (RES_BS_RT)	
		0.2	2000
		(OHMM)	

		Medium Button Resistivity, Real-Time (RES_BM_RT)	
		0.2	2000
		(OHMM)	

		Deep Button Resistivity, Real-Time (RES_BD_RT)	
		0.2	2000
		(OHMM)	


RAB Gamma Ray, Real-Time (GR_RAB_RT)	(GAPI)		
0	200		
Rate of Penetration, Real-Time (ROP5)	Surface RPM (RPM)		
(M/HR)	(RPM)		
0	0		
200	200		






825

850







875

900


925











950



975

















1225

1250





Rate of Penetration, Real-Time (ROP5) 200 (M/HR) 0	Surface RPM (RPM) 0 200	Deep Button Resistivity, Real-Time (RES_BD_RT) 0.2 (OHMM) 2000
RAB Gamma Ray, Real-Time (GR_RAB RT) 0 (GAPI) 200		Medium Button Resistivity, Real-Time (RES_BM_RT) 0.2 (OHMM) 2000
		Shallow Button Resistivity, Real-Time (RES_BS_RT) 0.2 (OHMM) 2000

PIP SUMMARY

- ┆ GR Samples
- ┆ Ring Samples