






PERFORM – DrillMech RT



IDEAL Version: ID14_OC_25 <MD> Vertical Scale: 1:500



Graphics File Created: 25–Nov–2009 11:22




























1550

1600











1950

2000

2050







2100

2150


2200






2250

2300





<div>ROP*5 (ROP5)</div> <div>(M/HR)</div> <div>0200</div>	<div>HKLD (HKLD)</div> <div>(KLBF)</div> <div>0500</div>	<div>MWD Collar RPM</div> <div>(CRPM_RT)</div> <div>(RPM)</div> <div>0250</div>	<div>MWD Vib</div> <div>X-Axis</div> <div>(VIBX_RT)</div> <div>(-----)</div> <div>050</div>	<div>CRS_TRPM (TRPM)</div> <div>(RPM)</div> <div>05000</div>	<div>ARC Equivalent Circulating</div> <div>density (ECD_ARC_RT)</div> <div>(LB/G)</div> <div>816</div>
<div>MWD Shock Peak</div> <div>(SHKPK_RT)</div> <div>(-----)</div> <div>0200</div>	<div>Local comp 1 6in</div> <div>(LCOMP1)</div> <div>(-----)</div> <div>0500</div>	<div>PKPK_RPM (Stick_RT)</div> <div>(RPM)</div> <div>0250</div>	<div>MWD Lateral</div> <div>Vib</div> <div>(VIBLA_T_RT)</div> <div>(-----)</div> <div>050</div>	<div>Standpipe Pressure (SPPA)</div> <div>(PSI)</div> <div>05000</div>	<div>ARC Annulus Temperature</div> <div>(ATMP_RT)</div> <div>(DEGC)</div> <div>0200</div>
<div>MWD Shock Risk</div> <div>(SHKRSK_RT)</div> <div>(-----)</div> <div>04</div>	<div>SWOB (SWOB)</div> <div>(KLBF)</div> <div>060</div>			<div>TUR_RPM (TRPM_RT)</div> <div>(RPM)</div> <div>05000</div>	<div>ARC Annulus Pressure (APRS_RT)</div> <div>(PSI)</div> <div>06000</div>
<div>ARC Gamma Ray,</div> <div>Real-Time (ARC_</div>					<div>T_FLOW (TFLO)</div>

GR_RT)		
0	(GAPI)	200
ADN Shock, Real-Time (SHK_ ADN_RT)		
0	(-----]	4
ARC Shock Level, Real-Time (SHK2_ RT)		
0	(-----]	4
Isonic Shock, Real-Time (SHK_ ISONIC_RT)		
0	(-----]	4

0	(GPM)	1000
---	-------	------