



PERFORM – DrillMech RT

IDEAL Version: ID14_OC_25 <TVD> Vertical Scale: 1:200


Graphics File Created: 25–Nov–2009 11:25






650
TVD


675
TVD






700
TVD

725
TVD







750
TVD

775
TVD


800
TVD






825
TVD


850
TVD






875
TVD


900
TVD







925
TVD

950
TVD









1050
TVD


1075
TVD






1100
TVD


1125
TVD








1150
TVD

1175
TVD









1275
TVD


1300
TVD






1325
TVD


1350
TVD






1375
TVD


1400
TVD






1425
TVD

1450
TVD







1475
TVD

1500
TVD


1525
TVD






1550
TVD


1575
TVD






1600
TVD


1625
TVD






1650
TVD

1675
TVD







1700
TVD

1725
TVD


1750
TVD






1775
TVD


1800
TVD






1825
TVD


1850
TVD






1875
TVD

1900
TVD







1925
TVD

1950
TVD


1975
TVD






2000
TVD


2025
TVD






2050
TVD


2075
TVD






2100
TVD

2125
TVD







2150
TVD

2175
TVD


2200
TVD






2225
TVD


2250
TVD






2275
TVD


2300
TVD






2325
TVD

2350
TVD





200 (M/HR)	0 0 (KLBF) 500	0 (RPM) 250	(VIBX_RT) (----) 0 50	0 (RPM) 5000	density (ECD_ARC_RT) (LB/G) 8 16
MWD Shock Peak (SHKPK_RT) (----) 200	Local comp 1 6in (LCOMP1) (----) 500	PKPK_RPM (Stick_RT) (RPM) 250	MWD Lateral Vib (VIBLA_T_RT) (----) 0 50	Standpipe Pressure (SPPA) (PSI) 0 5000	ARC Annulus Temperature (ATMP_RT) (DEGC) 0 200
MWD Shock Risk (SHKRSK_RT) (----) 4	SWOB (SWOB) (KLBF) 60			TUR_RPM (TRPM_RT) (RPM) 0 5000	ARC Annulus Pressure (APRS_RT) (PSI) 0 6000
ARC Gamma Ray, Real-Time (ARC_GR_RT) (GAPI) 200					T_FLOW (TFLO) (GPM) 0 1000
ADN Shock, Real-Time (SHK_ADN_RT) (----) 4					
ARC Shock Level, Real-Time (SHK2_RT) (----) 4					
Isonic Shock, Real-Time (SHK_ISONIC_RT) (----) 4					