

ATTACHMENT TO WCR
WEST - SEAHORSE - 1

W755

(APPENDIX B3)

WIRELINE LOG INTERPRETATION

WEST SEAHORSE - 1 APPENDIX B3 WIRELINE LOG INTERPRETATION W755

Petrodata AG

Jakobstal, Switzerland

Mail Address
CH-9548 Jakobstal
Telefon 054 / 9 55 86
Schweiz. Kreditanstalt
Weinfeldern

OIL and GAS DIVISION

21 JUN 1982

Computer Büro
Zwyssigstrasse 83
CH-5430 Wettingen
Telefon 056 / 26 44 24/26 11 22
Telex 58 829 ACWET

WEST SEA HORSE 1

LOG EVALUATION

CONTENTS:

Introduction
Summary of Results
Methods of Interpretation
Comments and Recommendations

ENCLOSURES:

List of Data Available
Pressure/Depth Plot (RFT)
Summary of Wire Line Test Results (RFT)
Core Analysis
Water Analyses
Computer Interpretation
Cross Plots
Cyberlook 1380 - 1740 m
Realog 1 1395 - 1700 m;
2 sets of: result plots
result listings
Realog 2 1700 - 2485 m;
5 sets of: result plots
result listings.

- 1 -

INTRODUCTION:

The well West Seahorse 1 was drilled in permit Vic/P-11 in the Gippsland Basin to evaluate the hydrocarbon potential in the Latrobe and Strzelecki groups.

The Strzelecki section penetrated by this well - 2277 to 2490 m (total depth) - was found saturated with water of about 10.000 ppm NaCl salinity and porosities near and below 10 percent. Consequently, the following evaluation concerns mainly the Latrobe group.

The lithology of this group can be summarized as follows - top Latrobe at 1396 m:

<u>Unit</u> <u>no</u>	<u>Interval</u> <u>m</u>	
1	1396 - 1668	Alternating claystone/sandstone/coal; low salinity.
2	1668 - 1764	Sandstone alternating with clay- stones; low salinity.
3	1764 - 1803	predominantly claystone with minor coal; low salinity.
4	1803 - 1932	Alternating sand- and claystone; low salinity.
5	1932 - 1965	As unit 4 above; increased salinity.
6	1965 - 2033	Sandstone with minor claystone inter- beds; low salinity.
7	2033 - 2277	Alternating clay- and sandstone; increased salinity.

All depth statements refer to log depth measured from derrick floor at 9.4 m above sea level.

- 2 -

The term claystone is used here in the sense typical for log analysis: clay detected by increased gamma-radiation, electrical effects, discrepancy between density and neutron derived porosities etc. means rather claysize material and not necessarily clay minerals. The clay stones within the Latrobe section of this well contain a large amount of claysize silt, probably kaolinite, some mica and glauconite, but very little montmerrillonite, illite etc.

Hydrocarbon Occurrences:

	Depth Interval:	Mean Porosity	Mean Sw
3.3	1412.6 - 1415.9	22.3 %	43.6 %
1.9	* 1483.2 - 1485.1	24.8 %	46.4 %
3.2	1500.3 - 1503.5	26.1 %	44.8 %
6.8	1503.5 - 1510.3	32.6 %	71.3 %

From the only sporadic occurrence of an occasional oilsand between coal, clay and mainly water bearing sands and further from the low reservoir pressure measured by RFT, it is deduced that no continuous and laterally extended oil column exists in this well.

* Apparant hydrocarbon saturation could be caused by caving effects: possibly only minor and residual oil saturation.

- 3 -

SUMMARY OF RESULTS:

UNIT 1:

This uppermost Latrobe interval consists of a coal/sand sequence containing some thin hydrocarbon bearing sands. Most of the larger and clean sands are water bearing.

The formation water is fresh. Log interpretation and the extrapolation of the RFT results lead to a salinity of 800+300 ppm NaCl equivalent. It appears unlikely that the water salinities vary from one to another major sand unit or that they are depending on the degree of flushing, as claimed by an ESSO-interpreter. More likely, the variations in apparent water resistivity are due to the varying contents of bonded water.

The section in detail:

1396 to 1411	predominantly coal with varying sand and clay content; some residual hydrocarbon may exist.
1411 - 1418	shaly and/or fine grain sandstones; may contain some coal. Includes two permeable intervals of about one metre thickness, which are hydrocarbon bearing.
1418 - 1419	tight sandstone
1419 - 1426	shaly sandstone; water bearing.
1426 - 1445	Predominantly coal; residual hydrocarbon likely.
1445 - 1453	relatively clean sandstone; hydrocarbon content overstated by result plots due to cavings.

- 4 -

- 1453 - 1500 predominantly coal with varying clay
and sand content; some residual hydro-
carbon, specially near the base of
this interval.
Includes two sandy streaks of about
1.5 metres thickness at
 1484 hydrocarbon bearing,
 1487 water bearing.
- 1500 - 1510 clean sand; upper three metres contain
- probably produceable - hydrocarbon;
lower seven metres contain residual
hydrocarbon only.
- 1510 - 1540 alternating coal (about 60 percent)
and sandstones.
- 1540 - 1560 sandstone; some residual hydrocarbon
possible.
- 1560 - 1597 alternating coal (about 65 percent of
interval) and sandstones; some residual
hydrocarbon possible.
- 1597 - 1614 sandstone; minor residual hydrocarbons;
! Caving Effects !
- 1614 - 1628 predominantly coal and clay.
- 1628 - 1646 sandstone; + water bearing.
- 1646 - 1654 claystone containing some coal streaks;
strong cavings lead to spurious hydro-
carbon indication; probably water satu-
rated.
- 1654 - 1660 sandstone; ! caving, see above !
- 1660 - 1668 claystone (with dissiminated coal?).

- 5 -

ALL UNITS:

The porosities of the sandstones in unit 1 range from 25 to 35 percent and average close to 30 percent. Within the underlying 600 metres to the base of the Latrobe, a remarkably consistent decrease of the sand porosities from 30 to about 15 percent can be observed.

- 6 -

METHODS OF INTERPRETATION:

The upper zone of this Latrobe interval presents quite some difficulties interpreting the logs due to

- the low salinity of the formation water,
- the frequent and often dissiminated occurrence of coal,
- the often thin bedding, requiring good log-to-log correlation and still causing spurious shoulder effects,
- the effects of caving within the zone of interest.

The interval from 1395 to 1700 metres has been processed twice with two entirely different methods to avoid a misinterpretation as to the reservoir potential.

The initial interpretation was made by Schlumberger in the field, using the Cyber-Look technique which is based on the Dual-Water-Model. Rechecking the results, one finds that

- the porosities are probably understated,
- the water saturations are probably overstated.

The same interval was re-processed with the programme REALOG, using the Porosity-Surface-Concept in matrix form. The method was extended to include the sonic log in order to allow the determination of the coal fraction. The results suggest that

- the porosities are probably overstated.

The indications of movable hydrocarbons are more or less identical for both methods. In the absence of sufficient core analyses, more refined log/core calibrations were not attempted.

- 7 -

The interval from 1740 to total depth at 2490 m was processed only once, using REALOG and a modified Waxman-Smits equation which is the Petrodata equivalent of the Dual-Water-Method.

COMMENTS AND RECOMMENDATIONS:

The log interpretation has been confirmed by fluid samples recovered with the formation tester, type RFT. In order to improve the recovery of samples of formation fluid through the invasion zone, a 1 gallon sample was recovered immediately after filling the 6 gallon chamber and without retracting the packer.

Should a follow-up well be drilled, the use of the EPL and the LDT, as well as additional coring would improve the formation evaluation.

P. M. M. r

12. 3. 1982

- 8 -

LIST OF DATA AVAILABLE:

Logging suite 26th September, 1981 191 to 1293 m

DIT - BHC - GR
FDC - GR
30 side wall cores

Logging suite 4th October, 1981 1305 to 1743 m

DIT - BHC - GR
FDC - CNL - GR
DLL - MSFL - GR
HDT
60 side wall cores
15 RF-tests

Logging suite 9th October, 1981

5 RF-tests (with improved filter)

Logging suite 22nd October, 1981 1322 to 2490 m

DLL - MSFL
FDC - CNL
BHC
HDT
60 side wall cores
18 RT-tests

Core Analysis

Porosity, permeability,
formation factor

Water analysis

Mud log

SUMMARY OF TESTS (RFT), 11/10/1981, WEST SEAHORSE-1

TEST #	DEPTH m	TYPE #	FLOW P. PSI	FLOW T. min.	SHOT IN PSI	GAS cft	OIL cc	WATER cc	RESIST Ohm.m	TEMP °C	REMARKS
1a	1505.5	S-6	0-1000	16.0	2145	-	-	22,600	0.58	21	Trace H ₂ S
1b	1505.5	S-1	260	2.5	2141	-	trace	3,600	0.80	21	0.5 cu.ft. H ₂ S
2	1497.0	P	-	-	-	-	-	-	-	-	Tight
3a	1421.0	S-6	1100	14.5	2018	-	-	22,600	0.80	21	Trace H ₂ S
3b	1421.0	S-1	550	1.6	2019	-	-	3,600	1.06	21	0.4 cu.ft. H ₂ S
4a	1417.0	S-6	500	36.5	2017	6.2	3000	11,500	0.43	21	Chamber not full
4b	1417.0	S-1	200-2000	25.0	2019	-	1700	1,600	0.45	21	
5a	1502.0	S-6	1180	17.5	2140	-	20,000	2,600	0.37	21	
5b	1502.0	S-1	545	2.5	2141	?	?	?	?	?	Segregator sample

Choke size - 0.04"; Filter - Test Version Martineau

TABLE

<u>T-F</u>	<u>DEPTH</u>	<u>TYPE</u>	<u>HSS</u>	<u>FPR</u>	<u>DRD</u>	<u>FTI</u>	<u>SIP</u>	<u>HSE</u>	<u>CCO</u>	<u>CCW</u>	<u>PPM</u>	<u>REMARKS</u>
#	m		PSI	PSI	PSI	PSI	PSI	PSI	cc	cc	NaCL	
1-2	1580.0	S-2.75	2400	2247	2236	10	2245	2398	0	0	-	Tight
2-2	1580.5	S-2.75	2399	2246	1540	19.5	2245	coal	0	9000	10,000	
3-2		S-1.00			2010	11.0	1860	2400	0	3000	6,000	
4-3	1716.5	P	2603	2440								
5-4	1672.0	P	2533	2377								
6-5	1636.5	P	2480	2328								
7-6	1487.0	P	2257	2115								
8-7	1487.5	P	2257	2114								Repeat
9-9	1508.0✓	S-2.75	2290	2146								Tight
10-10	1505.0✓	S-2.75	2287	2141	1130	31.0	2142	2288	trace	9250	19,000	
11-10	1413.5✓	S-1.00	2151	2012	162	5.0	2013	2153	trace	3200	19,500	Partial seal far line
12-11	1502.0✓	P	2277	2133								
13-12	1415.5✓	P	2149	2011								
14-14	1502.0✓	S-2.75	2283	2137	135	12.5	2140	2287	6500	3000	18,000	
15-15	1415.5✓	S-1.00	2151	2013	18	6.0	2016	2158	1900	1200	19,000	

Choke size 4 x 20

T - test number

F - file number

S - Sampling

2.75 gal. chamber

1.00 gal. chamber

P - pressure test

HSS - Hydrostatic Start

FPR - Formation Pressure

DRD - Draw Down

FTI - Flow Time

SIP - Shut-in pressure

HSE - Hydrostatic End

CCO - cc of oil

CCW - cc of water or filtrate

ppm - salinity

2000

2100

2200

2300

2400

PSI

1400

m

1500


1600

1700

DEPTH IN METRES

WEST SEAHORSE No.1

RFT Pressures - 5. and 11.10.1981





CORE LABORATORIES, INC.

Petroleum Reservoir Engineering

PANY HUBBAY OIL (AUST) LTD

FIELD

FILE WA-CA-167

WEST SEAHORSE NO. 1

DATE 21ST JANUARY, 82

LOCATION

ELEV.

CORE-GAMMA CORRELATION

These analyses, opinions or interpretations are based on observations and material supplied by the client to whom, and for whose exclusive and confidential use, this report is made. The interpretations or opinions expressed represent the best judgment of Core Laboratories, Inc. (all errors and omissions excepted). But Core Laboratories, Inc. and its officers and employees, assume no responsibility and make no warranty or representations as to the productivity, proper operation, or profitability of any oil, gas or other mineral well or sand in connection with which such report is used or relied upon.

VERTICAL SCALE 1 CM. = 2 METERS
(1:200)

CORE-GAMMA SURFACE LOG

(PATENT APPLIED FOR)

GAMMA RAY

RADIATION INCREASE

API UNITS

40 80 120 160 200

CORE NO. 1

1450

1455

1460

COREGRAPH

PERMEABILITY

MILLIDARCYB

X100

POROSITY

PERCENT

20 10

TOTAL WATER


PERCENT TOTAL WATER

80 60 40 20 0

OIL SATURATION

PERCENT PORE SPACE

0 20 40 60 80



AA7

HOAL AA92301
CORELAB RS21423

TO HUBBAY OIL (AUST), PERTH
FM TONY KENNAIRD - CORELAB SPORE
CC LINDSAY CULLEN - CORELAB PERTH

TLX 8388
29 DEC 81

ATTN MR TUCKER/MR DANN

OUR REF: SNSCAL 81056
WELL: WEST SEAHORSE 1

HERE ARE PRELIMINARY FORMATION FACTOR RESULTS:

SAMPLE NUMBER	DEPTH (M)	POROSITY PERCENT	FORMATION FACTOR	
			200,000 PPM	30,000 PPM
1	1450.0	29.4	9.4	9.4
2	1450.3	24.7	9.9	9.9
3	1450.6	26.7	9.4	9.3
4	1450.9	27.8	8.6	8.6
5	1451.2	21.9	12.1	12.1
6	1451.5	18.3	16.4	16.1
7	1451.8	22.7	10.6	10.1

AVERAGE 'M' ASSUMING 'A' = 1.00 : 1.68 1.67

FOR ALL INTENTS N PURPOSES FORMATION FACTOR IS ESSENTIALLY THE SAME USING EITHER BRINE. THIS WUD APPEAR TO INDICATE A PAUCITY OF CATION EXCHANGEABLE MATERIAL IN THE SAMPLES.

FINAL REPORT WILL BE FORWARDED ASAP.

RGDS
CORELAB RS21423
/RO*
HOAL AA92301
VVVV

CORE ANALYSIS RESULTS

Company HUBBAY OIL (AUST) LTD Formation _____ File WA-CA-167
 Well WEST SEAHORSE NO. 1 Core Type CONVENTIONAL Date Report 16th DEC 81
 Field _____ Drilling Fluid _____ Analysts AP/MT
 County AUSTRALIA State _____ Elev. _____ Location _____

Lithological Abbreviations

SAND - SD DOLOMITE - DOL ANHYDRITE - ANHY FINE - FN CRYSTALLINE - XLN BROWN - BRN FRACTURED - FRAC SLIGHTLY - SL/
 SHALE - SH CHERT - CH CONGLOMERATE - CONG MEDIUM - MED GRAIN - GRN GRAY - GY LAMINATION - LAM VERY - V/
 LIME - LM GYPSUM - GYP FOSSILIFEROUS - FOSS COARSE - CSE GRANULAR - GRNL VUGGY - VGY STYLOLITIC - STY WITH - W/

SAMPLE NUMBER	DEPTH FEET	PERMEABILITY MILLIDARCY	POROSITY PERCENT	RESIDUAL SATURATION PER CENT PORE		GRAIN DENSITY	SAMPLE DESCRIPTION AND REMARKS
				OIL	TOTAL WATER		
1	1450.0	5030	29.5			2.66	SS: gy-wh, cg, fri, p std, calc cmtd, sub rnd.
2	1450.3	979	27.5			2.66	SS: gy-wh, cg, fri, mod std, calc cmtd, sub ang.
3	1450.6	1510	24.9			2.66	SS: gy-wh, mg, fri, p std, mod calc cmtd, sub ang, tr carb, qtz frag.
4	1450.9	2280	29.2			2.66	SS: gy-wh, mg, fri, mod std, calc cmtd, sub rnd.
5	1451.2	1390	23.7			2.61	SS: gy-brn, mg, sl ind, mod std, sl calc cmtd, sub ang.
6	1451.5	179	19.8			2.63	SS: gy, mg, mod ind, p std, sl calc cmtd, sub ang.
7	1451.8	206	26.2			2.67	SS: gy, fg, fri, w std, non calc cmtd, sub ang, slty.

These analyses, opinions or interpretations are based on observations and materials supplied by the client to whom, and for whose exclusive and confidential use, this report is made. The interpretations or opinions expressed represent the best judgment of Core Laboratories, Inc. (all errors and omissions excepted); but Core Laboratories, Inc. and its officers and employees, assume no responsibility and make no warranty or representations, as to the productivity, proper operations, or profitableness of any oil, gas or other material well or sand in connection with which such report is used or relied upon.

ANALABS

A Division of MacDonald Hamilton & Co. Pty. Ltd.

ANALYTICAL CHEMISTS

52 MURRAY ROAD
WELSHPOOL
W.A. 6106
TELEPHONE: 458 7999

Certificate of Analysis

FOR: Hudbay Oil (Australia) Ltd
PO Box 6124
Hay Street East
Perth 6000

OUR REF.: 82.0.01.21102
YOUR REF.:
DATE: 10.10.1981

DESCRIPTION OF SAMPLES: Three water samples were received on the
07.10.1981 for chemical analysis.

METHOD OF ANALYSIS:

Sample No.

Chemical Data

WS 1

		<u>mg/l</u>	<u>m equiv/l</u>
Sodium	Na+	5150	223.9
Potassium	K+	161.5	4.13
Calcium	Ca++	220	10.97
Magnesium	Mg++	290	23.87
Carbonate	CO3--	<0.3	-
Bi-Carbonate	HCO3-	353.8	5.8
Sulphate	SO4--	1900	39.58
Barium	Ba	<0.5	-

Please note: There is insufficient sample for Chloride Cl- analysis.

ANALYST:


M.A. CHAPMAN A.P.T.C., A.R.A.C.I., A.A.I.M.M.

Analytical Chemist

THIS DOCUMENT MUST NOT BE REPRODUCED EXCEPT IN FULL

ANALABS

A Division of MacDonald Hamilton & Co. Pty. Ltd.

ANALYTICAL CHEMISTS

52 MURRAY ROAD
WELSHPOOL
W.A. 6106
TELEPHONE: 458 7999

Certificate of Analysis

FOR: Hudbay Oil (Australia) Ltd
PO Box 6124
Hay Street East
Perth 6000

OUR REF.: 82.0.01.21102
YOUR REF.:
DATE: 13.10.1981

DESCRIPTION OF SAMPLES: Three water samples were received on the
07.10.1981 for chemical analysis.

METHOD OF ANALYSIS:

Sample No.

Chemical Data

WS 2

		<u>mg/l</u>	<u>m equiv/l</u>
Sodium	Na+	3270	142.2
Potassium	K+	77.5	1.982
Calcium	Ca++	150	7.481
Magnesium	Mg++	135	11.11
Chloride	Cl-	5169	145.6
Carbonate	CO3--	<0.3	-
Bi-Carbonate	HCO3-	275.7	4.52
Sulphate	SO4--	800	16.67
Barium	Ba	1	-


ANALYST: M.A. CHAPMAN A.P.T.C., A.R.A.C.I., A.R.I.M.M.

Analytical Chemist

THIS DOCUMENT MUST NOT BE REPRODUCED EXCEPT IN FULL

ANALABS

A Division of MacDonalid Hamilton & Co. Pty. Ltd.

ANALYTICAL CHEMISTS

52 MURRAY ROAD
WELSHPOOL
W.A. 6106
TELEPHONE: 458 7999

Certificate of Analysis


FOR: Hudbay Oil (Australia) Ltd
PO Box 6124
Hay Street East
Perth 6000

OUR REF.: 82.0.01.21102
YOUR REF.: 13.10.1981
DATE:

DESCRIPTION OF SAMPLES: Three water samples were received on the
07.10.1981 for chemical analysis.

METHOD OF ANALYSIS: Sample No.
Chemical Data WS 3

		<u>mg/l</u>	<u>m equiv/l</u>
Sodium	Na+	1670	72.61
Potassium	K+	42.5	1.087
Calcium	Ca++	120	5.985
Magnesium	Mg++	83	6.831
Chloride	Cl-	2641	74.4
Carbonate	CO3--	<0.3	-
Bi-Carbonate	HCO3-	269.6	4.42
Sulphate	SO4--	470.3	9.798
Barium	Ba	1	-


ANALYST: M.A. CHAPMAN A.P.T.C., A.R.A.C.I., A.A.I.M.M.
Analytical Chemist

THIS DOCUMENT MUST NOT BE REPRODUCED EXCEPT IN FULL

ANALABS

A Division of MacDonald Hamilton & Co. Pty. Ltd.

ANALYTICAL CHEMISTS

52 MURRAY ROAD
WELSHPOOL
W.A. 6106
TELEPHONE: 458 7999

Certificate of Analysis

FOR: Hudbay Oil (Aust) Ltd
P O Box 6124
Hay Street East
PERTH WA 6000

OUR REF: 22.0.01.21301

YOUR REF:

DATE: 23.10.1981

DESCRIPTION OF SAMPLES: Five water samples were received on the
19.10.1981 for chemical analysis.

METHOD OF ANALYSIS:

Sample No.


Chemical Data

1a

pH 6.8
Conductivity(m siemens/cm) 20300
T.F.R. (calculated) 12990

		<u>mg/l</u>	<u>m equiv/l</u>
Sodium	Na+	3720	161.7
Potassium	K+	104	2.66
Calcium	Ca++	142.5	7.107
Magnesium	Mg++	115	9.465
Chloride	Cl-	5765	162.4
Carbonate	CO3--	<0.3	-
Bi-Carbonate	HCO3-	268.4	4.4
Sulphate	SO4--	645.5	13.45
Barium	Ba	<0.25	-

ANALYST:


M.A. CHAPMAN

A.P.T.C., A.R.A.C.I., A.A.I.M.M.

Analytical Chemist

THIS DOCUMENT MUST NOT BE REPRODUCED EXCEPT IN FULL

ANALABS

A Division of MacDonaid Hamilton & Co. Pty. Ltd.

ANALYTICAL CHEMISTS

52 MURRAY ROAD
WELSHPOOL

W.A. 6106

TELEPHONE: 458 7999

Certificate of Analysis

FOR:

Hudbay Oil (Aust) Ltd
P O Box 6124
Hay Street East
PERTH WA 6000

OUR REF.:

82.0.01.21301

YOUR REF.:

DATE:

23.10.1981

DESCRIPTION OF SAMPLES:

Five water samples were received on the
19.10.1981 for chemical analysis.

METHOD OF ANALYSIS:

		Sample No.	
Chemical Data		3a	
pH		8	
Conductivity(m siemens/cm)		18250	
T.F.R. (calculated)		11680	
		mg/l	m equiv/l
Sodium	Na+	3320	144.3
Potassium	K+	104	2.66
Calcium	Ca++	122.5	6.11
Magnesium	Mg++	92.5	7.613
Chloride	Cl-	5140	144.8
Carbonate	CO3--	<0.3	-
Bi-Carbonate	HCO3-	610	10
Sulphate	SO4--	850.5	17.72
Barium	Ba	<0.25	-

ANALYST:

M.A. Chapman
M.A. CHAPMAN

A.P.T.C., A.R.A.C.I., A.A.I.M.M.

Analytical Chemist

THIS DOCUMENT MUST NOT BE REPRODUCED EXCEPT IN FULL

ANALABS

A Division of MacDonald Hamilton & Co. Pty. Ltd.

ANALYTICAL CHEMISTS

52 MURRAY ROAD
WELSHPOOL
W.A. 6106
TELEPHONE: 458 7999

Certificate of Analysis

FOR:
Hudbay Oil (Aust) Ltd
P O Box 6124
Hay Street East
PERTH WA 6000

OUR REF.:
62.0.01.21301
YOUR REF.:
DATE:
23.10.1981

DESCRIPTION OF SAMPLES:

Five water samples were received on the
19.10.1981 for chemical analysis.

METHOD OF ANALYSIS:

Chemical Data		Sample No.	
		3b	
pH		7.5	
Conductivity(m siemens/cm)		11000	
T.F.R. (calculated)		7040	
		mg/l	m equiv/l
Sodium	Na+	1920	83.48
Potassium	K+	81	2.072
Calcium	Ca++	87.5	4.364
Magnesium	Mg++	62.5	5.144
Chloride	Cl-	2755	77.6
Carbonate	CO3--	<0.3	-
Bi-Carbonate	HCO3-	910.1	14.92
Sulphate	SO4--	357.5	7.449
Barium	Ba	<0.25	-

ANALYST:

M.A. Chapman
M.A. CHAPMAN A.P.T.C., A.R.A.C.I., A.A.I.M.M.

Analytical Chemists THIS DOCUMENT MUST NOT BE REPRODUCED EXCEPT IN FULL

ANALABS

A Division of MacDonald Hamilton & Co. Pty. Ltd.
ANALYTICAL CHEMISTS

52 MURRAY ROAD
WELSHPOOL
W.A. 6106
TELEPHONE: 458 7999

Certificate of Analysis

FOR:

Hudbay Oil (Rust) Ltd
P O Box 6124
Hay Street East
PERTH WA 6000

OUR REF.:

82.0.01.21301

YOUR REF.:

DATE:

23.10.1981

DESCRIPTION OF SAMPLES:

Five water samples were received on the
19.10.1981 for chemical analysis.

METHOD OF ANALYSIS:

		Sample No.	
Chemical Data		4a	
pH		7.2	
Conductivity(m siemens/cm)		25750	
T.F.R. (calculated)		16480	
		mg/l	m equiv/l
Sodium	Na+	5070	220.4
Potassium	K+	139	3.555
Calcium	Ca++	157.5	7.855
Magnesium	Mg++	25.5	2.099
Chloride	Cl-	7711	217.2
Carbonate	CO3--	<0.3	-
Bi-Carbonate	HCO3-	251.3	4.12
Sulphate	SO4--	1000	20.83
Barium	Ba	<0.25	-

ANALYST:

M.A. Chapman
M.A. CHAPMAN A.P.T.C., A.R.A.C.I., A.R.I.M.M.

THIS DOCUMENT MUST NOT BE REPRODUCED EXCEPT IN FULL
Analytical Chemist

ANALABS

A Division of MacDonald Hamilton & Co. Pty. Ltd.

ANALYTICAL CHEMISTS

52 MURRAY ROAD

WELSHPOOL

W.A. 6106

TELEPHONE: 458 7999

Certificate of Analysis

FOR:

Hudbay Oil (Aust) Ltd.

P O Box 6124

Hay Street East

PERTH WA 6000

OUR REF:

82.0.01.21511

YOUR REF:

DATE:

23.10.1981


DESCRIPTION OF SAMPLES:

Five water samples were received on the 19.10.1981 for chemical analysis.

METHOD OF ANALYSIS:

		Sample No.	
Chemical Data		4b	
pH		8.3	
Conductivity(m siemens/cm)		25750	
T.F.R. (calculated)		16480	
		mg/l	m equiv/l
Sodium	Na+	4820	209.6
Potassium	K+	129	3.299
Calcium	Ca++	165	8.229
Magnesium	Mg++	127.5	10.49
Chloride	Cl-	7469	210.4
Carbonate	CO3--	<0.3	-
Bi-Carbonate	HCO3--	490.4	8.04
Sulphate	SO4--	760.6	15.85
Barium	Ba	0.25	-

ANALYST:



M.A. CHAPMAN A.P.T.C., A.R.A.C.I., A.A.I.M.M.

Analytical Chemists
THIS DOCUMENT MUST NOT BE REPRODUCED EXCEPT IN FULL

WELL: WEST SEAHORSE 1 FIELD: WILDCAT

X = GAMMA RAY; Y = DENSITY

DEPTH-INTERVAL: 1394.92-1570.02




CHA-10

X= CHA-10 (LINEAR) XMIN= 0.00 XMAX= 200.00 XA= 46.518 Sx= 38.9073
 Y= CHA-12 (LINEAR) YMIN= 3.00 YMAX= 1.00 YA= 1.979 Sy= 0.3981

NUMBER OF POINTS CONSIDERED = 1150 Y = 4.20E-3*X+1.78 RYX=0.4102
 NUMBER OF INFIELD - POINTS = 1150 S = 0.3631
 NUMBER OF OVERFLOW - POINTS = 0
 NUMBER OF INCORRECT POINTS = 0

WELL: WEST SEAHORSE 1 FIELD: WILDCAT
K: NEUTRON; Y: COMPRESSIBILITY; Z: GAMMA RAY
DEPTH-INTERVAL: 1394.92-1570.02

CHA-05




CHA-11

X= CHA-11 (LINEAR)	XMIN= 0.00	XMAX= 1.00	XA= 0.372	Sx= 0.1374
Y= CHA-05 (LINEAR)	YMIN= 0.00	YMAX= 2.00	YA= 0.726	Sy= 0.4487
Z= CHA-10 (LINEAR)	ZMIN= 0.85	ZMAX= 168.38	ZA= 46.518	Sz= 38.9073
NUMBER OF POINTS CONSIDERED = 1150	Y = 6.47*X-1.68		RYX=0.9197	
NUMBER OF INFIELD - POINTS = 1150	Z = 2.19E-3*Y+46.5		RZY=0.3754	
NUMBER OF OVERFLOW - POINTS = 0	X = 70.5*Z-3.28E+3		RXZ=0.1001	
NUMBER OF INCORRECT POINTS = 0	S = 38.9077			

WELL: WEST SEAHORSE 1 FIELD: WILDCAT
X = NEUTRON; Y = DENSITY; Z = GAMMA RAY
DEPTH-INTERVAL: 1394.92-1570.02


CHA-12



CHA-11

X= CHA-11 (LINEAR)	XMIN= 0.00	XMAX= 1.00	XA= 0.372	S _x = 0.1374
Y= CHA-12 (LINEAR)	YMIN= 3.00	YMAX= 1.00	YA= 1.979	S _y = 0.3981
Z= CHA-10 (LINEAR)	ZMIN= 0.85	ZMAX= 168.38	ZA= 46.518	S _z = 38.9073
NUMBER OF POINTS CONSIDERED = 1150	Y = -5.60×X+4.06		RYX=0.9174	
NUMBER OF INFIELD - POINTS = 1150	Z = -2.13E-3×Y+46.5		RZY=0.4102	
NUMBER OF OVERFLOW - POINTS = 0	X = 83.8×Z-3.90E+3		RXZ=0.1001	
NUMBER OF INCORRECT POINTS = 0	S = 38.9076			

WELL: WEST SEAHORSE 1 FIELD: WILDCAT
X = GAMMA RAY; Y = DENSITY
DEPTH-INTERVAL: 1569.87-1700.02



CHA-10


X=	CHA-10 (LINEAR)	XMIN= 0.00	XMAX= 200.00	XA= 48.496	Sx= 37.5573
Y=	CHA-12 (LINEAR)	YMIN= 3.00	YMAX= 1.00	YA= 2.181	Sy= 0.2675

NUMBER OF POINTS CONSIDERED	= 855	Y = 1.98E-3*X+2.08	RYX=0.2778
NUMBER OF INFIELD - POINTS	= 855		S = 0.2570
NUMBER OF OVERFLOW - POINTS	= 0		
NUMBER OF INCORRECT POINTS	= 0		

PETRODATA SERVICE AG SWITZERLAND

9:41 AM SAT., 13 MAR., 1982

WELL: WEST SEAHORSE 1 FIELD: WILDCAT
 X: NEUTRON; Y: COMPRESSIBILITY; Z: GAMMA RAY
 DEPTH-INTERVAL: 1569.87-1700.02




CHA-11

X=	CHA-11 (LINEAR)	XMIN= 0.00	XMAX= 1.00	XA= 0.299	Sx= 0.0920
Y=	CHA-05 (LINEAR)	YMIN= 0.00	YMAX= 2.00	YA= 0.475	Sr= 0.2923
Z=	CHA-10 (LINEAR)	ZMIN= 3.05	ZMAX= 148.88	ZA= 48.496	Sz= 37.5573
NUMBER OF POINTS CONSIDERED	= 855	Y = 6.58*X-1.49			RYX=0.8604
NUMBER OF INFIELD - POINTS	= 855	Z = 1.03E-3*Y+48.5			RZY=0.2695
NUMBER OF OVERFLOW - POINTS	= 0	X = 147.*Z-7.13E+3			AXZ=0.0849
NUMBER OF INCORRECT POINTS	= 0				S = 37.5574

PETRODATA SERVICE AG SWITZERLAND

WELL: WEST SEAHORSE 1 FIELD: WILDCAT
 X = NEUTRON; Y = DENSITY; Z = GAMMA RAY
 DEPTH-INTERVAL: 1569.87-1700.02



CHA-11

X=	CHA-11 (LINEAR)	XMIN=	0.00	XMAX=	1.00	XA=	0.299	Sx=	0.0920
Y=	CHA-12 (LINEAR)	YMIN=	3.00	YMAX=	1.00	YA=	2.181	Sr=	0.2675
Z=	CHA-10 (LINEAR)	ZMIN=	3.05	ZMAX=	148.88	ZA=	48.496	Sz=	37.5573

NUMBER OF POINTS CONSIDERED	=	855	Y =	-6.03*X+3.99	RYX=	0.8428
NUMBER OF INFIELD - POINTS	=	855	Z =	-9.72E-4*Y+48.5	RZY=	0.2778
NUMBER OF OVERFLOW - POINTS	=	0	X =	170.*Z-8.27E+3	RXZ=	0.0849
NUMBER OF INCORRECT POINTS	=	0			S	= 37.5574

Schlumberger

CYBERLOOK FROM LATEROLOG 2.

CSU Field Log

COMPANY: HUBBAY AUSTRALIA LTD
WELL: WEST SEAHORSE 1
FIELD: WILDCAT
STATE: VICTORIA
NATION: AUSTRALIA
LOCATION: SEA

SEC: TWP: RGE:
LATITUDE: 147 37 21.83 E
LONGITUDE: 038 12 16.93 S

PERMANENT DATUM: MSLW
ELEV. OF PERM. DATUM:
LOG MEASURED FROM: RT
9.4 M ABOVE PERM. DATUM
DRLG. MEASURED FROM: RT

ELEVATIONS-
KB: 9.8 M
DF: 9.4 M
GL: -40.0 M

DATE: 11 OCT 81
RUN NO: 2

OTHER SERVICES-
DIT BHC GR
FDC CNL G
HDT
CST
RFT
DLL MSFL GR

PROGRAM
TAPE NO:
20.2
SERVICE
ORDER NO:
PNS 011081

PE603909

This is an enclosure indicator page.
The enclosure PE603909 is enclosed within the
container PE905513 at this location in this
document.

The enclosure PE603909 has the following characteristics:

ITEM_BARCODE = PE603909
CONTAINER_BARCODE = PE905513
NAME = Log Data Plot
BASIN = GIPPSLAND
PERMIT = VIC/P11
TYPE = WELL
SUBTYPE = WELL_LOG
DESCRIPTION = Log Data Plot (1 of 7) from Wireline
Log Interpretation Report (attachment
to WCR), for West Seahorse-1
REMARKS =
DATE_CREATED = 12/03/82
DATE_RECEIVED = 21/06/82
W_NO = W755
WELL_NAME = WEST SEAHORSE-1
CONTRACTOR = PETRODATA A.G.
CLIENT_OP_CO = HUBBAY OIL (AUSTRALIA) LTD

(Inserted by DNRE - Vic Govt Mines Dept)

 LISTING OF ALL PARAMETER AND ACTION CARDS

NO.	NAME	PARAMETERS
1	WELL	WEST SEAHORSE 1
2	ZONE	SHALLOW SECTION ZONE-A
3	TAPE	Ø/1
4	INTE	139Ø/1571
5	LEVS	3/139Ø/-2/1571
6	LEVS	4/139Ø/-2/1571
7	LEVS	6/139Ø/2/1571
8	LEVS	5/139Ø/2/1571
9	LEVS	7/139Ø/-2/1571
1Ø	LEVS	11/139Ø/-1/1571
11	LEVS	12/139Ø/-1/1571
12	INTE	1395/157Ø
13	SCAL	8/53/Ø.1/- .8
14	SCAL	1Ø/1Ø/1. /-3.
15	SCAL	5/5Ø/1. /Ø.Ø.
16	SCAL	9/5/Ø.Ø1/Ø
17	POWE	5/5/2.
18	DIVI	5/12/5
19	POWE	3/13/-Ø.5
2Ø	POWE	4/14/- .5
21	POWE	6/15/- .5
22	RESI	4.ØØØ/6Ø.ØØØ/Ø.4ØØ/65/Ø.51Ø/65
23	TEMP	14Ø/17ØØ/Ø.Ø2
24	DIAM	12.25/14
25	GRLO	Ø/1ØØØ/Ø/1ØØØ
26	BPAR	1/Ø
27	IPAR	9. /1/2/2
28	LIMI	Ø. /1/ .35/Ø
29	EVAL	1/3/Ø/Ø
3Ø	POWE	39/47/ .5
31	POWE	38/48/ .5
32	MAT1	12/2.65/2.73/1.35/1.ØØ/1.Ø/Ø.84/1.Ø
33	MAT2	11/-Ø.Ø4ØØ/Ø.31ØØ/Ø.54/1.Ø/1.Ø/Ø.92/1.ØØ
34	MAT3	1Ø/3. /8Ø. /Ø/35Ø/Ø/Ø/Ø
35	MAT4	48/Ø. /Ø. /Ø.Ø3/Ø.6Ø/Ø.45/Ø.ØØ/Ø.Ø3
36	MAT5	47/Ø/Ø/Ø.Ø3/1.5/2.Ø/Ø.Ø/2.Ø
37	MAT6	5/Ø.1Ø/Ø.13/1.55/Ø.2/1.75/1.75/1.75
38	MOUT	53/54/55/56/57/58/59
39	EVAL	Ø/Ø/1Ø/Ø
4Ø	OTIT	53/ SAND
41	OTIT	54/ CLAY
42	OTIT	55/ COAL
43	OTIT	56/ BONDED WATER
44	OTIT	57/ FREE WATER
45	OTIT	59/ HC - MOVED
46	OTIT	58/ HYDRO- CARBON
47	OTIT	6Ø/MISMATCH
48	ADD	57/58/28
49	ADD	28/59/28
5Ø	ADD	28/56/16
51	ADD	56/57/3Ø
52	DIVI	3Ø/16/3Ø
53	DIVI	56/16/17
54	SCAL	56/18/1/Ø
55	DIVI	59/16/2Ø
56	ADD	2Ø/3Ø/2Ø
57	PRIN	
58	ADD	53/54/54
59	ADD	54/55/55

60 ADD 55/56/56
61 ADD 56/57/57
62 ADD 57/58/58
63 ADD 58/59/59

NO FATAL ERRORS HAVE BEEN DETECTED-JOB CONTINUED

WELL LOCATION INFORMATION

COUNTRY : AUSTRALIA
STATE : VICTORIA
FIELD NAME : WILDCAT
WELL NAME : WEST SEAHORSE 1
COMMENTS :

DATA SOURCE INFORMATION

UCC LABEL : 8224
CREATE DATE : 15-12-81
UPDATED :

THE (-DPT) DATA ARE ALLOCATED IN CHANNEL 1
THE (03-LLD) DATA ARE ALLOCATED IN CHANNEL 3
THE (04-LLS) DATA ARE ALLOCATED IN CHANNEL 4
THE (05-MLL) DATA ARE ALLOCATED IN CHANNEL 5
THE (06-ILD) DATA ARE ALLOCATED IN CHANNEL 6
THE (07-MSF) DATA ARE ALLOCATED IN CHANNEL 7
THE (08-CAL) DATA ARE ALLOCATED IN CHANNEL 8
THE (10-TGR) DATA ARE ALLOCATED IN CHANNEL 10
THE (11-CNL) DATA ARE ALLOCATED IN CHANNEL 11
THE (12-FDC) DATA ARE ALLOCATED IN CHANNEL 12

LOG DATA DESCRIPTION

NO. OF DEPTH LEVELS IN FILE :	2544
FIRST DEPTH LEVEL	1390.84
LAST DEPTH LEVEL	1571.85
DEPTH INCREMENT	.8

LOG DATA RECORDS READ FROM INPUT = 1194 RECORDS (MAXIMUM STORAGE AVAILABLE = 1200 RECORDS)

FIRST DEPTH STORED = 1390.84
FINAL DEPTH STORED = 1571.85

WEST SEAHORSE 1
SHALLOW SECTION ZONE-A

SECTION FROM 1395.0 TO 1570.0
USING LLD FOR DEEP RESISTIVITY
USING MSFL FOR SHALLOW RESISTIVITY

GROSS POROSITY SELECTED FOR PROGRAM CALCULATIONS

INPUT PARAMETER VARIABLES USED IN THIS ANALYSIS

RESISTIVITIES

FORMATION WATER	= 4.000 AT 60.0 DEG F	EQUIV PPM NACL =	1620.4
MUD	= .510 AT 65.0 DEG F	EQUIV PPM NACL =	12917.2
MUD FILTRATE	= .400 AT 65.0 DEG F	EQUIV PPM NACL =	16817.4
MUD CAKE	= .765 AT 65.0 DEG F	EQUIV PPM NACL =	8378.9

TEMPERATURE

GRADIENT = .020 DEG F/FT REFERENCE TEMP = 140.000 DEG F AT 1700.0 FT

GAMMA RAY

MIN GR IN CLAY VOLUME CALC = 0.000 MAX GR IN CLAY VOLUME CALC = 1000.000

INDONESIAN EQUATION CONSTANTS

R-CLAY	= 0.000	A = PRI DIVISOR COEFF	= 1.000
M = CEMENTATION FACTOR	= 0.000	N = SATURATION EXPONENT	= 0.000

CUT-OFF VALUES

MINIMUM POROSITY	= 0.000	MAXIMUM SW	= 1.000
MAXIMUM POROSITY	= .350	MINIMUM SW RESET	= 0.000
MAXIMUM NEUTRON	= .400	MAXIMUM DENSITY	= 3.500
MINIMUM GR	= 0.000	MAXIMUM GR	= 1000.000
BIT SIZE	= 12.250	MAXIMUM CALIPER	= 14.000

WEST SEAHORSE 1
SHALLOW SECTION ZONE-A

SECTION FROM 1395.0 TO 1570.0

GROSS POROSITY SELECTED FOR PROGRAM CALCULATIONS

INPUT PARAMETER VARIABLES USED IN THIS ANALYSIS

RESISTIVITIES

FORMATION WATER	= 4.000 AT 60.0 DEG F	EQUIV PPM NACL =	1620.4
MUD	= .510 AT 65.0 DEG F	EQUIV PPM NACL =	12917.2
MUD FILTRATE	= .400 AT 65.0 DEG F	EQUIV PPM NACL =	16817.4
MUD CAKE	= .765 AT 65.0 DEG F	EQUIV PPM NACL =	8378.9

TEMPERATURE

GRADIENT = .020 DEG F/FT REFERENCE TEMP= 140.000 DEG F AT 1700.0 FT

GAMMA RAY

MIN GR IN CLAY VOLUME CALC = 0.000 MAX GR IN CLAY VOLUME CALC = 1000.000

INDONESIAN EQUATION CONSTANTS

R-CLAY	= 0.000	A = PHI DIVISOR COEFF	= 1.000
M = CEMENTATION FACTOR	= 2.000	N = SATURATION EXPONENT	= 2.000

CUT-OFF VALUES

MINIMUM POROSITY	= 0.000	MAXIMUM SW	= 1.000
MAXIMUM POROSITY	= .350	MINIMUM SW RESET	= 0.000
MAXIMUM NEUTRON	= .400	MAXIMUM DENSITY	= 3.500
MINIMUM GR	= 0.000	MAXIMUM GR	= 1000.000
BIT SIZE	= 12.250	MAXIMUM CALIPER	= 14.000

WEST SEAHORSE 1
SHALLOW SECTION ZONE-A

SECTION FROM 1395.0 TO 1570.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
X 1395.1	.240	.107	1.000	1.000	0.000	0.000	0.0	-999.999	0.0	0.000	0.000	0.000
X 1395.2	.240	.117	1.000	1.000	0.000	0.000	0.0	-999.999	0.0	0.000	0.000	0.000
X 1395.4	.236	.118	1.000	1.000	0.000	0.000	0.0	-999.999	0.0	0.000	0.000	0.000
X 1395.5	.220	.142	1.000	1.000	0.000	0.000	0.0	-999.999	0.0	0.000	0.000	0.000
X 1395.7	.215	.122	1.000	1.000	0.000	0.000	0.0	-999.999	0.0	0.000	0.000	0.000
X 1395.8	.204	.079	1.000	1.000	0.000	0.000	0.0	-999.999	0.0	0.000	0.000	0.000
X 1396.0	.204	.067	1.000	1.000	0.000	0.000	0.0	-999.999	0.0	0.000	0.000	0.000
X 1396.1	.197	.063	1.000	1.000	0.000	0.000	0.0	-999.999	0.0	0.000	0.000	0.000
1396.3	.211	.044	.975	.975	.152	.032	.0	-999.999	-151.9	.031	0.000	0.000
1396.4	.343	.016	.668	.668	.305	.085	.0	-999.999	-304.9	.066	0.000	0.000
X 1396.6	.383	.013	.606	.606	.305	.085	.0	-999.999	-304.9	.066	0.000	0.000
X 1396.7	.373	.012	.620	.620	.305	.085	.0	-999.999	-304.9	.066	0.000	0.000
1396.9	.298	.024	.728	.728	.458	.130	.0	-999.999	-458.0	.100	0.000	0.000
X 1397.1	.388	.011	.630	.630	.458	.130	.0	-999.999	-458.0	.100	0.000	0.000
X 1397.2	.392	.012	.653	.653	.458	.130	.0	-999.999	-458.0	.100	0.000	0.000
X 1397.4	.505	0.000	.560	.560	.458	.130	.0	-999.999	-458.0	.100	0.000	0.000
X 1397.5	.472	0.000	.607	.607	.458	.130	.0	-999.999	-458.0	.100	0.000	0.000
X 1397.7	.424	.008	.677	.677	.458	.130	.0	-999.999	-458.0	.100	0.000	0.000
X 1397.8	.410	.010	.703	.703	.458	.130	.0	-999.999	-458.0	.100	0.000	0.000
X 1398.0	.374	.016	.738	.738	.458	.130	.0	-999.999	-458.0	.100	0.000	0.000
X 1398.1	.438	.005	.671	.671	.458	.130	.0	-999.999	-458.0	.100	0.000	0.000
X 1398.3	.366	.013	.763	.763	.458	.130	.0	-999.999	-458.0	.100	0.000	0.000
1398.4	.324	.016	.816	.816	.611	.180	.0	-999.999	-610.8	.140	0.000	0.000
1398.6	.311	.017	.870	.870	.763	.227	.0	-999.999	-762.9	.181	0.000	0.000
1398.7	.280	.025	.922	.922	.916	.270	.0	-999.999	-915.8	.221	0.000	0.000
X 1398.9	.243	.026	1.000	1.000	.916	.270	.0	-999.999	-915.8	.221	0.000	0.000
1399.0	.276	.029	.897	.897	1.068	.312	.1	-999.999	-1067.9	.258	0.000	0.000
X 1399.2	.442	.013	.639	.639	1.068	.312	.1	-999.999	-1067.9	.258	0.000	0.000
X 1399.3	.454	.021	.634	.634	1.068	.312	.1	-999.999	-1067.9	.258	0.000	0.000
X 1399.5	.412	.033	.717	.717	1.068	.312	.1	-999.999	-1067.9	.258	0.000	0.000
X 1399.6	.271	.026	1.000	1.000	1.068	.312	.1	-999.999	-1067.9	.258	0.000	0.000
X 1399.8	.366	.027	.984	.984	1.068	.312	.1	-999.999	-1067.9	.258	0.000	0.000
X 1399.9	.325	.039	1.000	1.000	1.068	.312	.1	-999.999	-1067.9	.258	0.000	0.000
X 1400.1	.295	.086	1.000	1.000	1.068	.312	.1	-999.999	-1067.9	.258	0.000	0.000
X 1400.3	.353	.118	1.000	1.000	1.068	.312	.1	-999.999	-1067.9	.258	0.000	0.000
X 1400.4	.343	.083	1.000	1.000	1.068	.312	.1	-999.999	-1067.9	.258	0.000	0.000
X 1400.6	.303	.043	1.000	1.000	1.068	.312	.1	-999.999	-1067.9	.258	0.000	0.000
X 1400.7	.420	.015	.737	.737	1.068	.312	.1	-999.999	-1067.9	.258	0.000	0.000
X 1400.9	.417	.025	.782	.782	1.068	.312	.1	-999.999	-1067.9	.258	0.000	0.000
X 1401.0	.309	.031	1.000	1.000	1.068	.312	.1	-999.999	-1067.9	.258	0.000	0.000
X 1401.2	.262	.038	1.000	1.000	1.068	.312	.1	-999.999	-1067.9	.258	0.000	0.000
X 1401.3	.302	.037	1.000	1.000	1.068	.312	.1	-999.999	-1067.9	.258	0.000	0.000
1401.5	.339	.041	.877	.877	1.221	.364	.1	-999.999	-1220.9	.304	0.000	0.000
X 1401.6	.553	.053	.612	.612	1.221	.364	.1	-999.999	-1220.9	.304	0.000	0.000
X 1401.8	.484	.054	.807	.807	1.221	.364	.1	-999.999	-1220.9	.304	0.000	0.000
X 1401.9	.415	.050	1.000	1.000	1.221	.364	.1	-999.999	-1220.9	.304	0.000	0.000
X 1402.1	.411	.071	1.000	1.000	1.221	.364	.1	-999.999	-1220.9	.304	0.000	0.000
X 1402.2	.404	.078	1.000	1.000	1.221	.364	.1	-999.999	-1220.9	.304	0.000	0.000
X 1402.4	.424	.126	1.000	1.000	1.221	.364	.1	-999.999	-1220.9	.304	0.000	0.000
X 1402.5	.452	.162	1.000	1.000	1.221	.364	.1	-999.999	-1220.9	.304	0.000	0.000

* =RAW DATA CUT OFF X =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
SHALLOW SECTION ZONE-A

SECTION FROM 1395.0 TO 1570.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
X 1402.7	.463	.173	.889	.889	1.221	.364	.1	-999.999	-1220.9	.304	0.000	0.000
X 1402.8	.359	.142	.845	.845	1.221	.364	.1	-999.999	-1220.9	.304	0.000	0.000
X 1403.0	.281	.155	.902	.902	1.374	.407	.1	-999.999	-1374.0	.343	0.000	0.000
X 1403.1	.357	.124	.532	1.000	1.374	.407	.1	-999.999	-1374.0	.343	0.000	0.000
X 1403.3	.361	.094	.651	1.000	1.374	.407	.1	-999.999	-1374.0	.343	0.000	0.000
X 1403.5	.340	.090	.974	1.000	1.526	.459	.1	-999.999	-1526.1	.393	0.000	0.000
X 1403.6	.339	.067	1.000	1.000	1.526	.459	.1	-999.999	-1526.1	.393	0.000	0.000
X 1403.8	.350	.078	1.000	1.000	1.526	.459	.1	-999.999	-1526.1	.393	0.000	0.000
X 1403.9	.419	.116	1.000	1.000	1.526	.459	.1	-999.999	-1526.1	.393	0.000	0.000
X 1404.1	.328	.116	1.000	1.000	1.526	.459	.1	-999.999	-1526.1	.393	0.000	0.000
X 1404.2	.255	.090	1.000	1.000	1.526	.459	.1	-999.999	-1526.1	.393	0.000	0.000
X 1404.4	.206	.088	1.000	1.000	1.526	.459	.1	-999.999	-1526.1	.393	0.000	0.000
X 1404.5	.196	.079	.982	1.000	1.679	.489	.1	-999.999	-1679.0	.423	0.000	0.000
X 1404.7	.233	.099	1.000	1.000	1.679	.489	.1	-999.999	-1679.0	.423	0.000	0.000
X 1404.8	.266	.112	1.000	1.000	1.679	.489	.1	-999.999	-1679.0	.423	0.000	0.000
X 1405.0	.231	.113	1.000	1.000	1.679	.489	.1	-999.999	-1679.0	.423	0.000	0.000
X 1405.1	.224	.114	1.000	1.000	1.679	.489	.1	-999.999	-1679.0	.423	0.000	0.000
X 1405.3	.232	.113	1.000	1.000	1.679	.489	.1	-999.999	-1679.0	.423	0.000	0.000
X 1405.4	.243	.107	1.000	1.000	1.679	.489	.1	-999.999	-1679.0	.423	0.000	0.000
X 1405.6	.256	.104	1.000	1.000	1.679	.489	.1	-999.999	-1679.0	.423	0.000	0.000
X 1405.7	.220	.111	1.000	1.000	1.679	.489	.1	-999.999	-1679.0	.423	0.000	0.000
X 1405.9	.209	.115	1.000	1.000	1.679	.489	.1	-999.999	-1679.0	.423	0.000	0.000
X 1406.0	.196	.128	1.000	1.000	1.679	.489	.1	-999.999	-1679.0	.423	0.000	0.000
X 1406.2	.225	.170	1.000	1.000	1.679	.489	.1	-999.999	-1679.0	.423	0.000	0.000
X 1406.3	.258	.214	1.000	1.000	1.679	.489	.1	-999.999	-1679.0	.423	0.000	0.000
X 1406.5	.287	.177	.979	.979	1.831	.532	.1	-999.999	-1831.1	.465	0.000	0.000
X 1406.7	.233	.121	.847	.847	1.983	.568	.1	-999.999	-1982.9	.495	0.000	0.000
X 1406.8	.181	.131	.835	.835	2.136	.595	.1	-999.999	-2136.0	.518	0.000	0.000
X 1407.0	.149	.100	1.000	1.000	2.136	.595	.1	-999.999	-2136.0	.518	0.000	0.000
X 1407.1	.184	.083	1.000	1.000	2.136	.595	.1	-999.999	-2136.0	.518	0.000	0.000
X 1407.3	.216	.084	1.000	1.000	2.136	.595	.1	-999.999	-2136.0	.518	0.000	0.000
X 1407.4	.237	.095	1.000	1.000	2.136	.595	.1	-999.999	-2136.0	.518	0.000	0.000
X 1407.6	.226	.102	1.000	1.000	2.136	.595	.1	-999.999	-2136.0	.518	0.000	0.000
X 1407.7	.205	.100	1.000	1.000	2.136	.595	.1	-999.999	-2136.0	.518	0.000	0.000
X 1407.9	.210	.106	1.000	1.000	2.136	.595	.1	-999.999	-2136.0	.518	0.000	0.000
X 1408.0	.198	.098	1.000	1.000	2.136	.595	.1	-999.999	-2136.0	.518	0.000	0.000
X 1408.2	.160	.101	1.000	1.000	2.136	.595	.1	-999.999	-2136.0	.518	0.000	0.000
X 1408.3	.153	.101	1.000	1.000	2.136	.595	.1	-999.999	-2136.0	.518	0.000	0.000
X 1408.5	.152	.107	1.000	1.000	2.136	.595	.1	-999.999	-2136.0	.518	0.000	0.000
X 1408.6	.166	.104	1.000	1.000	2.136	.595	.1	-999.999	-2136.0	.518	0.000	0.000
X 1408.8	.184	.107	1.000	1.000	2.136	.595	.1	-999.999	-2136.0	.518	0.000	0.000
X 1408.9	.199	.113	1.000	1.000	2.136	.595	.1	-999.999	-2136.0	.518	0.000	0.000
X 1409.1	.219	.119	1.000	1.000	2.136	.595	.1	-999.999	-2136.0	.518	0.000	0.000
X 1409.2	.201	.110	1.000	1.000	2.136	.595	.1	-999.999	-2136.0	.518	0.000	0.000
X 1409.4	.163	.095	1.000	1.000	2.136	.595	.1	-999.999	-2136.0	.518	0.000	0.000
X 1409.5	.117	.110	1.000	1.000	2.136	.595	.1	-999.999	-2136.0	.518	0.000	0.000
X 1409.7	.117	.117	1.000	1.000	2.136	.595	.1	-999.999	-2136.0	.518	0.000	0.000
X 1409.9	.113	.113	1.000	1.000	2.136	.595	.1	-999.999	-2136.0	.518	0.000	0.000
X 1410.0	.114	.114	1.000	1.000	2.136	.595	.1	-999.999	-2136.0	.518	0.000	0.000
X 1410.2	.107	.107	1.000	1.000	2.136	.595	.1	-999.999	-2136.0	.518	0.000	0.000

* -RAW DATA CUT OFF % -OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & -MINIMUM SW SET

WEST SEAHORSE 1
SHALLOW SECTION ZONE-A

SECTION FROM 1395.0 TO 1570.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
	1410.3	.101	.096	.954	1.000	2.288	.611	.1	-999.999	-2287.8	.533	0.000	0.000
%	1410.5	.104	.104	1.000	1.000	2.288	.611	.1	-999.999	-2287.8	.533	0.000	0.000
%	1410.6	.107	.095	1.000	1.000	2.288	.611	.1	-999.999	-2287.8	.533	0.000	0.000
%	1410.8	.148	.097	1.000	1.000	2.288	.611	.1	-999.999	-2287.8	.533	0.000	0.000
%	1410.9	.233	.091	1.000	1.000	2.288	.611	.1	-999.999	-2287.8	.533	0.000	0.000
%	1411.1	.274	.074	1.000	1.000	2.288	.611	.1	-999.999	-2287.8	.533	0.000	0.000
%	1411.2	.290	.072	1.000	1.000	2.288	.611	.1	-999.999	-2287.8	.533	0.000	0.000
%	1411.4	.321	.055	1.000	1.000	2.288	.611	.1	-999.999	-2287.8	.533	0.000	0.000
%	1411.5	.306	.057	1.000	1.000	2.288	.611	.1	-999.999	-2287.8	.533	0.000	0.000
%	1411.7	.287	.046	1.000	1.000	2.288	.611	.1	-999.999	-2287.8	.533	0.000	0.000
%	1411.8	.250	.057	1.000	1.000	2.288	.611	.1	-999.999	-2287.8	.533	0.000	0.000
%	1412.0	.261	.064	1.000	1.000	2.288	.611	.1	-999.999	-2287.8	.533	0.000	0.000
%	1412.1	.250	.083	1.000	1.000	2.288	.611	.1	-999.999	-2287.8	.533	0.000	0.000
%	1412.3	.239	.082	1.000	1.000	2.288	.611	.1	-999.999	-2287.8	.533	0.000	0.000
%	1412.4	.235	.072	1.000	1.000	2.288	.611	.1	-999.999	-2287.8	.533	0.000	0.000
	1412.6	.233	.075	.948	1.000	2.440	.646	.1	-999.999	-2439.9	.567	0.000	0.000
	1412.7	.241	.073	.824	1.000	2.592	.683	.1	-999.999	-2591.8	.597	0.000	0.000
	1412.9	.238	.070	.888	.976	2.745	.719	.1	-999.999	-2744.9	.629	0.000	0.000
	1413.1	.293	.052	.728	.788	2.897	.764	.1	-999.999	-2897.0	.661	0.000	0.000
	1413.2	.310	.044	.683	.748	3.050	.811	.1	-999.999	-3049.8	.694	0.000	0.000
	1413.4	.312	.053	.682	.749	3.202	.858	.1	-999.999	-3201.9	.726	0.000	0.000
	1413.5	.290	.061	.713	.843	3.354	.902	.1	-999.999	-3354.0	.758	0.000	0.000
	1413.7	.288	.074	.711	.815	3.507	.947	.2	-999.999	-3506.8	.789	0.000	0.000
	1413.8	.288	.079	.740	.863	3.659	.990	.2	-999.999	-3658.9	.821	0.000	0.000
	1414.0	.281	.080	.820	.989	3.812	1.033	.2	-999.999	-3812.0	.857	0.000	0.000
	1414.1	.274	.070	.921	1.000	3.964	1.075	.2	-999.999	-3963.9	.895	0.000	0.000
	1414.3	.262	.070	.913	1.000	4.116	1.115	.2	-999.999	-4116.0	.931	0.000	0.000
	1414.4	.255	.072	.966	1.000	4.269	1.154	.2	-999.999	-4268.8	.969	0.000	0.000
	1414.6	.257	.073	.877	1.000	4.421	1.193	.2	-999.999	-4420.9	1.003	0.000	0.000
	1414.7	.272	.072	.756	.932	4.574	1.235	.2	-999.999	-4574.0	1.035	0.000	0.000
	1414.9	.216	.070	.803	.922	4.726	1.267	.2	-999.999	-4725.8	1.061	0.000	0.000
	1415.0	.263	.076	.528	.803	4.878	1.307	.2	-999.999	-4877.9	1.082	0.000	0.000
	1415.2	.267	.074	.460	.873	5.031	1.348	.2	-999.999	-5031.0	1.101	0.000	0.000
	1415.3	.308	.068	.438	.837	5.183	1.395	.3	-999.999	-5182.9	1.121	0.000	0.000
	1415.5	.294	.070	.548	.981	5.336	1.440	.3	-999.999	-5335.9	1.146	0.000	0.000
	1415.6	.315	.067	.660	.854	5.488	1.488	.3	-999.999	-5487.8	1.178	0.000	0.000
	1415.8	.311	.065	.862	.900	5.640	1.535	.3	-999.999	-5639.9	1.218	0.000	0.000
	1415.9	.300	.066	.995	1.000	5.793	1.581	.3	-999.999	-5793.0	1.264	0.000	0.000
%	1416.1	.298	.063	1.000	1.000	5.793	1.581	.3	-999.999	-5793.0	1.264	0.000	0.000
%	1416.3	.284	.064	1.000	1.000	5.793	1.581	.3	-999.999	-5793.0	1.264	0.000	0.000
%	1416.4	.260	.071	1.000	1.000	5.793	1.581	.3	-999.999	-5793.0	1.264	0.000	0.000
%	1416.6	.252	.072	1.000	1.000	5.793	1.581	.3	-999.999	-5793.0	1.264	0.000	0.000
%	1416.7	.272	.078	1.000	1.000	5.793	1.581	.3	-999.999	-5793.0	1.264	0.000	0.000
%	1416.9	.288	.078	1.000	1.000	5.793	1.581	.3	-999.999	-5793.0	1.264	0.000	0.000
%	1417.0	.287	.075	1.000	1.000	5.793	1.581	.3	-999.999	-5793.0	1.264	0.000	0.000
%	1417.2	.302	.058	1.000	1.000	5.793	1.581	.3	-999.999	-5793.0	1.264	0.000	0.000
%	1417.3	.328	.050	1.000	1.000	5.793	1.581	.3	-999.999	-5793.0	1.264	0.000	0.000
%	1417.5	.280	.038	1.000	1.000	5.793	1.581	.3	-999.999	-5793.0	1.264	0.000	0.000
%	1417.6	.227	.028	1.000	1.000	5.793	1.581	.3	-999.999	-5793.0	1.264	0.000	0.000
%	1417.8	.201	.028	1.000	1.000	5.793	1.581	.3	-999.999	-5793.0	1.264	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

047

WEST SEAHORSE 1
SHALLOW SECTION ZONE-A

SECTION FROM 1395.0 TO 1570.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	1417.9	.140	.029	1.000	1.000	5.793	1.581	.3	-999.999	-5793.0	1.264	0.000	0.000
%	1418.1	.067	.025	1.000	1.000	5.793	1.581	.3	-999.999	-5793.0	1.264	0.000	0.000
%	1418.2	.050	.034	1.000	1.000	5.793	1.581	.3	-999.999	-5793.0	1.264	0.000	0.000
%	1418.4	.052	.038	1.000	1.000	5.793	1.581	.3	-999.999	-5793.0	1.264	0.000	0.000
%	1418.5	.063	.033	1.000	1.000	5.793	1.581	.3	-999.999	-5793.0	1.264	0.000	0.000
	1418.7	.102	.024	.696	.696	5.945	1.597	.3	-999.999	-5945.1	1.275	0.000	0.000
	1418.8	.264	.020	.478	.478	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1419.0	.354	.041	.548	.548	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1419.1	.280	.060	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1419.3	.304	.053	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1419.5	.329	.048	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1419.6	.342	.060	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1419.8	.330	.068	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1419.9	.365	.071	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1420.1	.386	.072	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1420.2	.383	.069	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1420.4	.383	.057	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1420.5	.383	.063	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1420.7	.389	.057	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1420.8	.384	.059	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1421.0	.386	.047	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1421.1	.384	.040	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1421.3	.335	.060	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1421.4	.338	.062	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1421.6	.328	.069	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1421.7	.337	.067	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1421.9	.351	.056	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1422.0	.362	.063	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1422.2	.349	.052	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1422.3	.324	.055	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1422.5	.317	.046	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1422.7	.288	.049	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1422.8	.277	.057	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1423.0	.288	.057	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1423.1	.323	.057	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1423.3	.323	.062	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1423.4	.320	.063	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1423.6	.299	.073	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1423.7	.283	.070	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1423.9	.280	.074	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1424.0	.272	.074	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1424.2	.268	.073	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1424.3	.260	.068	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1424.5	.292	.060	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1424.6	.289	.070	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1424.8	.270	.089	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1424.9	.285	.091	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1425.1	.288	.087	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1425.2	.301	.066	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000
%	1425.4	.321	.065	1.000	1.000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.000	0.000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

045

WEST SEAHORSE 1
SHALLOW SECTION ZONE-A

SECTION FROM 1395.0 TO 1570.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
X	1425.6	.317	.062	1.0000	1.0000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.0000	0.0000
X	1425.7	.334	.067	1.0000	1.0000	6.097	1.637	.3	-999.999	-6097.2	1.294	0.0000	0.0000
X	1425.9	.408	.074	.928	.928	6.097	1.637	.3	-999.999	-6097.2	1.294	0.0000	0.0000
X	1426.0	.383	.112	.850	.850	6.097	1.637	.3	-999.999	-6097.2	1.294	0.0000	0.0000
X	1426.2	.398	.116	.753	.753	6.097	1.637	.3	-999.999	-6097.2	1.294	0.0000	0.0000
X	1426.3	.483	.087	.596	.596	6.097	1.637	.3	-999.999	-6097.2	1.294	0.0000	0.0000
X	1426.5	.432	.062	.471	.471	6.097	1.637	.3	-999.999	-6097.2	1.294	0.0000	0.0000
	1426.6	.327	.086	.401	.401	6.250	1.687	.4	-999.999	-6250.2	1.314	0.0000	0.0000
	1426.8	.192	.085	.628	1.0000	6.402	1.716	.4	-999.999	-6402.1	1.333	0.0000	0.0000
X	1426.9	.234	.070	1.0000	1.0000	6.402	1.716	.4	-999.999	-6402.1	1.333	0.0000	0.0000
X	1427.1	.297	.108	1.0000	1.0000	6.402	1.716	.4	-999.999	-6402.1	1.333	0.0000	0.0000
X	1427.2	.343	.155	1.0000	1.0000	6.402	1.716	.4	-999.999	-6402.1	1.333	0.0000	0.0000
X	1427.4	.323	.143	1.0000	1.0000	6.402	1.716	.4	-999.999	-6402.1	1.333	0.0000	0.0000
	1427.5	.224	.092	.807	1.0000	6.554	1.750	.4	-999.999	-6554.2	1.360	0.0000	0.0000
	1427.7	.210	.082	.647	.647	6.707	1.782	.4	-999.999	-6707.0	1.381	0.0000	0.0000
	1427.8	.297	.054	.415	.415	6.859	1.827	.4	-999.999	-6859.1	1.400	0.0000	0.0000
	1428.0	.277	.033	.339	.339	7.011	1.869	.5	-999.999	-7011.0	1.414	0.0000	0.0000
	1428.1	.201	.011	.416	.416	7.164	1.900	.5	-999.999	-7164.1	1.427	0.0000	0.0000
	1428.3	.104	.024	.720	.720	7.316	1.916	.5	-999.999	-7316.2	1.438	0.0000	0.0000
	1428.4	.195	.016	.471	.471	7.469	1.946	.5	-999.999	-7469.0	1.452	0.0000	0.0000
	1428.6	.120	.019	.698	.698	7.621	1.964	.5	-999.999	-7621.1	1.465	0.0000	0.0000
	1428.8	.217	.004	.466	.466	7.773	1.997	.5	-999.999	-7773.2	1.480	0.0000	0.0000
	1428.9	.130	.018	.693	.693	7.926	2.017	.5	-999.999	-7926.0	1.494	0.0000	0.0000
	1429.1	.133	.015	.709	.709	8.078	2.037	.5	-999.999	-8078.1	1.508	0.0000	0.0000
	1429.2	.115	.017	.824	.824	8.231	2.055	.5	-999.999	-8231.2	1.523	0.0000	0.0000
X	1429.4	.099	.017	1.0000	1.0000	8.231	2.055	.5	-999.999	-8231.2	1.523	0.0000	0.0000
	1429.5	.116	.011	.972	.972	8.383	2.072	.5	-999.999	-8383.3	1.540	0.0000	0.0000
	1429.7	.159	.008	.719	.719	8.536	2.097	.5	-999.999	-8536.1	1.557	0.0000	0.0000
	1429.8	.154	.016	.675	.675	8.688	2.120	.5	-999.999	-8688.2	1.573	0.0000	0.0000
X	1430.0	.089	.027	1.0000	1.0000	8.688	2.120	.5	-999.999	-8688.2	1.573	0.0000	0.0000
	1430.1	.097	.028	.867	.867	8.840	2.135	.5	-999.999	-8840.1	1.586	0.0000	0.0000
	1430.3	.160	.018	.560	.560	8.992	2.159	.6	-999.999	-8992.2	1.600	0.0000	0.0000
	1430.4	.232	.016	.405	.405	9.145	2.195	.6	-999.999	-9145.3	1.614	0.0000	0.0000
	1430.6	.145	.024	.545	.545	9.297	2.217	.6	-999.999	-9297.1	1.626	0.0000	0.0000
	1430.7	.292	.010	.364	.364	9.450	2.261	.6	-999.999	-9450.2	1.642	0.0000	0.0000
	1430.9	.250	.020	.411	.411	9.602	2.299	.6	-999.999	-9602.0	1.658	0.0000	0.0000
	1431.0	.324	.024	.347	.347	9.754	2.349	.7	-999.999	-9754.1	1.675	0.0000	0.0000
	1431.2	.212	.015	.512	.512	9.907	2.381	.7	-999.999	-9907.2	1.692	0.0000	0.0000
X	1431.3	.104	0.000	1.0000	1.0000	9.907	2.381	.7	-999.999	-9907.2	1.692	0.0000	0.0000
	1431.5	.243	.032	.692	.692	10.060	2.418	.7	-999.999	-10060.3	1.717	0.0000	0.0000
X	1431.6	.351	.052	.296	1.0000	10.060	2.418	.7	-999.999	-10060.3	1.717	0.0000	0.0000
	1431.8	.314	.063	.356	1.0000	10.212	2.466	.7	-999.999	-10212.2	1.734	0.0000	0.0000
X	1431.9	.183	.086	1.0000	1.0000	10.212	2.466	.7	-999.999	-10212.2	1.734	0.0000	0.0000
X	1432.1	.194	.104	1.0000	1.0000	10.212	2.466	.7	-999.999	-10212.2	1.734	0.0000	0.0000
X	1432.3	.216	.100	1.0000	1.0000	10.212	2.466	.7	-999.999	-10212.2	1.734	0.0000	0.0000
X	1432.4	.238	.094	1.0000	1.0000	10.212	2.466	.7	-999.999	-10212.2	1.734	0.0000	0.0000
X	1432.6	.242	.090	1.0000	1.0000	10.212	2.466	.7	-999.999	-10212.2	1.734	0.0000	0.0000
X	1432.7	.257	.083	1.0000	1.0000	10.212	2.466	.7	-999.999	-10212.2	1.734	0.0000	0.0000
X	1432.9	.242	.086	1.0000	1.0000	10.212	2.466	.7	-999.999	-10212.2	1.734	0.0000	0.0000
X	1433.0	.232	.092	1.0000	1.0000	10.212	2.466	.7	-999.999	-10212.2	1.734	0.0000	0.0000

* =RAW DATA CUT OFF

X =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

040

WEST SEAHORSE 1
SHALLOW SECTION ZONE-A

SECTION FROM 1395.0 TO 1570.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	1433.2	.223	.088	1.000	1.000	10.212	2.466	.7	-999.999	-10212.2	1.734	0.000	0.000
%	1433.3	.234	.086	1.000	1.000	10.212	2.466	.7	-999.999	-10212.2	1.734	0.000	0.000
%	1433.5	.262	.059	1.000	1.000	10.212	2.466	.7	-999.999	-10212.2	1.734	0.000	0.000
%	1433.6	.278	.060	1.000	1.000	10.212	2.466	.7	-999.999	-10212.2	1.734	0.000	0.000
%	1433.8	.288	.057	1.000	1.000	10.212	2.466	.7	-999.999	-10212.2	1.734	0.000	0.000
%	1433.9	.266	.074	1.000	1.000	10.212	2.466	.7	-999.999	-10212.2	1.734	0.000	0.000
%	1434.1	.226	.075	1.000	1.000	10.212	2.466	.7	-999.999	-10212.2	1.734	0.000	0.000
%	1434.2	.162	.089	1.000	1.000	10.212	2.466	.7	-999.999	-10212.2	1.734	0.000	0.000
%	1434.4	.162	.083	1.000	1.000	10.212	2.466	.7	-999.999	-10212.2	1.734	0.000	0.000
%	1434.5	.194	.077	1.000	1.000	10.212	2.466	.7	-999.999	-10212.2	1.734	0.000	0.000
%	1434.7	.241	.074	1.000	1.000	10.212	2.466	.7	-999.999	-10212.2	1.734	0.000	0.000
%	1434.8	.283	.068	1.000	1.000	10.212	2.466	.7	-999.999	-10212.2	1.734	0.000	0.000
%	1435.0	.311	.066	1.000	1.000	10.212	2.466	.7	-999.999	-10212.2	1.734	0.000	0.000
%	1435.2	.323	.068	1.000	1.000	10.212	2.466	.7	-999.999	-10212.2	1.734	0.000	0.000
%	1435.3	.331	.078	1.000	1.000	10.212	2.466	.7	-999.999	-10212.2	1.734	0.000	0.000
%	1435.5	.350	.066	.968	.968	10.212	2.466	.7	-999.999	-10212.2	1.734	0.000	0.000
%	1435.6	.355	.060	.955	.955	10.212	2.466	.7	-999.999	-10212.2	1.734	0.000	0.000
%	1435.8	.308	.068	1.000	1.000	10.212	2.466	.7	-999.999	-10212.2	1.734	0.000	0.000
%	1435.9	.248	.067	1.000	1.000	10.212	2.466	.7	-999.999	-10212.2	1.734	0.000	0.000
%	1436.1	.220	.079	1.000	1.000	10.212	2.466	.7	-999.999	-10212.2	1.734	0.000	0.000
%	1436.2	.225	.090	1.000	1.000	10.212	2.466	.7	-999.999	-10212.2	1.734	0.000	0.000
	1436.4	.314	.107	.592	1.000	10.364	2.514	.8	-999.999	-10364.0	1.763	0.000	0.000
	1436.5	.248	.098	.672	1.000	10.517	2.551	.8	-999.999	-10517.1	1.788	0.000	0.000
%	1436.7	.211	.079	1.000	1.000	10.517	2.551	.8	-999.999	-10517.1	1.788	0.000	0.000
%	1436.8	.191	.092	1.000	1.000	10.517	2.551	.8	-999.999	-10517.1	1.788	0.000	0.000
	1437.0	.157	.089	.936	1.000	10.669	2.575	.8	-999.999	-10669.2	1.810	0.000	0.000
%	1437.1	.145	.101	1.000	1.000	10.669	2.575	.8	-999.999	-10669.2	1.810	0.000	0.000
%	1437.3	.125	.102	1.000	1.000	10.669	2.575	.8	-999.999	-10669.2	1.810	0.000	0.000
	1437.4	.171	.072	.423	1.000	10.821	2.601	.8	-999.999	-10821.3	1.821	0.000	0.000
	1437.6	.099	.049	.994	1.000	10.974	2.616	.8	-999.999	-10974.1	1.836	0.000	0.000
	1437.7	.278	.030	.584	.584	11.126	2.659	.8	-999.999	-11126.2	1.861	0.000	0.000
	1437.9	.340	.009	.437	.437	11.278	2.710	.8	-999.999	-11278.1	1.884	0.000	0.000
	1438.0	.204	.009	.577	.577	11.431	2.741	.8	-999.999	-11431.1	1.902	0.000	0.000
%	1438.2	.092	.023	1.000	1.000	11.431	2.741	.8	-999.999	-11431.1	1.902	0.000	0.000
%	1438.4	.083	.023	1.000	1.000	11.431	2.741	.8	-999.999	-11431.1	1.902	0.000	0.000
%	1438.5	.077	.022	1.000	1.000	11.431	2.741	.8	-999.999	-11431.1	1.902	0.000	0.000
%	1438.7	.085	.022	1.000	1.000	11.431	2.741	.8	-999.999	-11431.1	1.902	0.000	0.000
%	1438.8	.089	.022	1.000	1.000	11.431	2.741	.8	-999.999	-11431.1	1.902	0.000	0.000
%	1439.0	.107	.016	1.000	1.000	11.431	2.741	.8	-999.999	-11431.1	1.902	0.000	0.000
	1439.1	.122	.012	.929	.929	11.584	2.760	.8	-999.999	-11584.2	1.919	0.000	0.000
	1439.3	.159	.012	.701	.701	11.736	2.784	.8	-999.999	-11736.1	1.936	0.000	0.000
	1439.4	.235	0.000	.511	.511	11.888	2.820	.9	-999.999	-11888.2	1.954	0.000	0.000
	1439.6	.284	0.000	.462	.462	12.041	2.864	.9	-999.999	-12041.0	1.974	0.000	0.000
	1439.7	.303	0.000	.432	.432	12.193	2.910	.9	-999.999	-12193.1	1.994	0.000	0.000
	1439.9	.103	.022	.846	.846	12.346	2.925	.9	-999.999	-12346.2	2.007	0.000	0.000
	1440.0	.185	.006	.580	.580	12.498	2.953	.9	-999.999	-12498.0	2.024	0.000	0.000
	1440.2	.174	.002	.631	.631	12.650	2.980	.9	-999.999	-12650.1	2.040	0.000	0.000
%	1440.3	.111	0.000	1.000	1.000	12.650	2.980	.9	-999.999	-12650.1	2.040	0.000	0.000
%	1440.5	.091	.016	1.000	1.000	12.650	2.980	.9	-999.999	-12650.1	2.040	0.000	0.000
%	1440.6	.116	.009	1.000	1.000	12.650	2.980	.9	-999.999	-12650.1	2.040	0.000	0.000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

047

WEST SEAHORSE 1
SHALLOW SECTION ZONE-A

SECTION FROM 1395.0 TO 1570.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
1440.8	.218	0.000	.598	.598	12.802	3.013	1.0	-999.999	-12802.0	2.060	0.000	0.000
1440.9	.221	.002	.571	.571	12.954	3.047	1.0	-999.999	-12954.1	2.079	0.000	0.000
1441.1	.226	.003	.561	.561	13.107	3.081	1.0	-999.999	-13107.2	2.099	0.000	0.000
% 1441.2	.112	.011	1.000	1.000	13.107	3.081	1.0	-999.999	-13107.2	2.099	0.000	0.000
% 1441.4	.116	.014	1.000	1.000	13.107	3.081	1.0	-999.999	-13107.2	2.099	0.000	0.000
1441.6	.160	.014	.793	.793	13.259	3.105	1.0	-999.999	-13259.3	2.118	0.000	0.000
1441.7	.249	.027	.517	.517	13.411	3.143	1.0	-999.999	-13411.1	2.138	0.000	0.000
% 1441.9	.364	.029	.405	.405	13.411	3.143	1.0	-999.999	-13411.1	2.138	0.000	0.000
1442.0	.248	.048	.631	.631	13.563	3.181	1.0	-999.999	-13563.0	2.161	0.000	0.000
% 1442.2	.146	.036	1.000	1.000	13.563	3.181	1.0	-999.999	-13563.0	2.161	0.000	0.000
1442.3	.276	.107	.696	1.000	13.715	3.223	1.0	-999.999	-13715.1	2.191	0.000	0.000
% 1442.5	.444	.114	.318	1.000	13.715	3.223	1.0	-999.999	-13715.1	2.191	0.000	0.000
% 1442.6	.427	.116	.415	1.000	13.715	3.223	1.0	-999.999	-13715.1	2.191	0.000	0.000
% 1442.8	.255	.112	1.000	1.000	13.715	3.223	1.0	-999.999	-13715.1	2.191	0.000	0.000
% 1442.9	.196	.101	1.000	1.000	13.715	3.223	1.0	-999.999	-13715.1	2.191	0.000	0.000
% 1443.1	.166	.100	1.000	1.000	13.715	3.223	1.0	-999.999	-13715.1	2.191	0.000	0.000
% 1443.2	.171	.092	1.000	1.000	13.715	3.223	1.0	-999.999	-13715.1	2.191	0.000	0.000
% 1443.4	.167	.094	1.000	1.000	13.715	3.223	1.0	-999.999	-13715.1	2.191	0.000	0.000
% 1443.5	.161	.096	1.000	1.000	13.715	3.223	1.0	-999.999	-13715.1	2.191	0.000	0.000
% 1443.7	.173	.094	1.000	1.000	13.715	3.223	1.0	-999.999	-13715.1	2.191	0.000	0.000
% 1443.8	.184	.102	1.000	1.000	13.715	3.223	1.0	-999.999	-13715.1	2.191	0.000	0.000
% 1444.0	.207	.105	1.000	1.000	13.715	3.223	1.0	-999.999	-13715.1	2.191	0.000	0.000
% 1444.1	.207	.105	1.000	1.000	13.715	3.223	1.0	-999.999	-13715.1	2.191	0.000	0.000
% 1444.3	.236	.101	1.000	1.000	13.715	3.223	1.0	-999.999	-13715.1	2.191	0.000	0.000
% 1444.4	.234	.104	1.000	1.000	13.715	3.223	1.0	-999.999	-13715.1	2.191	0.000	0.000
% 1444.6	.234	.102	1.000	1.000	13.715	3.223	1.0	-999.999	-13715.1	2.191	0.000	0.000
% 1444.8	.220	.082	1.000	1.000	13.715	3.223	1.0	-999.999	-13715.1	2.191	0.000	0.000
% 1444.9	.179	.075	1.000	1.000	13.715	3.223	1.0	-999.999	-13715.1	2.191	0.000	0.000
% 1445.1	.146	.098	1.000	1.000	13.715	3.223	1.0	-999.999	-13715.1	2.191	0.000	0.000
1445.2	.135	.125	.992	1.000	13.868	3.244	1.0	-999.999	-13868.2	2.211	0.000	0.000
1445.4	.276	.108	.392	1.000	14.020	3.286	1.1	-999.999	-14020.0	2.228	0.000	0.000
1445.5	.236	.084	.354	1.000	14.172	3.321	1.1	-999.999	-14172.1	2.240	0.000	0.000
1445.7	.181	.054	.298	.922	14.325	3.349	1.1	-999.999	-14325.2	2.248	0.000	0.000
1445.8	.143	.008	.300	1.000	14.477	3.371	1.1	-999.999	-14477.0	2.255	0.000	0.000
% 1446.0	.127	0.000	1.000	1.000	14.477	3.371	1.1	-999.999	-14477.0	2.255	0.000	0.000
1446.1	.116	0.000	.937	.937	14.629	3.388	1.1	-999.999	-14628.9	2.271	0.000	0.000
1446.3	.151	0.000	.592	.592	14.781	3.411	1.1	-999.999	-14781.0	2.285	0.000	0.000
1446.4	.258	.039	.335	.626	14.934	3.451	1.2	-999.999	-14934.1	2.298	0.000	0.000
1446.6	.314	.027	.470	.470	15.086	3.498	1.2	-999.999	-15085.9	2.321	0.000	0.000
% 1446.7	.387	.042	.510	.510	15.086	3.498	1.2	-999.999	-15085.9	2.321	0.000	0.000
1446.9	.349	.056	.741	.855	15.238	3.551	1.2	-999.999	-15238.0	2.360	0.000	0.000
% 1447.0	.359	.058	.785	.834	15.238	3.551	1.2	-999.999	-15238.0	2.360	0.000	0.000
% 1447.2	.368	.060	.742	.764	15.238	3.551	1.2	-999.999	-15238.0	2.360	0.000	0.000
1447.3	.339	.068	.842	.850	15.390	3.603	1.2	-999.999	-15390.1	2.403	0.000	0.000
1447.5	.323	.066	.902	1.000	15.543	3.652	1.2	-999.999	-15543.0	2.448	0.000	0.000
1447.6	.333	.050	.946	1.000	15.695	3.703	1.2	-999.999	-15695.1	2.496	0.000	0.000
% 1447.8	.319	.023	1.000	1.000	15.695	3.703	1.2	-999.999	-15695.1	2.496	0.000	0.000
% 1448.0	.412	.018	.739	.739	15.695	3.703	1.2	-999.999	-15695.1	2.496	0.000	0.000
% 1448.1	.480	.019	.588	.588	15.695	3.703	1.2	-999.999	-15695.1	2.496	0.000	0.000
% 1448.3	.508	.032	.560	.560	15.695	3.703	1.2	-999.999	-15695.1	2.496	0.000	0.000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
SHALLOW SECTION ZONE-A

SECTION FROM 1395.0 TO 1570.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	1448.4	.474	.039	.649	.663	15.695	3.703	1.2	-999.999	-15695.1	2.496	0.000	0.000
%	1448.6	.489	.033	.639	.639	15.695	3.703	1.2	-999.999	-15695.1	2.496	0.000	0.000
%	1448.7	.493	.021	.640	.640	15.695	3.703	1.2	-999.999	-15695.1	2.496	0.000	0.000
%	1448.9	.482	.028	.694	.694	15.695	3.703	1.2	-999.999	-15695.1	2.496	0.000	0.000
%	1449.0	.508	.030	.647	.647	15.695	3.703	1.2	-999.999	-15695.1	2.496	0.000	0.000
%	1449.2	.545	.050	.516	.516	15.695	3.703	1.2	-999.999	-15695.1	2.496	0.000	0.000
%	1449.3	.488	.076	.509	.555	15.695	3.703	1.2	-999.999	-15695.1	2.496	0.000	0.000
%	1449.5	.510	.080	.463	.463	15.695	3.703	1.2	-999.999	-15695.1	2.496	0.000	0.000
%	1449.6	.452	.092	.460	.818	15.695	3.703	1.2	-999.999	-15695.1	2.496	0.000	0.000
%	1449.8	.475	.085	.472	1.000	15.695	3.703	1.2	-999.999	-15695.1	2.496	0.000	0.000
%	1449.9	.437	.077	.651	1.000	15.695	3.703	1.2	-999.999	-15695.1	2.496	0.000	0.000
%	1450.1	.362	.085	.976	1.000	15.695	3.703	1.2	-999.999	-15695.1	2.496	0.000	0.000
%	1450.2	.360	.080	1.000	1.000	15.695	3.703	1.2	-999.999	-15695.1	2.496	0.000	0.000
%	1450.4	.373	.068	1.000	1.000	15.695	3.703	1.2	-999.999	-15695.1	2.496	0.000	0.000
%	1450.5	.370	.066	1.000	1.000	15.695	3.703	1.2	-999.999	-15695.1	2.496	0.000	0.000
%	1450.7	.361	.064	.966	1.000	15.695	3.703	1.2	-999.999	-15695.1	2.496	0.000	0.000
	1450.8	.344	.072	.948	1.000	15.847	3.755	1.2	-999.999	-15847.2	2.545	0.000	0.000
	1451.0	.335	.072	.910	1.000	16.000	3.807	1.2	-999.999	-16000.2	2.592	0.000	0.000
	1451.2	.316	.073	.797	1.000	16.152	3.855	1.2	-999.999	-16152.1	2.630	0.000	0.000
	1451.3	.320	.080	.825	1.000	16.305	3.904	1.2	-999.999	-16305.2	2.671	0.000	0.000
	1451.5	.333	.081	.899	1.000	16.457	3.954	1.2	-999.999	-16457.3	2.716	0.000	0.000
%	1451.6	.360	.077	.901	1.000	16.457	3.954	1.2	-999.999	-16457.3	2.716	0.000	0.000
%	1451.8	.359	.076	1.000	1.000	16.457	3.954	1.2	-999.999	-16457.3	2.716	0.000	0.000
%	1451.9	.332	.082	1.000	1.000	16.457	3.954	1.2	-999.999	-16457.3	2.716	0.000	0.000
%	1452.1	.330	.092	1.000	1.000	16.457	3.954	1.2	-999.999	-16457.3	2.716	0.000	0.000
%	1452.2	.331	.095	1.000	1.000	16.457	3.954	1.2	-999.999	-16457.3	2.716	0.000	0.000
	1452.4	.300	.086	.959	1.000	16.609	4.000	1.2	-999.999	-16609.1	2.760	0.000	0.000
	1452.5	.275	.091	.956	1.000	16.762	4.042	1.2	-999.999	-16762.2	2.800	0.000	0.000
%	1452.7	.241	.089	1.000	1.000	16.762	4.042	1.2	-999.999	-16762.2	2.800	0.000	0.000
%	1452.8	.232	.094	1.000	1.000	16.762	4.042	1.2	-999.999	-16762.2	2.800	0.000	0.000
%	1453.0	.237	.085	1.000	1.000	16.762	4.042	1.2	-999.999	-16762.2	2.800	0.000	0.000
%	1453.1	.235	.076	1.000	1.000	16.762	4.042	1.2	-999.999	-16762.2	2.800	0.000	0.000
%	1453.3	.223	.072	.850	1.000	16.915	4.076	1.2	-999.999	-16915.3	2.829	0.000	0.000
%	1453.4	.149	.082	1.000	1.000	16.915	4.076	1.2	-999.999	-16915.3	2.829	0.000	0.000
%	1453.6	.147	.099	1.000	1.000	16.915	4.076	1.2	-999.999	-16915.3	2.829	0.000	0.000
%	1453.7	.178	.102	1.000	1.000	16.915	4.076	1.2	-999.999	-16915.3	2.829	0.000	0.000
%	1453.9	.200	.102	1.000	1.000	16.915	4.076	1.2	-999.999	-16915.3	2.829	0.000	0.000
%	1454.0	.203	.100	1.000	1.000	16.915	4.076	1.2	-999.999	-16915.3	2.829	0.000	0.000
%	1454.2	.216	.102	1.000	1.000	16.915	4.076	1.2	-999.999	-16915.3	2.829	0.000	0.000
%	1454.4	.216	.104	1.000	1.000	16.915	4.076	1.2	-999.999	-16915.3	2.829	0.000	0.000
%	1454.5	.224	.091	1.000	1.000	16.915	4.076	1.2	-999.999	-16915.3	2.829	0.000	0.000
%	1454.7	.234	.107	1.000	1.000	16.915	4.076	1.2	-999.999	-16915.3	2.829	0.000	0.000
%	1454.8	.288	.113	1.000	1.000	16.915	4.076	1.2	-999.999	-16915.3	2.829	0.000	0.000
%	1455.0	.338	.132	1.000	1.000	16.915	4.076	1.2	-999.999	-16915.3	2.829	0.000	0.000
%	1455.1	.340	.158	1.000	1.000	16.915	4.076	1.2	-999.999	-16915.3	2.829	0.000	0.000
%	1455.3	.327	.151	.941	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
%	1455.4	.326	.153	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
%	1455.6	.258	.114	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
%	1455.7	.224	.099	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
%	1455.9	.209	.112	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
SHALLOW SECTION ZONE-A

SECTION FROM 1395.0 TO 1570.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
X 1456.0	.202	.114	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1456.2	.192	.132	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1456.3	.194	.131	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1456.5	.221	.127	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1456.6	.233	.124	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1456.8	.223	.139	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1456.9	.201	.145	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1457.1	.143	.131	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1457.2	.127	.127	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1457.4	.115	.115	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1457.6	.100	.100	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1457.7	.100	.100	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1457.9	.113	.113	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1458.0	.123	.123	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1458.2	.121	.121	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1458.3	.123	.119	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1458.5	.142	.109	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1458.6	.134	.090	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1458.8	.160	.085	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1458.9	.186	.128	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1459.1	.179	.145	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1459.2	.148	.137	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1459.4	.109	.109	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1459.5	.112	.109	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1459.7	.112	.112	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1459.8	.115	.115	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1460.0	.121	.121	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1460.1	.126	.126	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1460.3	.126	.108	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1460.4	.131	.092	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1460.6	.127	.092	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1460.8	.135	.086	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1460.9	.133	.088	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1461.1	.138	.085	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1461.2	.140	.089	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1461.4	.138	.089	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1461.5	.140	.088	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1461.7	.123	.098	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1461.8	.113	.111	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1462.0	.125	.125	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1462.1	.132	.132	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
X 1462.3	.172	.172	1.000	1.000	17.067	4.126	1.2	-999.999	-17067.1	2.876	0.000	0.000
1462.4	.198	.157	.792	1.000	17.220	4.156	1.3	-999.999	-17220.2	2.900	0.000	0.000
1462.6	.119	.116	.976	1.000	17.372	4.174	1.3	-999.999	-17372.3	2.917	0.000	0.000
X 1462.7	.097	.097	1.000	1.000	17.372	4.174	1.3	-999.999	-17372.3	2.917	0.000	0.000
1462.9	.125	.092	.740	1.000	17.524	4.193	1.3	-999.999	-17524.4	2.931	0.000	0.000
1463.0	.140	.107	.764	1.000	17.676	4.214	1.3	-999.999	-17676.3	2.948	0.000	0.000
X 1463.2	.126	.126	1.000	1.000	17.676	4.214	1.3	-999.999	-17676.3	2.948	0.000	0.000
X 1463.3	.145	.085	1.000	1.000	17.676	4.214	1.3	-999.999	-17676.3	2.948	0.000	0.000
X 1463.5	.209	.064	1.000	1.000	17.676	4.214	1.3	-999.999	-17676.3	2.948	0.000	0.000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

050

WEST SEAHORSE 1
SHALLOW SECTION ZONE-A

SECTION FROM 1395.0 TO 1570.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
X 1463.6	.282	.078	1.0000	1.0000	17.676	4.214	1.3	-999.999	-17676.3	2.948	0.0000	0.0000
X 1463.8	.361	.074	1.0000	1.0000	17.676	4.214	1.3	-999.999	-17676.3	2.948	0.0000	0.0000
X 1464.0	.366	.080	1.0000	1.0000	17.676	4.214	1.3	-999.999	-17676.3	2.948	0.0000	0.0000
X 1464.1	.337	.082	1.0000	1.0000	17.676	4.214	1.3	-999.999	-17676.3	2.948	0.0000	0.0000
X 1464.3	.311	.092	1.0000	1.0000	17.676	4.214	1.3	-999.999	-17676.3	2.948	0.0000	0.0000
X 1464.4	.275	.109	1.0000	1.0000	17.676	4.214	1.3	-999.999	-17676.3	2.948	0.0000	0.0000
X 1464.6	.250	.131	1.0000	1.0000	17.676	4.214	1.3	-999.999	-17676.3	2.948	0.0000	0.0000
X 1464.7	.187	.116	1.0000	1.0000	17.676	4.214	1.3	-999.999	-17676.3	2.948	0.0000	0.0000
X 1464.9	.150	.097	1.0000	1.0000	17.676	4.214	1.3	-999.999	-17676.3	2.948	0.0000	0.0000
X 1465.0	.142	.083	1.0000	1.0000	17.676	4.214	1.3	-999.999	-17676.3	2.948	0.0000	0.0000
X 1465.2	.150	.082	1.0000	1.0000	17.676	4.214	1.3	-999.999	-17676.3	2.948	0.0000	0.0000
X 1465.3	.161	.114	1.0000	1.0000	17.676	4.214	1.3	-999.999	-17676.3	2.948	0.0000	0.0000
X 1465.5	.166	.165	1.0000	1.0000	17.676	4.214	1.3	-999.999	-17676.3	2.948	0.0000	0.0000
X 1465.6	.160	.144	1.0000	1.0000	17.676	4.214	1.3	-999.999	-17676.3	2.948	0.0000	0.0000
X 1465.8	.129	.114	1.0000	1.0000	17.676	4.214	1.3	-999.999	-17676.3	2.948	0.0000	0.0000
1465.9	.197	.138	.816	.816	17.828	4.244	1.3	-999.999	-17828.1	2.972	0.0000	0.0000
X 1466.1	.123	.123	1.0000	1.0000	17.828	4.244	1.3	-999.999	-17828.1	2.972	0.0000	0.0000
X 1466.2	.102	.102	1.0000	1.0000	17.828	4.244	1.3	-999.999	-17828.1	2.972	0.0000	0.0000
1466.4	.203	.144	.708	.708	17.980	4.275	1.3	-999.999	-17980.0	2.994	0.0000	0.0000
X 1466.5	.153	.153	1.0000	1.0000	17.980	4.275	1.3	-999.999	-17980.0	2.994	0.0000	0.0000
X 1466.7	.123	.123	1.0000	1.0000	17.980	4.275	1.3	-999.999	-17980.0	2.994	0.0000	0.0000
X 1466.9	.148	.110	1.0000	1.0000	17.980	4.275	1.3	-999.999	-17980.0	2.994	0.0000	0.0000
1467.0	.228	.099	.868	.868	18.133	4.310	1.3	-999.999	-18133.0	3.024	0.0000	0.0000
1467.2	.272	.084	.991	.991	18.285	4.351	1.3	-999.999	-18284.9	3.065	0.0000	0.0000
1467.3	.294	.092	.976	.976	18.438	4.396	1.3	-999.999	-18438.0	3.109	0.0000	0.0000
X 1467.5	.280	.086	1.0000	1.0000	18.438	4.396	1.3	-999.999	-18438.0	3.109	0.0000	0.0000
X 1467.6	.278	.085	1.0000	1.0000	18.438	4.396	1.3	-999.999	-18438.0	3.109	0.0000	0.0000
X 1467.8	.300	.078	1.0000	1.0000	18.438	4.396	1.3	-999.999	-18438.0	3.109	0.0000	0.0000
X 1467.9	.272	.087	1.0000	1.0000	18.438	4.396	1.3	-999.999	-18438.0	3.109	0.0000	0.0000
1468.1	.255	.107	.938	.938	18.591	4.435	1.3	-999.999	-18590.8	3.146	0.0000	0.0000
1468.2	.224	.118	.931	.931	18.743	4.469	1.3	-999.999	-18742.9	3.177	0.0000	0.0000
X 1468.4	.191	.129	1.0000	1.0000	18.743	4.469	1.3	-999.999	-18742.9	3.177	0.0000	0.0000
1468.5	.164	.121	.842	.842	18.896	4.494	1.3	-999.999	-18896.0	3.199	0.0000	0.0000
1468.7	.162	.123	.757	.757	19.048	4.519	1.3	-999.999	-19048.1	3.217	0.0000	0.0000
1468.8	.140	.124	.884	.884	19.201	4.540	1.3	-999.999	-19200.9	3.236	0.0000	0.0000
1469.0	.139	.121	.872	.872	19.353	4.562	1.3	-999.999	-19353.0	3.255	0.0000	0.0000
1469.1	.142	.124	.873	.873	19.505	4.583	1.3	-999.999	-19505.1	3.273	0.0000	0.0000
X 1469.3	.141	.141	1.0000	1.0000	19.505	4.583	1.3	-999.999	-19505.1	3.273	0.0000	0.0000
X 1469.4	.141	.141	1.0000	1.0000	19.505	4.583	1.3	-999.999	-19505.1	3.273	0.0000	0.0000
X 1469.6	.136	.136	1.0000	1.0000	19.505	4.583	1.3	-999.999	-19505.1	3.273	0.0000	0.0000
1469.7	.128	.128	.999	.999	19.657	4.603	1.3	-999.999	-19657.0	3.293	0.0000	0.0000
1469.9	.131	.119	.906	.906	19.809	4.623	1.3	-999.999	-19809.1	3.311	0.0000	0.0000
1470.1	.101	.096	.953	.953	19.962	4.638	1.3	-999.999	-19961.9	3.326	0.0000	0.0000
X 1470.2	.073	.073	1.0000	1.0000	19.962	4.638	1.3	-999.999	-19961.9	3.326	0.0000	0.0000
X 1470.4	.057	.057	1.0000	1.0000	19.962	4.638	1.3	-999.999	-19961.9	3.326	0.0000	0.0000
X 1470.5	.046	.040	1.0000	1.0000	19.962	4.638	1.3	-999.999	-19961.9	3.326	0.0000	0.0000
1470.7	.118	.022	.538	.538	20.114	4.656	1.3	-999.999	-20114.0	3.335	0.0000	0.0000
1470.8	.166	.012	.456	.456	20.267	4.681	1.3	-999.999	-20267.1	3.347	0.0000	0.0000
1471.0	.198	.000	.432	.432	20.419	4.711	1.4	-999.999	-20418.9	3.360	0.0000	0.0000
1471.1	.213	.006	.413	.413	20.572	4.744	1.4	-999.999	-20572.0	3.373	0.0000	0.0000

* -RAW DATA CUT OFF

X -OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& -MINIMUM SW SET

051

WEST SEAHORSE 1
SHALLOW SECTION ZONE-A

SECTION FROM 1395.0 TO 1570.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
	1471.3	.085	.022	.801	.801	20.724	4.757	1.4	-999.999	-20724.1	3.384	0.000	0.000
	1471.4	.066	.028	.976	.976	20.876	4.767	1.4	-999.999	-20875.9	3.393	0.000	0.000
X	1471.6	.051	.035	1.000	1.000	20.876	4.767	1.4	-999.999	-20875.9	3.393	0.000	0.000
	1471.7	.104	.014	.777	.777	21.028	4.783	1.4	-999.999	-21027.8	3.406	0.000	0.000
	1471.9	.114	.016	.730	.730	21.181	4.800	1.4	-999.999	-21180.9	3.419	0.000	0.000
	1472.0	.139	.013	.641	.641	21.333	4.821	1.4	-999.999	-21333.0	3.432	0.000	0.000
X	1472.2	.075	.022	1.000	1.000	21.333	4.821	1.4	-999.999	-21333.0	3.432	0.000	0.000
	1472.3	.132	.014	.665	.665	21.486	4.841	1.4	-999.999	-21486.0	3.445	0.000	0.000
	1472.5	.161	.011	.577	.577	21.638	4.866	1.4	-999.999	-21638.1	3.460	0.000	0.000
	1472.6	.134	.015	.656	.656	21.791	4.887	1.4	-999.999	-21791.0	3.473	0.000	0.000
X	1472.8	.084	.024	1.000	1.000	21.791	4.887	1.4	-999.999	-21791.0	3.473	0.000	0.000
X	1472.9	.084	.027	1.000	1.000	21.791	4.887	1.4	-999.999	-21791.0	3.473	0.000	0.000
X	1473.1	.083	.024	1.000	1.000	21.791	4.887	1.4	-999.999	-21791.0	3.473	0.000	0.000
	1473.3	.120	.018	.762	.762	21.943	4.905	1.4	-999.999	-21943.1	3.487	0.000	0.000
	1473.4	.105	.022	.828	.828	22.096	4.921	1.4	-999.999	-22095.9	3.500	0.000	0.000
	1473.6	.101	.018	.896	.896	22.248	4.936	1.4	-999.999	-22248.0	3.514	0.000	0.000
X	1473.7	.083	.022	1.000	1.000	22.248	4.936	1.4	-999.999	-22248.0	3.514	0.000	0.000
	1473.9	.132	.019	.735	.735	22.401	4.956	1.4	-999.999	-22400.8	3.529	0.000	0.000
	1474.0	.109	.028	.807	.807	22.553	4.973	1.4	-999.999	-22552.9	3.542	0.000	0.000
	1474.2	.113	.023	.753	.753	22.706	4.990	1.4	-999.999	-22706.0	3.555	0.000	0.000
	1474.3	.147	.029	.559	.559	22.858	5.013	1.4	-999.999	-22857.9	3.568	0.000	0.000
	1474.5	.232	.021	.413	.413	23.010	5.048	1.5	-999.999	-23010.0	3.582	0.000	0.000
	1474.6	.185	.041	.432	.432	23.163	5.076	1.5	-999.999	-23162.8	3.595	0.000	0.000
	1474.8	.289	.037	.342	.342	23.315	5.120	1.5	-999.999	-23314.9	3.610	0.000	0.000
	1474.9	.149	.041	.918	.918	23.468	5.143	1.5	-999.999	-23468.0	3.631	0.000	0.000
	1475.1	.207	.069	.929	.929	23.620	5.174	1.5	-999.999	-23619.8	3.660	0.000	0.000
	1475.2	.178	.086	.904	1.000	23.772	5.201	1.5	-999.999	-23771.9	3.684	0.000	0.000
	1475.4	.174	.078	.771	1.000	23.925	5.228	1.5	-999.999	-23925.0	3.705	0.000	0.000
X	1475.5	.193	.090	1.000	1.000	23.925	5.228	1.5	-999.999	-23925.0	3.705	0.000	0.000
X	1475.7	.197	.084	1.000	1.000	23.925	5.228	1.5	-999.999	-23925.0	3.705	0.000	0.000
X	1475.8	.229	.105	1.000	1.000	23.925	5.228	1.5	-999.999	-23925.0	3.705	0.000	0.000
X	1476.0	.245	.111	1.000	1.000	23.925	5.228	1.5	-999.999	-23925.0	3.705	0.000	0.000
X	1476.1	.241	.099	1.000	1.000	23.925	5.228	1.5	-999.999	-23925.0	3.705	0.000	0.000
X	1476.3	.216	.086	1.000	1.000	23.925	5.228	1.5	-999.999	-23925.0	3.705	0.000	0.000
X	1476.5	.206	.079	1.000	1.000	23.925	5.228	1.5	-999.999	-23925.0	3.705	0.000	0.000
X	1476.6	.204	.080	1.000	1.000	23.925	5.228	1.5	-999.999	-23925.0	3.705	0.000	0.000
X	1476.8	.203	.076	1.000	1.000	23.925	5.228	1.5	-999.999	-23925.0	3.705	0.000	0.000
X	1476.9	.211	.083	1.000	1.000	23.925	5.228	1.5	-999.999	-23925.0	3.705	0.000	0.000
X	1477.1	.230	.103	1.000	1.000	23.925	5.228	1.5	-999.999	-23925.0	3.705	0.000	0.000
X	1477.2	.271	.174	1.000	1.000	23.925	5.228	1.5	-999.999	-23925.0	3.705	0.000	0.000
	1477.4	.266	.166	.890	.890	24.077	5.269	1.5	-999.999	-24077.1	3.741	0.000	0.000
X	1477.5	.165	.109	1.000	1.000	24.077	5.269	1.5	-999.999	-24077.1	3.741	0.000	0.000
X	1477.7	.127	.067	1.000	1.000	24.077	5.269	1.5	-999.999	-24077.1	3.741	0.000	0.000
X	1477.8	.077	.058	1.000	1.000	24.077	5.269	1.5	-999.999	-24077.1	3.741	0.000	0.000
	1478.0	.112	.039	.546	.546	24.230	5.286	1.5	-999.999	-24229.9	3.750	0.000	0.000
	1478.1	.195	.031	.335	.335	24.382	5.315	1.6	-999.999	-24382.0	3.760	0.000	0.000
	1478.3	.301	.020	.237	.237	24.534	5.361	1.6	-999.999	-24533.9	3.771	0.000	0.000
	1478.4	.328	.024	.162	.162	24.687	5.411	1.6	-999.999	-24686.9	3.779	0.000	0.000
	1478.6	.329	.024	.128	.128	24.839	5.461	1.7	-999.999	-24839.0	3.786	0.000	0.000
	1478.7	.257	.035	.136	.136	24.992	5.501	1.7	-999.999	-24991.9	3.791	0.000	0.000

* =RAW DATA CUT OFF

X =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
SHALLOW SECTION ZONE-A

SECTION FROM 1395.0 TO 1570.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
	1478.9	.265	.033	.126	.158	25.144	5.541	1.7	-999.999	-25144.0	3.796	0.000	0.000
	1479.0	.315	.029	.093	.101	25.296	5.589	1.8	-999.999	-25296.1	3.800	0.000	0.000
X	1479.2	.353	.023	.066	.066	25.296	5.589	1.8	-999.999	-25296.1	3.800	0.000	0.000
	1479.3	.301	.021	.068	.106	25.448	5.635	1.8	-999.999	-25448.2	3.804	0.000	0.000
	1479.5	.256	.036	.140	.179	25.601	5.674	1.9	-999.999	-25601.2	3.809	0.000	0.000
	1479.7	.326	.064	.197	.197	25.753	5.724	1.9	-999.999	-25753.1	3.819	0.000	0.000
	1479.8	.159	.084	.528	.528	25.905	5.748	1.9	-999.999	-25905.2	3.832	0.000	0.000
X	1480.0	.105	.079	1.000	1.000	25.905	5.748	1.9	-999.999	-25905.2	3.832	0.000	0.000
X	1480.1	.111	.086	1.000	1.000	25.905	5.748	1.9	-999.999	-25905.2	3.832	0.000	0.000
X	1480.3	.135	.099	1.000	1.000	25.905	5.748	1.9	-999.999	-25905.2	3.832	0.000	0.000
X	1480.4	.178	.087	1.000	1.000	25.905	5.748	1.9	-999.999	-25905.2	3.832	0.000	0.000
X	1480.6	.246	.064	1.000	1.000	25.905	5.748	1.9	-999.999	-25905.2	3.832	0.000	0.000
X	1480.7	.253	.058	1.000	1.000	25.905	5.748	1.9	-999.999	-25905.2	3.832	0.000	0.000
X	1480.9	.280	.068	1.000	1.000	25.905	5.748	1.9	-999.999	-25905.2	3.832	0.000	0.000
X	1481.0	.274	.074	1.000	1.000	25.905	5.748	1.9	-999.999	-25905.2	3.832	0.000	0.000
X	1481.2	.263	.074	1.000	1.000	25.905	5.748	1.9	-999.999	-25905.2	3.832	0.000	0.000
X	1481.3	.261	.063	1.000	1.000	25.905	5.748	1.9	-999.999	-25905.2	3.832	0.000	0.000
X	1481.5	.234	.042	1.000	1.000	25.905	5.748	1.9	-999.999	-25905.2	3.832	0.000	0.000
X	1481.6	.196	.026	1.000	1.000	25.905	5.748	1.9	-999.999	-25905.2	3.832	0.000	0.000
X	1481.8	.193	.017	1.000	1.000	25.905	5.748	1.9	-999.999	-25905.2	3.832	0.000	0.000
	1481.9	.233	.027	.775	.775	26.057	5.783	1.9	-999.999	-26057.3	3.859	0.000	0.000
	1482.1	.201	.024	.600	.600	26.209	5.814	1.9	-999.999	-26209.1	3.877	0.000	0.000
	1482.2	.095	.031	.775	.775	26.362	5.828	1.9	-999.999	-26362.2	3.889	0.000	0.000
X	1482.4	.091	.050	1.000	1.000	26.362	5.828	1.9	-999.999	-26362.2	3.889	0.000	0.000
	1482.5	.179	.062	.826	.826	26.515	5.856	1.9	-999.999	-26515.1	3.911	0.000	0.000
	1482.7	.138	.090	.937	1.000	26.667	5.877	1.9	-999.999	-26667.1	3.931	0.000	0.000
	1482.9	.141	.089	.976	1.000	26.819	5.898	1.9	-999.999	-26819.0	3.952	0.000	0.000
X	1483.0	.172	.100	1.000	1.000	26.819	5.898	1.9	-999.999	-26819.0	3.952	0.000	0.000
	1483.2	.219	.098	.829	1.000	26.971	5.931	2.0	-999.999	-26971.1	3.979	0.000	0.000
	1483.3	.299	.078	.622	1.000	27.124	5.977	2.0	-999.999	-27123.9	4.008	0.000	0.000
	1483.5	.292	.069	.641	1.000	27.276	6.021	2.0	-999.999	-27276.0	4.036	0.000	0.000
	1483.6	.324	.069	.625	1.000	27.428	6.071	2.0	-999.999	-27428.1	4.067	0.000	0.000
	1483.8	.331	.066	.572	1.000	27.581	6.121	2.0	-999.999	-27581.0	4.096	0.000	0.000
	1483.9	.331	.077	.581	1.000	27.733	6.172	2.0	-999.999	-27733.1	4.125	0.000	0.000
X	1484.1	.354	.087	.577	1.000	27.733	6.172	2.0	-999.999	-27733.1	4.125	0.000	0.000
	1484.2	.329	.111	.652	1.000	27.885	6.221	2.1	-999.999	-27884.9	4.158	0.000	0.000
	1484.4	.337	.108	.657	1.000	28.037	6.273	2.1	-999.999	-28037.0	4.191	0.000	0.000
	1484.5	.334	.105	.538	1.000	28.190	6.324	2.1	-999.999	-28189.8	4.219	0.000	0.000
	1484.7	.302	.101	.476	1.000	28.342	6.370	2.1	-999.999	-28341.9	4.241	0.000	0.000
	1484.8	.197	.100	.618	1.000	28.495	6.400	2.1	-999.999	-28495.0	4.259	0.000	0.000
	1485.0	.170	.108	.635	1.000	28.647	6.426	2.1	-999.999	-28646.9	4.276	0.000	0.000
X	1485.1	.126	.126	1.000	1.000	28.647	6.426	2.1	-999.999	-28646.9	4.276	0.000	0.000
	1485.3	.146	.131	.894	1.000	28.800	6.448	2.2	-999.999	-28799.9	4.296	0.000	0.000
	1485.4	.201	.138	.684	1.000	28.952	6.479	2.2	-999.999	-28951.8	4.317	0.000	0.000
	1485.6	.211	.168	.795	1.000	29.105	6.511	2.2	-999.999	-29104.9	4.342	0.000	0.000
	1485.7	.226	.188	.830	1.000	29.257	6.545	2.2	-999.999	-29256.7	4.371	0.000	0.000
	1485.9	.228	.158	.692	1.000	29.409	6.580	2.2	-999.999	-29408.8	4.395	0.000	0.000
	1486.1	.151	.133	.880	1.000	29.562	6.603	2.2	-999.999	-29561.9	4.415	0.000	0.000
X	1486.2	.116	.116	1.000	1.000	29.562	6.603	2.2	-999.999	-29561.9	4.415	0.000	0.000
	1486.4	.288	.084	.292	1.000	29.715	6.647	2.2	-999.999	-29715.0	4.428	0.000	0.000

* =RAW DATA CUT OFF

X =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
SHALLOW SECTION ZONE-A

SECTION FROM 1395.0 TO 1570.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
X 1486.5	.214	.0880	.630	1.000	29.867	6.680	2.2	-999.999	-29867.1	4.449	0.000	0.000
X 1486.7	.217	.083	1.000	1.000	29.867	6.680	2.2	-999.999	-29867.1	4.449	0.000	0.000
1486.8	.271	.066	.940	1.000	30.020	6.721	2.2	-999.999	-30020.1	4.488	0.000	0.000
1487.0	.287	.065	.907	1.000	30.172	6.765	2.2	-999.999	-30172.0	4.527	0.000	0.000
X 1487.1	.281	.065	1.000	1.000	30.172	6.765	2.2	-999.999	-30172.0	4.527	0.000	0.000
1487.3	.290	.073	.926	1.000	30.324	6.809	2.2	-999.999	-30324.1	4.568	0.000	0.000
1487.4	.286	.072	.969	1.000	30.476	6.852	2.2	-999.999	-30476.0	4.610	0.000	0.000
X 1487.6	.293	.064	1.000	1.000	30.476	6.852	2.2	-999.999	-30476.0	4.610	0.000	0.000
X 1487.7	.293	.062	1.000	1.000	30.476	6.852	2.2	-999.999	-30476.0	4.610	0.000	0.000
X 1487.9	.275	.062	1.000	1.000	30.476	6.852	2.2	-999.999	-30476.0	4.610	0.000	0.000
X 1488.0	.256	.068	1.000	1.000	30.476	6.852	2.2	-999.999	-30476.0	4.610	0.000	0.000
X 1488.2	.235	.060	1.000	1.000	30.476	6.852	2.2	-999.999	-30476.0	4.610	0.000	0.000
X 1488.3	.241	.122	1.000	1.000	30.476	6.852	2.2	-999.999	-30476.0	4.610	0.000	0.000
X 1488.5	.209	.177	1.000	1.000	30.476	6.852	2.2	-999.999	-30476.0	4.610	0.000	0.000
1488.6	.199	.143	.718	1.000	30.629	6.883	2.3	-999.999	-30628.8	4.632	0.000	0.000
X 1488.8	.123	.107	1.000	1.000	30.629	6.883	2.3	-999.999	-30628.8	4.632	0.000	0.000
1488.9	.331	.099	.299	.299	30.781	6.933	2.3	-999.999	-30780.9	4.647	0.000	0.000
1489.1	.309	.127	.410	.410	30.934	6.980	2.3	-999.999	-30933.7	4.666	0.000	0.000
X 1489.3	.131	.131	1.000	1.000	30.934	6.980	2.3	-999.999	-30933.7	4.666	0.000	0.000
1489.4	.135	.119	.886	1.000	31.087	7.001	2.3	-999.999	-31086.8	4.684	0.000	0.000
1489.6	.204	.122	.598	1.000	31.239	7.032	2.3	-999.999	-31238.6	4.703	0.000	0.000
1489.7	.163	.131	.982	1.000	31.391	7.057	2.3	-999.999	-31390.7	4.727	0.000	0.000
X 1489.9	.207	.131	1.000	1.000	31.391	7.057	2.3	-999.999	-31390.7	4.727	0.000	0.000
1490.0	.314	.121	.861	1.000	31.543	7.104	2.3	-999.999	-31542.8	4.768	0.000	0.000
X 1490.2	.368	.106	.794	1.000	31.543	7.104	2.3	-999.999	-31542.8	4.768	0.000	0.000
1490.3	.332	.100	.838	1.000	31.695	7.155	2.3	-999.999	-31694.7	4.811	0.000	0.000
1490.5	.251	.130	.871	1.000	31.847	7.193	2.3	-999.999	-31846.8	4.844	0.000	0.000
X 1490.6	.148	.144	1.000	1.000	31.847	7.193	2.3	-999.999	-31846.8	4.844	0.000	0.000
1490.8	.167	.135	.808	1.000	31.999	7.218	2.4	-999.999	-31998.7	4.864	0.000	0.000
1490.9	.147	.133	.907	1.000	32.152	7.241	2.4	-999.999	-32151.7	4.885	0.000	0.000
1491.1	.150	.137	.909	1.000	32.304	7.264	2.4	-999.999	-32303.6	4.906	0.000	0.000
1491.2	.197	.152	.769	1.000	32.456	7.294	2.4	-999.999	-32455.7	4.929	0.000	0.000
1491.4	.238	.156	.655	1.000	32.609	7.330	2.4	-999.999	-32608.8	4.953	0.000	0.000
1491.5	.207	.139	.672	1.000	32.761	7.362	2.4	-999.999	-32760.6	4.974	0.000	0.000
X 1491.7	.091	.091	1.000	1.000	32.761	7.362	2.4	-999.999	-32760.6	4.974	0.000	0.000
1491.8	.079	.060	.765	.765	32.913	7.374	2.4	-999.999	-32912.7	4.983	0.000	0.000
1492.0	.197	.022	.223	.223	33.065	7.403	2.4	-999.999	-33064.6	4.990	0.000	0.000
1492.1	.213	.009	.241	.241	33.218	7.436	2.4	-999.999	-33217.6	4.997	0.000	0.000
1492.3	.235	.000	.253	.253	33.370	7.472	2.5	-999.999	-33369.5	5.006	0.000	0.000
1492.5	.133	.016	.386	.386	33.523	7.492	2.5	-999.999	-33522.6	5.014	0.000	0.000
1492.6	.108	.021	.468	.468	33.675	7.509	2.5	-999.999	-33674.7	5.022	0.000	0.000
1492.8	.066	.027	.691	.691	33.827	7.519	2.5	-999.999	-33826.5	5.029	0.000	0.000
1492.9	.115	.022	.454	.454	33.980	7.536	2.5	-999.999	-33979.6	5.037	0.000	0.000
1493.1	.145	.013	.372	.372	34.132	7.558	2.5	-999.999	-34131.7	5.045	0.000	0.000
1493.2	.089	.020	.483	.483	34.285	7.572	2.5	-999.999	-34284.5	5.052	0.000	0.000
1493.4	.177	.011	.311	.311	34.437	7.599	2.5	-999.999	-34436.6	5.060	0.000	0.000
1493.5	.137	.015	.370	.370	34.589	7.620	2.6	-999.999	-34588.7	5.068	0.000	0.000
1493.7	.283	0.000	.267	.267	34.742	7.663	2.6	-999.999	-34741.6	5.079	0.000	0.000
1493.8	.235	0.000	.288	.288	34.894	7.699	2.6	-999.999	-34893.7	5.090	0.000	0.000
1494.0	.309	0.000	.278	.278	35.047	7.746	2.6	-999.999	-35046.5	5.103	0.000	0.000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

054

WEST SEAHORSE 1
SHALLOW SECTION ZONE-A

SECTION FROM 1395.0 TO 1570.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
1494.1	.229	.003	.305	.305	35.199	7.781	2.7	-999.999	-35198.6	5.113	0.000	0.000
1494.3	.199	.005	.339	.339	35.351	7.811	2.7	-999.999	-35350.7	5.124	0.000	0.000
1494.4	.148	.012	.421	.421	35.504	7.834	2.7	-999.999	-35503.5	5.133	0.000	0.000
1494.6	.267	0.000	.305	.305	35.656	7.874	2.7	-999.999	-35655.6	5.146	0.000	0.000
1494.7	.211	.003	.340	.340	35.809	7.906	2.7	-999.999	-35808.7	5.156	0.000	0.000
1494.9	.277	0.000	.293	.293	35.961	7.948	2.8	-999.999	-35960.6	5.169	0.000	0.000
1495.0	.271	0.000	.289	.289	36.113	7.990	2.8	-999.999	-36112.7	5.181	0.000	0.000
% 1495.2	.371	0.000	.267	.267	36.113	7.990	2.8	-999.999	-36112.7	5.181	0.000	0.000
1495.3	.319	0.000	.262	.262	36.265	8.038	2.8	-999.999	-36264.5	5.193	0.000	0.000
1495.5	.296	0.000	.256	.256	36.418	8.083	2.9	-999.999	-36417.6	5.205	0.000	0.000
1495.7	.257	.006	.254	.254	36.570	8.122	2.9	-999.999	-36569.4	5.215	0.000	0.000
1495.8	.201	.018	.259	.259	36.722	8.153	2.9	-999.999	-36721.5	5.223	0.000	0.000
1496.0	.133	.028	.298	.298	36.875	8.173	2.9	-999.999	-36874.6	5.229	0.000	0.000
1496.1	.208	.024	.229	.229	37.027	8.205	3.0	-999.999	-37026.5	5.236	0.000	0.000
1496.3	.297	.010	.196	.196	37.180	8.250	3.0	-999.999	-37179.5	5.245	0.000	0.000
1496.4	.292	.012	.189	.189	37.332	8.295	3.0	-999.999	-37331.6	5.253	0.000	0.000
1496.6	.221	.022	.195	.195	37.484	8.328	3.1	-999.999	-37483.5	5.260	0.000	0.000
1496.7	.205	.019	.208	.208	37.637	8.360	3.1	-999.999	-37636.6	5.267	0.000	0.000
1496.9	.233	.016	.214	.214	37.789	8.395	3.1	-999.999	-37788.4	5.274	0.000	0.000
1497.0	.298	.008	.215	.215	37.942	8.441	3.2	-999.999	-37941.5	5.284	0.000	0.000
1497.2	.273	.012	.240	.240	38.094	8.482	3.2	-999.999	-38093.6	5.294	0.000	0.000
1497.3	.217	.021	.306	.306	38.246	8.515	3.2	-999.999	-38245.5	5.304	0.000	0.000
1497.5	.229	.028	.321	.321	38.399	8.550	3.2	-999.999	-38398.5	5.315	0.000	0.000
1497.6	.207	.039	.343	.343	38.551	8.582	3.3	-999.999	-38550.6	5.326	0.000	0.000
1497.8	.173	.049	.375	.375	38.704	8.608	3.3	-999.999	-38703.5	5.336	0.000	0.000
1497.9	.114	.067	.591	.591	38.856	8.625	3.3	-999.999	-38855.6	5.346	0.000	0.000
% 1498.1	.077	.077	1.000	1.000	38.856	8.625	3.3	-999.999	-38855.6	5.346	0.000	0.000
% 1498.2	.068	.068	1.000	1.000	38.856	8.625	3.3	-999.999	-38855.6	5.346	0.000	0.000
1498.4	.148	.050	.339	1.000	39.008	8.648	3.3	-999.999	-39007.7	5.354	0.000	0.000
% 1498.5	.085	.033	1.000	1.000	39.008	8.648	3.3	-999.999	-39007.7	5.354	0.000	0.000
% 1498.7	.136	.035	1.000	1.000	39.008	8.648	3.3	-999.999	-39007.7	5.354	0.000	0.000
1498.9	.172	.051	.976	1.000	39.160	8.674	3.3	-999.999	-39159.8	5.379	0.000	0.000
% 1499.0	.252	.075	1.000	1.000	39.160	8.674	3.3	-999.999	-39159.8	5.379	0.000	0.000
% 1499.2	.335	.100	1.000	1.000	39.160	8.674	3.3	-999.999	-39159.8	5.379	0.000	0.000
% 1499.3	.309	.092	1.000	1.000	39.160	8.674	3.3	-999.999	-39159.8	5.379	0.000	0.000
% 1499.5	.282	.087	1.000	1.000	39.160	8.674	3.3	-999.999	-39159.8	5.379	0.000	0.000
% 1499.6	.268	.079	1.000	1.000	39.160	8.674	3.3	-999.999	-39159.8	5.379	0.000	0.000
% 1499.8	.278	.073	1.000	1.000	39.160	8.674	3.3	-999.999	-39159.8	5.379	0.000	0.000
% 1499.9	.263	.076	1.000	1.000	39.160	8.674	3.3	-999.999	-39159.8	5.379	0.000	0.000
% 1500.1	.268	.067	1.000	1.000	39.160	8.674	3.3	-999.999	-39159.8	5.379	0.000	0.000
% 1500.2	.246	.069	1.000	1.000	39.160	8.674	3.3	-999.999	-39159.8	5.379	0.000	0.000
1500.4	.264	.066	.960	1.000	39.312	8.714	3.3	-999.999	-39311.9	5.418	0.000	0.000
1500.5	.273	.062	.917	1.000	39.465	8.756	3.3	-999.999	-39465.0	5.456	0.000	0.000
1500.7	.297	.055	.787	1.000	39.617	8.801	3.3	-999.999	-39616.8	5.491	0.000	0.000
1500.8	.303	.049	.688	.913	39.770	8.847	3.3	-999.999	-39769.9	5.523	0.000	0.000
1501.0	.304	.060	.581	.963	39.922	8.893	3.3	-999.999	-39921.7	5.550	0.000	0.000
1501.1	.316	.048	.498	.706	40.074	8.942	3.4	-999.999	-40073.8	5.574	0.000	0.000
1501.3	.308	.052	.408	.798	40.227	8.989	3.4	-999.999	-40226.9	5.593	0.000	0.000
1501.4	.312	.049	.343	.901	40.379	9.036	3.4	-999.999	-40378.8	5.610	0.000	0.000
1501.6	.303	.048	.375	1.000	40.532	9.083	3.5	-999.999	-40531.8	5.627	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
SHALLOW SECTION ZONE-A

SECTION FROM 1395.0 TO 1570.0

DEPTH	GROSS POROSITY	VC	SW	SECTION FROM SXO	1395.0 SAND COUNT	TO 1570.0 CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
1501.8	.305	.049	.413	1.000	40.684	9.129	3.5	-999.999	-40683.9	5.646	0.000	0.000
1501.9	.303	.041	.479	1.000	40.836	9.175	3.5	-999.999	-40835.8	5.668	0.000	0.000
1502.1	.305	.045	.493	1.000	40.989	9.222	3.5	-999.999	-40988.9	5.691	0.000	0.000
1502.2	.291	.038	.563	.987	41.141	9.266	3.5	-999.999	-41140.7	5.716	0.000	0.000
1502.4	.285	.040	.600	1.000	41.294	9.310	3.6	-999.999	-41293.8	5.742	0.000	0.000
1502.5	.293	.027	.635	.971	41.446	9.354	3.6	-999.999	-41445.9	5.771	0.000	0.000
1502.7	.303	.033	.655	.869	41.598	9.400	3.6	-999.999	-41597.8	5.801	0.000	0.000
1502.8	.321	.030	.688	.703	41.751	9.449	3.6	-999.999	-41750.8	5.835	0.000	0.000
1503.0	.296	.044	.794	.879	41.903	9.494	3.6	-999.999	-41902.9	5.870	0.000	0.000
1503.1	.316	.039	.763	.807	42.056	9.543	3.6	-999.999	-42055.8	5.907	0.000	0.000
1503.3	.311	.041	.782	.806	42.208	9.590	3.6	-999.999	-42207.9	5.944	0.000	0.000
1503.4	.302	.038	.818	.836	42.360	9.636	3.7	-999.999	-42359.7	5.982	0.000	0.000
1503.6	.287	.043	.932	.932	42.513	9.680	3.7	-999.999	-42512.8	6.023	0.000	0.000
1503.7	.284	.044	.923	1.000	42.665	9.723	3.7	-999.999	-42664.9	6.062	0.000	0.000
1503.9	.280	.045	.921	.997	42.818	9.766	3.7	-999.999	-42817.7	6.102	0.000	0.000
1504.0	.294	.043	.814	.914	42.970	9.810	3.7	-999.999	-42969.8	6.138	0.000	0.000
1504.2	.316	.042	.734	.889	43.122	9.858	3.7	-999.999	-43121.9	6.173	0.000	0.000
1504.3	.303	.042	.795	.990	43.275	9.905	3.7	-999.999	-43274.8	6.210	0.000	0.000
1504.5	.299	.044	.828	1.000	43.427	9.950	3.7	-999.999	-43426.9	6.248	0.000	0.000
1504.6	.292	.045	.899	.988	43.580	9.995	3.7	-999.999	-43579.9	6.288	0.000	0.000
1504.8	.313	.047	.814	1.000	43.732	10.042	3.7	-999.999	-43731.8	6.327	0.000	0.000
1504.9	.307	.049	.817	1.000	43.884	10.089	3.7	-999.999	-43883.9	6.365	0.000	0.000
1505.1	.287	.051	.873	1.000	44.037	10.133	3.7	-999.999	-44036.7	6.403	0.000	0.000
1505.3	.278	.047	.880	.929	44.189	10.175	3.7	-999.999	-44188.8	6.440	0.000	0.000
1505.4	.294	.036	.806	.961	44.342	10.220	3.7	-999.999	-44341.9	6.477	0.000	0.000
1505.6	.292	.035	.777	.967	44.494	10.265	3.8	-999.999	-44493.8	6.511	0.000	0.000
1505.7	.303	.036	.750	.900	44.646	10.311	3.8	-999.999	-44645.9	6.546	0.000	0.000
1505.9	.297	.044	.775	.918	44.799	10.356	3.8	-999.999	-44798.9	6.581	0.000	0.000
1506.0	.314	.040	.744	.920	44.951	10.404	3.8	-999.999	-44950.8	6.617	0.000	0.000
1506.2	.334	.037	.714	.897	45.104	10.455	3.8	-999.999	-45103.9	6.653	0.000	0.000
1506.3	.337	.031	.755	.839	45.256	10.506	3.8	-999.999	-45256.0	6.692	0.000	0.000
% 1506.5	.363	.032	.703	.798	45.256	10.506	3.8	-999.999	-45256.0	6.692	0.000	0.000
% 1506.6	.375	.031	.701	.701	45.256	10.506	3.8	-999.999	-45256.0	6.692	0.000	0.000
1506.8	.342	.032	.798	.828	45.408	10.558	3.8	-999.999	-45407.8	6.733	0.000	0.000
1506.9	.328	.025	.863	1.000	45.561	10.609	3.8	-999.999	-45560.9	6.776	0.000	0.000
1507.1	.322	.017	.874	.881	45.713	10.658	3.8	-999.999	-45713.0	6.819	0.000	0.000
1507.2	.329	.019	.807	.807	45.865	10.707	3.8	-999.999	-45864.8	6.860	0.000	0.000
% 1507.4	.378	.021	.629	.629	45.865	10.707	3.8	-999.999	-45864.8	6.860	0.000	0.000
% 1507.5	.381	.030	.583	.650	45.865	10.707	3.8	-999.999	-45864.8	6.860	0.000	0.000
% 1507.7	.390	.029	.559	.686	45.865	10.707	3.8	-999.999	-45864.8	6.860	0.000	0.000
1507.8	.347	.043	.627	.841	46.017	10.760	3.9	-999.999	-46016.9	6.893	0.000	0.000
1508.0	.331	.042	.730	.784	46.169	10.810	3.9	-999.999	-46168.8	6.929	0.000	0.000
1508.1	.343	.042	.675	.726	46.322	10.863	3.9	-999.999	-46321.9	6.965	0.000	0.000
1508.3	.344	.044	.658	.904	46.474	10.915	3.9	-999.999	-46474.0	6.999	0.000	0.000
1508.5	.331	.046	.692	1.000	46.627	10.966	3.9	-999.999	-46626.8	7.034	0.000	0.000
1508.6	.336	.047	.697	1.000	46.779	11.017	3.9	-999.999	-46778.9	7.070	0.000	0.000
1508.8	.326	.041	.779	1.000	46.931	11.066	4.0	-999.999	-46931.0	7.108	0.000	0.000
1508.9	.333	.041	.758	1.000	47.084	11.117	4.0	-999.999	-47083.8	7.147	0.000	0.000
1509.1	.332	.041	.777	1.000	47.236	11.168	4.0	-999.999	-47235.9	7.186	0.000	0.000
1509.2	.348	.032	.805	1.000	47.389	11.221	4.0	-999.999	-47388.0	7.229	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

050

WEST SEAHORSE 1
SHALLOW SECTION ZONE-A

SECTION FROM 1395.0 TO 1570.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	1509.4	.382	.032	.719	1.000	47.389	11.221	4.0	-999.999	-47389.0	7.229	0.000	0.000
%	1509.5	.431	.025	.676	1.000	47.389	11.221	4.0	-999.999	-47389.0	7.229	0.000	0.000
%	1509.7	.425	.024	.869	1.000	47.389	11.221	4.0	-999.999	-47389.0	7.229	0.000	0.000
%	1509.8	.454	.043	.743	1.000	47.389	11.221	4.0	-999.999	-47389.0	7.229	0.000	0.000
%	1510.0	.436	.066	.781	1.000	47.389	11.221	4.0	-999.999	-47389.0	7.229	0.000	0.000
%	1510.1	.448	.083	.795	1.000	47.389	11.221	4.0	-999.999	-47389.0	7.229	0.000	0.000
%	1510.3	.318	.084	1.000	1.000	47.389	11.221	4.0	-999.999	-47389.0	7.229	0.000	0.000
%	1510.4	.246	.089	1.000	1.000	47.389	11.221	4.0	-999.999	-47389.0	7.229	0.000	0.000
%	1510.6	.168	.099	1.000	1.000	47.389	11.221	4.0	-999.999	-47389.0	7.229	0.000	0.000
	1510.7	.163	.101	.978	1.000	47.542	11.246	4.0	-999.999	-47542.1	7.254	0.000	0.000
	1510.9	.230	.074	.833	1.000	47.694	11.281	4.0	-999.999	-47693.9	7.283	0.000	0.000
	1511.0	.275	.058	.991	1.000	47.846	11.323	4.0	-999.999	-47846.0	7.324	0.000	0.000
	1511.2	.333	.038	.795	1.000	47.999	11.374	4.0	-999.999	-47999.1	7.365	0.000	0.000
	1511.4	.335	.033	.819	.824	48.151	11.425	4.0	-999.999	-48151.0	7.406	0.000	0.000
	1511.5	.337	.042	.816	1.000	48.304	11.476	4.0	-999.999	-48304.1	7.448	0.000	0.000
	1511.7	.336	.050	.971	1.000	48.456	11.527	4.0	-999.999	-48456.2	7.498	0.000	0.000
%	1511.8	.344	.051	1.000	1.000	48.456	11.527	4.0	-999.999	-48456.2	7.498	0.000	0.000
%	1512.0	.402	.046	.785	1.000	48.456	11.527	4.0	-999.999	-48456.2	7.498	0.000	0.000
	1512.1	.320	.034	.974	1.000	48.608	11.576	4.0	-999.999	-48608.0	7.545	0.000	0.000
	1512.3	.322	.065	.979	1.000	48.761	11.625	4.0	-999.999	-48761.1	7.594	0.000	0.000
%	1512.4	.289	.051	1.000	1.000	48.761	11.625	4.0	-999.999	-48761.1	7.594	0.000	0.000
	1512.6	.238	.075	.876	1.000	48.913	11.661	4.0	-999.999	-48912.9	7.625	0.000	0.000
%	1512.7	.203	.076	1.000	1.000	48.913	11.661	4.0	-999.999	-48912.9	7.625	0.000	0.000
%	1512.9	.191	.086	1.000	1.000	48.913	11.661	4.0	-999.999	-48912.9	7.625	0.000	0.000
%	1513.0	.184	.083	1.000	1.000	48.913	11.661	4.0	-999.999	-48912.9	7.625	0.000	0.000
%	1513.2	.213	.080	1.000	1.000	48.913	11.661	4.0	-999.999	-48912.9	7.625	0.000	0.000
%	1513.3	.228	.073	1.000	1.000	48.913	11.661	4.0	-999.999	-48912.9	7.625	0.000	0.000
%	1513.5	.257	.066	1.000	1.000	48.913	11.661	4.0	-999.999	-48912.9	7.625	0.000	0.000
%	1513.6	.266	.071	1.000	1.000	48.913	11.661	4.0	-999.999	-48912.9	7.625	0.000	0.000
	1513.8	.290	.068	.953	1.000	49.066	11.706	4.0	-999.999	-49066.8	7.667	0.000	0.000
	1513.9	.297	.064	.920	1.000	49.218	11.751	4.0	-999.999	-49217.9	7.709	0.000	0.000
	1514.1	.324	.053	.817	1.000	49.370	11.800	4.1	-999.999	-49370.0	7.749	0.000	0.000
	1514.2	.333	.053	.781	1.000	49.523	11.851	4.1	-999.999	-49522.8	7.789	0.000	0.000
	1514.4	.329	.059	.803	1.000	49.675	11.901	4.1	-999.999	-49674.9	7.829	0.000	0.000
	1514.6	.314	.060	.848	1.000	49.828	11.949	4.1	-999.999	-49828.0	7.870	0.000	0.000
	1514.7	.322	.048	.872	.987	49.980	11.998	4.1	-999.999	-49979.8	7.913	0.000	0.000
	1514.9	.335	.042	.817	.903	50.132	12.049	4.1	-999.999	-50131.9	7.954	0.000	0.000
	1515.0	.312	.041	.885	1.000	50.285	12.097	4.1	-999.999	-50284.8	7.996	0.000	0.000
	1515.2	.329	.047	.799	1.000	50.437	12.147	4.1	-999.999	-50436.9	8.036	0.000	0.000
	1515.3	.305	.046	.894	1.000	50.590	12.193	4.1	-999.999	-50589.9	8.078	0.000	0.000
	1515.5	.304	.050	.924	1.000	50.742	12.240	4.1	-999.999	-50741.8	8.121	0.000	0.000
	1515.6	.304	.069	.903	1.000	50.894	12.286	4.1	-999.999	-50893.9	8.163	0.000	0.000
%	1515.8	.405	.082	.680	.754	50.894	12.286	4.1	-999.999	-50893.9	8.163	0.000	0.000
%	1515.9	.498	.076	.469	.498	50.894	12.286	4.1	-999.999	-50893.9	8.163	0.000	0.000
%	1516.1	.532	.064	.383	.383	50.894	12.286	4.1	-999.999	-50893.9	8.163	0.000	0.000
%	1516.2	.585	.058	.436	.436	50.894	12.286	4.1	-999.999	-50893.9	8.163	0.000	0.000
	1516.4	.346	.086	.646	.646	51.046	12.338	4.1	-999.999	-51046.0	8.197	0.000	0.000
	1516.5	.243	.079	.651	1.000	51.199	12.376	4.2	-999.999	-51199.1	8.221	0.000	0.000
%	1516.7	.176	.031	1.000	1.000	51.199	12.376	4.2	-999.999	-51199.1	8.221	0.000	0.000
%	1516.8	.146	.009	1.000	1.000	51.199	12.376	4.2	-999.999	-51199.1	8.221	0.000	0.000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

190

WEST SEAHORSE 1
SHALLOW SECTION ZONE-A

SECTION FROM 1395.0 TO 1570.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL -CUMUL VXO
	1517.0	.097	0.000	.999	.999	51.351	12.390	4.2	-999.999	-51351.2	8.236	0.000	0.000
X	1517.1	.069	0.000	1.000	1.000	51.351	12.390	4.2	-999.999	-51351.2	8.236	0.000	0.000
X	1517.3	.063	.009	1.000	1.000	51.351	12.390	4.2	-999.999	-51351.2	8.236	0.000	0.000
X	1517.4	.059	.017	1.000	1.000	51.351	12.390	4.2	-999.999	-51351.2	8.236	0.000	0.000
X	1517.6	.068	.017	1.000	1.000	51.351	12.390	4.2	-999.999	-51351.2	8.236	0.000	0.000
X	1517.8	.074	.016	1.000	1.000	51.351	12.390	4.2	-999.999	-51351.2	8.236	0.000	0.000
X	1517.9	.075	.017	1.000	1.000	51.351	12.390	4.2	-999.999	-51351.2	8.236	0.000	0.000
X	1518.1	.074	.016	1.000	1.000	51.351	12.390	4.2	-999.999	-51351.2	8.236	0.000	0.000
X	1518.2	.076	.020	1.000	1.000	51.351	12.390	4.2	-999.999	-51351.2	8.236	0.000	0.000
X	1518.4	.077	.017	1.000	1.000	51.351	12.390	4.2	-999.999	-51351.2	8.236	0.000	0.000
	1518.5	.146	.015	.560	.560	51.503	12.413	4.2	-999.999	-51503.3	8.248	0.000	0.000
	1518.7	.218	.013	.382	.382	51.656	12.446	4.2	-999.999	-51655.4	8.261	0.000	0.000
	1518.8	.182	.026	.369	.369	51.808	12.474	4.2	-999.999	-51808.2	8.271	0.000	0.000
	1519.0	.130	.059	.457	.457	51.960	12.493	4.2	-999.999	-51960.3	8.280	0.000	0.000
	1519.1	.145	.099	.706	.706	52.113	12.516	4.2	-999.999	-52113.1	8.296	0.000	0.000
X	1519.3	.123	.087	1.000	1.000	52.113	12.516	4.2	-999.999	-52113.1	8.296	0.000	0.000
X	1519.4	.115	.092	1.000	1.000	52.113	12.516	4.2	-999.999	-52113.1	8.296	0.000	0.000
X	1519.6	.165	.104	1.000	1.000	52.113	12.516	4.2	-999.999	-52113.1	8.296	0.000	0.000
X	1519.7	.179	.098	1.000	1.000	52.113	12.516	4.2	-999.999	-52113.1	8.296	0.000	0.000
X	1519.9	.222	.088	1.000	1.000	52.113	12.516	4.2	-999.999	-52113.1	8.296	0.000	0.000
X	1520.0	.228	.091	1.000	1.000	52.113	12.516	4.2	-999.999	-52113.1	8.296	0.000	0.000
X	1520.2	.239	.090	1.000	1.000	52.113	12.516	4.2	-999.999	-52113.1	8.296	0.000	0.000
X	1520.3	.247	.088	1.000	1.000	52.113	12.516	4.2	-999.999	-52113.1	8.296	0.000	0.000
X	1520.5	.256	.066	1.000	1.000	52.113	12.516	4.2	-999.999	-52113.1	8.296	0.000	0.000
X	1520.6	.264	.042	1.000	1.000	52.113	12.516	4.2	-999.999	-52113.1	8.296	0.000	0.000
X	1520.8	.315	.036	1.000	1.000	52.113	12.516	4.2	-999.999	-52113.1	8.296	0.000	0.000
X	1521.0	.415	.050	.758	.758	52.113	12.516	4.2	-999.999	-52113.1	8.296	0.000	0.000
X	1521.1	.398	.111	.632	.756	52.113	12.516	4.2	-999.999	-52113.1	8.296	0.000	0.000
X	1521.3	.531	.105	.341	.404	52.113	12.516	4.2	-999.999	-52113.1	8.296	0.000	0.000
X	1521.4	.446	.106	.282	.366	52.113	12.516	4.2	-999.999	-52113.1	8.296	0.000	0.000
	1521.6	.197	.049	.472	.472	52.265	12.545	4.2	-999.999	-52265.2	8.310	0.000	0.000
	1521.7	.052	.044	.860	1.000	52.417	12.553	4.2	-999.999	-52417.1	8.316	0.000	0.000
X	1521.9	.035	.035	1.000	1.000	52.417	12.553	4.2	-999.999	-52417.1	8.316	0.000	0.000
	1522.0	.074	.025	.505	.505	52.569	12.565	4.2	-999.999	-52568.9	8.322	0.000	0.000
	1522.2	.162	.006	.335	.335	52.722	12.589	4.3	-999.999	-52722.0	8.330	0.000	0.000
	1522.3	.209	0.000	.303	.303	52.874	12.621	4.3	-999.999	-52874.1	8.340	0.000	0.000
	1522.5	.246	.005	.253	.253	53.026	12.658	4.3	-999.999	-53026.0	8.349	0.000	0.000
	1522.6	.277	0.000	.249	.249	53.179	12.701	4.3	-999.999	-53179.0	8.360	0.000	0.000
	1522.8	.270	.001	.242	.242	53.331	12.742	4.4	-999.999	-53331.1	8.370	0.000	0.000
	1522.9	.261	0.000	.243	.243	53.484	12.782	4.4	-999.999	-53484.0	8.380	0.000	0.000
	1523.1	.194	.012	.268	.268	53.636	12.811	4.4	-999.999	-53636.1	8.388	0.000	0.000
	1523.2	.116	.024	.338	.338	53.788	12.829	4.4	-999.999	-53787.9	8.394	0.000	0.000
	1523.4	.100	.022	.389	.389	53.941	12.844	4.4	-999.999	-53941.0	8.399	0.000	0.000
	1523.5	.052	.028	.587	.587	54.093	12.852	4.4	-999.999	-54093.1	8.404	0.000	0.000
	1523.7	.099	.025	.357	.357	54.246	12.867	4.5	-999.999	-54245.9	8.410	0.000	0.000
	1523.8	.069	.032	.463	.463	54.398	12.878	4.5	-999.999	-54398.0	8.414	0.000	0.000
	1524.0	.161	.022	.234	.234	54.550	12.902	4.5	-999.999	-54550.1	8.420	0.000	0.000
	1524.2	.245	.019	.162	.162	54.703	12.939	4.5	-999.999	-54703.0	8.426	0.000	0.000
	1524.3	.271	.019	.115	.115	54.855	12.981	4.5	-999.999	-54855.1	8.431	0.000	0.000
	1524.5	.243	.024	.098	.098	55.008	13.018	4.6	-999.999	-55008.1	8.435	0.000	0.000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

0000

WEST SEAHORSE 1
SHALLOW SECTION ZONE-A

SECTION FROM 1395.0 TO 1570.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
1524.6	.244	.028	.116	.186	55.160	13.055	4.6	-999.999	-55160.0	8.439	0.000	0.000
1524.8	.289	.032	.109	.109	55.312	13.099	4.7	-999.999	-55312.1	8.444	0.000	0.000
1524.9	.289	.045	.189	.189	55.465	13.143	4.7	-999.999	-55464.9	8.452	0.000	0.000
1525.1	.310	.050	.212	.212	55.617	13.190	4.7	-999.999	-55617.0	8.462	0.000	0.000
1525.2	.163	.067	.412	.412	55.770	13.215	4.7	-999.999	-55770.1	8.472	0.000	0.000
1525.4	.135	.053	.390	.390	55.922	13.236	4.8	-999.999	-55922.0	8.480	0.000	0.000
1525.5	.150	.040	.264	.264	56.074	13.258	4.8	-999.999	-56074.1	8.486	0.000	0.000
1525.7	.232	.024	.102	.102	56.227	13.294	4.8	-999.999	-56227.1	8.490	0.000	0.000
1525.8	.211	.024	.120	.120	56.379	13.326	4.8	-999.999	-56379.0	8.494	0.000	0.000
1526.0	.187	.031	.166	.166	56.532	13.355	4.9	-999.999	-56532.1	8.498	0.000	0.000
1526.1	.142	.027	.187	.187	56.684	13.376	4.9	-999.999	-56683.9	8.503	0.000	0.000
1526.3	.233	.017	.140	.140	56.836	13.412	4.9	-999.999	-56836.0	8.508	0.000	0.000
X 1526.4	.380	.049	.129	.129	56.836	13.412	4.9	-999.999	-56836.0	8.508	0.000	0.000
X 1526.6	.488	.070	.147	.147	56.836	13.412	4.9	-999.999	-56836.0	8.508	0.000	0.000
X 1526.7	.385	.059	.331	.331	56.836	13.412	4.9	-999.999	-56836.0	8.508	0.000	0.000
1526.9	.331	.048	.662	.662	56.988	13.462	4.9	-999.999	-56988.1	8.541	0.000	0.000
1527.0	.329	.058	.803	.803	57.140	13.512	4.9	-999.999	-57140.0	8.581	0.000	0.000
1527.2	.325	.055	.944	.944	57.293	13.562	4.9	-999.999	-57293.1	8.628	0.000	0.000
X 1527.4	.351	.052	.933	.933	57.293	13.562	4.9	-999.999	-57293.1	8.628	0.000	0.000
X 1527.5	.393	.107	.934	.934	57.293	13.562	4.9	-999.999	-57293.1	8.628	0.000	0.000
X 1527.7	.413	.146	.704	.704	57.293	13.562	4.9	-999.999	-57293.1	8.628	0.000	0.000
1527.8	.318	.142	.715	.715	57.445	13.610	4.9	-999.999	-57444.9	8.663	0.000	0.000
1528.0	.223	.086	.746	.746	57.598	13.644	5.0	-999.999	-57598.0	8.688	0.000	0.000
X 1528.1	.103	.053	1.000	1.000	57.598	13.644	5.0	-999.999	-57598.0	8.688	0.000	0.000
1528.3	.091	.034	.498	.498	57.751	13.658	5.0	-999.999	-57750.8	8.695	0.000	0.000
1528.4	.202	.014	.182	.182	57.903	13.689	5.0	-999.999	-57902.9	8.700	0.000	0.000
1528.6	.269	0.000	.175	.175	58.055	13.730	5.0	-999.999	-58055.0	8.708	0.000	0.000
1528.7	.216	.003	.184	.184	58.208	13.763	5.0	-999.999	-58207.8	8.714	0.000	0.000
1528.9	.120	.027	.226	.226	58.360	13.781	5.1	-999.999	-58359.9	8.718	0.000	0.000
1529.0	.095	.036	.384	.478	58.513	13.796	5.1	-999.999	-58512.8	8.723	0.000	0.000
1529.2	.116	.037	.321	.372	58.665	13.813	5.1	-999.999	-58664.9	8.729	0.000	0.000
1529.3	.167	.035	.209	.234	58.817	13.839	5.1	-999.999	-58817.0	8.734	0.000	0.000
1529.5	.192	.045	.233	.234	58.970	13.868	5.1	-999.999	-58969.8	8.741	0.000	0.000
1529.6	.130	.048	.372	.372	59.122	13.888	5.1	-999.999	-59121.9	8.749	0.000	0.000
X 1529.8	.097	.042	1.000	1.000	59.122	13.888	5.1	-999.999	-59121.9	8.749	0.000	0.000
X 1529.9	.102	.034	1.000	1.000	59.122	13.888	5.1	-999.999	-59121.9	8.749	0.000	0.000
X 1530.1	.110	.037	1.000	1.000	59.122	13.888	5.1	-999.999	-59121.9	8.749	0.000	0.000
X 1530.2	.140	.043	1.000	1.000	59.122	13.888	5.1	-999.999	-59121.9	8.749	0.000	0.000
X 1530.4	.165	.044	1.000	1.000	59.122	13.888	5.1	-999.999	-59121.9	8.749	0.000	0.000
X 1530.6	.219	.070	1.000	1.000	59.122	13.888	5.1	-999.999	-59121.9	8.749	0.000	0.000
X 1530.7	.259	.090	1.000	1.000	59.122	13.888	5.1	-999.999	-59121.9	8.749	0.000	0.000
X 1530.9	.263	.115	1.000	1.000	59.122	13.888	5.1	-999.999	-59121.9	8.749	0.000	0.000
X 1531.0	.262	.134	1.000	1.000	59.122	13.888	5.1	-999.999	-59121.9	8.749	0.000	0.000
X 1531.2	.220	.121	1.000	1.000	59.122	13.888	5.1	-999.999	-59121.9	8.749	0.000	0.000
X 1531.3	.171	.090	1.000	1.000	59.122	13.888	5.1	-999.999	-59121.9	8.749	0.000	0.000
X 1531.5	.187	.083	1.000	1.000	59.122	13.888	5.1	-999.999	-59121.9	8.749	0.000	0.000
X 1531.6	.204	.091	1.000	1.000	59.122	13.888	5.1	-999.999	-59121.9	8.749	0.000	0.000
X 1531.8	.227	.140	1.000	1.000	59.122	13.888	5.1	-999.999	-59121.9	8.749	0.000	0.000
1531.9	.284	.155	.740	1.000	59.274	13.931	5.2	-999.999	-59273.8	8.781	0.000	0.000
1532.1	.290	.146	.869	1.000	59.427	13.975	5.2	-999.999	-59426.8	8.819	0.000	0.000

* =RAW DATA CUT OFF X =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
SHALLOW SECTION ZONE-A

SECTION FROM 1395.0 TO 1570.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
	1532.2	.328	.151	.752	1.000	59.579	14.025	5.2	-999.999	-59578.9	8.857	0.000	0.000
X	1532.4	.332	.164	1.000	1.000	59.579	14.025	5.2	-999.999	-59578.9	8.857	0.000	0.000
X	1532.5	.384	.146	.608	1.000	59.579	14.025	5.2	-999.999	-59578.9	8.857	0.000	0.000
X	1532.7	.410	.110	.407	1.000	59.579	14.025	5.2	-999.999	-59578.9	8.857	0.000	0.000
X	1532.8	.405	.107	.426	1.000	59.579	14.025	5.2	-999.999	-59578.9	8.857	0.000	0.000
X	1533.0	.366	.113	.681	1.000	59.579	14.025	5.2	-999.999	-59578.9	8.857	0.000	0.000
	1533.1	.323	.088	.798	.957	59.731	14.074	5.2	-999.999	-59730.8	8.896	0.000	0.000
	1533.3	.341	.056	.758	.758	59.884	14.126	5.2	-999.999	-59883.9	8.935	0.000	0.000
	1533.4	.330	.050	.824	.824	60.036	14.177	5.2	-999.999	-60036.0	8.977	0.000	0.000
	1533.6	.310	.062	.907	1.000	60.189	14.224	5.2	-999.999	-60188.8	9.020	0.000	0.000
	1533.8	.311	.046	.910	.910	60.341	14.271	5.2	-999.999	-60340.9	9.063	0.000	0.000
	1533.9	.326	.041	.858	1.000	60.493	14.321	5.2	-999.999	-60493.0	9.105	0.000	0.000
X	1534.1	.353	.033	.765	1.000	60.493	14.321	5.2	-999.999	-60493.0	9.105	0.000	0.000
X	1534.2	.377	.029	.706	.836	60.493	14.321	5.2	-999.999	-60493.0	9.105	0.000	0.000
	1534.4	.349	.043	.704	.873	60.646	14.374	5.2	-999.999	-60646.1	9.143	0.000	0.000
	1534.5	.341	.041	.778	.844	60.798	14.426	5.2	-999.999	-60797.9	9.183	0.000	0.000
	1534.7	.322	.049	.879	1.000	60.950	14.475	5.2	-999.999	-60950.0	9.226	0.000	0.000
	1534.8	.310	.034	.879	.969	61.103	14.522	5.3	-999.999	-61102.9	9.268	0.000	0.000
	1535.0	.349	.058	.732	1.000	61.255	14.575	5.3	-999.999	-61255.0	9.307	0.000	0.000
	1535.1	.329	.050	.828	.953	61.408	14.626	5.3	-999.999	-61408.0	9.348	0.000	0.000
	1535.3	.330	.054	.814	1.000	61.560	14.676	5.3	-999.999	-61559.9	9.389	0.000	0.000
	1535.4	.321	.044	.918	1.000	61.712	14.725	5.3	-999.999	-61712.0	9.434	0.000	0.000
	1535.6	.324	.064	.898	1.000	61.865	14.774	5.3	-999.999	-61865.1	9.479	0.000	0.000
	1535.7	.313	.063	.896	.985	62.017	14.822	5.3	-999.999	-62016.9	9.521	0.000	0.000
	1535.9	.316	.054	.873	1.000	62.170	14.870	5.3	-999.999	-62170.0	9.563	0.000	0.000
	1536.0	.334	.041	.842	.939	62.322	14.921	5.3	-999.999	-62321.9	9.606	0.000	0.000
X	1536.2	.379	.071	.711	1.000	62.322	14.921	5.3	-999.999	-62321.9	9.606	0.000	0.000
X	1536.3	.391	.070	.821	1.000	62.322	14.921	5.3	-999.999	-62321.9	9.606	0.000	0.000
X	1536.5	.383	.061	.838	1.000	62.322	14.921	5.3	-999.999	-62321.9	9.606	0.000	0.000
X	1536.6	.439	.038	.951	.951	62.322	14.921	5.3	-999.999	-62321.9	9.606	0.000	0.000
X	1536.8	.439	.032	.870	1.000	62.322	14.921	5.3	-999.999	-62321.9	9.606	0.000	0.000
X	1537.0	.524	.061	.576	1.000	62.322	14.921	5.3	-999.999	-62321.9	9.606	0.000	0.000
X	1537.1	.492	.104	.583	1.000	62.322	14.921	5.3	-999.999	-62321.9	9.606	0.000	0.000
X	1537.3	.405	.161	.702	1.000	62.322	14.921	5.3	-999.999	-62321.9	9.606	0.000	0.000
X	1537.4	.376	.132	.443	.443	62.322	14.921	5.3	-999.999	-62321.9	9.606	0.000	0.000
X	1537.6	.365	.126	.493	.493	62.322	14.921	5.3	-999.999	-62321.9	9.606	0.000	0.000
X	1537.7	.213	.061	1.000	1.000	62.322	14.921	5.3	-999.999	-62321.9	9.606	0.000	0.000
X	1537.9	.195	.046	1.000	1.000	62.322	14.921	5.3	-999.999	-62321.9	9.606	0.000	0.000
X	1538.0	.182	.045	1.000	1.000	62.322	14.921	5.3	-999.999	-62321.9	9.606	0.000	0.000
X	1538.2	.193	.045	1.000	1.000	62.322	14.921	5.3	-999.999	-62321.9	9.606	0.000	0.000
X	1538.3	.227	.052	1.000	1.000	62.322	14.921	5.3	-999.999	-62321.9	9.606	0.000	0.000
X	1538.5	.300	.062	1.000	1.000	62.322	14.921	5.3	-999.999	-62321.9	9.606	0.000	0.000
X	1538.6	.363	.069	1.000	1.000	62.322	14.921	5.3	-999.999	-62321.9	9.606	0.000	0.000
X	1538.8	.333	.079	1.000	1.000	62.322	14.921	5.3	-999.999	-62321.9	9.606	0.000	0.000
X	1538.9	.279	.089	1.000	1.000	62.322	14.921	5.3	-999.999	-62321.9	9.606	0.000	0.000
X	1539.1	.243	.080	1.000	1.000	62.322	14.921	5.3	-999.999	-62321.9	9.606	0.000	0.000
X	1539.2	.232	.082	1.000	1.000	62.322	14.921	5.3	-999.999	-62321.9	9.606	0.000	0.000
X	1539.4	.218	.088	1.000	1.000	62.322	14.921	5.3	-999.999	-62321.9	9.606	0.000	0.000
X	1539.5	.237	.090	1.000	1.000	62.322	14.921	5.3	-999.999	-62321.9	9.606	0.000	0.000
X	1539.7	.256	.093	1.000	1.000	62.322	14.921	5.3	-999.999	-62321.9	9.606	0.000	0.000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

090

WEST SEAHORSE 1
SHALLOW SECTION ZONE-A

SECTION FROM 1395.0 TO 1570.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	1539.9	.263	.091	1.0000	1.0000	62.322	14.921	5.3	-999.999	-62321.9	9.606	0.0000	0.0000
%	1540.0	.262	.088	1.0000	1.0000	62.322	14.921	5.3	-999.999	-62321.9	9.606	0.0000	0.0000
%	1540.2	.272	.078	1.0000	1.0000	62.322	14.921	5.3	-999.999	-62321.9	9.606	0.0000	0.0000
	1540.3	.283	.073	.986	1.0000	62.474	14.964	5.3	-999.999	-62474.0	9.649	0.0000	0.0000
	1540.5	.320	.055	.779	1.0000	62.627	15.013	5.3	-999.999	-62627.0	9.687	0.0000	0.0000
	1540.6	.292	.032	.756	.883	62.779	15.058	5.3	-999.999	-62778.9	9.720	0.0000	0.0000
	1540.8	.291	.013	.643	.649	62.931	15.102	5.4	-999.999	-62931.0	9.749	0.0000	0.0000
	1540.9	.318	.021	.526	.567	63.084	15.151	5.4	-999.999	-63084.1	9.775	0.0000	0.0000
	1541.1	.350	.035	.447	.447	63.236	15.204	5.4	-999.999	-63235.9	9.798	0.0000	0.0000
	1541.2	.349	.047	.463	.463	63.389	15.257	5.4	-999.999	-63389.0	9.823	0.0000	0.0000
	1541.4	.346	.050	.529	.529	63.541	15.310	5.5	-999.999	-63540.8	9.851	0.0000	0.0000
	1541.5	.290	.057	.781	.921	63.693	15.354	5.5	-999.999	-63692.9	9.885	0.0000	0.0000
	1541.7	.303	.050	.771	1.0000	63.846	15.400	5.5	-999.999	-63846.0	9.921	0.0000	0.0000
	1541.8	.313	.049	.786	1.0000	63.998	15.448	5.5	-999.999	-63997.9	9.958	0.0000	0.0000
	1542.0	.294	.048	.889	1.0000	64.151	15.493	5.5	-999.999	-64151.0	9.998	0.0000	0.0000
	1542.1	.292	.050	.903	1.0000	64.303	15.537	5.5	-999.999	-64303.1	10.039	0.0000	0.0000
	1542.3	.302	.050	.886	1.0000	64.455	15.583	5.5	-999.999	-64454.9	10.079	0.0000	0.0000
	1542.4	.309	.044	.934	1.0000	64.608	15.630	5.5	-999.999	-64608.0	10.123	0.0000	0.0000
	1542.6	.319	.043	.865	1.0000	64.760	15.679	5.5	-999.999	-64760.1	10.165	0.0000	0.0000
	1542.7	.304	.039	.971	.974	64.913	15.725	5.5	-999.999	-64912.9	10.210	0.0000	0.0000
	1542.9	.297	.044	.975	1.0000	65.065	15.770	5.5	-999.999	-65065.0	10.254	0.0000	0.0000
	1543.1	.306	.042	.949	.949	65.217	15.817	5.5	-999.999	-65216.9	10.299	0.0000	0.0000
	1543.2	.302	.045	.928	.928	65.370	15.863	5.5	-999.999	-65369.9	10.342	0.0000	0.0000
	1543.4	.294	.045	.987	.987	65.522	15.908	5.5	-999.999	-65522.0	10.386	0.0000	0.0000
	1543.5	.292	.047	.960	1.0000	65.675	15.953	5.5	-999.999	-65674.9	10.428	0.0000	0.0000
	1543.7	.301	.042	.937	1.0000	65.827	15.998	5.5	-999.999	-65827.0	10.471	0.0000	0.0000
	1543.8	.315	.037	.877	.886	65.979	16.046	5.5	-999.999	-65979.1	10.513	0.0000	0.0000
	1544.0	.320	.043	.830	.885	66.132	16.095	5.5	-999.999	-66131.9	10.554	0.0000	0.0000
	1544.1	.325	.044	.845	.874	66.284	16.145	5.5	-999.999	-66284.0	10.596	0.0000	0.0000
	1544.3	.306	.052	.931	.956	66.437	16.191	5.6	-999.999	-66437.1	10.639	0.0000	0.0000
%	1544.4	.316	.046	1.0000	1.0000	66.437	16.191	5.6	-999.999	-66437.1	10.639	0.0000	0.0000
	1544.6	.330	.042	.973	.973	66.589	16.242	5.6	-999.999	-66589.2	10.688	0.0000	0.0000
	1544.7	.347	.046	.861	1.0000	66.742	16.295	5.6	-999.999	-66742.0	10.734	0.0000	0.0000
%	1544.9	.350	.043	.844	.856	66.742	16.295	5.6	-999.999	-66742.0	10.734	0.0000	0.0000
	1545.0	.348	.051	.770	1.0000	66.895	16.348	5.6	-999.999	-66895.1	10.775	0.0000	0.0000
	1545.2	.316	.045	.892	.989	67.047	16.396	5.6	-999.999	-67046.9	10.818	0.0000	0.0000
	1545.3	.301	.048	.893	.992	67.199	16.442	5.6	-999.999	-67199.0	10.858	0.0000	0.0000
	1545.5	.315	.051	.801	.966	67.352	16.490	5.6	-999.999	-67352.1	10.897	0.0000	0.0000
	1545.6	.317	.049	.838	.913	67.504	16.538	5.6	-999.999	-67504.0	10.937	0.0000	0.0000
	1545.8	.334	.042	.834	.918	67.657	16.589	5.6	-999.999	-67657.0	10.980	0.0000	0.0000
	1545.9	.337	.043	.840	.937	67.809	16.640	5.6	-999.999	-67808.9	11.023	0.0000	0.0000
	1546.1	.332	.041	.894	.921	67.961	16.691	5.6	-999.999	-67961.0	11.068	0.0000	0.0000
%	1546.3	.360	.034	.817	.844	67.961	16.691	5.6	-999.999	-67961.0	11.068	0.0000	0.0000
%	1546.4	.370	.033	.807	.807	67.961	16.691	5.6	-999.999	-67961.0	11.068	0.0000	0.0000
%	1546.6	.364	.036	.829	.840	67.961	16.691	5.6	-999.999	-67961.0	11.068	0.0000	0.0000
	1546.7	.335	.040	.953	.953	68.113	16.742	5.6	-999.999	-68113.1	11.117	0.0000	0.0000
%	1546.9	.362	.036	.835	.835	68.113	16.742	5.6	-999.999	-68113.1	11.117	0.0000	0.0000
	1547.0	.344	.036	.921	.921	68.266	16.794	5.6	-999.999	-68266.2	11.165	0.0000	0.0000
%	1547.2	.323	.047	1.0000	1.0000	68.266	16.794	5.6	-999.999	-68266.2	11.165	0.0000	0.0000
%	1547.3	.332	.044	1.0000	1.0000	68.266	16.794	5.6	-999.999	-68266.2	11.165	0.0000	0.0000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
SHALLOW SECTION ZONE-A

SECTION FROM 1395.0 TO 1570.0

	DEPTH	GROSS POROSITY	VC	SW	SECTION FROM SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
X	1547.5	.331	.050	1.000	1.000	68.266	16.794	5.6	-999.999	-68266.2	11.165	0.000	0.000
X	1547.6	.356	.053	.891	1.000	68.266	16.794	5.6	-999.999	-68266.2	11.165	0.000	0.000
X	1547.8	.341	.056	1.000	1.000	68.266	16.794	5.6	-999.999	-68266.2	11.165	0.000	0.000
	1547.9	.337	.066	.988	1.000	68.418	16.846	5.6	-999.999	-68418.2	11.216	0.000	0.000
	1548.1	.334	.061	.900	1.000	68.571	16.897	5.6	-999.999	-68571.1	11.262	0.000	0.000
X	1548.2	.299	.075	1.000	1.000	68.571	16.897	5.6	-999.999	-68571.1	11.262	0.000	0.000
X	1548.4	.307	.077	1.000	1.000	68.571	16.897	5.6	-999.999	-68571.1	11.262	0.000	0.000
	1548.5	.299	.088	.879	1.000	68.724	16.942	5.6	-999.999	-68724.2	11.302	0.000	0.000
	1548.7	.301	.086	.908	1.000	68.876	16.988	5.6	-999.999	-68876.3	11.344	0.000	0.000
X	1548.8	.300	.080	1.000	1.000	68.876	16.988	5.6	-999.999	-68876.3	11.344	0.000	0.000
X	1549.0	.287	.079	1.000	1.000	68.876	16.988	5.6	-999.999	-68876.3	11.344	0.000	0.000
X	1549.1	.308	.065	1.000	1.000	68.876	16.988	5.6	-999.999	-68876.3	11.344	0.000	0.000
	1549.3	.336	.074	.886	1.000	69.029	17.040	5.7	-999.999	-69029.1	11.389	0.000	0.000
	1549.5	.345	.045	.835	.835	69.181	17.092	5.7	-999.999	-69181.2	11.433	0.000	0.000
X	1549.6	.366	.039	.753	.753	69.181	17.092	5.7	-999.999	-69181.2	11.433	0.000	0.000
X	1549.8	.375	.035	.704	.711	69.181	17.092	5.7	-999.999	-69181.2	11.433	0.000	0.000
	1549.9	.348	.045	.802	.802	69.333	17.145	5.7	-999.999	-69333.3	11.475	0.000	0.000
	1550.1	.348	.062	.776	1.000	69.486	17.198	5.7	-999.999	-69486.1	11.517	0.000	0.000
	1550.2	.340	.047	.887	1.000	69.638	17.250	5.7	-999.999	-69638.2	11.562	0.000	0.000
X	1550.4	.465	.048	.461	1.000	69.638	17.250	5.7	-999.999	-69638.2	11.562	0.000	0.000
X	1550.5	.382	.022	.733	.741	69.638	17.250	5.7	-999.999	-69638.2	11.562	0.000	0.000
X	1550.7	.395	.026	.687	.747	69.638	17.250	5.7	-999.999	-69638.2	11.562	0.000	0.000
X	1550.8	.357	.028	.764	.764	69.638	17.250	5.7	-999.999	-69638.2	11.562	0.000	0.000
	1551.0	.323	.042	.847	.918	69.790	17.299	5.7	-999.999	-69790.0	11.604	0.000	0.000
	1551.1	.304	.050	.932	.932	69.943	17.345	5.7	-999.999	-69943.1	11.647	0.000	0.000
	1551.3	.329	.051	.855	.904	70.095	17.395	5.7	-999.999	-70095.0	11.690	0.000	0.000
	1551.4	.338	.051	.755	.872	70.247	17.447	5.7	-999.999	-70247.1	11.729	0.000	0.000
	1551.6	.349	.038	.749	.843	70.400	17.500	5.7	-999.999	-70400.2	11.769	0.000	0.000
X	1551.7	.374	.032	.740	.740	70.400	17.500	5.7	-999.999	-70400.2	11.769	0.000	0.000
X	1551.9	.403	.035	.671	.715	70.400	17.500	5.7	-999.999	-70400.2	11.769	0.000	0.000
X	1552.0	.366	.046	.736	.992	70.400	17.500	5.7	-999.999	-70400.2	11.769	0.000	0.000
	1552.2	.320	.049	.900	.987	70.552	17.549	5.7	-999.999	-70552.0	11.813	0.000	0.000
	1552.3	.329	.036	.880	1.000	70.705	17.599	5.7	-999.999	-70705.1	11.857	0.000	0.000
	1552.5	.320	.039	.899	.998	70.857	17.648	5.7	-999.999	-70857.0	11.901	0.000	0.000
X	1552.7	.363	.051	.680	.726	70.857	17.648	5.7	-999.999	-70857.0	11.901	0.000	0.000
X	1552.8	.352	.080	.620	.806	70.857	17.648	5.7	-999.999	-70857.0	11.901	0.000	0.000
X	1553.0	.387	.075	.599	.684	70.857	17.648	5.7	-999.999	-70857.0	11.901	0.000	0.000
X	1553.1	.364	.072	.818	.944	70.857	17.648	5.7	-999.999	-70857.0	11.901	0.000	0.000
X	1553.3	.400	.064	.772	1.000	70.857	17.648	5.7	-999.999	-70857.0	11.901	0.000	0.000
	1553.4	.343	.067	.955	1.000	71.010	17.700	5.7	-999.999	-71009.8	11.951	0.000	0.000
X	1553.6	.302	.068	1.000	1.000	71.010	17.700	5.7	-999.999	-71009.8	11.951	0.000	0.000
X	1553.7	.275	.065	1.000	1.000	71.010	17.700	5.7	-999.999	-71009.8	11.951	0.000	0.000
X	1553.9	.238	.081	1.000	1.000	71.010	17.700	5.7	-999.999	-71009.8	11.951	0.000	0.000
	1554.0	.272	.080	.947	.947	71.162	17.742	5.8	-999.999	-71161.9	11.990	0.000	0.000
	1554.2	.311	.080	.815	1.000	71.315	17.789	5.8	-999.999	-71314.7	12.029	0.000	0.000
	1554.3	.338	.067	.792	1.000	71.467	17.840	5.8	-999.999	-71466.8	12.069	0.000	0.000
	1554.5	.320	.066	.856	.967	71.619	17.889	5.8	-999.999	-71618.9	12.111	0.000	0.000
	1554.6	.334	.059	.777	.793	71.772	17.940	5.8	-999.999	-71771.7	12.151	0.000	0.000
	1554.8	.309	.069	.751	.906	71.924	17.987	5.8	-999.999	-71923.8	12.186	0.000	0.000
	1554.9	.288	.066	.817	1.000	72.077	18.031	5.8	-999.999	-72076.9	12.222	0.000	0.000

* =RAW DATA CUT OFF X =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
SHALLOW SECTION ZONE-A

SECTION FROM 1395.0 TO 1570.0

	DEPTH	GROSS POROSITY	VC	SW	SECTION FROM SXO	1395.0 TO SAND COUNT	1570.0 CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
	1555.1	.269	.064	.867	.993	72.229	18.072	5.8	-999.999	-72228.8	12.258	0.000	0.000
	1555.2	.324	.046	.695	.695	72.381	18.121	5.8	-999.999	-72380.8	12.292	0.000	0.000
X	1555.4	.364	.029	.595	.595	72.381	18.121	5.8	-999.999	-72380.8	12.292	0.000	0.000
X	1555.5	.379	.048	.588	.629	72.381	18.121	5.8	-999.999	-72380.8	12.292	0.000	0.000
X	1555.7	.363	.048	.665	.752	72.381	18.121	5.8	-999.999	-72380.8	12.292	0.000	0.000
	1555.9	.340	.059	.782	1.000	72.533	18.173	5.8	-999.999	-72532.7	12.332	0.000	0.000
	1556.0	.318	.046	.972	.972	72.685	18.222	5.8	-999.999	-72684.8	12.379	0.000	0.000
X	1556.2	.305	.053	1.000	1.000	72.685	18.222	5.8	-999.999	-72684.8	12.379	0.000	0.000
	1556.3	.320	.056	.819	1.000	72.837	18.270	5.9	-999.999	-72836.7	12.419	0.000	0.000
	1556.5	.322	.054	.810	.890	72.990	18.319	5.9	-999.999	-72989.7	12.459	0.000	0.000
X	1556.6	.357	.050	.705	.754	72.990	18.319	5.9	-999.999	-72989.7	12.459	0.000	0.000
	1556.8	.347	.045	.785	.855	73.142	18.372	5.9	-999.999	-73141.6	12.500	0.000	0.000
	1556.9	.312	.050	.932	1.000	73.295	18.420	5.9	-999.999	-73294.7	12.545	0.000	0.000
	1557.1	.319	.053	.892	1.000	73.447	18.468	5.9	-999.999	-73446.5	12.588	0.000	0.000
X	1557.2	.284	.063	1.000	1.000	73.447	18.468	5.9	-999.999	-73446.5	12.588	0.000	0.000
X	1557.4	.283	.063	1.000	1.000	73.447	18.468	5.9	-999.999	-73446.5	12.588	0.000	0.000
X	1557.5	.271	.065	1.000	1.000	73.447	18.468	5.9	-999.999	-73446.5	12.588	0.000	0.000
	1557.7	.287	.058	.942	1.000	73.600	18.512	5.9	-999.999	-73599.6	12.629	0.000	0.000
	1557.8	.286	.061	.910	1.000	73.752	18.556	5.9	-999.999	-73751.7	12.669	0.000	0.000
	1558.0	.280	.061	.935	1.000	73.905	18.598	5.9	-999.999	-73904.5	12.709	0.000	0.000
	1558.1	.273	.067	.960	1.000	74.057	18.640	5.9	-999.999	-74056.6	12.749	0.000	0.000
X	1558.3	.245	.065	1.000	1.000	74.057	18.640	5.9	-999.999	-74056.6	12.749	0.000	0.000
X	1558.4	.232	.064	1.000	1.000	74.057	18.640	5.9	-999.999	-74056.6	12.749	0.000	0.000
	1558.6	.225	.075	.965	1.000	74.209	18.674	5.9	-999.999	-74208.7	12.782	0.000	0.000
	1558.7	.224	.068	.958	1.000	74.362	18.708	5.9	-999.999	-74361.5	12.815	0.000	0.000
	1558.9	.235	.072	.855	1.000	74.514	18.744	5.9	-999.999	-74513.6	12.845	0.000	0.000
	1559.1	.232	.074	.898	1.000	74.666	18.780	5.9	-999.999	-74665.7	12.877	0.000	0.000
	1559.2	.252	.074	.894	1.000	74.819	18.818	5.9	-999.999	-74818.6	12.911	0.000	0.000
	1559.4	.258	.080	.912	1.000	74.971	18.857	5.9	-999.999	-74970.7	12.947	0.000	0.000
X	1559.5	.258	.078	1.000	1.000	74.971	18.857	5.9	-999.999	-74970.7	12.947	0.000	0.000
X	1559.7	.274	.081	1.000	1.000	74.971	18.857	5.9	-999.999	-74970.7	12.947	0.000	0.000
X	1559.8	.267	.073	1.000	1.000	74.971	18.857	5.9	-999.999	-74970.7	12.947	0.000	0.000
X	1560.0	.245	.071	1.000	1.000	74.971	18.857	5.9	-999.999	-74970.7	12.947	0.000	0.000
X	1560.1	.245	.064	1.000	1.000	74.971	18.857	5.9	-999.999	-74970.7	12.947	0.000	0.000
X	1560.3	.241	.058	1.000	1.000	74.971	18.857	5.9	-999.999	-74970.7	12.947	0.000	0.000
X	1560.4	.222	.087	1.000	1.000	74.971	18.857	5.9	-999.999	-74970.7	12.947	0.000	0.000
X	1560.6	.241	.143	1.000	1.000	74.971	18.857	5.9	-999.999	-74970.7	12.947	0.000	0.000
	1560.7	.310	.217	.776	.776	75.124	18.905	5.9	-999.999	-75123.7	12.984	0.000	0.000
	1560.9	.341	.189	.651	.651	75.276	18.956	5.9	-999.999	-75275.6	13.018	0.000	0.000
	1561.0	.313	.128	.689	.689	75.429	19.004	6.0	-999.999	-75428.7	13.051	0.000	0.000
	1561.2	.322	.060	.565	.565	75.581	19.053	6.0	-999.999	-75580.5	13.078	0.000	0.000
X	1561.3	.382	.047	.340	.340	75.581	19.053	6.0	-999.999	-75580.5	13.078	0.000	0.000
	1561.5	.240	.042	.317	.317	75.734	19.090	6.0	-999.999	-75733.6	13.090	0.000	0.000
	1561.6	.257	.069	.777	.777	75.886	19.129	6.0	-999.999	-75885.5	13.120	0.000	0.000
	1561.8	.330	.079	.456	1.000	76.039	19.180	6.0	-999.999	-76038.5	13.143	0.000	0.000
	1561.9	.206	.072	.811	1.000	76.191	19.211	6.0	-999.999	-76190.6	13.169	0.000	0.000
X	1562.1	.222	.084	1.000	1.000	76.191	19.211	6.0	-999.999	-76190.6	13.169	0.000	0.000
X	1562.3	.241	.100	1.000	1.000	76.191	19.211	6.0	-999.999	-76190.6	13.169	0.000	0.000
X	1562.4	.222	.117	1.000	1.000	76.191	19.211	6.0	-999.999	-76190.6	13.169	0.000	0.000
X	1562.6	.255	.106	1.000	1.000	76.191	19.211	6.0	-999.999	-76190.6	13.169	0.000	0.000

* -RAW DATA CUT OFF

X -OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& -MINIMUM SW SET

003

WEST SEAHORSE 1
SHALLOW SECTION ZONE-A

SECTION FROM 1395.0 TO 1570.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
X	1562.7	.316	.096	1.000	1.000	76.191	19.211	6.0	-999.999	-76190.6	13.169	0.000	0.000
X	1562.9	.380	.074	1.000	1.000	76.191	19.211	6.0	-999.999	-76190.6	13.169	0.000	0.000
X	1563.0	.385	.059	.928	1.000	76.191	19.211	6.0	-999.999	-76190.6	13.169	0.000	0.000
X	1563.2	.399	.039	.932	.932	76.191	19.211	6.0	-999.999	-76190.6	13.169	0.000	0.000
X	1563.3	.402	.039	.887	.887	76.191	19.211	6.0	-999.999	-76190.6	13.169	0.000	0.000
X	1563.5	.348	.047	1.000	1.000	76.191	19.211	6.0	-999.999	-76190.6	13.169	0.000	0.000
	1563.6	.324	.055	.997	1.000	76.343	19.260	6.0	-999.999	-76342.5	13.218	0.000	0.000
	1563.8	.308	.058	.981	1.000	76.496	19.307	6.0	-999.999	-76495.6	13.264	0.000	0.000
	1563.9	.310	.059	.904	1.000	76.648	19.354	6.0	-999.999	-76647.7	13.307	0.000	0.000
	1564.1	.330	.058	.776	1.000	76.801	19.405	6.1	-999.999	-76800.5	13.346	0.000	0.000
	1564.2	.299	.059	.901	1.000	76.953	19.450	6.1	-999.999	-76952.6	13.387	0.000	0.000
	1564.4	.285	.060	.917	1.000	77.105	19.494	6.1	-999.999	-77104.7	13.426	0.000	0.000
	1564.5	.274	.074	.901	1.000	77.258	19.536	6.1	-999.999	-77257.5	13.464	0.000	0.000
	1564.7	.272	.078	.844	1.000	77.410	19.577	6.1	-999.999	-77409.6	13.499	0.000	0.000
	1564.8	.264	.080	.827	1.000	77.563	19.617	6.1	-999.999	-77562.7	13.533	0.000	0.000
	1565.0	.287	.068	.826	1.000	77.715	19.661	6.1	-999.999	-77714.5	13.569	0.000	0.000
	1565.1	.284	.064	.944	1.000	77.867	19.704	6.1	-999.999	-77866.6	13.609	0.000	0.000
	1565.3	.286	.066	.977	.977	78.020	19.748	6.1	-999.999	-78019.5	13.652	0.000	0.000
	1565.5	.288	.065	.981	.981	78.172	19.792	6.1	-999.999	-78171.6	13.695	0.000	0.000
X	1565.6	.275	.074	1.000	1.000	78.172	19.792	6.1	-999.999	-78171.6	13.695	0.000	0.000
	1565.8	.283	.067	.970	.970	78.324	19.835	6.1	-999.999	-78323.4	13.737	0.000	0.000
	1565.9	.282	.076	.977	.977	78.476	19.878	6.1	-999.999	-78475.5	13.779	0.000	0.000
	1566.1	.312	.063	.807	.807	78.629	19.925	6.1	-999.999	-78628.6	13.817	0.000	0.000
	1566.2	.274	.062	.962	1.000	78.781	19.967	6.1	-999.999	-78780.5	13.857	0.000	0.000
	1566.4	.280	.057	.996	.996	78.934	20.010	6.1	-999.999	-78933.5	13.900	0.000	0.000
	1566.5	.336	.045	.866	.866	79.086	20.061	6.1	-999.999	-79085.6	13.944	0.000	0.000
X	1566.7	.397	.045	.694	.694	79.086	20.061	6.1	-999.999	-79085.6	13.944	0.000	0.000
X	1566.8	.426	.040	.640	.640	79.086	20.061	6.1	-999.999	-79085.6	13.944	0.000	0.000
X	1567.0	.424	.035	.647	.647	79.086	20.061	6.1	-999.999	-79085.6	13.944	0.000	0.000
X	1567.1	.446	.021	.599	.599	79.086	20.061	6.1	-999.999	-79085.6	13.944	0.000	0.000
X	1567.3	.490	.054	.408	.408	79.086	20.061	6.1	-999.999	-79085.6	13.944	0.000	0.000
X	1567.4	.562	.056	.276	.276	79.086	20.061	6.1	-999.999	-79085.6	13.944	0.000	0.000
X	1567.6	.677	.044	.249	.249	79.086	20.061	6.1	-999.999	-79085.6	13.944	0.000	0.000
	1567.7	.294	.019	.278	.278	79.238	20.105	6.1	-999.999	-79237.7	13.956	0.000	0.000
	1567.9	.167	.028	.278	.278	79.391	20.131	6.2	-999.999	-79390.5	13.964	0.000	0.000
	1568.0	.177	.020	.295	.295	79.543	20.158	6.2	-999.999	-79542.6	13.971	0.000	0.000
	1568.2	.178	.019	.320	.320	79.695	20.185	6.2	-999.999	-79694.5	13.980	0.000	0.000
	1568.3	.327	.003	.260	.260	79.848	20.235	6.2	-999.999	-79847.6	13.993	0.000	0.000
	1568.5	.283	.016	.283	.283	80.000	20.278	6.3	-999.999	-79999.7	14.005	0.000	0.000
X	1568.7	.409	0.000	.249	.249	80.000	20.278	6.3	-999.999	-79999.7	14.005	0.000	0.000
	1568.8	.255	0.000	.352	.352	80.152	20.317	6.3	-999.999	-80151.8	14.019	0.000	0.000
	1569.0	.293	.001	.324	.324	80.304	20.361	6.3	-999.999	-80303.9	14.033	0.000	0.000
	1569.1	.131	.034	.549	.621	80.457	20.381	6.3	-999.999	-80456.7	14.044	0.000	0.000
	1569.3	.200	.050	.249	1.000	80.609	20.412	6.4	-999.999	-80608.8	14.052	0.000	0.000
	1569.4	.315	.073	.241	.241	80.762	20.460	6.4	-999.999	-80761.9	14.064	0.000	0.000
	1569.6	.251	.082	.540	.540	80.914	20.498	6.4	-999.999	-80913.7	14.084	0.000	0.000
X	1569.7	.172	.142	1.000	1.000	80.914	20.498	6.4	-999.999	-80913.7	14.084	0.000	0.000
	1569.9	.274	.176	.641	1.000	81.066	20.540	6.4	-999.999	-81065.8	14.111	0.000	0.000

* =RAW DATA CUT OFF

X =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

1067

WEST SEAHORSE 1
SHALLOW SECTION ZONE-A

SECTION FROM 1395.0 TO 1570.0

INTERVAL SUMMARY

TOTAL INTERVAL	=	175.0 FT
NET INTERVAL	=	81.1 FT
NET/GROSS RATIO	=	.46336
EQUIVALENT POROSITY COLUMN	=	20.540 FT
EQUIVALENT HYDROCARBON COLUMN	=	6.429 FT
EQUIVALENT WATER VOL.	=	14.111 FT
EQUIVALENT WATER VOL. (FLUSHED ZONE)	=	0.000 FT

AVERAGES OVER NET INTERVAL

POROSITY	=	.25337
WATER SATURATION	=	.68700
HYDROCARBON SATURATION	=	.31300
HYDROCARBON VOLUME	=	.07930
WATER VOLUME	=	.17407
WATER VOLUME (FLUSHED ZONE)	=	0.00000
(WATER VOL. FLUSHED)-(WATER VOL.)	=	0.00000
PERMEABILITY INDEX	=	-1000.0
RECOVERY FACTOR	=	-1000.0

HYDROCARBON VOLUME OVER TOTAL INTERVAL = .03675

CUT-OFF VALUES

MINIMUM POROSITY	=	0.00	MAXIMUM SW	=	1.00
MAXIMUM POROSITY	=	.35	MINIMUM SW RESET	=	0.00
MAXIMUM NEUTRON	=	.40	MAXIMUM DENSITY	=	3.50
MINIMUM GR	=	0.00	MAXIMUM GR	=	1000.00
BIT SIZE	=	12.25	MAXIMUM CALIPER	=	14.00

WARNING: THE COMPUTED LOG DATA OF THIS REALOG-RUN ARE NOT SAVED I

**** END OF PROGRAM ****

PE603910

This is an enclosure indicator page.
The enclosure PE603910 is enclosed within the
container PE905513 at this location in this
document.

The enclosure PE603910 has the following characteristics:

ITEM_BARCODE = PE603910
CONTAINER_BARCODE = PE905513
NAME = Log Data Plot
BASIN = GIPPSLAND
PERMIT = VIC/P11
TYPE = WELL
SUBTYPE = WELL_LOG
DESCRIPTION = Log Data Plot (2 of 7) from Wireline
Log Interpretation Report (attachment
to WCR), for West Seahorse-1
REMARKS =
DATE_CREATED = 12/03/82
DATE_RECEIVED = 21/06/82
W_NO = W755
WELL_NAME = WEST SEAHORSE-1
CONTRACTOR = PETRODATA A.G.
CLIENT_OP_CO = HUSBAY OIL (AUSTRALIA) LTD

(Inserted by DNRE - Vic Govt Mines Dept)

WELL ANALYSIS PROGRAM REALG (HP-VERSION: 20.1)

West Seahorse 1 1570-1700m

LISTING OF ALL PARAMETER AND ACTION CARDS

NO.	NAME	PARAMETERS
1	WELL	WEST SEAHORSE 1
2	ZONE	SHALLOW SECTION ZONE-B
3	TAPE	Ø/1
4	INTE	1569/17Ø1
5	LEVS	3/1569/-2/17Ø1
6	LEVS	4/1569/-2/17Ø1
7	LEVS	6/1569/2/17Ø1
8	LEVS	5/1569/2/17Ø1
9	LEVS	7/1569/-2/17Ø1
1Ø	LEVS	11/1569/-1/17Ø1
11	LEVS	12/1569/-1/17Ø1
12	INTE	157Ø/17ØØ
13	SCAL	8/53/Ø.1/- .8
14	SCAL	1Ø/1Ø/1. /-3.
15	SCAL	5/5Ø/1. /Ø.Ø
16	SCAL	9/5/Ø.Ø1/Ø
17	POWE	5/5/2.
18	DIVI	5/12/5
19	POWE	3/13/-Ø.5
2Ø	POWE	4/14/- .5
21	POWE	6/15/- .5
22	RESI	4.ØØØ/6Ø.ØØØ/Ø.4ØØ/65/Ø.51Ø/65
23	TEMP	14Ø/17ØØ/Ø.Ø2
24	DIAM	12.25/14
25	GRLO	Ø/1ØØØ/Ø/1ØØØ
26	BPAR	1/Ø
27	IPAR	9. /1/2/2
28	LIMI	Ø. /1/ .35/Ø
29	EVAL	1/3/Ø/Ø
3Ø	POWE	39/47/ .5
31	POWE	38/48/ .5
32	MAT1	12/2.65/2.73/1.35/1.ØØ/1.Ø/Ø.84/1.Ø
33	MAT2	11/-Ø.Ø4ØØ/Ø.31ØØ/Ø.54/1.Ø/1.Ø/Ø.92/1.ØØ
34	MAT3	1Ø/3. /8Ø. /Ø/35Ø/Ø/Ø/Ø
35	MAT4	48/Ø. /Ø. /Ø.Ø3/Ø.6Ø/Ø.45/Ø.ØØ/Ø.Ø3
36	MAT5	47/Ø/Ø/Ø.Ø3/1.5/2.Ø/Ø.Ø/2.Ø
37	MAT6	5/Ø.1Ø/Ø.13/1.55/Ø.2/1.75/1.75/1.75
38	MOUT	53/54/55/56/57/58/59
39	EVAL	Ø/Ø/1Ø/Ø
4Ø	OTIT	53/ SAND
41	OTIT	54/ CLAY
42	OTIT	55/ COAL
43	OTIT	56/ BONDED WATER
44	OTIT	57/ FREE WATER
45	OTIT	59/ HC - MOVED
46	OTIT	58/ HYDRO- CARBON
47	OTIT	6Ø/MISMATCH
48	ADD	57/58/28
49	ADD	28/59/28
5Ø	ADD	28/56/16
51	ADD	56/57/3Ø
52	DIVI	3Ø/16/3Ø
53	DIVI	56/16/17
54	SCAL	56/18/1/Ø
55	DIVI	59/16/2Ø
56	ADD	2Ø/3Ø/2Ø
57	PRIN	
58	ADD	53/54/54
59	ADD	54/56/56

60 ADD 55/56/56
61 ADD 56/57/57
62 ADD 57/58/58
63 ADD 58/59/59

NO FATAL ERRORS HAVE BEEN DETECTED-JOB CONTINUED

WELL LOCATION INFORMATION

COUNTRY : AUSTRALIA
STATE : VICTORIA
FIELD NAME : WILDCAT
WELL NAME : WEST SEAHORSE 1
COMMENTS :

DATA SOURCE INFORMATION

UCC LABEL : 8224
CREATE DATE : 15-12-81
UPDATED :

THE (03-DPT) DATA ARE ALLOCATED IN CHANNEL 1
THE (04-LLD) DATA ARE ALLOCATED IN CHANNEL 3
THE (04-LLS) DATA ARE ALLOCATED IN CHANNEL 4
THE (05-MLL) DATA ARE ALLOCATED IN CHANNEL 5
THE (06-ILD) DATA ARE ALLOCATED IN CHANNEL 6
THE (07-MSF) DATA ARE ALLOCATED IN CHANNEL 7
THE (08-CAL) DATA ARE ALLOCATED IN CHANNEL 8
THE (10-TGR) DATA ARE ALLOCATED IN CHANNEL 10
THE (11-CNL) DATA ARE ALLOCATED IN CHANNEL 11
THE (12-FDC) DATA ARE ALLOCATED IN CHANNEL 12

LOG DATA DESCRIPTION

NO. OF DEPTH LEVELS IN FILE :	872
FIRST DEPTH LEVEL	1569.11
LAST DEPTH LEVEL	1701.85
DEPTH INCREMENT	.2

LOG DATA RECORDS READ FROM INPUT = 872 RECORDS (MAXIMUM STORAGE AVAILABLE= 1200 RECORDS)

FIRST DEPTH STORED = 1569.11
FINAL DEPTH STORED = 1701.85

WEST SEAHORSE 1
SHALLOW SECTION ZONE-B

SECTION FROM 1570.0 TO 1700.0
USING LLD FOR DEEP RESISTIVITY
USING MSFL FOR SHALLOW RESISTIVITY

GROSS POROSITY SELECTED FOR PROGRAM CALCULATIONS

INPUT PARAMETER VARIABLES USED IN THIS ANALYSIS

RESISTIVITIES:

FORMATION WATER	= 4.000 AT 60.0 DEG F	EQUIV PPM NAACL =	1620.4
MUD	= .510 AT 65.0 DEG F	EQUIV PPM NAACL =	12917.2
MUD FILTRATE	= .400 AT 65.0 DEG F	EQUIV PPM NAACL =	16817.4
MUD CAKE	= .765 AT 65.0 DEG F	EQUIV PPM NAACL =	8378.9

TEMPERATURE

GRADIENT = .020 DEG F/FT REFERENCE TEMP = 140.000 DEG F AT 1700.0 FT

GAMMA RAY

MIN GR IN CLAY VOLUME CALC = 0.000 MAX GR IN CLAY VOLUME CALC = 1000.000

INDONESIAN EQUATION CONSTANTS

R-CLAY	P = 0.000	A = PHI DIVISOR COEFF	L = 1.000
M = CEMENTATION FACTOR	b = 2.000	N = SATURATION EXPONENT	L = 2.000

CUT-OFF VALUES:

MINIMUM POROSITY	= 0.000	MAXIMUM SW	= 1.000
MAXIMUM POROSITY	= .350	MINIMUM SW RESET	= 0.000
MAXIMUM NEUTRON	= .400	MAXIMUM DENSITY	= 3.500
MINIMUM GR	= 0.000	MAXIMUM GR	= 1000.000
BIT SIZE	= 12.250	MAXIMUM CALIPER	= 14.000

WEST SEAHORSE 1
 SHALLOW SECTION ZONE-B
 SECTION FROM 1570.0 TO 1700.0

GROSS POROSITY SELECTED FOR PROGRAM CALCULATIONS

INPUT PARAMETER VARIABLES USED IN THIS ANALYSIS

RESISTIVITIES:

FORMATION WATER	= 4.000 AT 60.0 DEG F	EQUIV PPM NAACL =	1620.4
MUD	= .510 AT 65.0 DEG F	EQUIV PPM NAACL =	12917.2
MUD FILTRATE	= .400 AT 65.0 DEG F	EQUIV PPM NAACL =	16817.4
MUD CAKE	= .765 AT 65.0 DEG F	EQUIV PPM NAACL =	8378.9

TEMPERATURE

GRADIENT = .020 DEG F/FT REFERENCE TEMP= 140.000 DEG F AT 1700.0 FT

GAMMA RAY

MIN GR IN CLAY VOLUME CALC = 0.000 MAX GR IN CLAY VOLUME CALC = 1000.000

INDONESIAN EQUATION CONSTANTS

K-CLAY	= 0.000	K = PHI DIVISOR COEFF	= 1.000
M = CEMENTATION FACTOR	= 2.000	N = SATURATION EXPONENT	= 2.000

CUT-OFF VALUES:

MINIMUM POROSITY	= 0.000	MAXIMUM SW	= 1.000
MAXIMUM POROSITY	= .350	MINIMUM SW RESET	= 0.000
MAXIMUM NEUTRON	= .400	MAXIMUM DENSITY	= 3.500
MINIMUM GR	= 0.000	MAXIMUM GR	= 1000.000
BIT SIZE	= 12.250	MAXIMUM CALIPER	= 14.000

WEST SEAHORSE 1
SHALLOW SECTION ZONE-B

SECTION FROM 1570.0 TO 1700.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
1570.0	.256	.155	.796	1.000	.152	.039	.0	-999.999	-152.1	.031	0.000	0.000
1570.2	.220	.068	.867	.867	.305	.073	.0	-999.999	-305.2	.060	0.000	0.000
1570.3	.245	.041	.597	.597	.457	.110	.0	-999.999	-457.0	.082	0.000	0.000
1570.5	.145	.033	.545	.545	.609	.132	.0	-999.999	-609.1	.094	0.000	0.000
1570.6	.162	.021	.368	.368	.762	.157	.1	-999.999	-762.2	.104	0.000	0.000
1570.8	.232	.013	.277	.277	.914	.192	.1	-999.999	-914.1	.113	0.000	0.000
1570.9	.201	.019	.275	.275	1.067	.223	.1	-999.999	-1067.1	.122	0.000	0.000
1571.1	.146	.031	.325	.325	1.219	.245	.1	-999.999	-1219.0	.129	0.000	0.000
1571.2	.065	.045	.689	.689	1.371	.255	.1	-999.999	-1371.1	.136	0.000	0.000
1571.4	.118	.063	.536	.576	1.524	.273	.1	-999.999	-1524.2	.146	0.000	0.000
1571.5	.133	.080	.600	.720	1.676	.293	.1	-999.999	-1676.0	.158	0.000	0.000
1571.7	.173	.079	.459	.739	1.829	.320	.1	-999.999	-1829.1	.170	0.000	0.000
1571.9	.233	.092	.396	.559	1.981	.355	.2	-999.999	-1981.2	.184	0.000	0.000
1572.0	.255	.093	.364	.364	2.133	.394	.2	-999.999	-2133.1	.198	0.000	0.000
X 1572.2	.076	.072	1.000	1.000	2.133	.394	.2	-999.999	-2133.1	.198	0.000	0.000
1572.3	.309	.106	.494	1.000	2.285	.441	.2	-999.999	-2284.9	.221	0.000	0.000
X 1572.5	.371	.111	.437	1.000	2.285	.441	.2	-999.999	-2284.9	.221	0.000	0.000
X 1572.6	.365	.108	.639	1.000	2.285	.441	.2	-999.999	-2284.9	.221	0.000	0.000
X 1572.8	.367	.108	.776	1.000	2.285	.441	.2	-999.999	-2284.9	.221	0.000	0.000
X 1572.9	.362	.099	.697	1.000	2.285	.441	.2	-999.999	-2284.9	.221	0.000	0.000
1573.1	.313	.087	.716	1.000	2.437	.488	.2	-999.999	-2437.0	.255	0.000	0.000
1573.2	.250	.087	.829	1.000	2.590	.527	.2	-999.999	-2589.8	.287	0.000	0.000
X 1573.4	.206	.083	1.000	1.000	2.590	.527	.2	-999.999	-2589.8	.287	0.000	0.000
X 1573.5	.202	.079	1.000	1.000	2.590	.527	.2	-999.999	-2589.8	.287	0.000	0.000
X 1573.7	.192	.083	1.000	1.000	2.590	.527	.2	-999.999	-2589.8	.287	0.000	0.000
X 1573.8	.185	.092	1.000	1.000	2.590	.527	.2	-999.999	-2589.8	.287	0.000	0.000
X 1574.0	.175	.103	1.000	1.000	2.590	.527	.2	-999.999	-2589.8	.287	0.000	0.000
X 1574.1	.177	.093	1.000	1.000	2.590	.527	.2	-999.999	-2589.8	.287	0.000	0.000
X 1574.3	.164	.083	1.000	1.000	2.590	.527	.2	-999.999	-2589.8	.287	0.000	0.000
X 1574.4	.174	.073	1.000	1.000	2.590	.527	.2	-999.999	-2589.8	.287	0.000	0.000
1574.6	.302	.101	.510	1.000	2.742	.573	.3	-999.999	-2741.9	.310	0.000	0.000
1574.7	.321	.118	.597	1.000	2.895	.622	.3	-999.999	-2895.0	.340	0.000	0.000
1574.9	.288	.156	.797	1.000	3.047	.665	.3	-999.999	-3046.9	.375	0.000	0.000
1575.1	.287	.143	.761	1.000	3.199	.709	.3	-999.999	-3199.0	.408	0.000	0.000
1575.2	.311	.129	.588	1.000	3.352	.757	.3	-999.999	-3351.8	.436	0.000	0.000
1575.4	.265	.120	.647	1.000	3.504	.797	.3	-999.999	-3503.9	.462	0.000	0.000
X 1575.5	.181	.104	1.000	1.000	3.504	.797	.3	-999.999	-3503.9	.462	0.000	0.000
X 1575.7	.157	.105	1.000	1.000	3.504	.797	.3	-999.999	-3503.9	.462	0.000	0.000
X 1575.8	.154	.092	1.000	1.000	3.504	.797	.3	-999.999	-3503.9	.462	0.000	0.000
X 1576.0	.158	.107	1.000	1.000	3.504	.797	.3	-999.999	-3503.9	.462	0.000	0.000
1576.1	.203	.117	.742	1.000	3.656	.828	.3	-999.999	-3655.8	.485	0.000	0.000
1576.3	.274	.121	.444	1.000	3.809	.870	.4	-999.999	-3808.8	.503	0.000	0.000
1576.4	.161	.118	.923	1.000	3.961	.894	.4	-999.999	-3960.7	.526	0.000	0.000
X 1576.6	.205	.098	1.000	1.000	3.961	.894	.4	-999.999	-3960.7	.526	0.000	0.000
X 1576.7	.200	.103	1.000	1.000	3.961	.894	.4	-999.999	-3960.7	.526	0.000	0.000
X 1576.9	.196	.103	1.000	1.000	3.961	.894	.4	-999.999	-3960.7	.526	0.000	0.000
X 1577.0	.199	.100	1.000	1.000	3.961	.894	.4	-999.999	-3960.7	.526	0.000	0.000
X 1577.2	.162	.104	1.000	1.000	3.961	.894	.4	-999.999	-3960.7	.526	0.000	0.000
X 1577.3	.153	.108	1.000	1.000	3.961	.894	.4	-999.999	-3960.7	.526	0.000	0.000
X 1577.5	.157	.123	1.000	1.000	3.961	.894	.4	-999.999	-3960.7	.526	0.000	0.000

* -RAW DATA CUT OFF

X -OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& -MINIMUM SW SET

WEST SEAHORSE 1
SHALLOW SECTION ZONE-B

SECTION FROM 1578.0 TO 1788.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO (-CUMUL VW)
X	1577.6	.168	.122	1.000	1.000	3.961	.894	.4	-999.999	-3960.7	.526	0.000	0.000
X	1577.8	.194	.114	1.000	1.000	3.961	.894	.4	-999.999	-3960.7	.526	0.000	0.000
X	1577.9	.213	.098	1.000	1.000	3.961	.894	.4	-999.999	-3960.7	.526	0.000	0.000
X	1578.1	.252	.086	1.000	1.000	3.961	.894	.4	-999.999	-3960.7	.526	0.000	0.000
X	1578.3	.257	.083	1.000	1.000	3.961	.894	.4	-999.999	-3960.7	.526	0.000	0.000
	1578.4	.255	.083	.948	1.000	4.113	.933	.4	-999.999	-4112.8	.563	0.000	0.000
	1578.6	.263	.088	.886	1.000	4.266	.973	.4	-999.999	-4265.6	.598	0.000	0.000
X	1578.7	.261	.081	1.000	1.000	4.266	.973	.4	-999.999	-4265.6	.598	0.000	0.000
	1578.9	.297	.072	.854	1.000	4.418	1.018	.4	-999.999	-4417.7	.637	0.000	0.000
	1579.0	.320	.074	.793	1.000	4.571	1.067	.4	-999.999	-4570.6	.676	0.000	0.000
	1579.2	.331	.077	.779	1.000	4.723	1.118	.4	-999.999	-4722.7	.715	0.000	0.000
	1579.3	.319	.075	.795	1.000	4.876	1.166	.4	-999.999	-4875.7	.754	0.000	0.000
	1579.5	.318	.062	.835	1.000	5.028	1.215	.4	-999.999	-5027.6	.794	0.000	0.000
	1579.6	.304	.064	.885	1.000	5.180	1.261	.4	-999.999	-5179.7	.835	0.000	0.000
	1579.8	.316	.063	.853	1.000	5.333	1.309	.4	-999.999	-5332.5	.876	0.000	0.000
	1579.9	.323	.064	.808	1.000	5.485	1.358	.4	-999.999	-5484.6	.916	0.000	0.000
	1580.1	.319	.050	.847	1.000	5.638	1.407	.5	-999.999	-5637.7	.957	0.000	0.000
	1580.2	.311	.050	.886	.999	5.790	1.454	.5	-999.999	-5789.5	.999	0.000	0.000
	1580.4	.317	.049	.854	.930	5.942	1.503	.5	-999.999	-5941.6	1.040	0.000	0.000
	1580.5	.315	.059	.833	1.000	6.095	1.551	.5	-999.999	-6094.7	1.080	0.000	0.000
	1580.7	.308	.055	.842	1.000	6.247	1.598	.5	-999.999	-6246.6	1.120	0.000	0.000
	1580.8	.325	.056	.783	1.000	6.400	1.647	.5	-999.999	-6399.7	1.159	0.000	0.000
	1581.0	.335	.048	.832	1.000	6.552	1.698	.5	-999.999	-6551.5	1.201	0.000	0.000
	1581.1	.321	.045	.992	1.000	6.704	1.747	.5	-999.999	-6703.6	1.249	0.000	0.000
X	1581.3	.314	.042	1.000	1.000	6.704	1.747	.5	-999.999	-6703.6	1.249	0.000	0.000
X	1581.5	.295	.061	1.000	1.000	6.704	1.747	.5	-999.999	-6703.6	1.249	0.000	0.000
X	1581.6	.250	.072	1.000	1.000	6.704	1.747	.5	-999.999	-6703.6	1.249	0.000	0.000
X	1581.8	.214	.084	1.000	1.000	6.704	1.747	.5	-999.999	-6703.6	1.249	0.000	0.000
X	1581.9	.188	.091	1.000	1.000	6.704	1.747	.5	-999.999	-6703.6	1.249	0.000	0.000
X	1582.1	.191	.086	1.000	1.000	6.704	1.747	.5	-999.999	-6703.6	1.249	0.000	0.000
X	1582.2	.213	.088	1.000	1.000	6.704	1.747	.5	-999.999	-6703.6	1.249	0.000	0.000
X	1582.4	.264	.082	1.000	1.000	6.704	1.747	.5	-999.999	-6703.6	1.249	0.000	0.000
	1582.5	.298	.078	.982	1.000	6.856	1.792	.5	-999.999	-6855.7	1.294	0.000	0.000
	1582.7	.341	.057	.947	1.000	7.008	1.844	.5	-999.999	-7007.6	1.343	0.000	0.000
	1582.8	.326	.063	.971	1.000	7.161	1.894	.5	-999.999	-7160.6	1.391	0.000	0.000
	1583.0	.333	.070	.905	1.000	7.313	1.945	.5	-999.999	-7312.7	1.437	0.000	0.000
X	1583.1	.298	.073	1.000	1.000	7.313	1.945	.5	-999.999	-7312.7	1.437	0.000	0.000
X	1583.3	.293	.078	1.000	1.000	7.313	1.945	.5	-999.999	-7312.7	1.437	0.000	0.000
	1583.4	.283	.077	.927	1.000	7.465	1.987	.5	-999.999	-7464.6	1.477	0.000	0.000
	1583.6	.256	.078	.962	1.000	7.618	2.027	.5	-999.999	-7617.7	1.515	0.000	0.000
X	1583.7	.220	.085	1.000	1.000	7.618	2.027	.5	-999.999	-7617.7	1.515	0.000	0.000
X	1583.9	.231	.083	1.000	1.000	7.618	2.027	.5	-999.999	-7617.7	1.515	0.000	0.000
X	1584.0	.255	.087	1.000	1.000	7.618	2.027	.5	-999.999	-7617.7	1.515	0.000	0.000
	1584.2	.267	.088	.870	1.000	7.770	2.067	.5	-999.999	-7769.8	1.550	0.000	0.000
X	1584.4	.277	.096	1.000	1.000	7.770	2.067	.5	-999.999	-7769.8	1.550	0.000	0.000
	1584.5	.316	.092	.976	.976	7.922	2.115	.5	-999.999	-7921.9	1.597	0.000	0.000
	1584.7	.333	.092	.848	1.000	8.075	2.166	.5	-999.999	-8074.9	1.640	0.000	0.000
	1584.8	.340	.064	.784	1.000	8.227	2.218	.5	-999.999	-8226.8	1.680	0.000	0.000
	1585.0	.337	.062	.817	1.000	8.379	2.269	.5	-999.999	-8378.9	1.722	0.000	0.000
	1585.1	.339	.044	.826	1.000	8.532	2.321	.6	-999.999	-8531.7	1.765	0.000	0.000

* -RAW DATA CUT OFF X -OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & -MINIMUM SW SET

WEST SEAHORSE 1
SHALLOW SECTION ZONE-B

SECTION FROM 1570.0 TO 1700.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
1585.3	.335	.051	.820	1.000	8.684	2.372	.6	-999.999	-8683.8	1.807	0.000	0.000
1585.4	.308	.054	.903	.974	8.837	2.419	.6	-999.999	-8836.9	1.850	0.000	0.000
1585.6	.310	.067	.809	1.000	8.989	2.466	.6	-999.999	-8988.8	1.888	0.000	0.000
1585.7	.309	.069	.799	1.000	9.141	2.513	.6	-999.999	-9140.9	1.925	0.000	0.000
1585.9	.317	.085	.762	1.000	9.294	2.562	.6	-999.999	-9293.9	1.962	0.000	0.000
1586.0	.313	.116	.678	1.000	9.446	2.609	.6	-999.999	-9445.8	1.995	0.000	0.000
1586.2	.264	.134	.589	1.000	9.599	2.650	.6	-999.999	-9598.9	2.018	0.000	0.000
1586.3	.265	.129	.536	1.000	9.751	2.690	.7	-999.999	-9750.7	2.040	0.000	0.000
1586.5	.305	.105	.541	1.000	9.903	2.736	.7	-999.999	-9902.8	2.065	0.000	0.000
1586.6	.328	.075	.603	1.000	10.056	2.787	.7	-999.999	-10055.9	2.095	0.000	0.000
1586.8	.305	.059	.658	1.000	10.208	2.833	.7	-999.999	-10207.8	2.126	0.000	0.000
1586.9	.286	.061	.764	1.000	10.361	2.877	.7	-999.999	-10360.8	2.159	0.000	0.000
1587.1	.275	.064	.864	1.000	10.513	2.919	.7	-999.999	-10512.9	2.195	0.000	0.000
1587.2	.264	.059	.869	1.000	10.665	2.959	.7	-999.999	-10664.8	2.230	0.000	0.000
% 1587.4	.244	.062	1.000	1.000	10.665	2.959	.7	-999.999	-10664.8	2.230	0.000	0.000
1587.6	.239	.063	.968	1.000	10.817	2.995	.7	-999.999	-10816.6	2.265	0.000	0.000
1587.7	.264	.061	.815	1.000	10.970	3.035	.7	-999.999	-10969.7	2.298	0.000	0.000
1587.9	.272	.060	.950	1.000	11.122	3.077	.7	-999.999	-11121.8	2.337	0.000	0.000
1588.0	.280	.071	.992	1.000	11.274	3.119	.7	-999.999	-11273.7	2.380	0.000	0.000
% 1588.2	.286	.078	1.000	1.000	11.274	3.119	.7	-999.999	-11273.7	2.380	0.000	0.000
% 1588.3	.293	.079	1.000	1.000	11.274	3.119	.7	-999.999	-11273.7	2.380	0.000	0.000
% 1588.5	.281	.071	1.000	1.000	11.274	3.119	.7	-999.999	-11273.7	2.380	0.000	0.000
% 1588.6	.271	.056	1.000	1.000	11.274	3.119	.7	-999.999	-11273.7	2.380	0.000	0.000
1588.8	.294	.054	.832	1.000	11.426	3.164	.7	-999.999	-11425.8	2.417	0.000	0.000
% 1588.9	.259	.040	1.000	1.000	11.426	3.164	.7	-999.999	-11425.8	2.417	0.000	0.000
% 1589.1	.275	.042	1.000	1.000	11.426	3.164	.7	-999.999	-11425.8	2.417	0.000	0.000
% 1589.2	.288	.043	1.000	1.000	11.426	3.164	.7	-999.999	-11425.8	2.417	0.000	0.000
% 1589.4	.319	.048	1.000	1.000	11.426	3.164	.7	-999.999	-11425.8	2.417	0.000	0.000
% 1589.5	.372	.041	.946	.946	11.426	3.164	.7	-999.999	-11425.8	2.417	0.000	0.000
% 1589.7	.444	.069	.886	.886	11.426	3.164	.7	-999.999	-11425.8	2.417	0.000	0.000
% 1589.8	.427	.118	.986	.986	11.426	3.164	.7	-999.999	-11425.8	2.417	0.000	0.000
% 1590.0	.407	.148	.692	1.000	11.426	3.164	.7	-999.999	-11425.8	2.417	0.000	0.000
% 1590.1	.207	.111	1.000	1.000	11.426	3.164	.7	-999.999	-11425.8	2.417	0.000	0.000
% 1590.3	.128	.105	1.000	1.000	11.426	3.164	.7	-999.999	-11425.8	2.417	0.000	0.000
1590.4	.137	.077	.710	.710	11.579	3.185	.8	-999.999	-11578.9	2.432	0.000	0.000
1590.6	.324	.045	.253	.253	11.731	3.234	.8	-999.999	-11730.7	2.444	0.000	0.000
1590.8	.335	.021	.264	.264	11.884	3.285	.8	-999.999	-11883.8	2.458	0.000	0.000
1590.9	.264	.023	.395	.395	12.036	3.325	.9	-999.999	-12035.6	2.474	0.000	0.000
1591.1	.107	.037	.889	.889	12.188	3.342	.9	-999.999	-12187.7	2.488	0.000	0.000
1591.2	.206	.045	.484	.484	12.341	3.373	.9	-999.999	-12340.8	2.503	0.000	0.000
1591.4	.180	.070	.433	.433	12.493	3.400	.9	-999.999	-12492.7	2.515	0.000	0.000
1591.5	.197	.080	.407	.650	12.646	3.431	.9	-999.999	-12645.7	2.527	0.000	0.000
1591.7	.216	.078	.362	.445	12.798	3.463	.9	-999.999	-12797.8	2.539	0.000	0.000
1591.8	.057	.049	.874	.874	12.950	3.472	.9	-999.999	-12949.7	2.547	0.000	0.000
% 1592.0	.093	.048	1.000	1.000	12.950	3.472	.9	-999.999	-12949.7	2.547	0.000	0.000
% 1592.1	.192	.085	1.000	1.000	12.950	3.472	.9	-999.999	-12949.7	2.547	0.000	0.000
% 1592.3	.401	.113	.298	1.000	12.950	3.472	.9	-999.999	-12949.7	2.547	0.000	0.000
1592.4	.263	.184	.971	1.000	13.102	3.512	.9	-999.999	-13101.8	2.586	0.000	0.000
1592.6	.331	.158	.624	.624	13.254	3.562	.9	-999.999	-13253.7	2.617	0.000	0.000
% 1592.7	.188	.118	1.000	1.000	13.254	3.562	.9	-999.999	-13253.7	2.617	0.000	0.000

* -RAW DATA CUT OFF

% -OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& -MINIMUM SW SET

383

WEST SEAHORSE 1
SHALLOW SECTION ZONE-B

SECTION FROM 1570.0 TO 1700.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
	1592.9	.278	.095	.858	1.000	13.406	3.605	1.0	-999.999	-13405.8	2.653	0.000	0.000
%	1593.0	.389	.085	.769	1.000	13.406	3.605	1.0	-999.999	-13405.8	2.653	0.000	0.000
%	1593.2	.419	.096	.829	1.000	13.406	3.605	1.0	-999.999	-13405.8	2.653	0.000	0.000
%	1593.3	.407	.121	1.000	1.000	13.406	3.605	1.0	-999.999	-13405.8	2.653	0.000	0.000
%	1593.5	.445	.151	1.000	1.000	13.406	3.605	1.0	-999.999	-13405.8	2.653	0.000	0.000
%	1593.6	.398	.166	1.000	1.000	13.406	3.605	1.0	-999.999	-13405.8	2.653	0.000	0.000
%	1593.8	.310	.150	1.000	1.000	13.406	3.605	1.0	-999.999	-13405.8	2.653	0.000	0.000
%	1594.0	.263	.125	1.000	1.000	13.406	3.605	1.0	-999.999	-13405.8	2.653	0.000	0.000
%	1594.1	.224	.110	1.000	1.000	13.406	3.605	1.0	-999.999	-13405.8	2.653	0.000	0.000
%	1594.3	.192	.106	1.000	1.000	13.406	3.605	1.0	-999.999	-13405.8	2.653	0.000	0.000
%	1594.4	.165	.117	1.000	1.000	13.406	3.605	1.0	-999.999	-13405.8	2.653	0.000	0.000
%	1594.6	.176	.105	1.000	1.000	13.406	3.605	1.0	-999.999	-13405.8	2.653	0.000	0.000
%	1594.7	.203	.098	1.000	1.000	13.406	3.605	1.0	-999.999	-13405.8	2.653	0.000	0.000
%	1594.9	.225	.082	1.000	1.000	13.406	3.605	1.0	-999.999	-13405.8	2.653	0.000	0.000
%	1595.0	.216	.090	1.000	1.000	13.406	3.605	1.0	-999.999	-13405.8	2.653	0.000	0.000
%	1595.2	.221	.085	1.000	1.000	13.406	3.605	1.0	-999.999	-13405.8	2.653	0.000	0.000
%	1595.3	.215	.096	1.000	1.000	13.406	3.605	1.0	-999.999	-13405.8	2.653	0.000	0.000
%	1595.5	.208	.086	1.000	1.000	13.406	3.605	1.0	-999.999	-13405.8	2.653	0.000	0.000
%	1595.6	.186	.098	1.000	1.000	13.406	3.605	1.0	-999.999	-13405.8	2.653	0.000	0.000
%	1595.8	.180	.091	1.000	1.000	13.406	3.605	1.0	-999.999	-13405.8	2.653	0.000	0.000
%	1595.9	.170	.086	1.000	1.000	13.406	3.605	1.0	-999.999	-13405.8	2.653	0.000	0.000
%	1596.1	.167	.098	1.000	1.000	13.406	3.605	1.0	-999.999	-13405.8	2.653	0.000	0.000
%	1596.2	.194	.098	1.000	1.000	13.406	3.605	1.0	-999.999	-13405.8	2.653	0.000	0.000
%	1596.4	.245	.094	1.000	1.000	13.406	3.605	1.0	-999.999	-13405.8	2.653	0.000	0.000
%	1596.5	.264	.077	1.000	1.000	13.406	3.605	1.0	-999.999	-13405.8	2.653	0.000	0.000
%	1596.7	.284	.076	1.000	1.000	13.406	3.605	1.0	-999.999	-13405.8	2.653	0.000	0.000
	1596.8	.302	.095	.913	1.000	13.559	3.651	1.0	-999.999	-13558.8	2.695	0.000	0.000
%	1597.0	.406	.094	.563	1.000	13.559	3.651	1.0	-999.999	-13558.8	2.695	0.000	0.000
%	1597.2	.393	.093	.668	1.000	13.559	3.651	1.0	-999.999	-13558.8	2.695	0.000	0.000
%	1597.3	.385	.057	.791	.791	13.559	3.651	1.0	-999.999	-13558.8	2.695	0.000	0.000
%	1597.5	.399	.058	.694	.694	13.559	3.651	1.0	-999.999	-13558.8	2.695	0.000	0.000
	1597.6	.345	.078	.798	1.000	13.712	3.704	1.0	-999.999	-13711.9	2.737	0.000	0.000
	1597.8	.323	.082	.855	1.000	13.864	3.753	1.0	-999.999	-13864.0	2.779	0.000	0.000
%	1597.9	.315	.072	1.000	1.000	13.864	3.753	1.0	-999.999	-13864.0	2.779	0.000	0.000
%	1598.1	.322	.061	1.000	1.000	13.864	3.753	1.0	-999.999	-13864.0	2.779	0.000	0.000
	1598.2	.329	.052	.980	1.000	14.016	3.803	1.0	-999.999	-14016.1	2.828	0.000	0.000
%	1598.4	.361	.065	.849	1.000	14.016	3.803	1.0	-999.999	-14016.1	2.828	0.000	0.000
%	1598.5	.376	.068	.774	1.000	14.016	3.803	1.0	-999.999	-14016.1	2.828	0.000	0.000
%	1598.7	.357	.069	.885	1.000	14.016	3.803	1.0	-999.999	-14016.1	2.828	0.000	0.000
%	1598.8	.365	.062	.880	1.000	14.016	3.803	1.0	-999.999	-14016.1	2.828	0.000	0.000
%	1599.0	.363	.056	.897	1.000	14.016	3.803	1.0	-999.999	-14016.1	2.828	0.000	0.000
%	1599.1	.354	.055	.948	.948	14.016	3.803	1.0	-999.999	-14016.1	2.828	0.000	0.000
%	1599.3	.364	.063	.846	1.000	14.016	3.803	1.0	-999.999	-14016.1	2.828	0.000	0.000
%	1599.4	.338	.060	1.000	1.000	14.016	3.803	1.0	-999.999	-14016.1	2.828	0.000	0.000
%	1599.6	.319	.067	1.000	1.000	14.016	3.803	1.0	-999.999	-14016.1	2.828	0.000	0.000
%	1599.7	.313	.058	1.000	1.000	14.016	3.803	1.0	-999.999	-14016.1	2.828	0.000	0.000
	1599.9	.307	.069	.940	1.000	14.169	3.850	1.0	-999.999	-14169.2	2.873	0.000	0.000
%	1600.0	.300	.065	1.000	1.000	14.169	3.850	1.0	-999.999	-14169.2	2.873	0.000	0.000
%	1600.2	.305	.075	1.000	1.000	14.169	3.850	1.0	-999.999	-14169.2	2.873	0.000	0.000
	1600.4	.331	.078	.879	1.000	14.322	3.900	1.0	-999.999	-14322.0	2.917	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
SHALLOW SECTION ZONE-B

SECTION FROM 1570.0 TO 1700.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
1600.5	.298	.082	.946	1.000	14.474	3.946	1.0	-999.999	-14474.1	2.960	0.000	0.000
1600.7	.273	.084	.992	1.000	14.627	3.987	1.0	-999.999	-14627.2	3.002	0.000	0.000
X 1600.8	.270	.079	1.000	1.000	14.627	3.987	1.0	-999.999	-14627.2	3.002	0.000	0.000
1601.0	.289	.068	.976	1.000	14.779	4.032	1.0	-999.999	-14779.3	3.044	0.000	0.000
1601.1	.313	.059	.925	1.000	14.932	4.079	1.0	-999.999	-14932.4	3.089	0.000	0.000
X 1601.3	.306	.064	1.000	1.000	14.932	4.079	1.0	-999.999	-14932.4	3.089	0.000	0.000
1601.4	.327	.068	.864	1.000	15.085	4.130	1.0	-999.999	-15085.4	3.132	0.000	0.000
X 1601.6	.304	.061	1.000	1.000	15.085	4.130	1.0	-999.999	-15085.4	3.132	0.000	0.000
X 1601.7	.302	.050	1.000	1.000	15.085	4.130	1.0	-999.999	-15085.4	3.132	0.000	0.000
X 1601.9	.305	.054	1.000	1.000	15.085	4.130	1.0	-999.999	-15085.4	3.132	0.000	0.000
1602.0	.303	.055	.993	1.000	15.237	4.176	1.0	-999.999	-15237.3	3.178	0.000	0.000
1602.2	.320	.054	.909	1.000	15.390	4.225	1.0	-999.999	-15390.4	3.222	0.000	0.000
X 1602.3	.300	.045	1.000	1.000	15.390	4.225	1.0	-999.999	-15390.4	3.222	0.000	0.000
X 1602.5	.311	.034	1.000	1.000	15.390	4.225	1.0	-999.999	-15390.4	3.222	0.000	0.000
X 1602.6	.328	.047	1.000	1.000	15.390	4.225	1.0	-999.999	-15390.4	3.222	0.000	0.000
X 1602.8	.351	.045	.894	.939	15.390	4.225	1.0	-999.999	-15390.4	3.222	0.000	0.000
X 1602.9	.379	.055	.820	1.000	15.390	4.225	1.0	-999.999	-15390.4	3.222	0.000	0.000
X 1603.1	.383	.059	.814	.855	15.390	4.225	1.0	-999.999	-15390.4	3.222	0.000	0.000
X 1603.2	.418	.070	.682	.682	15.390	4.225	1.0	-999.999	-15390.4	3.222	0.000	0.000
X 1603.4	.400	.060	.693	.694	15.390	4.225	1.0	-999.999	-15390.4	3.222	0.000	0.000
X 1603.6	.394	.041	.661	.670	15.390	4.225	1.0	-999.999	-15390.4	3.222	0.000	0.000
X 1603.7	.414	.029	.603	.653	15.390	4.225	1.0	-999.999	-15390.4	3.222	0.000	0.000
X 1603.9	.406	.044	.634	.772	15.390	4.225	1.0	-999.999	-15390.4	3.222	0.000	0.000
X 1604.0	.418	.037	.623	.678	15.390	4.225	1.0	-999.999	-15390.4	3.222	0.000	0.000
X 1604.2	.397	.043	.686	.871	15.390	4.225	1.0	-999.999	-15390.4	3.222	0.000	0.000
X 1604.3	.401	.043	.707	.707	15.390	4.225	1.0	-999.999	-15390.4	3.222	0.000	0.000
X 1604.5	.386	.046	.747	.782	15.390	4.225	1.0	-999.999	-15390.4	3.222	0.000	0.000
X 1604.6	.398	.032	.736	.736	15.390	4.225	1.0	-999.999	-15390.4	3.222	0.000	0.000
X 1604.8	.401	.023	.797	.797	15.390	4.225	1.0	-999.999	-15390.4	3.222	0.000	0.000
X 1604.9	.434	.026	.776	.776	15.390	4.225	1.0	-999.999	-15390.4	3.222	0.000	0.000
X 1605.1	.475	.042	.693	.693	15.390	4.225	1.0	-999.999	-15390.4	3.222	0.000	0.000
X 1605.2	.460	.051	.706	.706	15.390	4.225	1.0	-999.999	-15390.4	3.222	0.000	0.000
X 1605.4	.378	.066	.895	.895	15.390	4.225	1.0	-999.999	-15390.4	3.222	0.000	0.000
X 1605.5	.352	.057	1.000	1.000	15.390	4.225	1.0	-999.999	-15390.4	3.222	0.000	0.000
X 1605.7	.334	.069	1.000	1.000	15.390	4.225	1.0	-999.999	-15390.4	3.222	0.000	0.000
1605.8	.335	.080	.895	.895	15.542	4.275	1.0	-999.999	-15542.2	3.268	0.000	0.000
X 1606.0	.300	.075	1.000	1.000	15.542	4.275	1.0	-999.999	-15542.2	3.268	0.000	0.000
X 1606.1	.354	.069	.811	1.000	15.542	4.275	1.0	-999.999	-15542.2	3.268	0.000	0.000
X 1606.3	.369	.063	.743	.874	15.542	4.275	1.0	-999.999	-15542.2	3.268	0.000	0.000
X 1606.4	.388	.067	.636	.904	15.542	4.275	1.0	-999.999	-15542.2	3.268	0.000	0.000
X 1606.6	.408	.065	.632	1.000	15.542	4.275	1.0	-999.999	-15542.2	3.268	0.000	0.000
X 1606.8	.362	.064	.924	1.000	15.542	4.275	1.0	-999.999	-15542.2	3.268	0.000	0.000
1606.9	.347	.070	.991	1.000	15.694	4.328	1.0	-999.999	-15694.3	3.320	0.000	0.000
X 1607.1	.317	.069	1.000	1.000	15.694	4.328	1.0	-999.999	-15694.3	3.320	0.000	0.000
X 1607.2	.325	.074	1.000	1.000	15.694	4.328	1.0	-999.999	-15694.3	3.320	0.000	0.000
X 1607.4	.313	.075	1.000	1.000	15.694	4.328	1.0	-999.999	-15694.3	3.320	0.000	0.000
X 1607.5	.280	.083	1.000	1.000	15.694	4.328	1.0	-999.999	-15694.3	3.320	0.000	0.000
X 1607.7	.255	.088	1.000	1.000	15.694	4.328	1.0	-999.999	-15694.3	3.320	0.000	0.000
X 1607.8	.246	.085	1.000	1.000	15.694	4.328	1.0	-999.999	-15694.3	3.320	0.000	0.000
X 1608.0	.256	.082	1.000	1.000	15.694	4.328	1.0	-999.999	-15694.3	3.320	0.000	0.000

* =RAW DATA CUT OFF

X =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

000

WEST SEAHORSE 1
SHALLOW SECTION ZONE-B

SECTION FROM 1570.0 TO 1700.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 1608.1	.253	.080	1.000	1.000	15.694	4.328	1.0	-999.999	-15694.3	3.320	0.000	0.000
% 1608.3	.242	.085	1.000	1.000	15.694	4.328	1.0	-999.999	-15694.3	3.320	0.000	0.000
% 1608.4	.260	.085	1.000	1.000	15.694	4.328	1.0	-999.999	-15694.3	3.320	0.000	0.000
% 1608.6	.266	.080	1.000	1.000	15.694	4.328	1.0	-999.999	-15694.3	3.320	0.000	0.000
% 1608.7	.271	.076	.996	1.000	15.847	4.370	1.0	-999.999	-15847.4	3.362	0.000	0.000
% 1608.9	.276	.082	1.000	1.000	15.847	4.370	1.0	-999.999	-15847.4	3.362	0.000	0.000
% 1609.0	.284	.088	1.000	1.000	15.847	4.370	1.0	-999.999	-15847.4	3.362	0.000	0.000
% 1609.2	.316	.083	1.000	1.000	15.847	4.370	1.0	-999.999	-15847.4	3.362	0.000	0.000
% 1609.3	.413	.065	.699	1.000	15.847	4.370	1.0	-999.999	-15847.4	3.362	0.000	0.000
% 1609.5	.359	.051	.933	.933	15.847	4.370	1.0	-999.999	-15847.4	3.362	0.000	0.000
% 1609.6	.349	.057	1.000	1.000	15.847	4.370	1.0	-999.999	-15847.4	3.362	0.000	0.000
% 1609.8	.339	.063	1.000	1.000	15.847	4.370	1.0	-999.999	-15847.4	3.362	0.000	0.000
% 1610.0	.335	.059	1.000	1.000	15.847	4.370	1.0	-999.999	-15847.4	3.362	0.000	0.000
% 1610.1	.335	.056	1.000	1.000	15.847	4.370	1.0	-999.999	-15847.4	3.362	0.000	0.000
% 1610.3	.353	.065	.919	1.000	15.847	4.370	1.0	-999.999	-15847.4	3.362	0.000	0.000
% 1610.4	.340	.064	1.000	1.000	15.847	4.370	1.0	-999.999	-15847.4	3.362	0.000	0.000
% 1610.6	.333	.069	1.000	1.000	15.847	4.370	1.0	-999.999	-15847.4	3.362	0.000	0.000
% 1610.7	.326	.057	1.000	1.000	15.847	4.370	1.0	-999.999	-15847.4	3.362	0.000	0.000
% 1610.9	.316	.072	1.000	1.000	15.847	4.370	1.0	-999.999	-15847.4	3.362	0.000	0.000
% 1611.0	.314	.063	.956	1.000	16.000	4.418	1.0	-999.999	-16000.5	3.408	0.000	0.000
% 1611.2	.313	.053	1.000	1.000	16.000	4.418	1.0	-999.999	-16000.5	3.408	0.000	0.000
% 1611.3	.337	.041	1.000	1.000	16.000	4.418	1.0	-999.999	-16000.5	3.408	0.000	0.000
% 1611.5	.395	.040	.858	1.000	16.000	4.418	1.0	-999.999	-16000.5	3.408	0.000	0.000
% 1611.6	.391	.034	1.000	1.000	16.000	4.418	1.0	-999.999	-16000.5	3.408	0.000	0.000
% 1611.8	.393	.040	1.000	1.000	16.000	4.418	1.0	-999.999	-16000.5	3.408	0.000	0.000
% 1611.9	.388	.043	1.000	1.000	16.000	4.418	1.0	-999.999	-16000.5	3.408	0.000	0.000
% 1612.1	.379	.060	.899	.899	16.000	4.418	1.0	-999.999	-16000.5	3.408	0.000	0.000
% 1612.2	.428	.057	.678	.678	16.000	4.418	1.0	-999.999	-16000.5	3.408	0.000	0.000
% 1612.4	.400	.074	.653	.800	16.000	4.418	1.0	-999.999	-16000.5	3.408	0.000	0.000
% 1612.5	.390	.077	.742	.765	16.000	4.418	1.0	-999.999	-16000.5	3.408	0.000	0.000
% 1612.7	.379	.085	.894	1.000	16.000	4.418	1.0	-999.999	-16000.5	3.408	0.000	0.000
% 1612.8	.376	.093	1.000	1.000	16.000	4.418	1.0	-999.999	-16000.5	3.408	0.000	0.000
% 1613.0	.377	.088	1.000	1.000	16.000	4.418	1.0	-999.999	-16000.5	3.408	0.000	0.000
% 1613.2	.354	.080	.947	1.000	16.000	4.418	1.0	-999.999	-16000.5	3.408	0.000	0.000
% 1613.3	.374	.079	1.000	1.000	16.000	4.418	1.0	-999.999	-16000.5	3.408	0.000	0.000
% 1613.5	.370	.066	1.000	1.000	16.000	4.418	1.0	-999.999	-16000.5	3.408	0.000	0.000
% 1613.6	.368	.067	1.000	1.000	16.000	4.418	1.0	-999.999	-16000.5	3.408	0.000	0.000
% 1613.8	.354	.073	1.000	1.000	16.000	4.418	1.0	-999.999	-16000.5	3.408	0.000	0.000
% 1613.9	.255	.098	.985	1.000	16.153	4.457	1.0	-999.999	-16152.6	3.446	0.000	0.000
% 1614.1	.192	.105	1.000	1.000	16.153	4.457	1.0	-999.999	-16152.6	3.446	0.000	0.000
% 1614.2	.145	.119	1.000	1.000	16.153	4.457	1.0	-999.999	-16152.6	3.446	0.000	0.000
% 1614.4	.155	.137	1.000	1.000	16.153	4.457	1.0	-999.999	-16152.6	3.446	0.000	0.000
% 1614.5	.199	.199	1.000	1.000	16.153	4.457	1.0	-999.999	-16152.6	3.446	0.000	0.000
% 1614.7	.238	.215	1.000	1.000	16.153	4.457	1.0	-999.999	-16152.6	3.446	0.000	0.000
% 1614.8	.206	.145	1.000	1.000	16.153	4.457	1.0	-999.999	-16152.6	3.446	0.000	0.000
% 1615.0	.166	.054	1.000	1.000	16.153	4.457	1.0	-999.999	-16152.6	3.446	0.000	0.000
% 1615.1	.181	.025	1.000	1.000	16.153	4.457	1.0	-999.999	-16152.6	3.446	0.000	0.000
% 1615.3	.144	.020	1.000	1.000	16.153	4.457	1.0	-999.999	-16152.6	3.446	0.000	0.000
% 1615.4	.122	0.000	1.000	1.000	16.153	4.457	1.0	-999.999	-16152.6	3.446	0.000	0.000
% 1615.6	.132	0.000	1.000	1.000	16.153	4.457	1.0	-999.999	-16152.6	3.446	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
SHALLOW SECTION ZONE-B

SECTION FROM 1570.0 TO 1700.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	1615.7	.157	0.000	1.000	1.000	16.153	4.457	1.0	-999.999	-16152.6	3.446	0.000	0.000
%	1615.9	.168	.004	1.000	1.000	16.153	4.457	1.0	-999.999	-16152.6	3.446	0.000	0.000
%	1616.1	.201	.006	1.000	1.000	16.153	4.457	1.0	-999.999	-16152.6	3.446	0.000	0.000
	1616.2	.236	0.000	.993	.993	16.305	4.493	1.0	-999.999	-16304.7	3.481	0.000	0.000
%	1616.4	.235	0.000	1.000	1.000	16.305	4.493	1.0	-999.999	-16304.7	3.481	0.000	0.000
%	1616.5	.248	.000	1.000	1.000	16.305	4.493	1.0	-999.999	-16304.7	3.481	0.000	0.000
%	1616.7	.290	.002	1.000	1.000	16.305	4.493	1.0	-999.999	-16304.7	3.481	0.000	0.000
%	1616.8	.303	0.000	1.000	1.000	16.305	4.493	1.0	-999.999	-16304.7	3.481	0.000	0.000
%	1617.0	.310	0.000	1.000	1.000	16.305	4.493	1.0	-999.999	-16304.7	3.481	0.000	0.000
%	1617.1	.283	.002	1.000	1.000	16.305	4.493	1.0	-999.999	-16304.7	3.481	0.000	0.000
%	1617.3	.229	0.000	1.000	1.000	16.305	4.493	1.0	-999.999	-16304.7	3.481	0.000	0.000
%	1617.4	.183	.004	1.000	1.000	16.305	4.493	1.0	-999.999	-16304.7	3.481	0.000	0.000
%	1617.6	.175	.004	1.000	1.000	16.305	4.493	1.0	-999.999	-16304.7	3.481	0.000	0.000
	1617.7	.269	.022	.416	1.000	16.457	4.533	1.0	-999.999	-16456.5	3.498	0.000	0.000
%	1617.9	.164	.009	1.000	1.000	16.457	4.533	1.0	-999.999	-16456.5	3.498	0.000	0.000
	1618.0	.195	.036	.633	1.000	16.609	4.563	1.0	-999.999	-16608.6	3.517	0.000	0.000
	1618.2	.144	.072	.681	1.000	16.761	4.585	1.1	-999.999	-16761.5	3.532	0.000	0.000
%	1618.3	.103	.097	1.000	1.000	16.761	4.585	1.1	-999.999	-16761.5	3.532	0.000	0.000
%	1618.5	.110	.110	1.000	1.000	16.761	4.585	1.1	-999.999	-16761.5	3.532	0.000	0.000
	1618.6	.127	.117	.918	1.000	16.915	4.605	1.1	-999.999	-16914.5	3.550	0.000	0.000
%	1618.8	.088	.088	1.000	1.000	16.915	4.605	1.1	-999.999	-16914.5	3.550	0.000	0.000
%	1618.9	.067	.054	1.000	1.000	16.915	4.605	1.1	-999.999	-16914.5	3.550	0.000	0.000
%	1619.1	.095	.025	1.000	1.000	16.915	4.605	1.1	-999.999	-16914.5	3.550	0.000	0.000
%	1619.3	.078	.010	1.000	1.000	16.915	4.605	1.1	-999.999	-16914.5	3.550	0.000	0.000
	1619.4	.106	.016	.888	1.000	17.067	4.621	1.1	-999.999	-17067.4	3.564	0.000	0.000
	1619.6	.155	.027	.673	1.000	17.219	4.644	1.1	-999.999	-17219.5	3.580	0.000	0.000
	1619.7	.308	.039	.397	1.000	17.373	4.691	1.1	-999.999	-17372.5	3.599	0.000	0.000
	1619.9	.323	.054	.382	.876	17.524	4.741	1.1	-999.999	-17524.4	3.618	0.000	0.000
	1620.0	.242	.064	.778	1.000	17.677	4.777	1.1	-999.999	-17676.5	3.646	0.000	0.000
%	1620.2	.251	.048	1.000	1.000	17.677	4.777	1.1	-999.999	-17676.5	3.646	0.000	0.000
	1620.3	.288	.062	.887	1.000	17.829	4.821	1.1	-999.999	-17828.6	3.685	0.000	0.000
%	1620.5	.321	.088	1.000	1.000	17.829	4.821	1.1	-999.999	-17828.6	3.685	0.000	0.000
%	1620.6	.362	.143	1.000	1.000	17.829	4.821	1.1	-999.999	-17828.6	3.685	0.000	0.000
%	1620.8	.400	.165	.965	1.000	17.829	4.821	1.1	-999.999	-17828.6	3.685	0.000	0.000
%	1620.9	.366	.166	.983	1.000	17.829	4.821	1.1	-999.999	-17828.6	3.685	0.000	0.000
%	1621.1	.382	.178	1.000	1.000	17.829	4.821	1.1	-999.999	-17828.6	3.685	0.000	0.000
%	1621.2	.347	.157	1.000	1.000	17.829	4.821	1.1	-999.999	-17828.6	3.685	0.000	0.000
%	1621.4	.357	.167	1.000	1.000	17.829	4.821	1.1	-999.999	-17828.6	3.685	0.000	0.000
%	1621.5	.378	.166	.879	1.000	17.829	4.821	1.1	-999.999	-17828.6	3.685	0.000	0.000
	1621.7	.348	.152	.899	1.000	17.982	4.874	1.1	-999.999	-17981.7	3.733	0.000	0.000
%	1621.8	.391	.139	.785	1.000	17.982	4.874	1.1	-999.999	-17981.7	3.733	0.000	0.000
	1622.0	.309	.120	.938	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
%	1622.1	.333	.135	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
%	1622.3	.307	.136	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
%	1622.4	.264	.122	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
%	1622.6	.304	.119	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
%	1622.8	.359	.149	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
%	1622.9	.411	.165	.994	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
%	1623.1	.429	.154	.872	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
%	1623.2	.390	.168	.920	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

106

WEST SEAHORSE 1
SHALLOW SECTION ZONE-B

SECTION FROM 1570.0 TO 1700.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
X	1623.4	.356	.167	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
X	1623.5	.380	.145	.692	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
X	1623.7	.278	.101	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
X	1623.8	.251	.088	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
X	1624.0	.219	.079	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
X	1624.1	.195	.070	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
X	1624.3	.198	.083	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
X	1624.4	.194	.091	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
X	1624.6	.188	.101	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
X	1624.7	.200	.088	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
X	1624.9	.217	.090	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
X	1625.0	.241	.085	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
X	1625.2	.237	.086	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
X	1625.3	.223	.081	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
X	1625.5	.222	.082	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
X	1625.7	.238	.078	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
X	1625.8	.262	.071	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
X	1626.0	.289	.067	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
X	1626.1	.301	.078	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
X	1626.3	.285	.089	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
X	1626.4	.288	.086	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
X	1626.6	.284	.079	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
X	1626.7	.294	.068	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
X	1626.9	.294	.079	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
X	1627.0	.294	.079	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
X	1627.2	.295	.082	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
X	1627.3	.311	.074	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
X	1627.5	.320	.070	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
X	1627.6	.337	.059	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
X	1627.8	.334	.048	1.000	1.000	18.135	4.922	1.1	-999.999	-18134.7	3.777	0.000	0.000
	1627.9	.345	.047	.951	.951	18.287	4.974	1.1	-999.999	-18286.8	3.827	0.000	0.000
X	1628.1	.367	.035	.878	.878	18.287	4.974	1.1	-999.999	-18286.8	3.827	0.000	0.000
	1628.2	.336	.059	.987	1.000	18.439	5.025	1.1	-999.999	-18438.9	3.878	0.000	0.000
X	1628.4	.331	.058	1.000	1.000	18.439	5.025	1.1	-999.999	-18438.9	3.878	0.000	0.000
X	1628.5	.321	.073	1.000	1.000	18.439	5.025	1.1	-999.999	-18438.9	3.878	0.000	0.000
X	1628.7	.332	.059	1.000	1.000	18.439	5.025	1.1	-999.999	-18438.9	3.878	0.000	0.000
X	1628.9	.328	.055	1.000	1.000	18.439	5.025	1.1	-999.999	-18438.9	3.878	0.000	0.000
	1629.0	.327	.060	.994	1.000	18.591	5.075	1.1	-999.999	-18591.0	3.927	0.000	0.000
X	1629.2	.326	.067	1.000	1.000	18.591	5.075	1.1	-999.999	-18591.0	3.927	0.000	0.000
	1629.3	.331	.076	.928	1.000	18.744	5.126	1.2	-999.999	-18743.9	3.974	0.000	0.000
X	1629.5	.310	.062	1.000	1.000	18.744	5.126	1.2	-999.999	-18743.9	3.974	0.000	0.000
X	1629.6	.313	.062	1.000	1.000	18.744	5.126	1.2	-999.999	-18743.9	3.974	0.000	0.000
	1629.8	.320	.067	.995	1.000	18.896	5.174	1.2	-999.999	-18895.7	4.022	0.000	0.000
	1629.9	.316	.075	.951	1.000	19.048	5.222	1.2	-999.999	-19047.8	4.068	0.000	0.000
	1630.1	.319	.065	.941	1.000	19.201	5.271	1.2	-999.999	-19200.7	4.114	0.000	0.000
X	1630.2	.355	.061	.836	1.000	19.201	5.271	1.2	-999.999	-19200.7	4.114	0.000	0.000
X	1630.4	.360	.053	.895	.895	19.201	5.271	1.2	-999.999	-19200.7	4.114	0.000	0.000
X	1630.5	.389	.055	.817	.927	19.201	5.271	1.2	-999.999	-19200.7	4.114	0.000	0.000
X	1630.7	.412	.049	.866	.866	19.201	5.271	1.2	-999.999	-19200.7	4.114	0.000	0.000
X	1630.8	.425	.050	.713	1.000	19.201	5.271	1.2	-999.999	-19200.7	4.114	0.000	0.000

* =RAW DATA CUT OFF

X =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
SHALLOW SECTION ZONE-B

SECTION FROM 1570.0 TO 1700.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
X 1631.0	.408	.043	.864	.864	19.201	5.271	1.2	-999.999	-19200.7	4.114	0.000	0.000
X 1631.1	.379	.072	.703	1.000	19.201	5.271	1.2	-999.999	-19200.7	4.114	0.000	0.000
X 1631.3	.400	.079	.667	.715	19.201	5.271	1.2	-999.999	-19200.7	4.114	0.000	0.000
X 1631.4	.427	.079	.596	.697	19.201	5.271	1.2	-999.999	-19200.7	4.114	0.000	0.000
X 1631.6	.451	.064	.607	.832	19.201	5.271	1.2	-999.999	-19200.7	4.114	0.000	0.000
X 1631.7	.454	.037	.748	.912	19.201	5.271	1.2	-999.999	-19200.7	4.114	0.000	0.000
X 1631.9	.392	.018	.984	1.000	19.201	5.271	1.2	-999.999	-19200.7	4.114	0.000	0.000
X 1632.1	.360	.016	1.000	1.000	19.201	5.271	1.2	-999.999	-19200.7	4.114	0.000	0.000
X 1632.2	.375	.032	1.000	1.000	19.201	5.271	1.2	-999.999	-19200.7	4.114	0.000	0.000
X 1632.4	.403	.047	1.000	1.000	19.201	5.271	1.2	-999.999	-19200.7	4.114	0.000	0.000
X 1632.5	.381	.057	1.000	1.000	19.201	5.271	1.2	-999.999	-19200.7	4.114	0.000	0.000
X 1632.7	.396	.057	1.000	1.000	19.201	5.271	1.2	-999.999	-19200.7	4.114	0.000	0.000
X 1632.8	.378	.056	1.000	1.000	19.201	5.271	1.2	-999.999	-19200.7	4.114	0.000	0.000
X 1633.0	.376	.051	1.000	1.000	19.201	5.271	1.2	-999.999	-19200.7	4.114	0.000	0.000
X 1633.1	.359	.053	1.000	1.000	19.201	5.271	1.2	-999.999	-19200.7	4.114	0.000	0.000
X 1633.3	.339	.060	1.000	1.000	19.201	5.271	1.2	-999.999	-19200.7	4.114	0.000	0.000
X 1633.4	.323	.061	.956	1.000	19.354	5.320	1.2	-999.999	-19353.5	4.161	0.000	0.000
X 1633.6	.321	.058	1.000	1.000	19.354	5.320	1.2	-999.999	-19353.5	4.161	0.000	0.000
X 1633.7	.335	.056	1.000	1.000	19.354	5.320	1.2	-999.999	-19353.5	4.161	0.000	0.000
X 1633.9	.337	.063	1.000	1.000	19.354	5.320	1.2	-999.999	-19353.5	4.161	0.000	0.000
X 1634.0	.367	.076	.831	1.000	19.354	5.320	1.2	-999.999	-19353.5	4.161	0.000	0.000
X 1634.2	.321	.083	1.000	1.000	19.354	5.320	1.2	-999.999	-19353.5	4.161	0.000	0.000
X 1634.3	.332	.085	1.000	1.000	19.354	5.320	1.2	-999.999	-19353.5	4.161	0.000	0.000
X 1634.5	.362	.070	.793	1.000	19.354	5.320	1.2	-999.999	-19353.5	4.161	0.000	0.000
X 1634.6	.345	.044	1.000	1.000	19.354	5.320	1.2	-999.999	-19353.5	4.161	0.000	0.000
X 1634.8	.342	.042	1.000	1.000	19.354	5.320	1.2	-999.999	-19353.5	4.161	0.000	0.000
X 1634.9	.376	.023	.848	.848	19.354	5.320	1.2	-999.999	-19353.5	4.161	0.000	0.000
X 1635.1	.388	.028	.819	.819	19.354	5.320	1.2	-999.999	-19353.5	4.161	0.000	0.000
X 1635.3	.388	.034	.814	.814	19.354	5.320	1.2	-999.999	-19353.5	4.161	0.000	0.000
X 1635.4	.320	.057	.982	1.000	19.506	5.369	1.2	-999.999	-19506.3	4.209	0.000	0.000
X 1635.6	.330	.066	.953	1.000	19.658	5.419	1.2	-999.999	-19658.4	4.257	0.000	0.000
X 1635.7	.326	.065	.978	.978	19.812	5.469	1.2	-999.999	-19811.5	4.306	0.000	0.000
X 1635.9	.315	.065	1.000	1.000	19.812	5.469	1.2	-999.999	-19811.5	4.306	0.000	0.000
X 1636.0	.327	.061	.991	.991	19.964	5.519	1.2	-999.999	-19963.6	4.355	0.000	0.000
X 1636.2	.329	.051	1.000	1.000	19.964	5.519	1.2	-999.999	-19963.6	4.355	0.000	0.000
X 1636.3	.337	.059	.944	1.000	20.115	5.570	1.2	-999.999	-20115.4	4.403	0.000	0.000
X 1636.5	.328	.053	.999	1.000	20.269	5.620	1.2	-999.999	-20268.5	4.453	0.000	0.000
X 1636.6	.318	.052	1.000	1.000	20.269	5.620	1.2	-999.999	-20268.5	4.453	0.000	0.000
X 1636.8	.321	.046	1.000	1.000	20.269	5.620	1.2	-999.999	-20268.5	4.453	0.000	0.000
X 1636.9	.357	.037	.887	.887	20.269	5.620	1.2	-999.999	-20268.5	4.453	0.000	0.000
X 1637.1	.359	.037	.873	.873	20.269	5.620	1.2	-999.999	-20268.5	4.453	0.000	0.000
X 1637.2	.368	.044	.795	.795	20.269	5.620	1.2	-999.999	-20268.5	4.453	0.000	0.000
X 1637.4	.345	.047	.859	.859	20.421	5.673	1.2	-999.999	-20420.6	4.499	0.000	0.000
X 1637.5	.322	.061	.950	1.000	20.573	5.722	1.2	-999.999	-20572.5	4.545	0.000	0.000
X 1637.7	.319	.054	1.000	1.000	20.573	5.722	1.2	-999.999	-20572.5	4.545	0.000	0.000
X 1637.8	.325	.053	.969	1.000	20.725	5.771	1.2	-999.999	-20724.6	4.593	0.000	0.000
X 1638.0	.329	.039	1.000	1.000	20.725	5.771	1.2	-999.999	-20724.6	4.593	0.000	0.000
X 1638.1	.328	.043	1.000	1.000	20.725	5.771	1.2	-999.999	-20724.6	4.593	0.000	0.000
X 1638.3	.343	.050	.885	1.000	20.876	5.823	1.2	-999.999	-20876.4	4.639	0.000	0.000
X 1638.5	.346	.056	.864	1.000	21.030	5.876	1.2	-999.999	-21029.5	4.685	0.000	0.000

* =RAW DATA CUT OFF X =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW.SET

394

WEST SEAHORSE 1
SHALLOW SECTION ZONE-B

DEPTH	GROSS POROSITY	VC	SW	SECTION FROM 1570.0 TO 1700.0		CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
				SXO	SAND COUNT							
X 1638.6	.333	.051	1.000	1.000	21.030	5.876	1.2	-999.999	-21029.5	4.685	0.000	0.000
X 1638.8	.351	.045	.987	.996	21.030	5.876	1.2	-999.999	-21029.5	4.685	0.000	0.000
X 1638.9	.365	.040	.967	1.000	21.030	5.876	1.2	-999.999	-21029.5	4.685	0.000	0.000
X 1639.1	.386	.027	.945	.945	21.030	5.876	1.2	-999.999	-21029.5	4.685	0.000	0.000
X 1639.2	.399	.015	.882	.882	21.030	5.876	1.2	-999.999	-21029.5	4.685	0.000	0.000
X 1639.4	.410	.005	.830	.830	21.030	5.876	1.2	-999.999	-21029.5	4.685	0.000	0.000
X 1639.5	.392	.004	.883	.883	21.030	5.876	1.2	-999.999	-21029.5	4.685	0.000	0.000
X 1639.7	.415	.014	.832	.832	21.030	5.876	1.2	-999.999	-21029.5	4.685	0.000	0.000
X 1639.8	.380	.027	.969	.991	21.030	5.876	1.2	-999.999	-21029.5	4.685	0.000	0.000
X 1640.0	.379	.037	1.000	1.000	21.030	5.876	1.2	-999.999	-21029.5	4.685	0.000	0.000
X 1640.1	.383	.028	.941	.941	21.030	5.876	1.2	-999.999	-21029.5	4.685	0.000	0.000
X 1640.3	.397	.032	.849	1.000	21.030	5.876	1.2	-999.999	-21029.5	4.685	0.000	0.000
X 1640.4	.384	.023	.918	.918	21.030	5.876	1.2	-999.999	-21029.5	4.685	0.000	0.000
X 1640.6	.394	.027	.818	.818	21.030	5.876	1.2	-999.999	-21029.5	4.685	0.000	0.000
X 1640.7	.341	.038	.977	.990	21.183	5.928	1.2	-999.999	-21182.6	4.736	0.000	0.000
X 1640.9	.379	.024	.858	.858	21.183	5.928	1.2	-999.999	-21182.6	4.736	0.000	0.000
X 1641.0	.353	.033	.962	.962	21.183	5.928	1.2	-999.999	-21182.6	4.736	0.000	0.000
X 1641.2	.372	.012	.874	.874	21.183	5.928	1.2	-999.999	-21182.6	4.736	0.000	0.000
X 1641.3	.347	.004	.952	.952	21.335	5.981	1.2	-999.999	-21334.7	4.786	0.000	0.000
X 1641.5	.364	.003	.883	.883	21.335	5.981	1.2	-999.999	-21334.7	4.786	0.000	0.000
X 1641.7	.385	.025	.833	.833	21.335	5.981	1.2	-999.999	-21334.7	4.786	0.000	0.000
X 1641.8	.329	.048	.988	1.000	21.488	6.031	1.2	-999.999	-21487.7	4.836	0.000	0.000
X 1642.0	.349	.055	.872	1.000	21.640	6.084	1.2	-999.999	-21639.8	4.882	0.000	0.000
X 1642.1	.349	.048	1.000	1.000	21.640	6.084	1.2	-999.999	-21639.8	4.882	0.000	0.000
X 1642.3	.373	.039	1.000	1.000	21.640	6.084	1.2	-999.999	-21639.8	4.882	0.000	0.000
X 1642.4	.381	.043	.900	1.000	21.640	6.084	1.2	-999.999	-21639.8	4.882	0.000	0.000
X 1642.6	.366	.050	.925	1.000	21.640	6.084	1.2	-999.999	-21639.8	4.882	0.000	0.000
X 1642.7	.328	.062	1.000	1.000	21.640	6.084	1.2	-999.999	-21639.8	4.882	0.000	0.000
X 1642.9	.333	.059	.974	1.000	21.792	6.135	1.2	-999.999	-21791.7	4.931	0.000	0.000
X 1643.0	.343	.058	.876	1.000	21.945	6.187	1.2	-999.999	-21944.8	4.977	0.000	0.000
X 1643.2	.389	.044	.785	1.000	21.945	6.187	1.2	-999.999	-21944.8	4.977	0.000	0.000
X 1643.3	.353	.052	.893	1.000	21.945	6.187	1.2	-999.999	-21944.8	4.977	0.000	0.000
X 1643.5	.360	.048	.904	1.000	21.945	6.187	1.2	-999.999	-21944.8	4.977	0.000	0.000
X 1643.6	.341	.054	.893	1.000	22.097	6.239	1.2	-999.999	-22096.6	5.023	0.000	0.000
X 1643.8	.337	.051	.970	1.000	22.250	6.291	1.2	-999.999	-22249.7	5.074	0.000	0.000
X 1643.9	.345	.047	1.000	1.000	22.250	6.291	1.2	-999.999	-22249.7	5.074	0.000	0.000
X 1644.1	.355	.044	1.000	1.000	22.250	6.291	1.2	-999.999	-22249.7	5.074	0.000	0.000
X 1644.2	.377	.050	.893	1.000	22.250	6.291	1.2	-999.999	-22249.7	5.074	0.000	0.000
X 1644.4	.366	.055	.934	.989	22.250	6.291	1.2	-999.999	-22249.7	5.074	0.000	0.000
X 1644.5	.405	.039	.898	.898	22.250	6.291	1.2	-999.999	-22249.7	5.074	0.000	0.000
X 1644.7	.426	.033	.870	.870	22.250	6.291	1.2	-999.999	-22249.7	5.074	0.000	0.000
X 1644.9	.404	.028	1.000	1.000	22.250	6.291	1.2	-999.999	-22249.7	5.074	0.000	0.000
X 1645.0	.400	.035	1.000	1.000	22.250	6.291	1.2	-999.999	-22249.7	5.074	0.000	0.000
X 1645.2	.409	.033	1.000	1.000	22.250	6.291	1.2	-999.999	-22249.7	5.074	0.000	0.000
X 1645.3	.468	.033	.905	.905	22.250	6.291	1.2	-999.999	-22249.7	5.074	0.000	0.000
X 1645.5	.432	.053	.967	.967	22.250	6.291	1.2	-999.999	-22249.7	5.074	0.000	0.000
X 1645.6	.470	.039	1.000	1.000	22.250	6.291	1.2	-999.999	-22249.7	5.074	0.000	0.000
X 1645.8	.461	.051	1.000	1.000	22.250	6.291	1.2	-999.999	-22249.7	5.074	0.000	0.000
X 1645.9	.457	.090	.946	.946	22.250	6.291	1.2	-999.999	-22249.7	5.074	0.000	0.000
X 1646.1	.361	.176	1.000	1.000	22.250	6.291	1.2	-999.999	-22249.7	5.074	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

205

WEST SEAHORSE 1
SHALLOW SECTION ZONE-B

SECTION FROM 1570.0 TO 1700.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 1646.2	.392	.216	.550	1.000	22.250	6.291	1.2	-999.999	-22249.7	5.074	0.000	0.000
% 1646.4	.370	.211	.571	1.000	22.250	6.291	1.2	-999.999	-22249.7	5.074	0.000	0.000
% 1646.5	.396	.227	.574	1.000	22.250	6.291	1.2	-999.999	-22249.7	5.074	0.000	0.000
% 1646.7	.448	.196	.436	1.000	22.250	6.291	1.2	-999.999	-22249.7	5.074	0.000	0.000
% 1646.8	.394	.209	.532	1.000	22.250	6.291	1.2	-999.999	-22249.7	5.074	0.000	0.000
% 1647.0	.387	.221	.572	1.000	22.250	6.291	1.2	-999.999	-22249.7	5.074	0.000	0.000
% 1647.1	.346	.214	.619	1.000	22.403	6.344	1.2	-999.999	-22402.8	5.106	0.000	0.000
% 1647.3	.383	.205	.536	1.000	22.403	6.344	1.2	-999.999	-22402.8	5.106	0.000	0.000
% 1647.4	.366	.213	.639	1.000	22.403	6.344	1.2	-999.999	-22402.8	5.106	0.000	0.000
% 1647.6	.420	.223	.703	1.000	22.403	6.344	1.2	-999.999	-22402.8	5.106	0.000	0.000
% 1647.7	.423	.225	.675	1.000	22.403	6.344	1.2	-999.999	-22402.8	5.106	0.000	0.000
% 1647.9	.470	.208	.591	1.000	22.403	6.344	1.2	-999.999	-22402.8	5.106	0.000	0.000
% 1648.1	.433	.174	.500	1.000	22.403	6.344	1.2	-999.999	-22402.8	5.106	0.000	0.000
% 1648.2	.273	.146	.859	1.000	22.555	6.385	1.2	-999.999	-22554.6	5.142	0.000	0.000
% 1648.4	.240	.208	1.000	1.000	22.555	6.385	1.2	-999.999	-22554.6	5.142	0.000	0.000
% 1648.5	.386	.205	.533	1.000	22.555	6.385	1.2	-999.999	-22554.6	5.142	0.000	0.000
% 1648.7	.402	.198	.493	1.000	22.555	6.385	1.2	-999.999	-22554.6	5.142	0.000	0.000
% 1648.8	.388	.195	.618	1.000	22.555	6.385	1.2	-999.999	-22554.6	5.142	0.000	0.000
% 1649.0	.414	.204	.636	1.000	22.555	6.385	1.2	-999.999	-22554.6	5.142	0.000	0.000
% 1649.1	.402	.197	.581	1.000	22.555	6.385	1.2	-999.999	-22554.6	5.142	0.000	0.000
% 1649.3	.408	.176	.538	1.000	22.555	6.385	1.2	-999.999	-22554.6	5.142	0.000	0.000
% 1649.4	.302	.127	.703	1.000	22.708	6.432	1.3	-999.999	-22707.5	5.174	0.000	0.000
% 1649.6	.222	.091	1.000	1.000	22.708	6.432	1.3	-999.999	-22707.5	5.174	0.000	0.000
% 1649.7	.196	.089	1.000	1.000	22.708	6.432	1.3	-999.999	-22707.5	5.174	0.000	0.000
% 1649.9	.167	.093	1.000	1.000	22.708	6.432	1.3	-999.999	-22707.5	5.174	0.000	0.000
% 1650.0	.156	.098	1.000	1.000	22.708	6.432	1.3	-999.999	-22707.5	5.174	0.000	0.000
% 1650.2	.160	.088	1.000	1.000	22.708	6.432	1.3	-999.999	-22707.5	5.174	0.000	0.000
% 1650.3	.173	.146	1.000	1.000	22.708	6.432	1.3	-999.999	-22707.5	5.174	0.000	0.000
% 1650.5	.209	.200	1.000	1.000	22.708	6.432	1.3	-999.999	-22707.5	5.174	0.000	0.000
% 1650.6	.375	.198	.532	1.000	22.708	6.432	1.3	-999.999	-22707.5	5.174	0.000	0.000
% 1650.8	.395	.208	.746	1.000	22.708	6.432	1.3	-999.999	-22707.5	5.174	0.000	0.000
% 1650.9	.385	.206	.837	1.000	22.708	6.432	1.3	-999.999	-22707.5	5.174	0.000	0.000
% 1651.1	.434	.207	.711	1.000	22.708	6.432	1.3	-999.999	-22707.5	5.174	0.000	0.000
% 1651.3	.457	.195	.586	1.000	22.708	6.432	1.3	-999.999	-22707.5	5.174	0.000	0.000
% 1651.4	.419	.240	.880	1.000	22.708	6.432	1.3	-999.999	-22707.5	5.174	0.000	0.000
% 1651.6	.384	.181	.752	1.000	22.708	6.432	1.3	-999.999	-22707.5	5.174	0.000	0.000
% 1651.7	.264	.126	.881	1.000	22.861	6.472	1.3	-999.999	-22860.5	5.210	0.000	0.000
% 1651.9	.215	.100	1.000	1.000	22.861	6.472	1.3	-999.999	-22860.5	5.210	0.000	0.000
% 1652.0	.204	.140	.913	1.000	23.012	6.503	1.3	-999.999	-23012.4	5.238	0.000	0.000
% 1652.2	.217	.165	.971	1.000	23.166	6.536	1.3	-999.999	-23165.5	5.271	0.000	0.000
% 1652.3	.336	.181	.573	1.000	23.317	6.587	1.3	-999.999	-23317.3	5.300	0.000	0.000
% 1652.5	.248	.161	.940	1.000	23.470	6.625	1.3	-999.999	-23470.4	5.335	0.000	0.000
% 1652.6	.216	.117	1.000	1.000	23.470	6.625	1.3	-999.999	-23470.4	5.335	0.000	0.000
% 1652.8	.199	.091	1.000	1.000	23.470	6.625	1.3	-999.999	-23470.4	5.335	0.000	0.000
% 1652.9	.171	.082	1.000	1.000	23.470	6.625	1.3	-999.999	-23470.4	5.335	0.000	0.000
% 1653.1	.197	.083	1.000	1.000	23.470	6.625	1.3	-999.999	-23470.4	5.335	0.000	0.000
% 1653.2	.213	.087	1.000	1.000	23.470	6.625	1.3	-999.999	-23470.4	5.335	0.000	0.000
% 1653.4	.251	.096	1.000	1.000	23.470	6.625	1.3	-999.999	-23470.4	5.335	0.000	0.000
% 1653.5	.290	.088	1.000	1.000	23.470	6.625	1.3	-999.999	-23470.4	5.335	0.000	0.000
% 1653.7	.340	.064	1.000	1.000	23.470	6.625	1.3	-999.999	-23470.4	5.335	0.000	0.000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

006

WEST SEAHORSE 1
SHALLOW SECTION ZONE-B

SECTION FROM 1570.0 TO 1700.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
X	1653.8	.403	.062	1.000	1.000	23.470	6.625	1.3	-999.999	-23470.4	5.335	0.000	0.000
X	1654.0	.449	.064	1.000	1.000	23.470	6.625	1.3	-999.999	-23470.4	5.335	0.000	0.000
X	1654.1	.496	.044	.884	.884	23.470	6.625	1.3	-999.999	-23470.4	5.335	0.000	0.000
X	1654.3	.480	.038	.914	.914	23.470	6.625	1.3	-999.999	-23470.4	5.335	0.000	0.000
X	1654.5	.496	.018	.927	.927	23.470	6.625	1.3	-999.999	-23470.4	5.335	0.000	0.000
X	1654.6	.501	.019	.901	.901	23.470	6.625	1.3	-999.999	-23470.4	5.335	0.000	0.000
X	1654.8	.498	.023	.849	.849	23.470	6.625	1.3	-999.999	-23470.4	5.335	0.000	0.000
X	1654.9	.420	.038	1.000	1.000	23.470	6.625	1.3	-999.999	-23470.4	5.335	0.000	0.000
X	1655.1	.400	.040	1.000	1.000	23.470	6.625	1.3	-999.999	-23470.4	5.335	0.000	0.000
X	1655.2	.363	.033	1.000	1.000	23.470	6.625	1.3	-999.999	-23470.4	5.335	0.000	0.000
X	1655.4	.385	.049	.754	.754	23.470	6.625	1.3	-999.999	-23470.4	5.335	0.000	0.000
	1655.5	.325	.070	.744	.744	23.624	6.675	1.3	-999.999	-23623.5	5.372	0.000	0.000
	1655.7	.300	.088	.945	.945	23.775	6.720	1.3	-999.999	-23775.3	5.415	0.000	0.000
X	1655.8	.359	.089	.677	1.000	23.775	6.720	1.3	-999.999	-23775.3	5.415	0.000	0.000
	1656.0	.307	.077	.971	1.000	23.928	6.767	1.3	-999.999	-23928.4	5.461	0.000	0.000
	1656.1	.337	.057	.976	.976	24.080	6.819	1.3	-999.999	-24080.3	5.511	0.000	0.000
X	1656.3	.347	.039	1.000	1.000	24.080	6.819	1.3	-999.999	-24080.3	5.511	0.000	0.000
X	1656.4	.400	.016	.863	.863	24.080	6.819	1.3	-999.999	-24080.3	5.511	0.000	0.000
X	1656.6	.402	.023	.858	.858	24.080	6.819	1.3	-999.999	-24080.3	5.511	0.000	0.000
X	1656.7	.365	.033	.983	1.000	24.080	6.819	1.3	-999.999	-24080.3	5.511	0.000	0.000
	1656.9	.324	.048	.991	.991	24.232	6.868	1.3	-999.999	-24232.1	5.560	0.000	0.000
	1657.0	.329	.050	.853	1.000	24.385	6.918	1.3	-999.999	-24385.2	5.603	0.000	0.000
X	1657.2	.369	.054	.654	1.000	24.385	6.918	1.3	-999.999	-24385.2	5.603	0.000	0.000
X	1657.4	.412	.044	.657	.657	24.385	6.918	1.3	-999.999	-24385.2	5.603	0.000	0.000
X	1657.5	.396	.053	.669	.931	24.385	6.918	1.3	-999.999	-24385.2	5.603	0.000	0.000
X	1657.7	.397	.052	.697	1.000	24.385	6.918	1.3	-999.999	-24385.2	5.603	0.000	0.000
X	1657.8	.368	.034	1.000	1.000	24.385	6.918	1.3	-999.999	-24385.2	5.603	0.000	0.000
X	1658.0	.355	.040	1.000	1.000	24.385	6.918	1.3	-999.999	-24385.2	5.603	0.000	0.000
X	1658.1	.386	.043	.882	.882	24.385	6.918	1.3	-999.999	-24385.2	5.603	0.000	0.000
X	1658.3	.369	.047	.887	.887	24.385	6.918	1.3	-999.999	-24385.2	5.603	0.000	0.000
X	1658.4	.395	.046	.704	.885	24.385	6.918	1.3	-999.999	-24385.2	5.603	0.000	0.000
X	1658.6	.388	.031	.809	.941	24.385	6.918	1.3	-999.999	-24385.2	5.603	0.000	0.000
X	1658.7	.422	.023	.762	.762	24.385	6.918	1.3	-999.999	-24385.2	5.603	0.000	0.000
X	1658.9	.395	.023	.856	.856	24.385	6.918	1.3	-999.999	-24385.2	5.603	0.000	0.000
X	1659.0	.418	.023	.831	.831	24.385	6.918	1.3	-999.999	-24385.2	5.603	0.000	0.000
X	1659.2	.422	.035	.782	.782	24.385	6.918	1.3	-999.999	-24385.2	5.603	0.000	0.000
X	1659.3	.389	.058	.823	.823	24.385	6.918	1.3	-999.999	-24385.2	5.603	0.000	0.000
X	1659.5	.445	.061	.667	.667	24.385	6.918	1.3	-999.999	-24385.2	5.603	0.000	0.000
	1659.6	.343	.084	.981	.981	24.537	6.970	1.3	-999.999	-24537.3	5.654	0.000	0.000
X	1659.8	.371	.080	1.000	1.000	24.537	6.970	1.3	-999.999	-24537.3	5.654	0.000	0.000
X	1659.9	.370	.066	1.000	1.000	24.537	6.970	1.3	-999.999	-24537.3	5.654	0.000	0.000
X	1660.1	.430	.041	1.000	1.000	24.537	6.970	1.3	-999.999	-24537.3	5.654	0.000	0.000
X	1660.2	.424	.034	1.000	1.000	24.537	6.970	1.3	-999.999	-24537.3	5.654	0.000	0.000
X	1660.4	.422	.082	1.000	1.000	24.537	6.970	1.3	-999.999	-24537.3	5.654	0.000	0.000
X	1660.6	.348	.100	1.000	1.000	24.537	6.970	1.3	-999.999	-24537.3	5.654	0.000	0.000
	1660.7	.304	.116	.765	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000
X	1660.9	.233	.109	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000
X	1661.0	.210	.109	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000
X	1661.2	.207	.096	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000
X	1661.3	.217	.104	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

163

WEST SEAHORSE 1
SHALLOW SECTION ZONE-B

	DEPTH	GROSS POROSITY	VC	SW	SECTION FROM 1570.0 TO 1700.0		CUMUL SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
					SXO	SAND COUNT								
X	1661.5	.235	.091	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1661.6	.225	.097	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1661.8	.220	.102	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1661.9	.211	.105	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1662.1	.230	.108	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1662.2	.239	.111	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1662.4	.251	.106	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1662.5	.250	.098	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1662.7	.253	.083	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1662.8	.266	.101	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1663.0	.299	.115	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1663.1	.301	.120	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1663.3	.311	.112	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1663.4	.299	.103	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1663.6	.311	.113	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1663.8	.294	.113	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1663.9	.334	.110	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1664.1	.346	.111	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1664.2	.374	.104	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1664.4	.378	.112	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1664.5	.370	.107	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1664.7	.379	.107	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1664.8	.398	.102	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1665.0	.427	.100	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1665.1	.452	.108	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1665.3	.404	.106	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1665.4	.367	.104	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1665.6	.377	.100	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1665.7	.381	.097	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1665.9	.376	.090	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1666.0	.373	.114	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1666.2	.364	.101	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1666.3	.339	.097	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1666.5	.320	.093	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1666.6	.299	.085	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1666.8	.280	.074	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1667.0	.284	.072	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1667.1	.276	.070	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1667.3	.274	.073	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1667.4	.272	.068	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1667.6	.289	.064	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1667.7	.288	.062	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1667.9	.308	.068	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1668.0	.337	.066	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1668.2	.387	.069	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1668.3	.412	.076	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1668.5	.394	.066	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1668.6	.379	.062	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1668.8	.364	.063	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	
X	1668.9	.354	.067	1.000	1.000	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000	

* -RAW DATA CUT OFF

X =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

506

WEST SEAHORSE 1
SHALLOW SECTION ZONE-B

		SECTION FROM 1570.0 TO 1700.0											
DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW	
X	1669.1	.352	.064	.962	.962	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000
X	1669.2	.359	.059	.906	.906	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000
X	1669.4	.374	.052	.825	.825	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000
X	1669.5	.353	.053	.891	.891	24.689	7.017	1.3	-999.999	-24689.4	5.689	0.000	0.000
X	1669.7	.334	.056	.980	.990	24.842	7.068	1.3	-999.999	-24842.2	5.739	0.000	0.000
X	1669.8	.336	.043	.977	.977	24.994	7.119	1.3	-999.999	-24994.3	5.789	0.000	0.000
X	1670.0	.357	.035	.900	.900	24.994	7.119	1.3	-999.999	-24994.3	5.789	0.000	0.000
X	1670.2	.370	.038	.877	.877	24.994	7.119	1.3	-999.999	-24994.3	5.789	0.000	0.000
X	1670.3	.331	.057	1.000	1.000	24.994	7.119	1.3	-999.999	-24994.3	5.789	0.000	0.000
X	1670.5	.323	.063	1.000	1.000	24.994	7.119	1.3	-999.999	-24994.3	5.789	0.000	0.000
X	1670.6	.332	.059	1.000	1.000	24.994	7.119	1.3	-999.999	-24994.3	5.789	0.000	0.000
X	1670.8	.323	.059	1.000	1.000	24.994	7.119	1.3	-999.999	-24994.3	5.789	0.000	0.000
X	1670.9	.334	.056	.948	.948	25.146	7.169	1.3	-999.999	-25146.2	5.837	0.000	0.000
X	1671.1	.358	.055	.852	.852	25.146	7.169	1.3	-999.999	-25146.2	5.837	0.000	0.000
X	1671.2	.344	.054	.873	.873	25.299	7.222	1.3	-999.999	-25299.2	5.883	0.000	0.000
X	1671.4	.322	.061	.925	.925	25.451	7.271	1.3	-999.999	-25451.1	5.929	0.000	0.000
X	1671.5	.311	.060	1.000	1.000	25.451	7.271	1.3	-999.999	-25451.1	5.929	0.000	0.000
X	1671.7	.309	.061	1.000	1.000	25.451	7.271	1.3	-999.999	-25451.1	5.929	0.000	0.000
X	1671.8	.318	.065	1.000	1.000	25.451	7.271	1.3	-999.999	-25451.1	5.929	0.000	0.000
X	1672.0	.323	.066	1.000	1.000	25.451	7.271	1.3	-999.999	-25451.1	5.929	0.000	0.000
X	1672.1	.316	.070	1.000	1.000	25.451	7.271	1.3	-999.999	-25451.1	5.929	0.000	0.000
X	1672.3	.309	.071	.998	1.000	25.604	7.318	1.3	-999.999	-25604.2	5.976	0.000	0.000
X	1672.4	.312	.069	.995	1.000	25.756	7.366	1.3	-999.999	-25756.3	6.023	0.000	0.000
X	1672.6	.322	.065	1.000	1.000	25.756	7.366	1.3	-999.999	-25756.3	6.023	0.000	0.000
X	1672.7	.345	.050	1.000	1.000	25.756	7.366	1.3	-999.999	-25756.3	6.023	0.000	0.000
X	1672.9	.348	.047	.972	.972	25.908	7.419	1.3	-999.999	-25908.4	6.075	0.000	0.000
X	1673.0	.387	.042	.803	.803	25.908	7.419	1.3	-999.999	-25908.4	6.075	0.000	0.000
X	1673.2	.375	.048	.825	.825	25.908	7.419	1.3	-999.999	-25908.4	6.075	0.000	0.000
X	1673.4	.386	.041	.841	.841	25.908	7.419	1.3	-999.999	-25908.4	6.075	0.000	0.000
X	1673.5	.381	.045	.904	1.000	25.908	7.419	1.3	-999.999	-25908.4	6.075	0.000	0.000
X	1673.7	.390	.040	.917	.917	25.908	7.419	1.3	-999.999	-25908.4	6.075	0.000	0.000
X	1673.8	.362	.056	1.000	1.000	25.908	7.419	1.3	-999.999	-25908.4	6.075	0.000	0.000
X	1674.0	.361	.053	.935	1.000	25.908	7.419	1.3	-999.999	-25908.4	6.075	0.000	0.000
X	1674.1	.353	.056	.950	1.000	25.908	7.419	1.3	-999.999	-25908.4	6.075	0.000	0.000
X	1674.3	.350	.040	1.000	1.000	25.908	7.419	1.3	-999.999	-25908.4	6.075	0.000	0.000
X	1674.4	.348	.036	1.000	1.000	25.908	7.419	1.3	-999.999	-25908.4	6.075	0.000	0.000
X	1674.6	.342	.021	1.000	1.000	25.908	7.419	1.3	-999.999	-25908.4	6.075	0.000	0.000
X	1674.7	.351	.030	.967	1.000	25.908	7.419	1.3	-999.999	-25908.4	6.075	0.000	0.000
X	1674.9	.371	.043	.835	1.000	25.908	7.419	1.3	-999.999	-25908.4	6.075	0.000	0.000
X	1675.0	.381	.051	.777	.777	25.908	7.419	1.3	-999.999	-25908.4	6.075	0.000	0.000
X	1675.2	.424	.048	.678	.725	25.908	7.419	1.3	-999.999	-25908.4	6.075	0.000	0.000
X	1675.3	.416	.059	.660	.972	25.908	7.419	1.3	-999.999	-25908.4	6.075	0.000	0.000
X	1675.5	.427	.048	.698	.782	25.908	7.419	1.3	-999.999	-25908.4	6.075	0.000	0.000
X	1675.6	.368	.060	.871	.915	25.908	7.419	1.3	-999.999	-25908.4	6.075	0.000	0.000
X	1675.8	.417	.058	.689	1.000	25.908	7.419	1.3	-999.999	-25908.4	6.075	0.000	0.000
X	1675.9	.390	.056	.855	1.000	25.908	7.419	1.3	-999.999	-25908.4	6.075	0.000	0.000
X	1676.1	.363	.049	.994	.994	25.908	7.419	1.3	-999.999	-25908.4	6.075	0.000	0.000
X	1676.2	.365	.047	1.000	1.000	25.908	7.419	1.3	-999.999	-25908.4	6.075	0.000	0.000
X	1676.4	.361	.057	.960	1.000	25.908	7.419	1.3	-999.999	-25908.4	6.075	0.000	0.000
X	1676.6	.361	.065	1.000	1.000	25.908	7.419	1.3	-999.999	-25908.4	6.075	0.000	0.000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
SHALLOW SECTION ZONE-B

SECTION FROM 1570.0 TO 1700.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	1676.7	.340	.079	1.0000	1.0000	25.908	7.419	1.3	-999.999	-25908.4	6.075	0.000	0.000
	1676.9	.337	.082	.966	1.0000	26.062	7.470	1.3	-999.999	-26061.4	6.124	0.000	0.000
%	1677.0	.326	.078	1.0000	1.0000	26.062	7.470	1.3	-999.999	-26061.4	6.124	0.000	0.000
	1677.2	.348	.066	.871	1.0000	26.213	7.523	1.4	-999.999	-26213.3	6.170	0.000	0.000
%	1677.3	.333	.059	1.0000	1.0000	26.213	7.523	1.4	-999.999	-26213.3	6.170	0.000	0.000
	1677.5	.345	.048	1.0000	1.0000	26.213	7.523	1.4	-999.999	-26213.3	6.170	0.000	0.000
%	1677.6	.350	.049	1.0000	1.0000	26.213	7.523	1.4	-999.999	-26213.3	6.170	0.000	0.000
	1677.8	.351	.049	1.0000	1.0000	26.213	7.523	1.4	-999.999	-26213.3	6.170	0.000	0.000
%	1677.9	.345	.056	.994	.994	26.365	7.576	1.4	-999.999	-26365.2	6.223	0.000	0.000
	1678.1	.332	.061	1.0000	1.0000	26.365	7.576	1.4	-999.999	-26365.2	6.223	0.000	0.000
%	1678.2	.346	.069	.918	1.0000	26.517	7.628	1.4	-999.999	-26517.2	6.271	0.000	0.000
	1678.4	.323	.074	1.0000	1.0000	26.517	7.628	1.4	-999.999	-26517.2	6.271	0.000	0.000
%	1678.5	.339	.072	1.0000	1.0000	26.517	7.628	1.4	-999.999	-26517.2	6.271	0.000	0.000
	1678.7	.314	.075	1.0000	1.0000	26.517	7.628	1.4	-999.999	-26517.2	6.271	0.000	0.000
%	1678.8	.310	.089	.982	1.0000	26.670	7.676	1.4	-999.999	-26670.3	6.317	0.000	0.000
	1679.0	.310	.090	1.0000	1.0000	26.670	7.676	1.4	-999.999	-26670.3	6.317	0.000	0.000
%	1679.1	.301	.093	1.0000	1.0000	26.670	7.676	1.4	-999.999	-26670.3	6.317	0.000	0.000
	1679.3	.326	.076	1.0000	1.0000	26.670	7.676	1.4	-999.999	-26670.3	6.317	0.000	0.000
%	1679.4	.350	.076	.893	1.0000	26.670	7.676	1.4	-999.999	-26670.3	6.317	0.000	0.000
	1679.6	.340	.077	.926	1.0000	26.823	7.728	1.4	-999.999	-26823.2	6.366	0.000	0.000
%	1679.8	.318	.083	1.0000	1.0000	26.823	7.728	1.4	-999.999	-26823.2	6.366	0.000	0.000
	1679.9	.314	.076	1.0000	1.0000	26.823	7.728	1.4	-999.999	-26823.2	6.366	0.000	0.000
%	1680.1	.339	.066	.906	1.0000	26.975	7.779	1.4	-999.999	-26975.0	6.412	0.000	0.000
	1680.2	.357	.065	.901	1.0000	26.975	7.779	1.4	-999.999	-26975.0	6.412	0.000	0.000
%	1680.4	.335	.073	.989	1.0000	27.128	7.831	1.4	-999.999	-27127.8	6.463	0.000	0.000
	1680.5	.325	.075	1.0000	1.0000	27.128	7.831	1.4	-999.999	-27127.8	6.463	0.000	0.000
%	1680.7	.325	.073	.941	1.0000	27.281	7.880	1.4	-999.999	-27280.9	6.510	0.000	0.000
	1680.8	.328	.062	.954	1.0000	27.433	7.930	1.4	-999.999	-27432.8	6.557	0.000	0.000
%	1681.0	.333	.058	.936	.984	27.585	7.981	1.4	-999.999	-27584.9	6.604	0.000	0.000
	1681.1	.330	.059	.962	1.0000	27.738	8.031	1.4	-999.999	-27737.9	6.653	0.000	0.000
%	1681.3	.318	.061	1.0000	1.0000	27.738	8.031	1.4	-999.999	-27737.9	6.653	0.000	0.000
	1681.4	.322	.063	1.0000	1.0000	27.738	8.031	1.4	-999.999	-27737.9	6.653	0.000	0.000
%	1681.6	.305	.070	1.0000	1.0000	27.738	8.031	1.4	-999.999	-27737.9	6.653	0.000	0.000
	1681.7	.300	.074	.964	1.0000	27.890	8.077	1.4	-999.999	-27890.0	6.697	0.000	0.000
%	1681.9	.314	.074	.976	1.0000	28.043	8.125	1.4	-999.999	-28043.1	6.744	0.000	0.000
	1682.0	.328	.059	1.0000	1.0000	28.043	8.125	1.4	-999.999	-28043.1	6.744	0.000	0.000
%	1682.2	.340	.065	.975	1.0000	28.196	8.177	1.4	-999.999	-28196.2	6.795	0.000	0.000
	1682.3	.371	.060	.854	1.0000	28.196	8.177	1.4	-999.999	-28196.2	6.795	0.000	0.000
%	1682.5	.355	.070	.931	1.0000	28.196	8.177	1.4	-999.999	-28196.2	6.795	0.000	0.000
	1682.6	.355	.062	.939	.939	28.196	8.177	1.4	-999.999	-28196.2	6.795	0.000	0.000
%	1682.8	.332	.073	1.0000	1.0000	28.196	8.177	1.4	-999.999	-28196.2	6.795	0.000	0.000
	1683.0	.323	.071	1.0000	1.0000	28.196	8.177	1.4	-999.999	-28196.2	6.795	0.000	0.000
%	1683.1	.315	.074	1.0000	1.0000	28.196	8.177	1.4	-999.999	-28196.2	6.795	0.000	0.000
	1683.3	.306	.071	1.0000	1.0000	28.196	8.177	1.4	-999.999	-28196.2	6.795	0.000	0.000
%	1683.4	.309	.077	1.0000	1.0000	28.196	8.177	1.4	-999.999	-28196.2	6.795	0.000	0.000
	1683.6	.314	.076	1.0000	1.0000	28.196	8.177	1.4	-999.999	-28196.2	6.795	0.000	0.000
%	1683.7	.335	.066	.943	.943	28.349	8.228	1.4	-999.999	-28349.0	6.843	0.000	0.000
	1683.9	.333	.056	.941	.941	28.501	8.279	1.4	-999.999	-28501.1	6.891	0.000	0.000
%	1684.0	.321	.061	.992	1.0000	28.653	8.327	1.4	-999.999	-28653.2	6.939	0.000	0.000
	1684.2	.319	.064	1.0000	1.0000	28.653	8.327	1.4	-999.999	-28653.2	6.939	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
SHALLOW SECTION ZONE-B

SECTION FROM 1570.0 TO 1700.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
X	1684.3	.317	.068	1.000	1.000	28.653	8.327	1.4	-999.999	-28653.2	6.939	0.000	0.000
X	1684.5	.318	.054	1.000	1.000	28.653	8.327	1.4	-999.999	-28653.2	6.939	0.000	0.000
X	1684.6	.318	.054	1.000	1.000	28.653	8.327	1.4	-999.999	-28653.2	6.939	0.000	0.000
X	1684.8	.319	.052	1.000	1.000	28.653	8.327	1.4	-999.999	-28653.2	6.939	0.000	0.000
X	1684.9	.317	.058	1.000	1.000	28.653	8.327	1.4	-999.999	-28653.2	6.939	0.000	0.000
	1685.1	.327	.061	.931	1.000	28.805	8.377	1.4	-999.999	-28805.3	6.985	0.000	0.000
X	1685.2	.303	.068	1.000	1.000	28.805	8.377	1.4	-999.999	-28805.3	6.985	0.000	0.000
X	1685.4	.304	.067	1.000	1.000	28.805	8.377	1.4	-999.999	-28805.3	6.985	0.000	0.000
X	1685.5	.310	.057	1.000	1.000	28.805	8.377	1.4	-999.999	-28805.3	6.985	0.000	0.000
X	1685.7	.309	.050	1.000	1.000	28.805	8.377	1.4	-999.999	-28805.3	6.985	0.000	0.000
	1685.8	.325	.052	.942	.942	28.957	8.427	1.4	-999.999	-28957.2	7.032	0.000	0.000
X	1686.0	.379	.049	.771	.771	28.957	8.427	1.4	-999.999	-28957.2	7.032	0.000	0.000
X	1686.2	.367	.059	.824	.824	28.957	8.427	1.4	-999.999	-28957.2	7.032	0.000	0.000
X	1686.3	.380	.066	.791	.827	28.957	8.427	1.4	-999.999	-28957.2	7.032	0.000	0.000
X	1686.5	.359	.069	.848	.988	28.957	8.427	1.4	-999.999	-28957.2	7.032	0.000	0.000
	1686.6	.335	.069	.942	1.000	29.109	8.477	1.4	-999.999	-29109.0	7.080	0.000	0.000
	1686.8	.323	.075	.989	1.000	29.262	8.527	1.4	-999.999	-29262.1	7.129	0.000	0.000
	1686.9	.311	.078	.971	1.000	29.414	8.574	1.4	-999.999	-29414.2	7.175	0.000	0.000
	1687.1	.306	.076	.928	1.000	29.566	8.621	1.4	-999.999	-29566.1	7.218	0.000	0.000
	1687.2	.295	.073	.984	1.000	29.719	8.666	1.4	-999.999	-29719.1	7.262	0.000	0.000
X	1687.4	.302	.078	1.000	1.000	29.719	8.666	1.4	-999.999	-29719.1	7.262	0.000	0.000
X	1687.5	.307	.070	1.000	1.000	29.719	8.666	1.4	-999.999	-29719.1	7.262	0.000	0.000
	1687.7	.326	.076	.871	1.000	29.871	8.716	1.4	-999.999	-29871.2	7.305	0.000	0.000
	1687.8	.322	.069	.905	1.000	30.023	8.764	1.4	-999.999	-30023.1	7.350	0.000	0.000
	1688.0	.317	.072	.963	1.000	30.176	8.813	1.4	-999.999	-30176.2	7.396	0.000	0.000
X	1688.1	.322	.071	1.000	1.000	30.176	8.813	1.4	-999.999	-30176.2	7.396	0.000	0.000
	1688.3	.330	.066	.916	1.000	30.329	8.863	1.4	-999.999	-30329.0	7.443	0.000	0.000
X	1688.4	.323	.031	1.000	1.000	30.329	8.863	1.4	-999.999	-30329.0	7.443	0.000	0.000
X	1688.6	.317	.027	1.000	1.000	30.329	8.863	1.4	-999.999	-30329.0	7.443	0.000	0.000
	1688.7	.344	.019	.878	.878	30.482	8.916	1.4	-999.999	-30482.1	7.489	0.000	0.000
X	1688.9	.376	.040	.753	.753	30.482	8.916	1.4	-999.999	-30482.1	7.489	0.000	0.000
X	1689.0	.351	.046	.875	.882	30.482	8.916	1.4	-999.999	-30482.1	7.489	0.000	0.000
X	1689.2	.380	.042	.818	.818	30.482	8.916	1.4	-999.999	-30482.1	7.489	0.000	0.000
X	1689.4	.421	.027	.739	.739	30.482	8.916	1.4	-999.999	-30482.1	7.489	0.000	0.000
X	1689.5	.434	.020	.723	.723	30.482	8.916	1.4	-999.999	-30482.1	7.489	0.000	0.000
X	1689.7	.404	.022	.774	.774	30.482	8.916	1.4	-999.999	-30482.1	7.489	0.000	0.000
X	1689.8	.391	.028	.807	.807	30.482	8.916	1.4	-999.999	-30482.1	7.489	0.000	0.000
X	1690.0	.353	.037	.895	.895	30.482	8.916	1.4	-999.999	-30482.1	7.489	0.000	0.000
X	1690.1	.358	.039	.860	.860	30.482	8.916	1.4	-999.999	-30482.1	7.489	0.000	0.000
	1690.3	.339	.042	.871	.871	30.635	8.968	1.4	-999.999	-30634.9	7.534	0.000	0.000
X	1690.4	.356	.035	.822	.822	30.635	8.968	1.4	-999.999	-30634.9	7.534	0.000	0.000
	1690.6	.349	.034	.883	.883	30.788	9.021	1.4	-999.999	-30788.0	7.581	0.000	0.000
X	1690.7	.339	.046	1.000	1.000	30.788	9.021	1.4	-999.999	-30788.0	7.581	0.000	0.000
X	1690.9	.359	.059	1.000	1.000	30.788	9.021	1.4	-999.999	-30788.0	7.581	0.000	0.000
X	1691.0	.364	.063	1.000	1.000	30.788	9.021	1.4	-999.999	-30788.0	7.581	0.000	0.000
X	1691.2	.357	.058	.980	.980	30.788	9.021	1.4	-999.999	-30788.0	7.581	0.000	0.000
X	1691.3	.338	.058	1.000	1.000	30.788	9.021	1.4	-999.999	-30788.0	7.581	0.000	0.000
X	1691.5	.321	.060	1.000	1.000	30.788	9.021	1.4	-999.999	-30788.0	7.581	0.000	0.000
X	1691.6	.321	.063	1.000	1.000	30.788	9.021	1.4	-999.999	-30788.0	7.581	0.000	0.000
X	1691.8	.323	.063	1.000	1.000	30.788	9.021	1.4	-999.999	-30788.0	7.581	0.000	0.000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
SHALLOW SECTION ZONE-B

SECTION FROM 1570.0 TO 1700.0

	DEPTH	GROSS POROSITY	VC	SW	SECTION FROM SXO	1570.0 SAND COUNT	1700.0 CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
X	1691.9	.326	.062	1.000	1.000	30.788	9.021	1.4	-999.999	-30788.0	7.581	0.000	0.000
X	1692.1	.317	.048	1.000	1.000	30.788	9.021	1.4	-999.999	-30788.0	7.581	0.000	0.000
X	1692.3	.292	.050	1.000	1.000	30.788	9.021	1.4	-999.999	-30788.0	7.581	0.000	0.000
X	1692.4	.306	.059	1.000	1.000	30.788	9.021	1.4	-999.999	-30788.0	7.581	0.000	0.000
X	1692.6	.321	.073	1.000	1.000	30.788	9.021	1.4	-999.999	-30788.0	7.581	0.000	0.000
	1692.7	.314	.084	.972	1.000	30.940	9.069	1.4	-999.999	-30939.8	7.628	0.000	0.000
	1692.9	.323	.078	.784	1.000	31.093	9.118	1.5	-999.999	-31092.9	7.666	0.000	0.000
	1693.0	.314	.070	.861	1.000	31.245	9.166	1.5	-999.999	-31245.0	7.707	0.000	0.000
	1693.2	.335	.055	.892	1.000	31.397	9.217	1.5	-999.999	-31396.9	7.753	0.000	0.000
	1693.3	.349	.043	.973	.973	31.550	9.271	1.5	-999.999	-31549.9	7.805	0.000	0.000
X	1693.5	.374	.039	.930	.930	31.550	9.271	1.5	-999.999	-31549.9	7.805	0.000	0.000
X	1693.6	.378	.045	.911	.911	31.550	9.271	1.5	-999.999	-31549.9	7.805	0.000	0.000
X	1693.8	.347	.049	1.000	1.000	31.550	9.271	1.5	-999.999	-31549.9	7.805	0.000	0.000
X	1693.9	.352	.043	1.000	1.000	31.550	9.271	1.5	-999.999	-31549.9	7.805	0.000	0.000
X	1694.1	.359	.032	1.000	1.000	31.550	9.271	1.5	-999.999	-31549.9	7.805	0.000	0.000
X	1694.2	.351	.030	1.000	1.000	31.550	9.271	1.5	-999.999	-31549.9	7.805	0.000	0.000
X	1694.4	.338	.039	1.000	1.000	31.550	9.271	1.5	-999.999	-31549.9	7.805	0.000	0.000
X	1694.5	.354	.051	.879	1.000	31.550	9.271	1.5	-999.999	-31549.9	7.805	0.000	0.000
X	1694.7	.383	.043	.892	.892	31.550	9.271	1.5	-999.999	-31549.9	7.805	0.000	0.000
X	1694.8	.363	.040	.977	.977	31.550	9.271	1.5	-999.999	-31549.9	7.805	0.000	0.000
X	1695.0	.396	.034	.814	.814	31.550	9.271	1.5	-999.999	-31549.9	7.805	0.000	0.000
X	1695.1	.426	.036	.666	.666	31.550	9.271	1.5	-999.999	-31549.9	7.805	0.000	0.000
X	1695.3	.366	.053	.778	.778	31.550	9.271	1.5	-999.999	-31549.9	7.805	0.000	0.000
	1695.4	.329	.057	.837	.837	31.702	9.321	1.5	-999.999	-31702.0	7.847	0.000	0.000
	1695.6	.339	.050	.768	.768	31.855	9.372	1.5	-999.999	-31854.9	7.887	0.000	0.000
X	1695.8	.351	.055	.731	.805	31.855	9.372	1.5	-999.999	-31854.9	7.887	0.000	0.000
	1695.9	.344	.048	.777	.826	32.008	9.425	1.5	-999.999	-32007.9	7.928	0.000	0.000
	1696.1	.331	.042	.820	.821	32.160	9.475	1.5	-999.999	-32159.8	7.969	0.000	0.000
	1696.2	.335	.042	.845	.905	32.312	9.526	1.5	-999.999	-32311.9	8.012	0.000	0.000
	1696.4	.340	.044	.862	.880	32.465	9.578	1.5	-999.999	-32465.0	8.057	0.000	0.000
X	1696.5	.362	.031	.782	.782	32.465	9.578	1.5	-999.999	-32465.0	8.057	0.000	0.000
X	1696.7	.357	.025	.803	.803	32.465	9.578	1.5	-999.999	-32465.0	8.057	0.000	0.000
X	1696.8	.361	.023	.773	.773	32.465	9.578	1.5	-999.999	-32465.0	8.057	0.000	0.000
X	1697.0	.371	.032	.756	.756	32.465	9.578	1.5	-999.999	-32465.0	8.057	0.000	0.000
X	1697.1	.376	.033	.765	.765	32.465	9.578	1.5	-999.999	-32465.0	8.057	0.000	0.000
	1697.3	.339	.045	.886	.939	32.617	9.630	1.5	-999.999	-32616.8	8.102	0.000	0.000
	1697.4	.316	.046	.969	.969	32.770	9.678	1.5	-999.999	-32769.9	8.149	0.000	0.000
	1697.6	.313	.044	.980	1.000	32.922	9.726	1.5	-999.999	-32922.0	8.196	0.000	0.000
X	1697.7	.314	.040	1.000	1.000	32.922	9.726	1.5	-999.999	-32922.0	8.196	0.000	0.000
	1697.9	.324	.044	.959	1.000	33.075	9.775	1.5	-999.999	-33075.1	8.243	0.000	0.000
	1698.0	.322	.055	.912	.976	33.227	9.824	1.5	-999.999	-33227.2	8.288	0.000	0.000
	1698.2	.320	.056	.875	.921	33.380	9.873	1.5	-999.999	-33380.0	8.331	0.000	0.000
	1698.3	.323	.049	.851	.974	33.532	9.923	1.5	-999.999	-33532.1	8.373	0.000	0.000
	1698.5	.333	.038	.904	.959	33.684	9.973	1.6	-999.999	-33684.0	8.418	0.000	0.000
X	1698.6	.365	.027	.808	.808	33.684	9.973	1.6	-999.999	-33684.0	8.418	0.000	0.000
X	1698.8	.351	.019	.863	.883	33.684	9.973	1.6	-999.999	-33684.0	8.418	0.000	0.000
X	1699.0	.363	.016	.829	.829	33.684	9.973	1.6	-999.999	-33684.0	8.418	0.000	0.000
	1699.1	.337	.021	.925	.925	33.836	10.024	1.6	-999.999	-33836.1	8.466	0.000	0.000
	1699.3	.350	.034	.898	.898	33.988	10.078	1.6	-999.999	-33988.2	8.514	0.000	0.000
X	1699.4	.337	.036	1.000	1.000	33.988	10.078	1.6	-999.999	-33988.2	8.514	0.000	0.000

* =RAW DATA CUT OFF

X =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
SHALLOW SECTION ZONE-B

SECTION FROM 1570.0 TO 1700.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 1699.6	.340	.041	1.000	1.000	33.988	10.078	1.6	-999.999	-33988.2	8.514	0.000	0.000
% 1699.7	.351	.045	.982	.982	33.988	10.078	1.6	-999.999	-33988.2	8.514	0.000	0.000
% 1699.9	.362	.046	.910	.910	33.988	10.078	1.6	-999.999	-33988.2	8.514	0.000	0.000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
 SHALLOW SECTION ZONE-B
 SECTION FROM 1570.0 TO 1700.0

INTERVAL SUMMARY

TOTAL INTERVAL	=	130.0 FT
NET INTERVAL	=	34.0 FT
NET/GROSS RATIO	=	.26145
EQUIVALENT POROSITY COLUMN	=	10.078 FT
EQUIVALENT HYDROCARBON COLUMN	=	1.564 FT
EQUIVALENT WATER VOL.	=	8.514 FT
EQUIVALENT WATER VOL. (FLUSHED ZONE)	=	0.000 FT

AVERAGES OVER NET INTERVAL

POROSITY	=	.29650
WATER SATURATION	=	.84480
HYDROCARBON SATURATION	=	.15520
HYDROCARBON VOLUME	=	.04602
WATER VOLUME	=	.25049
WATER VOLUME (FLUSHED ZONE)	=	0.00000
(WATER VOL. FLUSHED)-(WATER VOL.)	=	0.00000
PERMEABILITY INDEX	=	-1000.0
RECOVERY FACTOR	=	-1000.0
HYDROCARBON VOLUME OVER TOTAL INTERVAL	=	.01203

CUT-OFF VALUES

MINIMUM POROSITY	=	0.00	MAXIMUM SW	=	1.00
MAXIMUM POROSITY	=	.35	MINIMUM SW RESET	=	0.00
MAXIMUM NEUTRON	=	.40	MAXIMUM DENSITY	=	3.50
MINIMUM GR	=	0.00	MAXIMUM GR	=	1000.00
BIT SIZE	=	12.25	MAXIMUM CALIPER	=	14.00

PE603911

This is an enclosure indicator page.
The enclosure PE603911 is enclosed within the
container PE905513 at this location in this
document.

The enclosure PE603911 has the following characteristics:

ITEM_BARCODE = PE603911
CONTAINER_BARCODE = PE905513
NAME = Log Data Plot
BASIN = GIPPSLAND
PERMIT = VIC/P11
TYPE = WELL
SUBTYPE = WELL_LOG
DESCRIPTION = Log Data Plot (3 of 7) from Wireline
Log Interpretation Report (attachment
to WCR), for West Seahorse-1
REMARKS =
DATE_CREATED = 12/03/82
DATE_RECEIVED = 21/06/82
W_NO = W755
WELL_NAME = WEST SEAHORSE-1
CONTRACTOR = PETRODATA A.G.
CLIENT_OP_CO = HUBBAY OIL (AUSTRALIA) LTD

(Inserted by DNRE - Vic Govt Mines Dept)

WELL ANALYSIS PROGRAM REALG (HP-VERSION 20.1)

West Seahorse 1 1700 - 1865 m

LISTING OF ALL PARAMETER AND ACTION CARDS

NO.	NAME	PARAMETERS
1	WELL	WEST SEAHORSE 1
2	ZONE	DEEP SECTION ZONE-A
3	TAPE	Ø/1
4	INTE	17ØØ/1865
5	SCAL	11/11/Ø.Ø12/Ø
6	GRLO	15/15Ø/Ø/2ØØ
7	DENS	2.66/2.7Ø/1/1/Ø.85/Ø.15/1/3.Ø
8	NEUT	-Ø.Ø4/.35/1.Ø/Ø.38/1
9	TEMP	82.2/24ØØØ.Ø2
1Ø	RESI	3.ØØØ/82.2/Ø.225/82.2/Ø.3Ø7/82.2/Ø./316/82.2
11	LIMI	Ø.Ø8/1.Ø/Ø.35/Ø.Ø5
12	PERM	1ØØ
13	DIAM	12.25/14
14	BPAR	1/Ø
15	IPAR	1/1/2/2
16	EVAL	1/3/1/1
17	PRIN	
18	OTIT	13/ SQRT(C)
19	SCAL	16/56/-1./1.
2Ø	SCAL	18/55/6.6667/Ø.
21	SUBT	56/55/55
22	SCAL	28/57/-1./1.
23	ADD	56/29/58
24	SCAL	1Ø/59/Ø./1.
25	OTIT	17/BONDED WATER
26	OTIT	3Ø/FREE WATER
27	OTIT	59/HYDRO- CARBON
28	OTIT	55/SAND
29	OTIT	56/DRY CLAY
3Ø	OTIT	57/BONDED WATER
31	OTIT	58/FREE WATER

NO FATAL ERRORS HAVE BEEN DETECTED-JOB CONTINUED

WELL LOCATION INFORMATION

COUNTRY : AUSTRALIA
STATE : VICTORIA
FIELD NAME : WILDCAT
WELL NAME : WEST SEAHORSE 1 (SHALLOW SECTION
COMMENTS :

DATA SOURCE INFORMATION

UCC LABEL : 8224
CREATE DATE :
UPDATED :

THE (01-DPT) DATA ARE ALLOCATED IN CHANNEL 1
THE (03-LLD) DATA ARE ALLOCATED IN CHANNEL 3
THE (04-LLS) DATA ARE ALLOCATED IN CHANNEL 4
THE (07-MSF) DATA ARE ALLOCATED IN CHANNEL 7
THE (08-CAL) DATA ARE ALLOCATED IN CHANNEL 8
THE (10-TGR) DATA ARE ALLOCATED IN CHANNEL 10
THE (11-CNL) DATA ARE ALLOCATED IN CHANNEL 11
THE (12-FDC) DATA ARE ALLOCATED IN CHANNEL 12

LOG DATA DESCRIPTION

NO. OF DEPTH LEVELS IN FILE	:	6948
FIRST DEPTH LEVEL	:	1873.7
LAST DEPTH LEVEL	:	1886.9
DEPTH INCREMENT	:	.2

LOG DATA RECORDS READ FROM INPUT = 1089 RECORDS (MAXIMUM STORAGE AVAILABLE = 1200 RECORDS)

FIRST DEPTH STORED = 1700.12
FINAL DEPTH STORED = 1865.92

WEST SEAHORSE 1
DEEP SECTION ZONE-A

SECTION FROM 1700.0 TO 1865.0

POROSITY METHOD USED IS NEUTRON-DENSITY CROSSPLOT
SW CALCULATION USED IS WAXMAN-SMITS METHOD 1
USING LLD FOR DEEP RESISTIVITY
USING MSFL FOR SHALLOW RESISTIVITY

GROSS POROSITY SELECTED FOR PROGRAM CALCULATIONS

INPUT PARAMETER VARIABLES USED IN THIS ANALYSIS

DENSITY

GRAIN DENSITY SAND	=	2.660	GRAIN DENSITY CLAY	=	2.700
FORMATION FLUID DENSITY	=	1.000	WATER DENSITY	=	1.000
HYDROCARBON DENSITY	=	.850	EFFECTIVE CLAY POROS. FACTOR	=	.150
EFFECTIVE CLAY POROS. EXP	=	1.000	MAXIMUM DENSITY	=	3.000

NEUTRON

NEUTRON SANDPOINT	=	-.040	NEUTRON CLAY POINT	=	.350
NEUTRON FORMATION FLUID POINT	=	1.000	MAX NEUTRON VALUE	=	.380

RESISTIVITIES

FORMATION WATER	=	3.000 AT 82.2 DEG F	EQUIV PPM NAACL	=	1622.9
MUD	=	.307 AT 82.2 DEG F	EQUIV PPM NAACL	=	17772.3
MUD FILTRATE	=	.225 AT 82.2 DEG F	EQUIV PPM NAACL	=	25084.7
MUD CAKE	=	.461 AT 82.2 DEG F	EQUIV PPM NAACL	=	11450.2

TEMPERATURE

GRADIENT = 0.000 DEG F/FT REFERENCE TEMP= 82.200 DEG F AT 24000.0 FT

GAMMA RAY

MIN GR IN CLAY VOLUME CALC = 15.000 MAX GR IN CLAY VOLUME CALC = 150.000

INDONESIAN EQUATION CONSTANTS

R-CLAY	=	1.000	A = PHI DIVISOR COEFF	=	1.000
M = CEMENTATION FACTOR	=	2.000	N = SATURATION EXPONENT	=	2.000

LITHOLOGY FACTOR OF CLAY VOLUME USED IN WATER SATURATION CALCULATIONS = 1.000

CUT-OFF VALUES

MINIMUM POROSITY	=	.080	MAXIMUM SW	=	1.000
MAXIMUM POROSITY	=	.350	MINIMUM SW RESET	=	.050
MAXIMUM NEUTRON	=	.380	MAXIMUM DENSITY	=	3.000
MINIMUM GR	=	0.000	MAXIMUM GR	=	200.000
BIT SIZE	=	12.250	MAXIMUM CALIPER	=	14.000

WEST SEAHORSE 1
DEEP SECTION ZONE-A

SECTION FROM 1700.0 TO 1865.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 1700.1	.264	.037	1.000	1.000	0.000	0.000	0.0	41.661	0.0	0.000	0.000	0.000
% 1700.3	.234	.044	1.000	1.000	0.000	0.000	0.0	10.815	0.0	0.000	0.000	0.000
% 1700.4	.205	.045	1.000	1.000	0.000	0.000	0.0	3.796	0.0	0.000	0.000	0.000
% 1700.6	.180	.050	1.000	1.000	0.000	0.000	0.0	.897	0.0	0.000	0.000	0.000
% 1700.7	.193	.040	1.000	1.000	0.000	0.000	0.0	3.644	0.0	0.000	0.000	0.000
% 1700.9	.209	.042	1.000	1.000	0.000	0.000	0.0	5.670	0.0	0.000	0.000	0.000
% 1701.0	.240	.034	1.000	1.000	0.000	0.000	0.0	28.091	0.0	0.000	0.000	0.000
% 1701.2	.234	.041	1.000	1.000	0.000	0.000	0.0	13.336	0.0	0.000	0.000	0.000
% 1701.3	.237	.037	1.000	1.000	0.000	0.000	0.0	19.543	0.0	0.000	0.000	0.000
% 1701.5	.236	.036	1.000	1.000	0.000	0.000	0.0	22.281	0.0	0.000	0.000	0.000
% 1701.6	.237	.031	1.000	1.000	0.000	0.000	0.0	33.317	0.0	0.000	0.000	0.000
% 1701.8	.234	.030	1.000	1.000	0.000	0.000	0.0	33.909	0.0	0.000	0.000	0.000
% 1701.9	.216	.033	1.000	1.000	0.000	0.000	0.0	14.992	0.0	0.000	0.000	0.000
% 1702.1	.202	.034	1.000	1.000	0.000	0.000	0.0	8.181	0.0	0.000	0.000	0.000
% 1702.3	.200	.029	1.000	1.000	0.000	0.000	0.0	12.837	0.0	0.000	0.000	0.000
% 1702.4	.194	.025	1.000	1.000	0.000	0.000	0.0	16.833	0.0	0.000	0.000	0.000
% 1702.6	.181	.026	1.000	1.000	0.000	0.000	0.0	8.733	0.0	0.000	0.000	0.000
% 1702.7	.163	.031	1.000	1.000	0.000	0.000	0.0	2.447	0.0	0.000	0.000	0.000
% 1702.9	.164	.031	1.000	1.000	0.000	0.000	0.0	2.644	0.0	0.000	0.000	0.000
% 1703.0	.181	.025	1.000	1.000	0.000	0.000	0.0	9.787	0.0	0.000	0.000	0.000
% 1703.2	.194	.016	1.000	1.000	0.000	0.000	0.0	52.677	0.0	0.000	0.000	0.000
% 1703.3	.182	.024	1.000	1.000	0.000	0.000	0.0	11.559	0.0	0.000	0.000	0.000
% 1703.5	.174	.037	1.000	1.000	0.000	0.000	0.0	2.099	0.0	0.000	0.000	0.000
% 1703.6	.183	.058	1.000	1.000	0.000	0.000	0.0	.553	0.0	0.000	0.000	0.000
% 1703.8	.205	.058	1.000	1.000	0.000	0.000	0.0	1.362	0.0	0.000	0.000	0.000
% 1703.9	.217	.051	1.000	1.000	0.000	0.000	0.0	3.654	0.0	0.000	0.000	0.000
% 1704.1	.218	.033	1.000	1.000	0.000	0.000	0.0	16.284	0.0	0.000	0.000	0.000
% 1704.2	.238	.012	1.000	1.000	0.000	0.000	0.0	373.795	0.0	0.000	0.000	0.000
% 1704.4	.249	.010	1.000	1.000	0.000	0.000	0.0	461.097	0.0	0.000	0.000	0.000
% 1704.5	.261	.011	1.000	1.000	0.000	0.000	0.0	557.947	0.0	0.000	0.000	0.000
% 1704.7	.251	.024	1.000	1.000	0.000	0.000	0.0	98.390	0.0	0.000	0.000	0.000
% 1704.8	.243	.025	1.000	1.000	0.000	0.000	0.0	70.526	0.0	0.000	0.000	0.000
% 1705.0	.228	.026	1.000	1.000	0.000	0.000	0.0	43.419	0.0	0.000	0.000	0.000
% 1705.1	.237	.022	1.000	1.000	0.000	0.000	0.0	83.800	0.0	0.000	0.000	0.000
% 1705.3	.235	.024	1.000	1.000	0.000	0.000	0.0	63.371	0.0	0.000	0.000	0.000
1705.5	.258	.018	.910	1.000	.152	.039	.0	254.245	38.6	.036	0.000	0.000
1705.6	.270	.022	.856	.968	.304	.080	.0	204.020	69.6	.071	0.000	0.000
1705.8	.291	.016	.830	.838	.457	.125	.0	655.821	170.0	.108	0.000	0.000
1705.9	.310	.018	.791	.861	.609	.172	.0	791.821	290.3	.145	0.000	0.000
1706.1	.300	.017	.822	.956	.762	.218	.0	785.355	410.5	.183	0.000	0.000
1706.2	.296	.030	.808	.976	.914	.263	.0	170.365	436.4	.219	0.000	0.000
% 1706.4	.282	.033	1.000	1.000	.914	.263	.0	93.367	436.4	.219	0.000	0.000
% 1706.5	.288	.029	1.000	1.000	.914	.263	.0	148.219	436.4	.219	0.000	0.000
% 1706.7	.287	.028	1.000	1.000	.914	.263	.0	166.799	436.4	.219	0.000	0.000
% 1706.8	.292	.024	1.000	1.000	.914	.263	.0	257.419	436.4	.219	0.000	0.000
% 1707.0	.295	.028	1.000	1.000	.914	.263	.0	191.438	436.4	.219	0.000	0.000
% 1707.1	.314	.014	1.000	1.000	.914	.263	.0	1169.382	436.4	.219	0.000	0.000
% 1707.3	.314	.014	1.000	1.000	.914	.263	.0	1169.382	436.4	.219	0.000	0.000
% 1707.4	.295	.005	1.000	1.000	.914	.263	.0	912.085	436.4	.219	0.000	0.000
% 1707.6	.236	.015	1.000	1.000	.914	.263	.0	213.932	436.4	.219	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-A

SECTION FROM 1700.0 TO 1865.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	1707.7	.169	.046	1.000	1.000	.914	.263	.0	.770	436.4	.219	0.000	0.000
%	1707.9	.107	.103	1.000	1.000	.914	.263	.0	.000	436.4	.219	0.000	0.000
*%	1708.0	.120	.119	1.000	1.000	.914	.263	.0	.000	436.4	.219	0.000	0.000
*%	1708.2	.130	.123	1.000	1.000	.914	.263	.0	.000	436.4	.219	0.000	0.000
*%	1708.4	.126	.121	1.000	1.000	.914	.263	.0	.000	436.4	.219	0.000	0.000
*%	1708.5	.136	.117	1.000	1.000	.914	.263	.0	.000	436.4	.219	0.000	0.000
*%	1708.7	.157	.102	1.000	1.000	.914	.263	.0	.002	436.4	.219	0.000	0.000
%	1708.8	.173	.082	1.000	1.000	.914	.263	.0	.048	436.4	.219	0.000	0.000
%	1709.0	.194	.053	1.000	1.000	.914	.263	.0	1.351	436.4	.219	0.000	0.000
%	1709.1	.207	.030	1.000	1.000	.914	.263	.0	14.258	436.4	.219	0.000	0.000
%	1709.3	.219	.009	1.000	1.000	.914	.263	.0	277.152	436.4	.219	0.000	0.000
%	1709.4	.217	.003	1.000	1.000	.914	.263	.0	266.077	436.4	.219	0.000	0.000
%	1709.6	.203	.010	1.000	1.000	.914	.263	.0	192.821	436.4	.219	0.000	0.000
%	1709.7	.195	.020	1.000	1.000	.914	.263	.0	29.480	436.4	.219	0.000	0.000
%	1709.9	.190	.028	1.000	1.000	.914	.263	.0	9.665	436.4	.219	0.000	0.000
%	1710.0	.235	.026	1.000	1.000	.914	.263	.0	51.153	436.4	.219	0.000	0.000
%	1710.2	.241	.031	1.000	1.000	.914	.263	.0	37.239	436.4	.219	0.000	0.000
%	1710.3	.272	.024	1.000	1.000	.914	.263	.0	172.223	436.4	.219	0.000	0.000
%	1710.5	.287	.015	1.000	1.000	.914	.263	.0	790.963	436.4	.219	0.000	0.000
	1710.6	.311	.006	.909	.909	1.066	.310	.0	1131.666	608.5	.262	0.000	0.000
	1710.8	.300	.010	.882	.968	1.219	.356	.1	982.261	758.6	.303	0.000	0.000
	1710.9	.282	.011	.924	.930	1.371	.399	.1	761.716	874.5	.342	0.000	0.000
	1711.1	.253	.015	.990	.990	1.523	.437	.1	316.388	922.6	.381	0.000	0.000
%	1711.2	.229	.025	1.000	1.000	1.523	.437	.1	50.253	922.6	.381	0.000	0.000
%	1711.4	.224	.026	1.000	1.000	1.523	.437	.1	38.658	922.6	.381	0.000	0.000
%	1711.6	.233	.019	1.000	1.000	1.523	.437	.1	115.343	922.6	.381	0.000	0.000
%	1711.7	.231	.016	1.000	1.000	1.523	.437	.1	167.361	922.6	.381	0.000	0.000
%	1711.9	.221	.020	1.000	1.000	1.523	.437	.1	72.544	922.6	.381	0.000	0.000
%	1712.0	.205	.031	1.000	1.000	1.523	.437	.1	12.577	922.6	.381	0.000	0.000
%	1712.2	.209	.028	1.000	1.000	1.523	.437	.1	19.311	922.6	.381	0.000	0.000
%	1712.3	.183	.042	1.000	1.000	1.523	.437	.1	2.073	922.6	.381	0.000	0.000
%	1712.5	.186	.044	1.000	1.000	1.523	.437	.1	2.014	922.6	.381	0.000	0.000
%	1712.6	.171	.055	1.000	1.000	1.523	.437	.1	.399	922.6	.381	0.000	0.000
%	1712.8	.172	.068	1.000	1.000	1.523	.437	.1	.146	922.6	.381	0.000	0.000
%	1712.9	.164	.078	1.000	1.000	1.523	.437	.1	.038	922.6	.381	0.000	0.000
%	1713.1	.182	.076	1.000	1.000	1.523	.437	.1	.124	922.6	.381	0.000	0.000
%	1713.2	.201	.067	1.000	1.000	1.523	.437	.1	.651	922.6	.381	0.000	0.000
%	1713.4	.214	.054	1.000	1.000	1.523	.437	.1	2.565	922.6	.381	0.000	0.000
%	1713.5	.222	.056	1.000	1.000	1.523	.437	.1	3.009	922.6	.381	0.000	0.000
%	1713.7	.223	.054	1.000	1.000	1.523	.437	.1	3.645	922.6	.381	0.000	0.000
%	1713.8	.231	.054	1.000	1.000	1.523	.437	.1	4.726	922.6	.381	0.000	0.000
%	1714.0	.237	.050	1.000	1.000	1.523	.437	.1	8.106	922.6	.381	0.000	0.000
%	1714.1	.253	.035	1.000	1.000	1.523	.437	.1	38.295	922.6	.381	0.000	0.000
%	1714.3	.262	.033	1.000	1.000	1.523	.437	.1	55.720	922.6	.381	0.000	0.000
%	1714.4	.263	.037	1.000	1.000	1.523	.437	.1	40.917	922.6	.381	0.000	0.000
%	1714.6	.250	.053	1.000	1.000	1.523	.437	.1	8.996	922.6	.381	0.000	0.000
%	1714.8	.245	.052	1.000	1.000	1.523	.437	.1	8.342	922.6	.381	0.000	0.000
%	1714.9	.233	.053	1.000	1.000	1.523	.437	.1	5.415	922.6	.381	0.000	0.000
%	1715.1	.235	.055	1.000	1.000	1.523	.437	.1	5.014	922.6	.381	0.000	0.000
	1715.2	.239	.065	.987	1.000	1.675	.474	.1	3.034	923.1	.416	0.000	0.000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-A

SECTION FROM 1700.0 TO 1865.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
	1715.4	.261	.056	.928	1.000	1.827	.513	.1	10.420	924.6	.453	0.000	0.000
	1715.5	.270	.048	.921	1.000	1.980	.555	.1	22.987	928.2	.491	0.000	0.000
	1715.7	.267	.036	.963	.991	2.132	.595	.1	50.580	935.8	.530	0.000	0.000
%	1715.8	.261	.034	1.000	1.000	2.132	.595	.1	52.086	935.8	.530	0.000	0.000
%	1716.0	.246	.032	1.000	1.000	2.132	.595	.1	40.790	935.8	.530	0.000	0.000
%	1716.1	.238	.031	1.000	1.000	2.132	.595	.1	33.963	935.8	.530	0.000	0.000
%	1716.3	.236	.032	1.000	1.000	2.132	.595	.1	30.408	935.8	.530	0.000	0.000
%	1716.4	.250	.021	1.000	1.000	2.132	.595	.1	132.450	935.8	.530	0.000	0.000
%	1716.6	.254	.017	1.000	1.000	2.132	.595	.1	272.698	935.8	.530	0.000	0.000
%	1716.7	.241	.015	1.000	1.000	2.132	.595	.1	236.527	935.8	.530	0.000	0.000
%	1716.9	.234	.022	1.000	1.000	2.132	.595	.1	79.701	935.8	.530	0.000	0.000
%	1717.0	.232	.028	1.000	1.000	2.132	.595	.1	40.442	935.8	.530	0.000	0.000
%	1717.2	.240	.024	1.000	1.000	2.132	.595	.1	74.754	935.8	.530	0.000	0.000
%	1717.3	.257	.016	.979	1.000	2.284	.634	.1	309.945	982.9	.568	0.000	0.000
%	1717.5	.262	.018	1.000	1.000	2.284	.634	.1	281.132	982.9	.568	0.000	0.000
%	1717.6	.254	.023	1.000	1.000	2.284	.634	.1	124.671	982.9	.568	0.000	0.000
%	1717.8	.238	.026	1.000	1.000	2.284	.634	.1	58.342	982.9	.568	0.000	0.000
%	1718.0	.225	.022	1.000	1.000	2.284	.634	.1	60.317	982.9	.568	0.000	0.000
%	1718.1	.215	.023	1.000	1.000	2.284	.634	.1	41.887	982.9	.568	0.000	0.000
%	1718.3	.205	.026	1.000	1.000	2.284	.634	.1	20.074	982.9	.568	0.000	0.000
%	1718.4	.209	.029	1.000	1.000	2.284	.634	.1	18.171	982.9	.568	0.000	0.000
%	1718.6	.216	.026	1.000	1.000	2.284	.634	.1	28.634	982.9	.568	0.000	0.000
%	1718.7	.209	.028	1.000	1.000	2.284	.634	.1	19.702	982.9	.568	0.000	0.000
%	1718.9	.205	.028	1.000	1.000	2.284	.634	.1	15.939	982.9	.568	0.000	0.000
%	1719.0	.203	.034	1.000	1.000	2.284	.634	.1	8.555	982.9	.568	0.000	0.000
%	1719.2	.214	.037	1.000	1.000	2.284	.634	.1	10.272	982.9	.568	0.000	0.000
%	1719.3	.209	.040	1.000	1.000	2.284	.634	.1	6.344	982.9	.568	0.000	0.000
%	1719.5	.215	.036	1.000	1.000	2.284	.634	.1	11.038	982.9	.568	0.000	0.000
%	1719.6	.214	.032	1.000	1.000	2.284	.634	.1	14.912	982.9	.568	0.000	0.000
%	1719.8	.246	.023	1.000	1.000	2.284	.634	.1	100.055	982.9	.568	0.000	0.000
%	1719.9	.260	.013	1.000	1.000	2.284	.634	.1	507.966	982.9	.568	0.000	0.000
%	1720.1	.264	.007	1.000	1.000	2.284	.634	.1	590.207	982.9	.568	0.000	0.000
%	1720.2	.260	.006	.998	.998	2.437	.674	.1	551.862	1067.2	.608	0.000	0.000
%	1720.4	.247	.008	1.000	1.000	2.437	.674	.1	450.274	1067.2	.608	0.000	0.000
	1720.5	.252	.006	.985	.985	2.590	.712	.1	483.405	1141.2	.646	0.000	0.000
	1720.7	.251	.004	.996	.996	2.741	.751	.1	481.057	1214.3	.684	0.000	0.000
	1720.8	.254	.007	.974	.989	2.894	.789	.1	503.197	1290.8	.722	0.000	0.000
	1721.0	.257	.004	.985	.987	3.046	.829	.1	528.681	1371.6	.760	0.000	0.000
%	1721.2	.244	.005	1.000	1.000	3.046	.829	.1	428.718	1371.6	.760	0.000	0.000
%	1721.3	.244	.001	1.000	1.000	3.046	.829	.1	424.671	1371.6	.760	0.000	0.000
%	1721.5	.250	.004	1.000	1.000	3.046	.829	.1	471.421	1371.6	.760	0.000	0.000
%	1721.6	.251	.009	1.000	1.000	3.046	.829	.1	477.350	1371.6	.760	0.000	0.000
%	1721.8	.251	.012	1.000	1.000	3.046	.829	.1	481.246	1371.6	.760	0.000	0.000
%	1721.9	.245	.022	1.000	1.000	3.046	.829	.1	101.121	1371.6	.760	0.000	0.000
%	1722.1	.249	.019	1.000	1.000	3.046	.829	.1	164.343	1371.6	.760	0.000	0.000
%	1722.2	.261	.017	.967	.996	3.198	.868	.1	279.555	1414.1	.799	0.000	0.000
%	1722.4	.261	.006	1.000	1.000	3.198	.868	.1	556.100	1414.1	.799	0.000	0.000
%	1722.5	.244	.010	1.000	1.000	3.198	.868	.1	426.029	1414.1	.799	0.000	0.000
%	1722.7	.245	.002	1.000	1.000	3.198	.868	.1	434.303	1414.1	.799	0.000	0.000
%	1722.8	.245	.002	1.000	1.000	3.198	.868	.1	433.583	1414.1	.799	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-A

SECTION FROM 1700.0 TO 1865.0

	DEPTH	GROSS POROSITY	VC	SW	SECTION FROM SXO	1700.0 TO SAND COUNT	1865.0 CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	1723.0	.265	.000	1.000	1.000	3.198	.868	.1	594.036	1414.1	.799	0.000	0.000
%	1723.1	.239	.005	1.000	1.000	3.198	.868	.1	396.203	1414.1	.799	0.000	0.000
%	1723.3	.236	.010	1.000	1.000	3.198	.868	.1	374.486	1414.1	.799	0.000	0.000
%	1723.4	.216	.028	1.000	1.000	3.198	.868	.1	25.269	1414.1	.799	0.000	0.000
%	1723.6	.224	.039	1.000	1.000	3.198	.868	.1	11.327	1414.1	.799	0.000	0.000
%	1723.7	.220	.065	1.000	1.000	3.198	.868	.1	1.501	1414.1	.799	0.000	0.000
*%	1723.9	.329	.049	1.000	1.000	3.198	.868	.1	89.266	1414.1	.799	0.000	0.000
*%	1724.0	.437	.030	1.000	1.000	3.198	.868	.1	2179.814	1414.1	.799	0.000	0.000
*%	1724.2	.603	.000	.775	.775	3.198	.868	.1	15997.100	1414.1	.799	0.000	0.000
*%	1724.4	.692	.000	.599	.599	3.198	.868	.1	27703.684	1414.1	.799	0.000	0.000
*%	1724.5	.750	.000	.498	.560	3.198	.868	.1	38118.641	1414.1	.799	0.000	0.000
*%	1724.7	.751	.000	.450	.687	3.198	.868	.1	38318.547	1414.1	.799	0.000	0.000
*%	1724.8	0.000	0.000	1.000	1.000	3.198	.868	.1	-999.999	1414.1	.799	0.000	0.000
*%	1725.0	0.000	0.000	1.000	1.000	3.198	.868	.1	-999.999	1414.1	.799	0.000	0.000
*%	1725.1	.580	.020	.502	.502	3.198	.868	.1	13626.838	1414.1	.799	0.000	0.000
*%	1725.3	.398	.058	.740	.740	3.198	.868	.1	201.435	1414.1	.799	0.000	0.000
*%	1725.4	.276	.062	1.000	1.000	3.198	.868	.1	11.160	1414.1	.799	0.000	0.000
*%	1725.6	.218	.081	1.000	1.000	3.198	.868	.1	.510	1414.1	.799	0.000	0.000
*%	1725.7	.230	.084	1.000	1.000	3.198	.868	.1	.686	1414.1	.799	0.000	0.000
*%	1725.9	.241	.085	1.000	1.000	3.198	.868	.1	.997	1414.1	.799	0.000	0.000
*%	1726.0	.206	.081	1.000	1.000	3.198	.868	.1	.294	1414.1	.799	0.000	0.000
%	1726.2	.156	.081	1.000	1.000	3.198	.868	.1	.016	1414.1	.799	0.000	0.000
%	1726.3	.120	.079	1.000	1.000	3.198	.868	.1	.001	1414.1	.799	0.000	0.000
%	1726.5	.102	.078	1.000	1.000	3.198	.868	.1	.000	1414.1	.799	0.000	0.000
%	1726.6	.096	.081	1.000	1.000	3.198	.868	.1	.000	1414.1	.799	0.000	0.000
%	1726.8	.076	.075	1.000	1.000	3.198	.868	.1	.000	1414.1	.799	0.000	0.000
%	1726.9	.074	.073	1.000	1.000	3.198	.868	.1	.000	1414.1	.799	0.000	0.000
%	1727.1	.064	.063	1.000	1.000	3.198	.868	.1	.000	1414.1	.799	0.000	0.000
%	1727.2	.064	.063	1.000	1.000	3.198	.868	.1	.000	1414.1	.799	0.000	0.000
%	1727.4	.087	.079	1.000	1.000	3.198	.868	.1	.000	1414.1	.799	0.000	0.000
%	1727.6	.112	.063	1.000	1.000	3.198	.868	.1	.002	1414.1	.799	0.000	0.000
%	1727.7	.124	.057	1.000	1.000	3.198	.868	.1	.015	1414.1	.799	0.000	0.000
%	1727.9	.132	.055	1.000	1.000	3.198	.868	.1	.037	1414.1	.799	0.000	0.000
%	1728.0	.157	.052	1.000	1.000	3.198	.868	.1	.240	1414.1	.799	0.000	0.000
%	1728.2	.170	.048	1.000	1.000	3.198	.868	.1	.651	1414.1	.799	0.000	0.000
%	1728.3	.175	.052	1.000	1.000	3.198	.868	.1	.617	1414.1	.799	0.000	0.000
%	1728.5	.169	.053	1.000	1.000	3.198	.868	.1	.427	1414.1	.799	0.000	0.000
%	1728.6	.173	.059	1.000	1.000	3.198	.868	.1	.320	1414.1	.799	0.000	0.000
%	1728.8	.166	.057	1.000	1.000	3.198	.868	.1	.250	1414.1	.799	0.000	0.000
%	1728.9	.165	.059	1.000	1.000	3.198	.868	.1	.199	1414.1	.799	0.000	0.000
%	1729.1	.172	.056	1.000	1.000	3.198	.868	.1	.393	1414.1	.799	0.000	0.000
%	1729.2	.172	.060	1.000	1.000	3.198	.868	.1	.269	1414.1	.799	0.000	0.000
%	1729.4	.189	.056	1.000	1.000	3.198	.868	.1	.839	1414.1	.799	0.000	0.000
%	1729.5	.179	.058	1.000	1.000	3.198	.868	.1	.457	1414.1	.799	0.000	0.000
%	1729.7	.191	.059	1.000	1.000	3.198	.868	.1	.755	1414.1	.799	0.000	0.000
%	1729.8	.180	.068	1.000	1.000	3.198	.868	.1	.216	1414.1	.799	0.000	0.000
%	1730.0	.192	.068	1.000	1.000	3.198	.868	.1	.388	1414.1	.799	0.000	0.000
%	1730.1	.211	.056	1.000	1.000	3.198	.868	.1	2.150	1414.1	.799	0.000	0.000
%	1730.3	.219	.045	1.000	1.000	3.198	.868	.1	6.246	1414.1	.799	0.000	0.000
%	1730.4	.221	.037	1.000	1.000	3.198	.868	.1	12.704	1414.1	.799	0.000	0.000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-A

SECTION FROM 1700.0 TO 1865.0

	DEPTH	GROSS POROSITY	VC	SW	SECTION FROM SXO	1700.0 TO SAND COUNT	1865.0 CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	1730.6	.203	.046	1.000	1.000	3.198	.868	.1	3.103	1414.1	.799	0.000	0.000
%	1730.8	.206	.046	1.000	1.000	3.198	.868	.1	3.683	1414.1	.799	0.000	0.000
%	1730.9	.211	.048	1.000	1.000	3.198	.868	.1	3.809	1414.1	.799	0.000	0.000
%	1731.1	.234	.038	1.000	1.000	3.198	.868	.1	17.533	1414.1	.799	0.000	0.000
%	1731.2	.239	.043	1.000	1.000	3.198	.868	.1	13.402	1414.1	.799	0.000	0.000
%	1731.4	.245	.050	1.000	1.000	3.198	.868	.1	10.025	1414.1	.799	0.000	0.000
%	1731.5	.256	.048	1.000	1.000	3.198	.868	.1	16.010	1414.1	.799	0.000	0.000
%	1731.7	.251	.046	1.000	1.000	3.198	.868	.1	15.663	1414.1	.799	0.000	0.000
%	1731.8	.246	.039	1.000	1.000	3.198	.868	.1	22.776	1414.1	.799	0.000	0.000
%	1732.0	.238	.040	1.000	1.000	3.198	.868	.1	17.328	1414.1	.799	0.000	0.000
%	1732.1	.246	.034	1.000	1.000	3.198	.868	.1	33.150	1414.1	.799	0.000	0.000
%	1732.3	.240	.030	1.000	1.000	3.198	.868	.1	40.827	1414.1	.799	0.000	0.000
%	1732.4	.241	.028	1.000	1.000	3.198	.868	.1	48.392	1414.1	.799	0.000	0.000
%	1732.6	.235	.028	1.000	1.000	3.198	.868	.1	43.488	1414.1	.799	0.000	0.000
%	1732.7	.230	.030	1.000	1.000	3.198	.868	.1	29.670	1414.1	.799	0.000	0.000
%	1732.9	.212	.021	1.000	1.000	3.198	.868	.1	45.771	1414.1	.799	0.000	0.000
%	1733.0	.198	.019	1.000	1.000	3.198	.868	.1	38.536	1414.1	.799	0.000	0.000
%	1733.2	.203	.018	1.000	1.000	3.198	.868	.1	52.790	1414.1	.799	0.000	0.000
%	1733.3	.223	.027	1.000	1.000	3.198	.868	.1	32.803	1414.1	.799	0.000	0.000
%	1733.5	.241	.023	1.000	1.000	3.198	.868	.1	86.721	1414.1	.799	0.000	0.000
%	1733.6	.247	.028	1.000	1.000	3.198	.868	.1	60.228	1414.1	.799	0.000	0.000
%	1733.8	.249	.026	1.000	1.000	3.198	.868	.1	75.865	1414.1	.799	0.000	0.000
%	1734.0	.259	.030	1.000	1.000	3.198	.868	.1	69.080	1414.1	.799	0.000	0.000
%	1734.1	.285	.017	.969	1.000	3.351	.912	.1	509.927	1491.7	.841	0.000	0.000
%	1734.3	.288	.014	.971	1.000	3.503	.956	.1	828.037	1618.3	.883	0.000	0.000
%	1734.4	.290	.005	1.000	1.000	3.503	.956	.1	852.918	1618.3	.883	0.000	0.000
%	1734.6	.288	.000	1.000	1.000	3.503	.956	.1	829.826	1618.3	.883	0.000	0.000
%	1734.7	.282	.000	1.000	1.000	3.503	.956	.1	767.077	1618.3	.883	0.000	0.000
%	1734.9	.278	.000	1.000	1.000	3.503	.956	.1	717.636	1618.3	.883	0.000	0.000
%	1735.0	.263	.004	1.000	1.000	3.503	.956	.1	575.086	1618.3	.883	0.000	0.000
%	1735.2	.255	.004	1.000	1.000	3.503	.956	.1	508.956	1618.3	.883	0.000	0.000
%	1735.3	.258	.006	1.000	1.000	3.503	.956	.1	531.762	1618.3	.883	0.000	0.000
%	1735.5	.274	.008	1.000	1.000	3.503	.956	.1	681.720	1618.3	.883	0.000	0.000
%	1735.6	.291	.006	1.000	1.000	3.503	.956	.1	869.965	1618.3	.883	0.000	0.000
%	1735.8	.293	.008	1.000	1.000	3.503	.956	.1	886.857	1618.3	.883	0.000	0.000
%	1735.9	.277	.004	1.000	1.000	3.503	.956	.1	712.278	1618.3	.883	0.000	0.000
%	1736.1	.279	.000	1.000	1.000	3.503	.956	.1	727.634	1618.3	.883	0.000	0.000
%	1736.2	.284	.000	1.000	1.000	3.503	.956	.1	785.697	1618.3	.883	0.000	0.000
%	1736.4	.302	.004	1.000	1.000	3.503	.956	.1	1000.885	1618.3	.883	0.000	0.000
%	1736.5	.305	.009	1.000	1.000	3.503	.956	.1	1044.708	1618.3	.883	0.000	0.000
%	1736.7	.292	.011	1.000	1.000	3.503	.956	.1	878.933	1618.3	.883	0.000	0.000
%	1736.8	.278	.009	1.000	1.000	3.503	.956	.1	719.646	1618.3	.883	0.000	0.000
%	1737.0	.259	.009	1.000	1.000	3.503	.956	.1	545.457	1618.3	.883	0.000	0.000
%	1737.2	.224	.021	1.000	1.000	3.503	.956	.1	69.895	1618.3	.883	0.000	0.000
%	1737.3	.191	.033	1.000	1.000	3.503	.956	.1	6.367	1618.3	.883	0.000	0.000
%	1737.5	.176	.047	1.000	1.000	3.503	.956	.1	.996	1618.3	.883	0.000	0.000
%	1737.6	.193	.044	1.000	1.000	3.503	.956	.1	2.538	1618.3	.883	0.000	0.000
%	1737.8	.206	.042	1.000	1.000	3.503	.956	.1	4.953	1618.3	.883	0.000	0.000
%	1737.9	.204	.043	1.000	1.000	3.503	.956	.1	4.369	1618.3	.883	0.000	0.000
%	1738.1	.217	.044	1.000	1.000	3.503	.956	.1	6.453	1618.3	.883	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-A

SECTION FROM 1700.0 TO 1865.0

	DEPTH	GROSS POROSITY	VC	SW	SECTION FROM SXO	1700.0 TO SAND COUNT	1865.0 CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	1738.2	.202	.060	1.000	1.000	3.503	.956	.1	1.117	1618.3	.883	0.000	0.000
%	1738.4	.234	.062	1.000	1.000	3.503	.956	.1	3.035	1618.3	.883	0.000	0.000
*%	1738.5	.246	.067	1.000	1.000	3.503	.956	.1	3.390	1618.3	.883	0.000	0.000
%	1738.7	.266	.042	1.000	1.000	3.503	.956	.1	31.109	1618.3	.883	0.000	0.000
%	1738.8	.223	.039	1.000	1.000	3.503	.956	.1	11.051	1618.3	.883	0.000	0.000
%	1739.0	.178	.042	1.000	1.000	3.503	.956	.1	1.704	1618.3	.883	0.000	0.000
%	1739.1	.162	.049	1.000	1.000	3.503	.956	.1	.427	1618.3	.883	0.000	0.000
%	1739.3	.184	.041	1.000	1.000	3.503	.956	.1	2.298	1618.3	.883	0.000	0.000
%	1739.4	.191	.040	1.000	1.000	3.503	.956	.1	3.248	1618.3	.883	0.000	0.000
%	1739.6	.204	.037	1.000	1.000	3.503	.956	.1	6.811	1618.3	.883	0.000	0.000
%	1739.7	.193	.044	1.000	1.000	3.503	.956	.1	2.621	1618.3	.883	0.000	0.000
%	1739.9	.196	.042	1.000	1.000	3.503	.956	.1	3.347	1618.3	.883	0.000	0.000
%	1740.0	.176	.052	1.000	1.000	3.503	.956	.1	.665	1618.3	.883	0.000	0.000
%	1740.2	.164	.052	1.000	1.000	3.503	.956	.1	.342	1618.3	.883	0.000	0.000
%	1740.4	.154	.049	1.000	1.000	3.503	.956	.1	.272	1618.3	.883	0.000	0.000
%	1740.5	.153	.051	1.000	1.000	3.503	.956	.1	.216	1618.3	.883	0.000	0.000
%	1740.7	.157	.050	1.000	1.000	3.503	.956	.1	.301	1618.3	.883	0.000	0.000
%	1740.8	.165	.055	1.000	1.000	3.503	.956	.1	.299	1618.3	.883	0.000	0.000
%	1741.0	.166	.051	1.000	1.000	3.503	.956	.1	.444	1618.3	.883	0.000	0.000
%	1741.1	.188	.051	1.000	1.000	3.503	.956	.1	1.183	1618.3	.883	0.000	0.000
%	1741.3	.185	.052	1.000	1.000	3.503	.956	.1	.990	1618.3	.883	0.000	0.000
%	1741.4	.181	.057	1.000	1.000	3.503	.956	.1	.555	1618.3	.883	0.000	0.000
%	1741.6	.166	.058	1.000	1.000	3.503	.956	.1	.231	1618.3	.883	0.000	0.000
%	1741.7	.168	.061	1.000	1.000	3.503	.956	.1	.197	1618.3	.883	0.000	0.000
%	1741.9	.170	.066	1.000	1.000	3.503	.956	.1	.145	1618.3	.883	0.000	0.000
%	1742.0	.166	.065	1.000	1.000	3.503	.956	.1	.131	1618.3	.883	0.000	0.000
%	1742.2	.177	.063	1.000	1.000	3.503	.956	.1	.272	1618.3	.883	0.000	0.000
%	1742.3	.187	.059	1.000	1.000	3.503	.956	.1	.620	1618.3	.883	0.000	0.000
%	1742.5	.196	.058	1.000	1.000	3.503	.956	.1	.990	1618.3	.883	0.000	0.000
%	1742.6	.177	.066	1.000	1.000	3.503	.956	.1	.227	1618.3	.883	0.000	0.000
%	1742.8	.162	.066	1.000	1.000	3.503	.956	.1	.096	1618.3	.883	0.000	0.000
%	1742.9	.150	.076	1.000	1.000	3.503	.956	.1	.016	1618.3	.883	0.000	0.000
%	1743.1	.143	.075	1.000	1.000	3.503	.956	.1	.011	1618.3	.883	0.000	0.000
%	1743.2	.148	.075	1.000	1.000	3.503	.956	.1	.017	1618.3	.883	0.000	0.000
%	1743.4	.123	.078	1.000	1.000	3.503	.956	.1	.001	1618.3	.883	0.000	0.000
%	1743.6	.143	.075	1.000	1.000	3.503	.956	.1	.010	1618.3	.883	0.000	0.000
%	1743.7	.146	.073	1.000	1.000	3.503	.956	.1	.017	1618.3	.883	0.000	0.000
%	1743.9	.174	.060	1.000	1.000	3.503	.956	.1	.311	1618.3	.883	0.000	0.000
%	1744.0	.197	.047	1.000	1.000	3.503	.956	.1	2.363	1618.3	.883	0.000	0.000
%	1744.2	.234	.040	1.000	1.000	3.503	.956	.1	14.629	1618.3	.883	0.000	0.000
%	1744.3	.267	.031	1.000	1.000	3.503	.956	.1	76.947	1618.3	.883	0.000	0.000
%	1744.5	.277	.026	1.000	1.000	3.503	.956	.1	158.550	1618.3	.883	0.000	0.000
%	1744.6	.275	.022	1.000	1.000	3.503	.956	.1	231.785	1618.3	.883	0.000	0.000
%	1744.8	.251	.034	1.000	1.000	3.503	.956	.1	40.214	1618.3	.883	0.000	0.000
%	1744.9	.241	.042	1.000	1.000	3.503	.956	.1	15.810	1618.3	.883	0.000	0.000
%	1745.1	.240	.053	1.000	1.000	3.503	.956	.1	6.992	1618.3	.883	0.000	0.000
%	1745.2	.255	.048	1.000	1.000	3.503	.956	.1	15.032	1618.3	.883	0.000	0.000
%	1745.4	.265	.045	1.000	1.000	3.503	.956	.1	24.628	1618.3	.883	0.000	0.000
%	1745.5	.256	.040	1.000	1.000	3.503	.956	.1	27.268	1618.3	.883	0.000	0.000
%	1745.7	.264	.030	1.000	1.000	3.503	.956	.1	76.149	1618.3	.883	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-A

	DEPTH	GROSS POROSITY	VC	SW	SECTION FROM 1700.0 TO 1865.0		CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
					SXO	SAND COUNT							
%	1745.8	.249	.019	1.000	1.000	3.503	.956	.1	168.733	1618.3	.883	0.000	0.000
%	1746.0	.229	.021	1.000	1.000	3.503	.956	.1	81.445	1618.3	.883	0.000	0.000
%	1746.1	.206	.024	1.000	1.000	3.503	.956	.1	26.104	1618.3	.883	0.000	0.000
%	1746.3	.196	.035	1.000	1.000	3.503	.956	.1	6.053	1618.3	.883	0.000	0.000
%	1746.4	.228	.021	1.000	1.000	3.503	.956	.1	71.007	1618.3	.883	0.000	0.000
%	1746.6	.236	.019	1.000	1.000	3.503	.956	.1	118.943	1618.3	.883	0.000	0.000
%	1746.8	.246	.015	1.000	1.000	3.503	.956	.1	264.591	1618.3	.883	0.000	0.000
%	1746.9	.229	.024	1.000	1.000	3.503	.956	.1	54.906	1618.3	.883	0.000	0.000
%	1747.1	.239	.024	1.000	1.000	3.503	.956	.1	68.988	1618.3	.883	0.000	0.000
%	1747.2	.249	.029	1.000	1.000	3.503	.956	.1	58.667	1618.3	.883	0.000	0.000
%	1747.4	.251	.022	1.000	1.000	3.503	.956	.1	120.518	1618.3	.883	0.000	0.000
%	1747.5	.246	.023	1.000	1.000	3.503	.956	.1	100.055	1618.3	.883	0.000	0.000
%	1747.7	.244	.017	1.000	1.000	3.503	.956	.1	204.843	1618.3	.883	0.000	0.000
%	1747.8	.246	.016	1.000	1.000	3.503	.956	.1	256.319	1618.3	.883	0.000	0.000
%	1748.0	.245	.013	1.000	1.000	3.503	.956	.1	415.175	1618.3	.883	0.000	0.000
%	1748.1	.230	.018	1.000	1.000	3.503	.956	.1	116.256	1618.3	.883	0.000	0.000
%	1748.3	.225	.025	1.000	1.000	3.503	.956	.1	43.807	1618.3	.883	0.000	0.000
%	1748.4	.211	.032	1.000	1.000	3.503	.956	.1	13.672	1618.3	.883	0.000	0.000
%	1748.6	.214	.033	1.000	1.000	3.503	.956	.1	14.381	1618.3	.883	0.000	0.000
%	1748.7	.219	.030	1.000	1.000	3.503	.956	.1	20.797	1618.3	.883	0.000	0.000
%	1748.9	.230	.023	1.000	1.000	3.503	.956	.1	65.443	1618.3	.883	0.000	0.000
%	1749.0	.236	.017	1.000	1.000	3.503	.956	.1	157.082	1618.3	.883	0.000	0.000
%	1749.2	.220	.017	1.000	1.000	3.503	.956	.1	104.555	1618.3	.883	0.000	0.000
%	1749.3	.221	.013	1.000	1.000	3.503	.956	.1	213.744	1618.3	.883	0.000	0.000
%	1749.5	.201	.019	1.000	1.000	3.503	.956	.1	39.804	1618.3	.883	0.000	0.000
%	1749.6	.205	.022	1.000	1.000	3.503	.956	.1	32.412	1618.3	.883	0.000	0.000
%	1749.8	.196	.033	1.000	1.000	3.503	.956	.1	7.264	1618.3	.883	0.000	0.000
%	1750.0	.220	.030	1.000	1.000	3.503	.956	.1	23.385	1618.3	.883	0.000	0.000
%	1750.1	.250	.024	1.000	1.000	3.503	.956	.1	95.047	1618.3	.883	0.000	0.000
%	1750.3	.287	.016	1.000	1.000	3.503	.956	.1	635.241	1618.3	.883	0.000	0.000
%	1750.4	.304	.015	1.000	1.000	3.503	.956	.1	1024.558	1618.3	.883	0.000	0.000
%	1750.6	.293	.019	1.000	1.000	3.503	.956	.1	487.196	1618.3	.883	0.000	0.000
%	1750.7	.263	.022	1.000	1.000	3.503	.956	.1	164.086	1618.3	.883	0.000	0.000
%	1750.9	.237	.026	1.000	1.000	3.503	.956	.1	55.088	1618.3	.883	0.000	0.000
%	1751.0	.231	.030	1.000	1.000	3.503	.956	.1	31.416	1618.3	.883	0.000	0.000
%	1751.2	.238	.040	1.000	1.000	3.503	.956	.1	17.060	1618.3	.883	0.000	0.000
%	1751.3	.234	.041	1.000	1.000	3.503	.956	.1	13.542	1618.3	.883	0.000	0.000
%	1751.5	.224	.034	1.000	1.000	3.503	.956	.1	17.607	1618.3	.883	0.000	0.000
%	1751.6	.216	.030	1.000	1.000	3.503	.956	.1	20.703	1618.3	.883	0.000	0.000
%	1751.8	.224	.025	1.000	1.000	3.503	.956	.1	42.143	1618.3	.883	0.000	0.000
%	1751.9	.236	.027	1.000	1.000	3.503	.956	.1	50.947	1618.3	.883	0.000	0.000
%	1752.1	.241	.023	1.000	1.000	3.503	.956	.1	84.757	1618.3	.883	0.000	0.000
%	1752.2	.244	.020	1.000	1.000	3.503	.956	.1	135.539	1618.3	.883	0.000	0.000
%	1752.4	.248	.014	1.000	1.000	3.503	.956	.1	323.697	1618.3	.883	0.000	0.000
%	1752.5	.236	.019	1.000	1.000	3.503	.956	.1	118.943	1618.3	.883	0.000	0.000
%	1752.7	.222	.029	1.000	1.000	3.503	.956	.1	26.856	1618.3	.883	0.000	0.000
%	1752.8	.223	.033	1.000	1.000	3.503	.956	.1	19.149	1618.3	.883	0.000	0.000
%	1753.0	.231	.031	1.000	1.000	3.503	.956	.1	28.613	1618.3	.883	0.000	0.000
%	1753.2	.240	.033	1.000	1.000	3.503	.956	.1	31.696	1618.3	.883	0.000	0.000
%	1753.3	.215	.040	1.000	1.000	3.503	.956	.1	8.324	1618.3	.883	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-A

		SECTION FROM 1700.0 TO 1865.0											
DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW	
X	1753.5	.207	.042	1.0000	1.0000	3.503	.956	.1	5.266	1618.3	.883	0.0000	0.0000
X	1753.6	.205	.038	1.0000	1.0000	3.503	.956	.1	6.435	1618.3	.883	0.0000	0.0000
X	1753.8	.221	.035	1.0000	1.0000	3.503	.956	.1	15.064	1618.3	.883	0.0000	0.0000
X	1753.9	.239	.024	1.0000	1.0000	3.503	.956	.1	73.689	1618.3	.883	0.0000	0.0000
X	1754.1	.248	.024	1.0000	1.0000	3.503	.956	.1	89.820	1618.3	.883	0.0000	0.0000
X	1754.2	.245	.023	1.0000	1.0000	3.503	.956	.1	96.542	1618.3	.883	0.0000	0.0000
X	1754.4	.240	.025	1.0000	1.0000	3.503	.956	.1	65.635	1618.3	.883	0.0000	0.0000
X	1754.5	.224	.033	1.0000	1.0000	3.503	.956	.1	19.926	1618.3	.883	0.0000	0.0000
X	1754.7	.245	.034	1.0000	1.0000	3.503	.956	.1	34.223	1618.3	.883	0.0000	0.0000
X	1754.8	.259	.046	1.0000	1.0000	3.503	.956	.1	19.864	1618.3	.883	0.0000	0.0000
X	1755.0	.275	.036	1.0000	1.0000	3.503	.956	.1	60.614	1618.3	.883	0.0000	0.0000
X	1755.1	.258	.042	1.0000	1.0000	3.503	.956	.1	26.369	1618.3	.883	0.0000	0.0000
X	1755.3	.243	.042	1.0000	1.0000	3.503	.956	.1	16.726	1618.3	.883	0.0000	0.0000
X	1755.4	.265	.036	1.0000	1.0000	3.503	.956	.1	49.708	1618.3	.883	0.0000	0.0000
X	1755.6	.291	.027	1.0000	1.0000	3.503	.956	.1	200.070	1618.3	.883	0.0000	0.0000
X	1755.7	.300	.022	1.0000	1.0000	3.503	.956	.1	393.077	1618.3	.883	0.0000	0.0000
X	1755.9	.278	.031	1.0000	1.0000	3.503	.956	.1	102.706	1618.3	.883	0.0000	0.0000
X	1756.0	.266	.030	1.0000	1.0000	3.503	.956	.1	79.999	1618.3	.883	0.0000	0.0000
X	1756.2	.264	.024	1.0000	1.0000	3.503	.956	.1	134.333	1618.3	.883	0.0000	0.0000
X	1756.4	.265	.017	1.0000	1.0000	3.503	.956	.1	323.043	1618.3	.883	0.0000	0.0000
X	1756.5	.246	.014	1.0000	1.0000	3.503	.956	.1	301.399	1618.3	.883	0.0000	0.0000
X	1756.7	.230	.018	1.0000	1.0000	3.503	.956	.1	110.021	1618.3	.883	0.0000	0.0000
X	1756.8	.210	.030	1.0000	1.0000	3.503	.956	.1	16.460	1618.3	.883	0.0000	0.0000
X	1757.0	.209	.041	1.0000	1.0000	3.503	.956	.1	6.142	1618.3	.883	0.0000	0.0000
X	1757.1	.203	.050	1.0000	1.0000	3.503	.956	.1	2.336	1618.3	.883	0.0000	0.0000
X	1757.3	.227	.039	1.0000	1.0000	3.503	.956	.1	12.589	1618.3	.883	0.0000	0.0000
X	1757.4	.229	.037	1.0000	1.0000	3.503	.956	.1	16.012	1618.3	.883	0.0000	0.0000
X	1757.6	.235	.029	1.0000	1.0000	3.503	.956	.1	40.216	1618.3	.883	0.0000	0.0000
X	1757.7	.234	.030	1.0000	1.0000	3.503	.956	.1	35.198	1618.3	.883	0.0000	0.0000
X	1757.9	.238	.028	1.0000	1.0000	3.503	.956	.1	47.782	1618.3	.883	0.0000	0.0000
X	1758.0	.234	.030	1.0000	1.0000	3.503	.956	.1	33.909	1618.3	.883	0.0000	0.0000
X	1758.2	.227	.031	1.0000	1.0000	3.503	.956	.1	24.566	1618.3	.883	0.0000	0.0000
X	1758.3	.231	.030	1.0000	1.0000	3.503	.956	.1	30.838	1618.3	.883	0.0000	0.0000
X	1758.5	.248	.027	1.0000	1.0000	3.503	.956	.1	68.903	1618.3	.883	0.0000	0.0000
X	1758.6	.260	.019	1.0000	1.0000	3.503	.956	.1	235.741	1618.3	.883	0.0000	0.0000
X	1758.8	.251	.019	1.0000	1.0000	3.503	.956	.1	180.806	1618.3	.883	0.0000	0.0000
X	1758.9	.229	.028	1.0000	1.0000	3.503	.956	.1	36.014	1618.3	.883	0.0000	0.0000
X	1759.1	.226	.040	1.0000	1.0000	3.503	.956	.1	11.899	1618.3	.883	0.0000	0.0000
X	1759.2	.245	.041	1.0000	1.0000	3.503	.956	.1	19.131	1618.3	.883	0.0000	0.0000
X	1759.4	.253	.043	1.0000	1.0000	3.503	.956	.1	20.542	1618.3	.883	0.0000	0.0000
X	1759.6	.221	.049	1.0000	1.0000	3.503	.956	.1	4.869	1618.3	.883	0.0000	0.0000
X	1759.7	.186	.053	1.0000	1.0000	3.503	.956	.1	.940	1618.3	.883	0.0000	0.0000
X	1759.9	.169	.053	1.0000	1.0000	3.503	.956	.1	.420	1618.3	.883	0.0000	0.0000
X	1760.0	.209	.046	1.0000	1.0000	3.503	.956	.1	4.038	1618.3	.883	0.0000	0.0000
X	1760.2	.225	.054	1.0000	1.0000	3.503	.956	.1	3.977	1618.3	.883	0.0000	0.0000
X	1760.3	.231	.054	1.0000	1.0000	3.503	.956	.1	4.853	1618.3	.883	0.0000	0.0000
X	1760.5	.217	.054	1.0000	1.0000	3.503	.956	.1	2.903	1618.3	.883	0.0000	0.0000
X	1760.6	.217	.047	1.0000	1.0000	3.503	.956	.1	4.865	1618.3	.883	0.0000	0.0000
X	1760.8	.244	.040	1.0000	1.0000	3.503	.956	.1	19.000	1618.3	.883	0.0000	0.0000
X	1760.9	.251	.041	1.0000	1.0000	3.503	.956	.1	22.957	1618.3	.883	0.0000	0.0000

* =RAW DATA CUT OFF X =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-A

SECTION FROM 1700.0 TO 1865.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
X	1761.1	.255	.040	1.000	1.000	3.503	.956	.1	27.127	1618.3	.883	0.000	0.000
X	1761.2	.247	.039	1.000	1.000	3.503	.956	.1	23.990	1618.3	.883	0.000	0.000
X	1761.4	.245	.037	1.000	1.000	3.503	.956	.1	24.905	1618.3	.883	0.000	0.000
X	1761.5	.244	.036	1.000	1.000	3.503	.956	.1	27.901	1618.3	.883	0.000	0.000
X	1761.7	.239	.036	1.000	1.000	3.503	.956	.1	22.862	1618.3	.883	0.000	0.000
X	1761.8	.238	.033	1.000	1.000	3.503	.956	.1	29.457	1618.3	.883	0.000	0.000
X	1762.0	.244	.026	1.000	1.000	3.503	.956	.1	70.086	1618.3	.883	0.000	0.000
X	1762.1	.237	.020	1.000	1.000	3.503	.956	.1	117.080	1618.3	.883	0.000	0.000
X	1762.3	.229	.018	1.000	1.000	3.503	.956	.1	105.899	1618.3	.883	0.000	0.000
X	1762.4	.221	.021	1.000	1.000	3.503	.956	.1	63.741	1618.3	.883	0.000	0.000
X	1762.6	.221	.022	1.000	1.000	3.503	.956	.1	56.297	1618.3	.883	0.000	0.000
X	1762.8	.235	.018	1.000	1.000	3.503	.956	.1	135.050	1618.3	.883	0.000	0.000
X	1762.9	.229	.017	1.000	1.000	3.503	.956	.1	133.125	1618.3	.883	0.000	0.000
X	1763.1	.229	.017	1.000	1.000	3.503	.956	.1	133.125	1618.3	.883	0.000	0.000
X	1763.2	.221	.020	1.000	1.000	3.503	.956	.1	68.862	1618.3	.883	0.000	0.000
X	1763.4	.227	.019	1.000	1.000	3.503	.956	.1	92.946	1618.3	.883	0.000	0.000
X	1763.5	.234	.011	1.000	1.000	3.503	.956	.1	359.480	1618.3	.883	0.000	0.000
X	1763.7	.236	.009	1.000	1.000	3.503	.956	.1	376.353	1618.3	.883	0.000	0.000
X	1763.8	.247	.002	1.000	1.000	3.503	.956	.1	451.335	1618.3	.883	0.000	0.000
X	1764.0	.250	.002	1.000	1.000	3.503	.956	.1	469.113	1618.3	.883	0.000	0.000
X	1764.1	.297	.000	1.000	1.000	3.503	.956	.1	935.931	1618.3	.883	0.000	0.000
X	1764.3	.295	.009	1.000	1.000	3.503	.956	.1	918.836	1618.3	.883	0.000	0.000
X	1764.4	.317	.027	1.000	1.000	3.503	.956	.1	355.786	1618.3	.883	0.000	0.000
*X	1764.6	.354	.031	1.000	1.000	3.503	.956	.1	509.401	1618.3	.883	0.000	0.000
*X	1764.7	.391	.024	1.000	1.000	3.503	.956	.1	1723.974	1618.3	.883	0.000	0.000
*X	1764.9	.391	.026	1.000	1.000	3.503	.956	.1	1445.686	1618.3	.883	0.000	0.000
*X	1765.0	.345	.048	1.000	1.000	3.503	.956	.1	127.493	1618.3	.883	0.000	0.000
*X	1765.2	.328	.051	1.000	1.000	3.503	.956	.1	77.058	1618.3	.883	0.000	0.000
*X	1765.3	.324	.061	1.000	1.000	3.503	.956	.1	38.415	1618.3	.883	0.000	0.000
*X	1765.5	.286	.065	1.000	1.000	3.503	.956	.1	12.560	1618.3	.883	0.000	0.000
*X	1765.6	.165	.109	1.000	1.000	3.503	.956	.1	.002	1618.3	.883	0.000	0.000
X	1765.8	.080	.079	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X	1766.0	.055	.054	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X	1766.1	.044	.043	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X	1766.3	.055	.054	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X	1766.4	.078	.077	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X	1766.6	.071	.070	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X	1766.7	.075	.074	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X	1766.9	.073	.072	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X	1767.0	.089	.088	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X	1767.2	.084	.083	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X	1767.3	.084	.083	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X	1767.5	.091	.090	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X	1767.6	.088	.082	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X	1767.8	.081	.075	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X	1767.9	.084	.068	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X	1768.1	.094	.064	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X	1768.2	.090	.063	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X	1768.4	.103	.057	1.000	1.000	3.503	.956	.1	.002	1618.3	.883	0.000	0.000
X	1768.5	.107	.057	1.000	1.000	3.503	.956	.1	.003	1618.3	.883	0.000	0.000

* =RAW DATA CUT OFF

X =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-A

SECTION FROM 1700.0 TO 1865.0													
DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO	CUMUL VW
% 1768.7	.132	.055	1.000	1.000	3.503	.956	.1	.039	1618.3	.883	0.000	0.000	
% 1768.8	.129	.058	1.000	1.000	3.503	.956	.1	.022	1618.3	.883	0.000	0.000	
% 1769.0	.125	.059	1.000	1.000	3.503	.956	.1	.013	1618.3	.883	0.000	0.000	
% 1769.2	.101	.066	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1769.3	.085	.074	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1769.5	.073	.072	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1769.6	.058	.057	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1769.8	.066	.065	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1769.9	.073	.072	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1770.1	.096	.093	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1770.2	.132	.089	1.000	1.000	3.503	.956	.1	.001	1618.3	.883	0.000	0.000	
% 1770.4	.206	.074	1.000	1.000	3.503	.956	.1	.476	1618.3	.883	0.000	0.000	
*% 1770.5	.264	.077	1.000	1.000	3.503	.956	.1	3.521	1618.3	.883	0.000	0.000	
*% 1770.7	.308	.073	1.000	1.000	3.503	.956	.1	14.805	1618.3	.883	0.000	0.000	
*% 1770.8	.272	.078	1.000	1.000	3.503	.956	.1	4.162	1618.3	.883	0.000	0.000	
*% 1771.0	.175	.100	1.000	1.000	3.503	.956	.1	.011	1618.3	.883	0.000	0.000	
% 1771.1	.138	.090	1.000	1.000	3.503	.956	.1	.001	1618.3	.883	0.000	0.000	
% 1771.3	.132	.084	1.000	1.000	3.503	.956	.1	.001	1618.3	.883	0.000	0.000	
* 1771.4	.340	.038	.880	.880	3.503	.956	.1	223.873	1618.3	.883	0.000	0.000	
*% 1771.6	.576	.000	.526	.526	3.503	.956	.1	13243.635	1618.3	.883	0.000	0.000	
*% 1771.7	.655	.000	.658	.658	3.503	.956	.1	22198.898	1618.3	.883	0.000	0.000	
*% 1771.9	.632	.000	.845	.845	3.503	.956	.1	19263.105	1618.3	.883	0.000	0.000	
*% 1772.0	.469	.029	1.000	1.000	3.503	.956	.1	3424.718	1618.3	.883	0.000	0.000	
*% 1772.2	.352	.059	1.000	1.000	3.503	.956	.1	80.697	1618.3	.883	0.000	0.000	
*% 1772.4	.331	.072	1.000	1.000	3.503	.956	.1	27.089	1618.3	.883	0.000	0.000	
*% 1772.5	.348	.067	1.000	1.000	3.503	.956	.1	49.994	1618.3	.883	0.000	0.000	
*% 1772.7	.372	.064	1.000	1.000	3.503	.956	.1	92.941	1618.3	.883	0.000	0.000	
*% 1772.8	.372	.079	1.000	1.000	3.503	.956	.1	46.433	1618.3	.883	0.000	0.000	
*% 1773.0	.327	.096	1.000	1.000	3.503	.956	.1	7.939	1618.3	.883	0.000	0.000	
*% 1773.1	.268	.117	1.000	1.000	3.503	.956	.1	.465	1618.3	.883	0.000	0.000	
*% 1773.3	.283	.092	1.000	1.000	3.503	.956	.1	2.808	1618.3	.883	0.000	0.000	
*% 1773.4	.317	.081	1.000	1.000	3.503	.956	.1	11.954	1618.3	.883	0.000	0.000	
*% 1773.6	.311	.075	1.000	1.000	3.503	.956	.1	14.014	1618.3	.883	0.000	0.000	
*% 1773.7	.264	.091	1.000	1.000	3.503	.956	.1	1.588	1618.3	.883	0.000	0.000	
*% 1773.9	.243	.099	1.000	1.000	3.503	.956	.1	.488	1618.3	.883	0.000	0.000	
*% 1774.0	.245	.099	1.000	1.000	3.503	.956	.1	.539	1618.3	.883	0.000	0.000	
*% 1774.2	.224	.093	1.000	1.000	3.503	.956	.1	.311	1618.3	.883	0.000	0.000	
*% 1774.3	.196	.087	1.000	1.000	3.503	.956	.1	.127	1618.3	.883	0.000	0.000	
% 1774.5	.156	.082	1.000	1.000	3.503	.956	.1	.016	1618.3	.883	0.000	0.000	
% 1774.6	.146	.088	1.000	1.000	3.503	.956	.1	.003	1618.3	.883	0.000	0.000	
% 1774.8	.116	.084	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1774.9	.103	.094	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1775.1	.100	.087	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1775.2	.100	.097	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1775.4	.089	.088	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1775.6	.078	.077	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1775.7	.086	.075	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1775.9	.083	.079	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1776.0	.072	.071	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1776.2	.061	.060	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-A

	DEPTH	GROSS POROSITY	VC	SW	SECTION FROM SXO	1700.0 TO SAND COUNT	1865.0 CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	1776.3	.053	.052	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
%	1776.5	.088	.087	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
%	1776.6	.088	.087	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
%	1776.8	.112	.083	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
%	1776.9	.103	.076	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
%	1777.1	.108	.065	1.000	1.000	3.503	.956	.1	.001	1618.3	.883	0.000	0.000
%	1777.2	.096	.064	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
%	1777.4	.106	.057	1.000	1.000	3.503	.956	.1	.002	1618.3	.883	0.000	0.000
%	1777.5	.093	.060	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
%	1777.7	.090	.063	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
%	1777.8	.082	.072	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
%	1778.0	.096	.076	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
%	1778.1	.119	.062	1.000	1.000	3.503	.956	.1	.005	1618.3	.883	0.000	0.000
%	1778.3	.124	.055	1.000	1.000	3.503	.956	.1	.019	1618.3	.883	0.000	0.000
%	1778.4	.137	.046	1.000	1.000	3.503	.956	.1	.129	1618.3	.883	0.000	0.000
%	1778.6	.137	.069	1.000	1.000	3.503	.956	.1	.013	1618.3	.883	0.000	0.000
%	1778.8	.128	.098	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
*%	1778.9	.116	.115	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
%	1779.1	.096	.095	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
%	1779.2	.097	.096	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
%	1779.4	.116	.109	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
%	1779.5	.109	.106	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
%	1779.7	.117	.096	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
*%	1779.8	.153	.102	1.000	1.000	3.503	.956	.1	.001	1618.3	.883	0.000	0.000
*%	1780.0	.187	.104	1.000	1.000	3.503	.956	.1	.019	1618.3	.883	0.000	0.000
*%	1780.1	.169	.107	1.000	1.000	3.503	.956	.1	.004	1618.3	.883	0.000	0.000
%	1780.3	.114	.101	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
%	1780.4	.084	.083	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
%	1780.6	.081	.080	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
%	1780.7	.075	.074	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
%	1780.9	.069	.068	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
%	1781.0	.084	.083	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
*%	1781.2	.102	.101	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
*%	1781.3	.119	.118	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
*%	1781.5	.118	.117	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
*%	1781.6	.147	.123	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
*%	1781.8	.158	.118	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
*%	1782.0	.183	.105	1.000	1.000	3.503	.956	.1	.012	1618.3	.883	0.000	0.000
%	1782.1	.158	.097	1.000	1.000	3.503	.956	.1	.004	1618.3	.883	0.000	0.000
%	1782.3	.163	.086	1.000	1.000	3.503	.956	.1	.017	1618.3	.883	0.000	0.000
%	1782.4	.177	.065	1.000	1.000	3.503	.956	.1	.241	1618.3	.883	0.000	0.000
%	1782.6	.179	.059	1.000	1.000	3.503	.956	.1	.423	1618.3	.883	0.000	0.000
%	1782.7	.147	.061	1.000	1.000	3.503	.956	.1	.058	1618.3	.883	0.000	0.000
%	1782.9	.105	.098	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
*%	1783.0	.214	.107	1.000	1.000	3.503	.956	.1	.074	1618.3	.883	0.000	0.000
*%	1783.2	.446	.068	.637	.678	3.503	.956	.1	271.225	1618.3	.883	0.000	0.000
*%	1783.3	.638	.013	.458	.458	3.503	.956	.1	20020.441	1618.3	.883	0.000	0.000
*%	1783.5	.727	.000	.363	.363	3.503	.956	.1	33657.695	1618.3	.883	0.000	0.000
*%	1783.6	.745	.000	.297	.297	3.503	.956	.1	37230.664	1618.3	.883	0.000	0.000
*%	1783.8	.735	.000	.233	.233	3.503	.956	.1	35297.672	1618.3	.883	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-A

SECTION FROM 1700.0 TO 1865.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
*X& 1783.9	.730	.000	.050	.050	3.503	.956	.1	34338.414	1618.3	.883	0.000	0.000
*X 1784.1	.723	.000	.335	.335	3.503	.956	.1	32900.883	1618.3	.883	0.000	0.000
*X 1784.2	.668	.000	.573	.573	3.503	.956	.1	24003.187	1618.3	.883	0.000	0.000
*X 1784.4	.571	.021	.698	.698	3.503	.956	.1	12872.256	1618.3	.883	0.000	0.000
*X 1784.5	.430	.084	.970	.970	3.503	.956	.1	110.240	1618.3	.883	0.000	0.000
*X 1784.7	.351	.091	1.000	1.000	3.503	.956	.1	17.359	1618.3	.883	0.000	0.000
*X 1784.9	.298	.089	1.000	1.000	3.503	.956	.1	5.053	1618.3	.883	0.000	0.000
*X 1785.0	.251	.087	1.000	1.000	3.503	.956	.1	1.328	1618.3	.883	0.000	0.000
*X 1785.2	.215	.093	1.000	1.000	3.503	.956	.1	.201	1618.3	.883	0.000	0.000
*X 1785.3	.181	.103	1.000	1.000	3.503	.956	.1	.014	1618.3	.883	0.000	0.000
*X 1785.5	.180	.107	1.000	1.000	3.503	.956	.1	.009	1618.3	.883	0.000	0.000
*X 1785.6	.193	.104	1.000	1.000	3.503	.956	.1	.029	1618.3	.883	0.000	0.000
*X 1785.8	.169	.102	1.000	1.000	3.503	.956	.1	.006	1618.3	.883	0.000	0.000
X 1785.9	.129	.099	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X 1786.1	.067	.066	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X 1786.2	.050	.049	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X 1786.4	.032	.031	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X 1786.5	.041	.040	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X 1786.7	.043	.042	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X 1786.8	.056	.055	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X 1787.0	.068	.067	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X 1787.1	.079	.078	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X 1787.3	.099	.079	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X 1787.4	.117	.082	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X 1787.6	.109	.082	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X 1787.7	.099	.085	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X 1787.9	.108	.077	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X 1788.1	.109	.083	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X 1788.2	.131	.086	1.000	1.000	3.503	.956	.1	.001	1618.3	.883	0.000	0.000
X 1788.4	.117	.093	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X 1788.5	.125	.090	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X 1788.7	.119	.085	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X 1788.8	.122	.085	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X 1789.0	.124	.080	1.000	1.000	3.503	.956	.1	.001	1618.3	.883	0.000	0.000
X 1789.1	.122	.083	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X 1789.3	.122	.080	1.000	1.000	3.503	.956	.1	.001	1618.3	.883	0.000	0.000
X 1789.4	.121	.085	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X 1789.6	.117	.078	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X 1789.7	.122	.073	1.000	1.000	3.503	.956	.1	.002	1618.3	.883	0.000	0.000
X 1789.9	.128	.067	1.000	1.000	3.503	.956	.1	.007	1618.3	.883	0.000	0.000
X 1790.0	.151	.058	1.000	1.000	3.503	.956	.1	.104	1618.3	.883	0.000	0.000
X 1790.2	.150	.061	1.000	1.000	3.503	.956	.1	.068	1618.3	.883	0.000	0.000
X 1790.3	.158	.058	1.000	1.000	3.503	.956	.1	.146	1618.3	.883	0.000	0.000
X 1790.5	.168	.057	1.000	1.000	3.503	.956	.1	.290	1618.3	.883	0.000	0.000
X 1790.6	.216	.041	1.000	1.000	3.503	.956	.1	7.563	1618.3	.883	0.000	0.000
X 1790.8	.247	.028	1.000	1.000	3.503	.956	.1	61.428	1618.3	.883	0.000	0.000
X 1790.9	.255	.025	1.000	1.000	3.503	.956	.1	95.963	1618.3	.883	0.000	0.000
X 1791.1	.234	.030	1.000	1.000	3.503	.956	.1	33.909	1618.3	.883	0.000	0.000
X 1791.3	.231	.033	1.000	1.000	3.503	.956	.1	23.474	1618.3	.883	0.000	0.000
X 1791.4	.220	.032	1.000	1.000	3.503	.956	.1	19.358	1618.3	.883	0.000	0.000

* =RAW DATA CUT OFF X =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-A

		SECTION FROM 1700.0 TO 1865.0											
DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO	CUMUL VW
X	1791.6	.241	.025	1.000	1.000	3.503	.956	.1	71.027	1618.3	.883	0.000	0.000
X	1791.7	.226	.031	1.000	1.000	3.503	.956	.1	24.058	1618.3	.883	0.000	0.000
X	1791.9	.212	.044	1.000	1.000	3.503	.956	.1	5.220	1618.3	.883	0.000	0.000
X	1792.0	.198	.048	1.000	1.000	3.503	.956	.1	2.335	1618.3	.883	0.000	0.000
X	1792.2	.209	.042	1.000	1.000	3.503	.956	.1	5.670	1618.3	.883	0.000	0.000
X	1792.3	.232	.022	1.000	1.000	3.503	.956	.1	70.574	1618.3	.883	0.000	0.000
X	1792.5	.239	.022	1.000	1.000	3.503	.956	.1	86.476	1618.3	.883	0.000	0.000
X	1792.6	.227	.031	1.000	1.000	3.503	.956	.1	25.014	1618.3	.883	0.000	0.000
X	1792.8	.230	.039	1.000	1.000	3.503	.956	.1	13.629	1618.3	.883	0.000	0.000
X	1792.9	.229	.041	1.000	1.000	3.503	.956	.1	11.924	1618.3	.883	0.000	0.000
X	1793.1	.246	.029	1.000	1.000	3.503	.956	.1	50.807	1618.3	.883	0.000	0.000
X	1793.2	.246	.025	1.000	1.000	3.503	.956	.1	78.478	1618.3	.883	0.000	0.000
X	1793.4	.262	.018	1.000	1.000	3.503	.956	.1	281.132	1618.3	.883	0.000	0.000
X	1793.5	.262	.023	1.000	1.000	3.503	.956	.1	145.869	1618.3	.883	0.000	0.000
X	1793.7	.266	.018	1.000	1.000	3.503	.956	.1	306.877	1618.3	.883	0.000	0.000
X	1793.8	.248	.027	1.000	1.000	3.503	.956	.1	64.903	1618.3	.883	0.000	0.000
X	1794.0	.270	.012	1.000	1.000	3.503	.956	.1	641.325	1618.3	.883	0.000	0.000
X	1794.1	.279	.023	1.000	1.000	3.503	.956	.1	232.424	1618.3	.883	0.000	0.000
X	1794.3	.290	.014	1.000	1.000	3.503	.956	.1	856.810	1618.3	.883	0.000	0.000
X	1794.4	.266	.027	1.000	1.000	3.503	.956	.1	107.626	1618.3	.883	0.000	0.000
X	1794.6	.253	.032	1.000	1.000	3.503	.956	.1	48.653	1618.3	.883	0.000	0.000
X	1794.8	.238	.039	1.000	1.000	3.503	.956	.1	18.446	1618.3	.883	0.000	0.000
X	1794.9	.248	.035	1.000	1.000	3.503	.956	.1	32.146	1618.3	.883	0.000	0.000
X	1795.1	.270	.017	1.000	1.000	3.503	.956	.1	378.894	1618.3	.883	0.000	0.000
X	1795.2	.270	.006	1.000	1.000	3.503	.956	.1	643.037	1618.3	.883	0.000	0.000
X	1795.4	.232	.016	1.000	1.000	3.503	.956	.1	163.221	1618.3	.883	0.000	0.000
X	1795.5	.170	.042	1.000	1.000	3.503	.956	.1	1.152	1618.3	.883	0.000	0.000
X	1795.7	.125	.072	1.000	1.000	3.503	.956	.1	.003	1618.3	.883	0.000	0.000
X	1795.8	.108	.088	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X	1796.0	.124	.086	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X	1796.1	.137	.089	1.000	1.000	3.503	.956	.1	.001	1618.3	.883	0.000	0.000
X	1796.3	.130	.086	1.000	1.000	3.503	.956	.1	.001	1618.3	.883	0.000	0.000
X	1796.4	.096	.095	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X	1796.6	.060	.059	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X	1796.7	.069	.068	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X	1796.9	.094	.092	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X	1797.0	.119	.089	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X	1797.2	.123	.089	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X	1797.3	.112	.091	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X	1797.5	.119	.089	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X	1797.6	.131	.097	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X	1797.8	.148	.099	1.000	1.000	3.503	.956	.1	.001	1618.3	.883	0.000	0.000
*X	1798.0	.157	.110	1.000	1.000	3.503	.956	.1	.001	1618.3	.883	0.000	0.000
*X	1798.1	.177	.100	1.000	1.000	3.503	.956	.1	.013	1618.3	.883	0.000	0.000
*X	1798.3	.174	.101	1.000	1.000	3.503	.956	.1	.010	1618.3	.883	0.000	0.000
X	1798.4	.159	.089	1.000	1.000	3.503	.956	.1	.009	1618.3	.883	0.000	0.000
X	1798.6	.138	.092	1.000	1.000	3.503	.956	.1	.001	1618.3	.883	0.000	0.000
X	1798.7	.116	.092	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X	1798.9	.119	.098	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
X	1799.0	.103	.102	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-A

		SECTION FROM 1700.0 TO 1865.0											
DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW	
% 1799.2	.103	.102	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1799.3	.088	.087	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1799.5	.096	.089	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1799.6	.117	.076	1.000	1.000	3.503	.956	.1	.001	1618.3	.883	0.000	0.000	
% 1799.8	.115	.077	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1799.9	.107	.075	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1800.1	.093	.079	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1800.2	.098	.069	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1800.4	.110	.068	1.000	1.000	3.503	.956	.1	.001	1618.3	.883	0.000	0.000	
% 1800.5	.113	.082	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1800.7	.113	.097	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1800.9	.102	.101	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1801.0	.090	.089	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1801.2	.069	.068	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1801.3	.065	.064	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1801.5	.071	.070	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1801.6	.081	.080	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1801.8	.086	.085	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1801.9	.085	.080	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1802.1	.084	.083	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1802.2	.055	.054	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1802.4	.051	.050	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1802.5	.045	.044	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1802.7	.066	.065	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1802.8	.063	.062	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1803.0	.069	.068	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1803.1	.080	.079	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1803.3	.114	.086	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000	
% 1803.4	.148	.073	1.000	1.000	3.503	.956	.1	.018	1618.3	.883	0.000	0.000	
% 1803.6	.175	.063	1.000	1.000	3.503	.956	.1	.247	1618.3	.883	0.000	0.000	
% 1803.7	.185	.053	1.000	1.000	3.503	.956	.1	.889	1618.3	.883	0.000	0.000	
% 1803.9	.200	.046	1.000	1.000	3.503	.956	.1	2.954	1618.3	.883	0.000	0.000	
% 1804.1	.228	.035	1.000	1.000	3.503	.956	.1	18.501	1618.3	.883	0.000	0.000	
% 1804.2	.262	.018	1.000	1.000	3.503	.956	.1	258.818	1618.3	.883	0.000	0.000	
% 1804.4	.269	.019	1.000	1.000	3.503	.956	.1	271.609	1618.3	.883	0.000	0.000	
% 1804.5	.265	.016	1.000	1.000	3.503	.956	.1	373.987	1618.3	.883	0.000	0.000	
% 1804.7	.247	.018	1.000	1.000	3.503	.956	.1	186.513	1618.3	.883	0.000	0.000	
% 1804.8	.241	.018	1.000	1.000	3.503	.956	.1	160.511	1618.3	.883	0.000	0.000	
% 1805.0	.243	.019	1.000	1.000	3.503	.956	.1	137.716	1618.3	.883	0.000	0.000	
% 1805.1	.260	.023	1.000	1.000	3.503	.956	.1	147.596	1618.3	.883	0.000	0.000	
% 1805.3	.265	.020	1.000	1.000	3.503	.956	.1	228.116	1618.3	.883	0.000	0.000	
% 1805.4	.250	.025	1.000	1.000	3.503	.956	.1	89.069	1618.3	.883	0.000	0.000	
% 1805.6	.236	.019	1.000	1.000	3.503	.956	.1	122.166	1618.3	.883	0.000	0.000	
% 1805.7	.230	.019	1.000	1.000	3.503	.956	.1	107.043	1618.3	.883	0.000	0.000	
% 1805.9	.246	.015	1.000	1.000	3.503	.956	.1	282.259	1618.3	.883	0.000	0.000	
% 1806.0	.262	.020	1.000	1.000	3.503	.956	.1	210.174	1618.3	.883	0.000	0.000	
% 1806.2	.271	.019	1.000	1.000	3.503	.956	.1	282.341	1618.3	.883	0.000	0.000	
% 1806.3	.278	.012	1.000	1.000	3.503	.956	.1	725.306	1618.3	.883	0.000	0.000	
% 1806.5	.271	.008	1.000	1.000	3.503	.956	.1	646.933	1618.3	.883	0.000	0.000	
% 1806.6	.264	.007	1.000	1.000	3.503	.956	.1	588.995	1618.3	.883	0.000	0.000	

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-A

		SECTION FROM 1700.0 TO 1865.0											
DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW	
X	1806.8	.261	.007	1.000	1.000	3.503	.956	.1	558.135	1618.3	.883	0.000	0.000
X	1806.9	.255	.012	1.000	1.000	3.503	.956	.1	510.243	1618.3	.883	0.000	0.000
X	1807.1	.261	.013	1.000	1.000	3.503	.956	.1	544.540	1618.3	.883	0.000	0.000
X	1807.3	.239	.019	1.000	1.000	3.503	.956	.1	137.446	1618.3	.883	0.000	0.000
X	1807.4	.225	.022	1.000	1.000	3.503	.956	.1	61.762	1618.3	.883	0.000	0.000
X	1807.6	.212	.022	1.000	1.000	3.503	.956	.1	40.651	1618.3	.883	0.000	0.000
X	1807.7	.223	.021	1.000	1.000	3.503	.956	.1	65.545	1618.3	.883	0.000	0.000
X	1807.9	.234	.018	1.000	1.000	3.503	.956	.1	123.100	1618.3	.883	0.000	0.000
X	1808.0	.231	.024	1.000	1.000	3.503	.956	.1	55.403	1618.3	.883	0.000	0.000
X	1808.2	.215	.035	1.000	1.000	3.503	.956	.1	12.034	1618.3	.883	0.000	0.000
X	1808.3	.212	.045	1.000	1.000	3.503	.956	.1	4.986	1618.3	.883	0.000	0.000
X	1808.5	.239	.042	1.000	1.000	3.503	.956	.1	14.433	1618.3	.883	0.000	0.000
X	1808.6	.262	.031	1.000	1.000	3.503	.956	.1	65.130	1618.3	.883	0.000	0.000
X	1808.8	.256	.026	1.000	1.000	3.503	.956	.1	91.414	1618.3	.883	0.000	0.000
X	1808.9	.229	.029	1.000	1.000	3.503	.956	.1	32.640	1618.3	.883	0.000	0.000
X	1809.1	.216	.031	1.000	1.000	3.503	.956	.1	18.110	1618.3	.883	0.000	0.000
X	1809.2	.225	.031	1.000	1.000	3.503	.956	.1	24.456	1618.3	.883	0.000	0.000
X	1809.4	.223	.027	1.000	1.000	3.503	.956	.1	32.803	1618.3	.883	0.000	0.000
X	1809.5	.238	.024	1.000	1.000	3.503	.956	.1	72.364	1618.3	.883	0.000	0.000
X	1809.7	.240	.025	1.000	1.000	3.503	.956	.1	69.985	1618.3	.883	0.000	0.000
X	1809.8	.250	.029	1.000	1.000	3.503	.956	.1	60.774	1618.3	.883	0.000	0.000
X	1810.0	.231	.040	1.000	1.000	3.503	.956	.1	13.315	1618.3	.883	0.000	0.000
X	1810.1	.219	.052	1.000	1.000	3.503	.956	.1	3.714	1618.3	.883	0.000	0.000
X	1810.3	.213	.050	1.000	1.000	3.503	.956	.1	3.350	1618.3	.883	0.000	0.000
X	1810.5	.250	.033	1.000	1.000	3.503	.956	.1	41.577	1618.3	.883	0.000	0.000
X	1810.6	.241	.029	1.000	1.000	3.503	.956	.1	47.478	1618.3	.883	0.000	0.000
X	1810.8	.253	.024	1.000	1.000	3.503	.956	.1	100.945	1618.3	.883	0.000	0.000
X	1810.9	.230	.032	1.000	1.000	3.503	.956	.1	24.685	1618.3	.883	0.000	0.000
X	1811.1	.254	.020	1.000	1.000	3.503	.956	.1	179.193	1618.3	.883	0.000	0.000
X	1811.2	.231	.035	1.000	1.000	3.503	.956	.1	20.796	1618.3	.883	0.000	0.000
X	1811.4	.222	.044	1.000	1.000	3.503	.956	.1	7.421	1618.3	.883	0.000	0.000
X	1811.5	.221	.046	1.000	1.000	3.503	.956	.1	6.223	1618.3	.883	0.000	0.000
X	1811.7	.230	.038	1.000	1.000	3.503	.956	.1	15.000	1618.3	.883	0.000	0.000
X	1811.8	.247	.030	1.000	1.000	3.503	.956	.1	51.657	1618.3	.883	0.000	0.000
X	1812.0	.239	.028	1.000	1.000	3.503	.956	.1	48.587	1618.3	.883	0.000	0.000
X	1812.1	.241	.020	1.000	1.000	3.503	.956	.1	121.735	1618.3	.883	0.000	0.000
X	1812.3	.224	.020	1.000	1.000	3.503	.956	.1	77.411	1618.3	.883	0.000	0.000
X	1812.4	.234	.011	1.000	1.000	3.503	.956	.1	360.111	1618.3	.883	0.000	0.000
X	1812.6	.234	.015	1.000	1.000	3.503	.956	.1	199.543	1618.3	.883	0.000	0.000
X	1812.7	.224	.016	1.000	1.000	3.503	.956	.1	132.977	1618.3	.883	0.000	0.000
X	1812.9	.212	.022	1.000	1.000	3.503	.956	.1	40.651	1618.3	.883	0.000	0.000
X	1813.0	.196	.025	1.000	1.000	3.503	.956	.1	17.616	1618.3	.883	0.000	0.000
X	1813.2	.209	.022	1.000	1.000	3.503	.956	.1	40.287	1618.3	.883	0.000	0.000
X	1813.3	.212	.023	1.000	1.000	3.503	.956	.1	38.735	1618.3	.883	0.000	0.000
X	1813.5	.223	.019	1.000	1.000	3.503	.956	.1	87.370	1618.3	.883	0.000	0.000
X	1813.7	.219	.017	1.000	1.000	3.503	.956	.1	100.520	1618.3	.883	0.000	0.000
X	1813.8	.224	.016	1.000	1.000	3.503	.956	.1	121.192	1618.3	.883	0.000	0.000
X	1814.0	.206	.023	1.000	1.000	3.503	.956	.1	31.438	1618.3	.883	0.000	0.000
X	1814.1	.209	.019	1.000	1.000	3.503	.956	.1	56.568	1618.3	.883	0.000	0.000
X	1814.3	.209	.008	1.000	1.000	3.503	.956	.1	228.098	1618.3	.883	0.000	0.000

* =RAW DATA CUT OFF

X =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-A

SECTION FROM 1700.0 TO 1865.0

DEPTH	GROSS POROSITY	VC	SW	SECTION FROM SXO	1700.0 TO SAND COUNT	1865.0 CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 1814.4	.224	.002	1.000	1.000	3.503	.956	.1	302.877	1618.3	.883	0.000	0.000
% 1814.6	.232	.003	1.000	1.000	3.503	.956	.1	351.798	1618.3	.883	0.000	0.000
% 1814.7	.224	.016	1.000	1.000	3.503	.956	.1	124.959	1618.3	.883	0.000	0.000
% 1814.9	.218	.015	1.000	1.000	3.503	.956	.1	120.040	1618.3	.883	0.000	0.000
% 1815.0	.197	.022	1.000	1.000	3.503	.956	.1	26.905	1618.3	.883	0.000	0.000
% 1815.2	.199	.021	1.000	1.000	3.503	.956	.1	31.134	1618.3	.883	0.000	0.000
% 1815.3	.220	.018	1.000	1.000	3.503	.956	.1	90.362	1618.3	.883	0.000	0.000
% 1815.5	.246	.014	1.000	1.000	3.503	.956	.1	311.748	1618.3	.883	0.000	0.000
% 1815.6	.260	.011	1.000	1.000	3.503	.956	.1	548.612	1618.3	.883	0.000	0.000
% 1815.8	.252	.010	1.000	1.000	3.503	.956	.1	488.127	1618.3	.883	0.000	0.000
% 1815.9	.247	.010	1.000	1.000	3.503	.956	.1	452.262	1618.3	.883	0.000	0.000
% 1816.1	.240	.010	1.000	1.000	3.503	.956	.1	401.866	1618.3	.883	0.000	0.000
% 1816.2	.227	.016	1.000	1.000	3.503	.956	.1	144.705	1618.3	.883	0.000	0.000
% 1816.4	.198	.019	1.000	1.000	3.503	.956	.1	40.753	1618.3	.883	0.000	0.000
% 1816.5	.195	.022	1.000	1.000	3.503	.956	.1	22.296	1618.3	.883	0.000	0.000
% 1816.7	.212	.016	1.000	1.000	3.503	.956	.1	86.408	1618.3	.883	0.000	0.000
% 1816.9	.250	.007	1.000	1.000	3.503	.956	.1	475.021	1618.3	.883	0.000	0.000
% 1817.0	.246	.013	1.000	1.000	3.503	.956	.1	358.203	1618.3	.883	0.000	0.000
% 1817.2	.271	.020	1.000	1.000	3.503	.956	.1	261.607	1618.3	.883	0.000	0.000
% 1817.3	.282	.019	1.000	1.000	3.503	.956	.1	365.302	1618.3	.883	0.000	0.000
% 1817.5	.285	.015	1.000	1.000	3.503	.956	.1	664.665	1618.3	.883	0.000	0.000
% 1817.6	.262	.025	1.000	1.000	3.503	.956	.1	119.934	1618.3	.883	0.000	0.000
% 1817.8	.255	.035	1.000	1.000	3.503	.956	.1	39.730	1618.3	.883	0.000	0.000
% 1817.9	.255	.029	1.000	1.000	3.503	.956	.1	67.183	1618.3	.883	0.000	0.000
% 1818.1	.249	.020	1.000	1.000	3.503	.956	.1	144.622	1618.3	.883	0.000	0.000
% 1818.2	.207	.036	1.000	1.000	3.503	.956	.1	8.197	1618.3	.883	0.000	0.000
% 1818.4	.191	.053	1.000	1.000	3.503	.956	.1	1.185	1618.3	.883	0.000	0.000
% 1818.5	.170	.064	1.000	1.000	3.503	.956	.1	.181	1618.3	.883	0.000	0.000
% 1818.7	.178	.053	1.000	1.000	3.503	.956	.1	.652	1618.3	.883	0.000	0.000
% 1818.8	.174	.047	1.000	1.000	3.503	.956	.1	.895	1618.3	.883	0.000	0.000
% 1819.0	.200	.032	1.000	1.000	3.503	.956	.1	9.580	1618.3	.883	0.000	0.000
% 1819.1	.172	.044	1.000	1.000	3.503	.956	.1	1.026	1618.3	.883	0.000	0.000
% 1819.3	.151	.051	1.000	1.000	3.503	.956	.1	.205	1618.3	.883	0.000	0.000
% 1819.4	.124	.062	1.000	1.000	3.503	.956	.1	.008	1618.3	.883	0.000	0.000
% 1819.6	.138	.057	1.000	1.000	3.503	.956	.1	.043	1618.3	.883	0.000	0.000
% 1819.7	.153	.052	1.000	1.000	3.503	.956	.1	.188	1618.3	.883	0.000	0.000
% 1819.9	.159	.051	1.000	1.000	3.503	.956	.1	.285	1618.3	.883	0.000	0.000
% 1820.1	.164	.056	1.000	1.000	3.503	.956	.1	.254	1618.3	.883	0.000	0.000
% 1820.2	.183	.058	1.000	1.000	3.503	.956	.1	.570	1618.3	.883	0.000	0.000
% 1820.4	.189	.062	1.000	1.000	3.503	.956	.1	.520	1618.3	.883	0.000	0.000
% 1820.5	.207	.053	1.000	1.000	3.503	.956	.1	2.174	1618.3	.883	0.000	0.000
% 1820.7	.193	.056	1.000	1.000	3.503	.956	.1	1.016	1618.3	.883	0.000	0.000
% 1820.8	.169	.061	1.000	1.000	3.503	.956	.1	.211	1618.3	.883	0.000	0.000
% 1821.0	.148	.066	1.000	1.000	3.503	.956	.1	.039	1618.3	.883	0.000	0.000
% 1821.1	.162	.059	1.000	1.000	3.503	.956	.1	.179	1618.3	.883	0.000	0.000
% 1821.3	.187	.049	1.000	1.000	3.503	.956	.1	1.371	1618.3	.883	0.000	0.000
% 1821.4	.213	.042	1.000	1.000	3.503	.956	.1	6.473	1618.3	.883	0.000	0.000
% 1821.6	.217	.042	1.000	1.000	3.503	.956	.1	7.529	1618.3	.883	0.000	0.000
% 1821.7	.226	.039	1.000	1.000	3.503	.956	.1	12.892	1618.3	.883	0.000	0.000
% 1821.9	.221	.039	1.000	1.000	3.503	.956	.1	10.607	1618.3	.883	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-A

SECTION FROM 1700.0 TO 1865.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL -CUMUL VW	CUMUL VXO
X 1822.0	.229	.034	1.000	1.000	3.503	.956	.1	20.260	1618.3	.883	0.000	0.000	0.000
X 1822.2	.234	.029	1.000	1.000	3.503	.956	.1	36.565	1618.3	.883	0.000	0.000	0.000
X 1822.3	.239	.021	1.000	1.000	3.503	.956	.1	108.819	1618.3	.883	0.000	0.000	0.000
X 1822.5	.235	.020	1.000	1.000	3.503	.956	.1	105.972	1618.3	.883	0.000	0.000	0.000
X 1822.6	.231	.023	1.000	1.000	3.503	.956	.1	64.881	1618.3	.883	0.000	0.000	0.000
X 1822.8	.210	.033	1.000	1.000	3.503	.956	.1	12.178	1618.3	.883	0.000	0.000	0.000
X 1822.9	.198	.038	1.000	1.000	3.503	.956	.1	5.053	1618.3	.883	0.000	0.000	0.000
X 1823.1	.170	.042	1.000	1.000	3.503	.956	.1	1.112	1618.3	.883	0.000	0.000	0.000
X 1823.3	.175	.040	1.000	1.000	3.503	.956	.1	1.632	1618.3	.883	0.000	0.000	0.000
X 1823.4	.178	.042	1.000	1.000	3.503	.956	.1	1.675	1618.3	.883	0.000	0.000	0.000
X 1823.6	.197	.040	1.000	1.000	3.503	.956	.1	4.210	1618.3	.883	0.000	0.000	0.000
X 1823.7	.202	.040	1.000	1.000	3.503	.956	.1	4.994	1618.3	.883	0.000	0.000	0.000
X 1823.9	.209	.033	1.000	1.000	3.503	.956	.1	12.099	1618.3	.883	0.000	0.000	0.000
X 1824.0	.191	.041	1.000	1.000	3.503	.956	.1	2.987	1618.3	.883	0.000	0.000	0.000
X 1824.2	.204	.032	1.000	1.000	3.503	.956	.1	10.949	1618.3	.883	0.000	0.000	0.000
X 1824.3	.214	.033	1.000	1.000	3.503	.956	.1	14.381	1618.3	.883	0.000	0.000	0.000
X 1824.5	.252	.019	1.000	1.000	3.503	.956	.1	182.345	1618.3	.883	0.000	0.000	0.000
X 1824.6	.245	.023	1.000	1.000	3.503	.956	.1	98.797	1618.3	.883	0.000	0.000	0.000
X 1824.8	.217	.024	1.000	1.000	3.503	.956	.1	36.280	1618.3	.883	0.000	0.000	0.000
X 1824.9	.170	.035	1.000	1.000	3.503	.956	.1	2.188	1618.3	.883	0.000	0.000	0.000
X 1825.1	.146	.041	1.000	1.000	3.503	.956	.1	.382	1618.3	.883	0.000	0.000	0.000
X 1825.2	.142	.039	1.000	1.000	3.503	.956	.1	.384	1618.3	.883	0.000	0.000	0.000
X 1825.4	.166	.035	1.000	1.000	3.503	.956	.1	1.923	1618.3	.883	0.000	0.000	0.000
X 1825.5	.174	.037	1.000	1.000	3.503	.956	.1	2.218	1618.3	.883	0.000	0.000	0.000
X 1825.7	.186	.038	1.000	1.000	3.503	.956	.1	3.239	1618.3	.883	0.000	0.000	0.000
X 1825.8	.169	.035	1.000	1.000	3.503	.956	.1	2.070	1618.3	.883	0.000	0.000	0.000
X 1826.0	.179	.025	1.000	1.000	3.503	.956	.1	9.763	1618.3	.883	0.000	0.000	0.000
X 1826.1	.170	.020	1.000	1.000	3.503	.956	.1	12.644	1618.3	.883	0.000	0.000	0.000
X 1826.3	.192	.010	1.000	1.000	3.503	.956	.1	141.275	1618.3	.883	0.000	0.000	0.000
X 1826.5	.201	.013	1.000	1.000	3.503	.956	.1	107.540	1618.3	.883	0.000	0.000	0.000
X 1826.6	.232	.018	1.000	1.000	3.503	.956	.1	121.887	1618.3	.883	0.000	0.000	0.000
X 1826.8	.220	.031	1.000	1.000	3.503	.956	.1	20.085	1618.3	.883	0.000	0.000	0.000
X 1826.9	.212	.035	1.000	1.000	3.503	.956	.1	10.826	1618.3	.883	0.000	0.000	0.000
X 1827.1	.187	.045	1.000	1.000	3.503	.956	.1	1.863	1618.3	.883	0.000	0.000	0.000
X 1827.2	.202	.040	1.000	1.000	3.503	.956	.1	4.833	1618.3	.883	0.000	0.000	0.000
X 1827.4	.228	.035	1.000	1.000	3.503	.956	.1	18.822	1618.3	.883	0.000	0.000	0.000
X 1827.5	.267	.018	1.000	1.000	3.503	.956	.1	292.189	1618.3	.883	0.000	0.000	0.000
X 1827.7	.271	.023	1.000	1.000	3.503	.956	.1	182.121	1618.3	.883	0.000	0.000	0.000
X 1827.8	.256	.021	1.000	1.000	3.503	.956	.1	169.080	1618.3	.883	0.000	0.000	0.000
X 1828.0	.209	.029	1.000	1.000	3.503	.956	.1	17.810	1618.3	.883	0.000	0.000	0.000
X 1828.1	.211	.026	1.000	1.000	3.503	.956	.1	27.021	1618.3	.883	0.000	0.000	0.000
X 1828.3	.226	.029	1.000	1.000	3.503	.956	.1	29.634	1618.3	.883	0.000	0.000	0.000
X 1828.4	.233	.029	1.000	1.000	3.503	.956	.1	37.304	1618.3	.883	0.000	0.000	0.000
X 1828.6	.230	.027	1.000	1.000	3.503	.956	.1	39.719	1618.3	.883	0.000	0.000	0.000
X 1828.7	.214	.031	1.000	1.000	3.503	.956	.1	17.649	1618.3	.883	0.000	0.000	0.000
X 1828.9	.234	.023	1.000	1.000	3.503	.956	.1	69.346	1618.3	.883	0.000	0.000	0.000
X 1829.0	.228	.028	1.000	1.000	3.503	.956	.1	33.312	1618.3	.883	0.000	0.000	0.000
X 1829.2	.237	.023	1.000	1.000	3.503	.956	.1	78.148	1618.3	.883	0.000	0.000	0.000
X 1829.3	.243	.023	1.000	1.000	3.503	.956	.1	91.071	1618.3	.883	0.000	0.000	0.000
X 1829.5	.252	.018	1.000	1.000	3.503	.956	.1	214.345	1618.3	.883	0.000	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW/SET

WEST SEAHORSE 1
DEEP SECTION ZONE-A

SECTION FROM 1700.0 TO 1865.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	1829.7	.252	.024	1.0000	1.0000	3.503	.956	.1	101.878	1618.3	.883	0.0000	0.0000
%	1829.8	.241	.023	1.0000	1.0000	3.503	.956	.1	86.721	1618.3	.883	0.0000	0.0000
%	1830.0	.228	.030	1.0000	1.0000	3.503	.956	.1	29.659	1618.3	.883	0.0000	0.0000
%	1830.1	.213	.031	1.0000	1.0000	3.503	.956	.1	16.639	1618.3	.883	0.0000	0.0000
%	1830.3	.187	.045	1.0000	1.0000	3.503	.956	.1	1.863	1618.3	.883	0.0000	0.0000
%	1830.4	.185	.045	1.0000	1.0000	3.503	.956	.1	1.650	1618.3	.883	0.0000	0.0000
%	1830.6	.214	.034	1.0000	1.0000	3.503	.956	.1	13.101	1618.3	.883	0.0000	0.0000
%	1830.7	.244	.022	1.0000	1.0000	3.503	.956	.1	105.993	1618.3	.883	0.0000	0.0000
%	1830.9	.261	.015	1.0000	1.0000	3.503	.956	.1	414.760	1618.3	.883	0.0000	0.0000
%	1831.0	.254	.028	1.0000	1.0000	3.503	.956	.1	70.044	1618.3	.883	0.0000	0.0000
%	1831.2	.240	.034	1.0000	1.0000	3.503	.956	.1	27.577	1618.3	.883	0.0000	0.0000
%	1831.3	.223	.041	1.0000	1.0000	3.503	.956	.1	9.887	1618.3	.883	0.0000	0.0000
%	1831.5	.214	.036	1.0000	1.0000	3.503	.956	.1	10.996	1618.3	.883	0.0000	0.0000
%	1831.6	.221	.034	1.0000	1.0000	3.503	.956	.1	15.601	1618.3	.883	0.0000	0.0000
%	1831.8	.232	.029	1.0000	1.0000	3.503	.956	.1	33.901	1618.3	.883	0.0000	0.0000
%	1831.9	.225	.027	1.0000	1.0000	3.503	.956	.1	36.959	1618.3	.883	0.0000	0.0000
%	1832.1	.219	.026	1.0000	1.0000	3.503	.956	.1	33.013	1618.3	.883	0.0000	0.0000
%	1832.2	.221	.019	1.0000	1.0000	3.503	.956	.1	76.534	1618.3	.883	0.0000	0.0000
%	1832.4	.247	.000	1.0000	1.0000	3.503	.956	.1	449.101	1618.3	.883	0.0000	0.0000
%	1832.5	.250	.000	1.0000	1.0000	3.503	.956	.1	472.005	1618.3	.883	0.0000	0.0000
%	1832.7	.249	.002	1.0000	1.0000	3.503	.956	.1	460.916	1618.3	.883	0.0000	0.0000
%	1832.9	.238	.011	1.0000	1.0000	3.503	.956	.1	387.146	1618.3	.883	0.0000	0.0000
%	1833.0	.248	.006	1.0000	1.0000	3.503	.956	.1	455.822	1618.3	.883	0.0000	0.0000
%	1833.2	.243	.000	1.0000	1.0000	3.503	.956	.1	421.594	1618.3	.883	0.0000	0.0000
%	1833.3	.230	.002	1.0000	1.0000	3.503	.956	.1	336.887	1618.3	.883	0.0000	0.0000
%	1833.5	.209	.017	1.0000	1.0000	3.503	.956	.1	73.349	1618.3	.883	0.0000	0.0000
%	1833.6	.195	.027	1.0000	1.0000	3.503	.956	.1	13.784	1618.3	.883	0.0000	0.0000
%	1833.8	.182	.033	1.0000	1.0000	3.503	.956	.1	4.582	1618.3	.883	0.0000	0.0000
%	1833.9	.171	.031	1.0000	1.0000	3.503	.956	.1	3.432	1618.3	.883	0.0000	0.0000
%	1834.1	.161	.037	1.0000	1.0000	3.503	.956	.1	1.268	1618.3	.883	0.0000	0.0000
%	1834.2	.171	.038	1.0000	1.0000	3.503	.956	.1	1.714	1618.3	.883	0.0000	0.0000
%	1834.4	.188	.036	1.0000	1.0000	3.503	.956	.1	4.433	1618.3	.883	0.0000	0.0000
%	1834.5	.203	.031	1.0000	1.0000	3.503	.956	.1	11.087	1618.3	.883	0.0000	0.0000
%	1834.7	.218	.027	1.0000	1.0000	3.503	.956	.1	27.408	1618.3	.883	0.0000	0.0000
%	1834.8	.227	.023	1.0000	1.0000	3.503	.956	.1	60.663	1618.3	.883	0.0000	0.0000
%	1835.0	.224	.024	1.0000	1.0000	3.503	.956	.1	49.238	1618.3	.883	0.0000	0.0000
%	1835.1	.204	.032	1.0000	1.0000	3.503	.956	.1	10.546	1618.3	.883	0.0000	0.0000
%	1835.3	.196	.033	1.0000	1.0000	3.503	.956	.1	7.542	1618.3	.883	0.0000	0.0000
%	1835.4	.203	.038	1.0000	1.0000	3.503	.956	.1	5.977	1618.3	.883	0.0000	0.0000
%	1835.6	.224	.033	1.0000	1.0000	3.503	.956	.1	19.926	1618.3	.883	0.0000	0.0000
%	1835.7	.232	.036	1.0000	1.0000	3.503	.956	.1	19.437	1618.3	.883	0.0000	0.0000
%	1835.9	.252	.023	1.0000	1.0000	3.503	.956	.1	113.821	1618.3	.883	0.0000	0.0000
%	1836.1	.263	.020	1.0000	1.0000	3.503	.956	.1	219.143	1618.3	.883	0.0000	0.0000
%	1836.2	.279	.015	1.0000	1.0000	3.503	.956	.1	586.308	1618.3	.883	0.0000	0.0000
%	1836.4	.278	.017	1.0000	1.0000	3.503	.956	.1	435.010	1618.3	.883	0.0000	0.0000
%	1836.5	.270	.014	1.0000	1.0000	3.503	.956	.1	549.718	1618.3	.883	0.0000	0.0000
%	1836.7	.241	.021	1.0000	1.0000	3.503	.956	.1	112.808	1618.3	.883	0.0000	0.0000
%	1836.8	.213	.029	1.0000	1.0000	3.503	.956	.1	20.606	1618.3	.883	0.0000	0.0000
%	1837.0	.207	.033	1.0000	1.0000	3.503	.956	.1	10.503	1618.3	.883	0.0000	0.0000
%	1837.1	.214	.033	1.0000	1.0000	3.503	.956	.1	14.381	1618.3	.883	0.0000	0.0000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-A

SECTION FROM 1700.0 TO 1865.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	1837.3	.218	.025	1.000	1.000	3.503	.956	.1	33.826	1618.3	.883	0.000	0.000
%	1837.4	.212	.027	1.000	1.000	3.503	.956	.1	23.273	1618.3	.883	0.000	0.000
%	1837.6	.213	.026	1.000	1.000	3.503	.956	.1	26.379	1618.3	.883	0.000	0.000
%	1837.7	.212	.031	1.000	1.000	3.503	.956	.1	15.366	1618.3	.883	0.000	0.000
%	1837.9	.219	.027	1.000	1.000	3.503	.956	.1	30.981	1618.3	.883	0.000	0.000
%	1838.0	.221	.021	1.000	1.000	3.503	.956	.1	60.634	1618.3	.883	0.000	0.000
%	1838.2	.220	.015	1.000	1.000	3.503	.956	.1	143.576	1618.3	.883	0.000	0.000
%	1838.3	.202	.028	1.000	1.000	3.503	.956	.1	15.864	1618.3	.883	0.000	0.000
%	1838.5	.190	.037	1.000	1.000	3.503	.956	.1	4.360	1618.3	.883	0.000	0.000
%	1838.6	.213	.038	1.000	1.000	3.503	.956	.1	9.201	1618.3	.883	0.000	0.000
%	1838.8	.225	.030	1.000	1.000	3.503	.956	.1	26.386	1618.3	.883	0.000	0.000
%	1838.9	.249	.020	1.000	1.000	3.503	.956	.1	148.316	1618.3	.883	0.000	0.000
%	1839.1	.229	.029	1.000	1.000	3.503	.956	.1	33.939	1618.3	.883	0.000	0.000
%	1839.3	.222	.038	1.000	1.000	3.503	.956	.1	11.983	1618.3	.883	0.000	0.000
%	1839.4	.209	.044	1.000	1.000	3.503	.956	.1	4.849	1618.3	.883	0.000	0.000
%	1839.6	.216	.043	1.000	1.000	3.503	.956	.1	6.372	1618.3	.883	0.000	0.000
%	1839.7	.197	.047	1.000	1.000	3.503	.956	.1	2.291	1618.3	.883	0.000	0.000
%	1839.9	.165	.061	1.000	1.000	3.503	.956	.1	.178	1618.3	.883	0.000	0.000
%	1840.0	.141	.071	1.000	1.000	3.503	.956	.1	.014	1618.3	.883	0.000	0.000
%	1840.2	.174	.060	1.000	1.000	3.503	.956	.1	.316	1618.3	.883	0.000	0.000
%	1840.3	.208	.050	1.000	1.000	3.503	.956	.1	2.867	1618.3	.883	0.000	0.000
%	1840.5	.235	.042	1.000	1.000	3.503	.956	.1	13.249	1618.3	.883	0.000	0.000
%	1840.6	.245	.042	1.000	1.000	3.503	.956	.1	17.755	1618.3	.883	0.000	0.000
%	1840.8	.255	.040	1.000	1.000	3.503	.956	.1	25.934	1618.3	.883	0.000	0.000
%	1840.9	.249	.042	1.000	1.000	3.503	.956	.1	19.533	1618.3	.883	0.000	0.000
%	1841.1	.242	.042	1.000	1.000	3.503	.956	.1	15.405	1618.3	.883	0.000	0.000
%	1841.2	.235	.049	1.000	1.000	3.503	.956	.1	7.800	1618.3	.883	0.000	0.000
%	1841.4	.249	.045	1.000	1.000	3.503	.956	.1	16.425	1618.3	.883	0.000	0.000
%	1841.5	.259	.040	1.000	1.000	3.503	.956	.1	30.274	1618.3	.883	0.000	0.000
%	1841.7	.274	.025	1.000	1.000	3.503	.956	.1	165.033	1618.3	.883	0.000	0.000
%	1841.8	.277	.024	1.000	1.000	3.503	.956	.1	191.323	1618.3	.883	0.000	0.000
%	1842.0	.270	.026	1.000	1.000	3.503	.956	.1	133.733	1618.3	.883	0.000	0.000
%	1842.1	.259	.033	1.000	1.000	3.503	.956	.1	53.889	1618.3	.883	0.000	0.000
%	1842.3	.271	.024	1.000	1.000	3.503	.956	.1	166.826	1618.3	.883	0.000	0.000
%	1842.5	.286	.024	1.000	1.000	3.503	.956	.1	239.645	1618.3	.883	0.000	0.000
%	1842.6	.285	.018	1.000	1.000	3.503	.956	.1	469.271	1618.3	.883	0.000	0.000
%	1842.8	.265	.020	1.000	1.000	3.503	.956	.1	222.568	1618.3	.883	0.000	0.000
%	1842.9	.264	.014	1.000	1.000	3.503	.956	.1	515.307	1618.3	.883	0.000	0.000
%	1843.1	.256	.014	1.000	1.000	3.503	.956	.1	458.314	1618.3	.883	0.000	0.000
%	1843.2	.238	.021	1.000	1.000	3.503	.956	.1	93.389	1618.3	.883	0.000	0.000
%	1843.4	.195	.038	1.000	1.000	3.503	.956	.1	4.759	1618.3	.883	0.000	0.000
%	1843.5	.182	.047	1.000	1.000	3.503	.956	.1	1.234	1618.3	.883	0.000	0.000
%	1843.7	.185	.052	1.000	1.000	3.503	.956	.1	.975	1618.3	.883	0.000	0.000
%	1843.8	.199	.039	1.000	1.000	3.503	.956	.1	5.032	1618.3	.883	0.000	0.000
%	1844.0	.196	.036	1.000	1.000	3.503	.956	.1	5.739	1618.3	.883	0.000	0.000
%	1844.1	.196	.028	1.000	1.000	3.503	.956	.1	12.178	1618.3	.883	0.000	0.000
%	1844.3	.200	.029	1.000	1.000	3.503	.956	.1	12.334	1618.3	.883	0.000	0.000
%	1844.4	.222	.028	1.000	1.000	3.503	.956	.1	30.273	1618.3	.883	0.000	0.000
%	1844.6	.226	.029	1.000	1.000	3.503	.956	.1	30.221	1618.3	.883	0.000	0.000
%	1844.7	.233	.021	1.000	1.000	3.503	.956	.1	82.580	1618.3	.883	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-A

SECTION FROM 1700.0 TO 1865.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 1844.9	.228	.022	1.000	1.000	3.503	.956	.1	69.298	1618.3	.883	0.000	0.000
% 1845.0	.227	.022	1.000	1.000	3.503	.956	.1	68.359	1618.3	.883	0.000	0.000
% 1845.2	.224	.025	1.000	1.000	3.503	.956	.1	41.235	1618.3	.883	0.000	0.000
% 1845.3	.217	.024	1.000	1.000	3.503	.956	.1	37.108	1618.3	.883	0.000	0.000
% 1845.5	.215	.023	1.000	1.000	3.503	.956	.1	39.053	1618.3	.883	0.000	0.000
% 1845.7	.222	.022	1.000	1.000	3.503	.956	.1	57.158	1618.3	.883	0.000	0.000
% 1845.8	.234	.019	1.000	1.000	3.503	.956	.1	119.764	1618.3	.883	0.000	0.000
% 1846.0	.243	.012	1.000	1.000	3.503	.956	.1	419.576	1618.3	.883	0.000	0.000
% 1846.1	.236	.012	1.000	1.000	3.503	.956	.1	367.531	1618.3	.883	0.000	0.000
% 1846.3	.237	.014	1.000	1.000	3.503	.956	.1	237.224	1618.3	.883	0.000	0.000
% 1846.4	.250	.014	1.000	1.000	3.503	.956	.1	359.162	1618.3	.883	0.000	0.000
% 1846.6	.248	.016	1.000	1.000	3.503	.956	.1	258.511	1618.3	.883	0.000	0.000
% 1846.7	.240	.017	1.000	1.000	3.503	.956	.1	173.467	1618.3	.883	0.000	0.000
% 1846.9	.230	.024	1.000	1.000	3.503	.956	.1	58.329	1618.3	.883	0.000	0.000
% 1847.0	.241	.021	1.000	1.000	3.503	.956	.1	107.390	1618.3	.883	0.000	0.000
% 1847.2	.242	.021	1.000	1.000	3.503	.956	.1	116.978	1618.3	.883	0.000	0.000
% 1847.3	.240	.018	1.000	1.000	3.503	.956	.1	159.174	1618.3	.883	0.000	0.000
% 1847.5	.236	.017	1.000	1.000	3.503	.956	.1	148.308	1618.3	.883	0.000	0.000
% 1847.6	.240	.016	1.000	1.000	3.503	.956	.1	207.628	1618.3	.883	0.000	0.000
% 1847.8	.245	.015	1.000	1.000	3.503	.956	.1	272.232	1618.3	.883	0.000	0.000
% 1847.9	.243	.018	1.000	1.000	3.503	.956	.1	166.349	1618.3	.883	0.000	0.000
% 1848.1	.232	.022	1.000	1.000	3.503	.956	.1	72.261	1618.3	.883	0.000	0.000
% 1848.2	.221	.023	1.000	1.000	3.503	.956	.1	49.954	1618.3	.883	0.000	0.000
% 1848.4	.220	.017	1.000	1.000	3.503	.956	.1	101.475	1618.3	.883	0.000	0.000
% 1848.5	.211	.016	1.000	1.000	3.503	.956	.1	90.121	1618.3	.883	0.000	0.000
% 1848.7	.207	.019	1.000	1.000	3.503	.956	.1	53.493	1618.3	.883	0.000	0.000
% 1848.9	.199	.024	1.000	1.000	3.503	.956	.1	21.567	1618.3	.883	0.000	0.000
% 1849.0	.212	.021	1.000	1.000	3.503	.956	.1	49.388	1618.3	.883	0.000	0.000
% 1849.2	.210	.019	1.000	1.000	3.503	.956	.1	58.981	1618.3	.883	0.000	0.000
% 1849.3	.214	.011	1.000	1.000	3.503	.956	.1	254.758	1618.3	.883	0.000	0.000
% 1849.5	.217	.010	1.000	1.000	3.503	.956	.1	266.029	1618.3	.883	0.000	0.000
% 1849.6	.233	.006	1.000	1.000	3.503	.956	.1	355.522	1618.3	.883	0.000	0.000
% 1849.8	.226	.015	1.000	1.000	3.503	.956	.1	163.386	1618.3	.883	0.000	0.000
% 1849.9	.223	.017	1.000	1.000	3.503	.956	.1	113.113	1618.3	.883	0.000	0.000
% 1850.1	.215	.022	1.000	1.000	3.503	.956	.1	46.106	1618.3	.883	0.000	0.000
% 1850.2	.222	.020	1.000	1.000	3.503	.956	.1	75.473	1618.3	.883	0.000	0.000
% 1850.4	.223	.027	1.000	1.000	3.503	.956	.1	34.189	1618.3	.883	0.000	0.000
% 1850.5	.227	.029	1.000	1.000	3.503	.956	.1	29.643	1618.3	.883	0.000	0.000
% 1850.7	.228	.036	1.000	1.000	3.503	.956	.1	16.444	1618.3	.883	0.000	0.000
% 1850.8	.232	.033	1.000	1.000	3.503	.956	.1	25.267	1618.3	.883	0.000	0.000
% 1851.0	.227	.036	1.000	1.000	3.503	.956	.1	16.904	1618.3	.883	0.000	0.000
% 1851.1	.230	.035	1.000	1.000	3.503	.956	.1	19.668	1618.3	.883	0.000	0.000
% 1851.3	.207	.046	1.000	1.000	3.503	.956	.1	3.799	1618.3	.883	0.000	0.000
% 1851.4	.182	.059	1.000	1.000	3.503	.956	.1	.484	1618.3	.883	0.000	0.000
% 1851.6	.141	.078	1.000	1.000	3.503	.956	.1	.006	1618.3	.883	0.000	0.000
% 1851.7	.121	.085	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
% 1851.9	.127	.082	1.000	1.000	3.503	.956	.1	.001	1618.3	.883	0.000	0.000
% 1852.1	.149	.072	1.000	1.000	3.503	.956	.1	.023	1618.3	.883	0.000	0.000
% 1852.2	.187	.060	1.000	1.000	3.503	.956	.1	.585	1618.3	.883	0.000	0.000
% 1852.4	.209	.043	1.000	1.000	3.503	.956	.1	5.159	1618.3	.883	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-A

SECTION FROM 1700.0 TO 1865.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 1852.5	.224	.032	1.000	1.000	3.503	.956	.1	21.831	1618.3	.883	0.000	0.000
% 1852.7	.226	.026	1.000	1.000	3.503	.956	.1	42.687	1618.3	.883	0.000	0.000
% 1852.8	.233	.023	1.000	1.000	3.503	.956	.1	66.795	1618.3	.883	0.000	0.000
% 1853.0	.239	.024	1.000	1.000	3.503	.956	.1	75.362	1618.3	.883	0.000	0.000
% 1853.1	.244	.020	1.000	1.000	3.503	.956	.1	132.109	1618.3	.883	0.000	0.000
% 1853.3	.251	.022	1.000	1.000	3.503	.956	.1	117.746	1618.3	.883	0.000	0.000
% 1853.4	.247	.025	1.000	1.000	3.503	.956	.1	77.949	1618.3	.883	0.000	0.000
% 1853.6	.253	.021	1.000	1.000	3.503	.956	.1	145.338	1618.3	.883	0.000	0.000
% 1853.7	.247	.022	1.000	1.000	3.503	.956	.1	108.541	1618.3	.883	0.000	0.000
% 1853.9	.251	.017	1.000	1.000	3.503	.956	.1	238.720	1618.3	.883	0.000	0.000
% 1854.0	.239	.018	1.000	1.000	3.503	.956	.1	141.246	1618.3	.883	0.000	0.000
% 1854.2	.233	.012	1.000	1.000	3.503	.956	.1	341.504	1618.3	.883	0.000	0.000
% 1854.3	.222	.007	1.000	1.000	3.503	.956	.1	294.393	1618.3	.883	0.000	0.000
% 1854.5	.216	.000	1.000	1.000	3.503	.956	.1	264.244	1618.3	.883	0.000	0.000
% 1854.6	.192	.000	1.000	1.000	3.503	.956	.1	162.680	1618.3	.883	0.000	0.000
% 1854.8	.158	.016	1.000	1.000	3.503	.956	.1	13.591	1618.3	.883	0.000	0.000
% 1854.9	.116	.052	1.000	1.000	3.503	.956	.1	.014	1618.3	.883	0.000	0.000
% 1855.1	.111	.086	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
% 1855.3	.108	.105	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
% 1855.4	.110	.109	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
% 1855.6	.098	.097	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
*% 1855.7	.120	.115	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
*% 1855.9	.128	.119	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
% 1856.0	.119	.113	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
% 1856.2	.103	.102	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
% 1856.3	.100	.099	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
% 1856.5	.118	.111	1.000	1.000	3.503	.956	.1	.000	1618.3	.883	0.000	0.000
% 1856.6	.157	.083	1.000	1.000	3.503	.956	.1	.014	1618.3	.883	0.000	0.000
% 1856.8	.187	.055	1.000	1.000	3.503	.956	.1	.809	1618.3	.883	0.000	0.000
% 1856.9	.207	.031	1.000	1.000	3.503	.956	.1	13.718	1618.3	.883	0.000	0.000
% 1857.1	.199	.036	1.000	1.000	3.503	.956	.1	6.410	1618.3	.883	0.000	0.000
% 1857.2	.189	.049	1.000	1.000	3.503	.956	.1	1.455	1618.3	.883	0.000	0.000
% 1857.4	.173	.065	1.000	1.000	3.503	.956	.1	.186	1618.3	.883	0.000	0.000
% 1857.5	.164	.074	1.000	1.000	3.503	.956	.1	.051	1618.3	.883	0.000	0.000
% 1857.7	.159	.077	1.000	1.000	3.503	.956	.1	.031	1618.3	.883	0.000	0.000
% 1857.8	.155	.087	1.000	1.000	3.503	.956	.1	.008	1618.3	.883	0.000	0.000
% 1858.0	.147	.081	1.000	1.000	3.503	.956	.1	.008	1618.3	.883	0.000	0.000
% 1858.1	.143	.076	1.000	1.000	3.503	.956	.1	.009	1618.3	.883	0.000	0.000
% 1858.3	.142	.070	1.000	1.000	3.503	.956	.1	.017	1618.3	.883	0.000	0.000
% 1858.5	.139	.079	1.000	1.000	3.503	.956	.1	.005	1618.3	.883	0.000	0.000
% 1858.6	.171	.066	1.000	1.000	3.503	.956	.1	.161	1618.3	.883	0.000	0.000
% 1858.8	.221	.051	1.000	1.000	3.503	.956	.1	4.171	1618.3	.883	0.000	0.000
% 1858.9	.274	.035	1.000	1.000	3.503	.956	.1	64.556	1618.3	.883	0.000	0.000
% 1859.1	.282	.040	1.000	1.000	3.503	.956	.1	54.926	1618.3	.883	0.000	0.000
% 1859.2	.290	.030	1.000	1.000	3.503	.956	.1	141.784	1618.3	.883	0.000	0.000
% 1859.4	.284	.023	1.000	1.000	3.503	.956	.1	240.621	1618.3	.883	0.000	0.000
% 1859.5	.289	.015	1.000	1.000	3.503	.956	.1	814.443	1618.3	.883	0.000	0.000
% 1859.7	.273	.018	1.000	1.000	3.503	.956	.1	372.645	1618.3	.883	0.000	0.000
% 1859.8	.269	.015	1.000	1.000	3.503	.956	.1	482.815	1618.3	.883	0.000	0.000
% 1860.0	.253	.005	1.000	1.000	3.503	.956	.1	491.637	1618.3	.883	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-A

SECTION FROM 1700.0 TO 1865.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 1860.1	.242	.004	1.000	1.000	3.503	.956	.1	411.407	1618.3	.883	0.000	0.000
% 1860.3	.220	.006	1.000	1.000	3.503	.956	.1	280.835	1618.3	.883	0.000	0.000
% 1860.4	.198	.020	1.000	1.000	3.503	.956	.1	33.667	1618.3	.883	0.000	0.000
% 1860.6	.201	.022	1.000	1.000	3.503	.956	.1	29.922	1618.3	.883	0.000	0.000
% 1860.7	.224	.018	1.000	1.000	3.503	.956	.1	101.598	1618.3	.883	0.000	0.000
% 1860.9	.231	.014	1.000	1.000	3.503	.956	.1	217.900	1618.3	.883	0.000	0.000
% 1861.0	.214	.021	1.000	1.000	3.503	.956	.1	51.437	1618.3	.883	0.000	0.000
% 1861.2	.190	.029	1.000	1.000	3.503	.956	.1	8.719	1618.3	.883	0.000	0.000
% 1861.3	.172	.046	1.000	1.000	3.503	.956	.1	.866	1618.3	.883	0.000	0.000
% 1861.5	.192	.040	1.000	1.000	3.503	.956	.1	3.529	1618.3	.883	0.000	0.000
% 1861.7	.194	.040	1.000	1.000	3.503	.956	.1	3.956	1618.3	.883	0.000	0.000
% 1861.8	.199	.033	1.000	1.000	3.503	.956	.1	8.494	1618.3	.883	0.000	0.000
% 1862.0	.201	.029	1.000	1.000	3.503	.956	.1	13.977	1618.3	.883	0.000	0.000
% 1862.1	.208	.026	1.000	1.000	3.503	.956	.1	22.814	1618.3	.883	0.000	0.000
% 1862.3	.237	.017	1.000	1.000	3.503	.956	.1	167.817	1618.3	.883	0.000	0.000
% 1862.4	.249	.022	1.000	1.000	3.503	.956	.1	113.693	1618.3	.883	0.000	0.000
% 1862.6	.261	.020	1.000	1.000	3.503	.956	.1	193.434	1618.3	.883	0.000	0.000
% 1862.7	.265	.018	1.000	1.000	3.503	.956	.1	281.142	1618.3	.883	0.000	0.000
% 1862.9	.274	.009	1.000	1.000	3.503	.956	.1	684.092	1618.3	.883	0.000	0.000
% 1863.0	.274	.009	1.000	1.000	3.503	.956	.1	683.072	1618.3	.883	0.000	0.000
% 1863.2	.267	.011	1.000	1.000	3.503	.956	.1	616.625	1618.3	.883	0.000	0.000
% 1863.3	.224	.019	1.000	1.000	3.503	.956	.1	83.755	1618.3	.883	0.000	0.000
% 1863.5	.174	.029	1.000	1.000	3.503	.956	.1	4.853	1618.3	.883	0.000	0.000
% 1863.6	.113	.046	1.000	1.000	3.503	.956	.1	.025	1618.3	.883	0.000	0.000
% 1863.8	.111	.052	1.000	1.000	3.503	.956	.1	.009	1618.3	.883	0.000	0.000
% 1863.9	.113	.056	1.000	1.000	3.503	.956	.1	.006	1618.3	.883	0.000	0.000
% 1864.1	.146	.053	1.000	1.000	3.503	.956	.1	.116	1618.3	.883	0.000	0.000
% 1864.2	.163	.046	1.000	1.000	3.503	.956	.1	.559	1618.3	.883	0.000	0.000
% 1864.4	.188	.039	1.000	1.000	3.503	.956	.1	3.123	1618.3	.883	0.000	0.000
% 1864.5	.166	.046	1.000	1.000	3.503	.956	.1	.709	1618.3	.883	0.000	0.000
% 1864.7	.162	.050	1.000	1.000	3.503	.956	.1	.399	1618.3	.883	0.000	0.000
% 1864.9	.174	.043	1.000	1.000	3.503	.956	.1	1.275	1618.3	.883	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-A

SECTION FROM 1700.0 TO 1865.0

INTERVAL SUMMARY

TOTAL INTERVAL	=	164.9 FT
NET INTERVAL	=	3.5 FT
NET/GROSS RATIO	=	.02125
EQUIVALENT POROSITY COLUMN	=	.956 FT
EQUIVALENT HYDROCARBON COLUMN	=	.072 FT
EQUIVALENT WATER VOL.	=	.883 FT
EQUIVALENT WATER VOL. (FLUSHED ZONE)	=	0.000 FT

AVERAGES OVER NET INTERVAL

POROSITY	=	.27276
WATER SATURATION	=	.92440
HYDROCARBON SATURATION	=	.07560
HYDROCARBON VOLUME	=	.02062
WATER VOLUME	=	.25214
WATER VOLUME (FLUSHED ZONE)	=	0.00000
(WATER VOL. FLUSHED)-(WATER VOL.)	=	0.00000
PERMEABILITY INDEX	=	461.9
RECOVERY FACTOR	=	-1000.0
HYDROCARBON VOLUME OVER TOTAL INTERVAL	=	.00044

CUT-OFF VALUES

MINIMUM POROSITY	=	.08	MAXIMUM SW	=	1.00
MAXIMUM POROSITY	=	.35	MINIMUM SW RESET	=	.05
MAXIMUM NEUTRON	=	.38	MAXIMUM DENSITY	=	3.00
MINIMUM GR	=	0.00	MAXIMUM GR	=	200.00
BIT SIZE	=	12.25	MAXIMUM CALIPER	=	14.00

WARNING: THE COMPUTED LOG DATA OF THIS REALOG-RUN ARE NOT SAVED !

**** END OF PROGRAM ****

PE603912

This is an enclosure indicator page.
The enclosure PE603912 is enclosed within the
container PE905513 at this location in this
document.

The enclosure PE603912 has the following characteristics:

- ITEM_BARCODE = PE603912
- CONTAINER_BARCODE = PE905513
- NAME = Log Data Plot
- BASIN = GIPPSLAND
- PERMIT = VIC/P11
- TYPE = WELL
- SUBTYPE = WELL_LOG
- DESCRIPTION = Log Data Plot (4 of 7) from Wireline
Log Interpretation Report (attachment
to WCR), for West Seahorse-1
- REMARKS =
- DATE_CREATED = 12/03/82
- DATE_RECEIVED = 21/06/82
- W_NO = W755
- WELL_NAME = WEST SEAHORSE-1
- CONTRACTOR = PETRODATA A.G.
- CLIENT_OP_CO = HUSBAY OIL (AUSTRALIA) LTD

(Inserted by DNRE - Vic Govt Mines Dept)

WELL ANALYSIS PROGRAM REALG (HP-VERSION 20.1)

West Seahorse 1 1865-2030m

LISTING OF ALL PARAMETER AND ACTION CARDS

NO.	NAME	PARAMETERS
1	WELL	WEST SEAHORSE 1
2	ZONE	DEEP SECTION ZONE-B
3	TAPE	0/1
4	INTE	1865/2030
5	SCAL	11/11/0.012/0
6	GRLO	15/150/0/200
7	DENS	2.66/2.70/1/1/0.85/0.15/1/3.0
8	NEUT	-0.04/.35/1.0/0.38/1
9	TEMP	82.2/24000.02
10	RESI	3.000/82.2/0.225/82.2/0.307/82.2/0./316/82.2
11	LIMI	0.08/1.0/0.35/0.05
12	PERM	100
13	DIAM	12.25/14
14	BPAR	1/0
15	IPAR	1/1/2/2
16	EVAL	1/3/1/1
17	PRIN	
18	OTIT	13/ SQRT(C)
19	SCAL	16/56/-1./1.
20	SCAL	18/55/6.6667/0.
21	SUBT	56/55/55
22	SCAL	28/57/-1./1.
23	ADD	56/29/58
24	SCAL	10/59/0./1.
25	OTIT	17/BONDED WATER
26	OTIT	30/FREE WATER
27	OTIT	59/HYDRO- CARBON
28	OTIT	55/SAND
29	OTIT	56/DRY CLAY
30	OTIT	57/BONDED WATER
31	OTIT	58/FREE WATER

NO FATAL ERRORS HAVE BEEN DETECTED-JOB CONTINUED

WELL LOCATION INFORMATION

COUNTRY : AUSTRALIA
STATE : VICTORIA
FIELD NAME : WILDCAT
WELL NAME : WEST SEAHORSE 1 (SHALLOW SECTION
COMMENTS :

DATA SOURCE INFORMATION

UCC LABEL : 8224
CREATE DATE :
UPDATED :

THE (01-DPT)	DATA ARE ALLOCATED IN CHANNEL	1
THE (03-LLD)	DATA ARE ALLOCATED IN CHANNEL	3
THE (04-LLS)	DATA ARE ALLOCATED IN CHANNEL	4
THE (07-MSF)	DATA ARE ALLOCATED IN CHANNEL	7
THE (08-CAL)	DATA ARE ALLOCATED IN CHANNEL	8
THE (10-TGR)	DATA ARE ALLOCATED IN CHANNEL	10
THE (11-CNL)	DATA ARE ALLOCATED IN CHANNEL	11
THE (12-FDC)	DATA ARE ALLOCATED IN CHANNEL	12

LOG DATA DESCRIPTION

NO. OF DEPTH LEVELS IN FILE :	5345
FIRST DEPTH LEVEL :	1873.7
LAST DEPTH LEVEL :	2486.0
DEPTH INCREMENT :	.2

LOG DATA RECORDS READ FROM INPUT = 1090 RECORDS

(MAXIMUM STORAGE AVAILABLE = 1200 RECORDS)

FIRST DEPTH STORED = 1865.01
FINAL DEPTH STORED = 2030.96

WEST SEAHORSE 1
DEEP SECTION ZONE-B

SECTION FROM 1865.0 TO 2030.0

POROSITY METHOD USED IS NEUTRON-DENSITY CROSSPLOT
SW CALCULATION USED IS WAXMAN-SMITS METHOD 1
USING LLD FOR DEEP RESISTIVITY
USING MSFL FOR SHALLOW RESISTIVITY

GROSS POROSITY SELECTED FOR PROGRAM CALCULATIONS

INPUT PARAMETER VARIABLES USED IN THIS ANALYSIS

DENSITY *****					
GRAIN DENSITY SAND	=	2.660	GRAIN DENSITY CLAY	=	2.700
FORMATION FLUID DENSITY	=	1.000	WATER DENSITY	=	1.000
HYDROCARBON DENSITY	=	.850	EFFECTIVE CLAY POROS. FACTOR	=	.150
EFFECTIVE CLAY POROS. EXP	=	1.000	MAXIMUM DENSITY	=	3.000

NEUTRON *****					
NEUTRON SANDPOINT	=	-.040	NEUTRON CLAY POINT	=	.350
NEUTRON FORMATION FLUID POINT	=	1.000	MAX NEUTRON VALUE	=	.380

RESISTIVITIES *****					
FORMATION WATER	=	3.000 AT 82.2 DEG F	EQUIV PPM NA CL	=	1622.9
MUD	=	.307 AT 82.2 DEG F	EQUIV PPM NA CL	=	17772.3
MUD FILTRATE	=	.225 AT 82.2 DEG F	EQUIV PPM NA CL	=	25084.7
MUD CAKE	=	.461 AT 82.2 DEG F	EQUIV PPM NA CL	=	11450.2

TEMPERATURE *****					
GRADIENT	=	0.000 DEG F/FT	REFERENCE TEMP=	82.200 DEG F AT	24000.0 FT

GAMMA RAY *****					
MIN GR IN CLAY VOLUME CALC	=	15.000	MAX GR IN CLAY VOLUME CALC	=	150.000

INDONESIAN EQUATION CONSTANTS *****					
R-CLAY	=	1.000	A = PHI DIVISOR COEFF	=	1.000
M = CEMENTATION FACTOR	=	2.000	N = SATURATION EXPONENT	=	2.000

LITHOLOGY FACTOR OF CLAY VOLUME USED IN WATER SATURATION CALCULATIONS = 1.000

CUT-OFF VALUES *****					
MINIMUM POROSITY	=	.080	MAXIMUM SW	=	1.000
MAXIMUM POROSITY	=	.350	MINIMUM SW RESET	=	.050
MAXIMUM NEUTRON	=	.380	MAXIMUM DENSITY	=	3.000
MINIMUM GR	=	0.000	MAXIMUM GR	=	200.000
BIT SIZE	=	12.250	MAXIMUM CALIPER	=	14.000

WEST SEAHORSE 1
DEEP SECTION ZONE-B

SECTION FROM 1865.0 TO 2030.0

DEPTH	GROSS POROSITY	VC	SW	SECTION SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 1865.0	.224	.025	1.000	1.000	0.000	0.000	0.0	44.018	0.0	0.000	0.000	0.000
% 1865.2	.250	.011	1.000	1.000	0.000	0.000	0.0	470.832	0.0	0.000	0.000	0.000
% 1865.3	.270	.003	1.000	1.000	0.000	0.000	0.0	639.806	0.0	0.000	0.000	0.000
% 1865.5	.256	.003	1.000	1.000	0.000	0.000	0.0	517.506	0.0	0.000	0.000	0.000
% 1865.6	.238	.009	1.000	1.000	0.000	0.000	0.0	384.938	0.0	0.000	0.000	0.000
% 1865.8	.222	.016	1.000	1.000	0.000	0.000	0.0	131.939	0.0	0.000	0.000	0.000
% 1865.9	.227	.016	1.000	1.000	0.000	0.000	0.0	136.053	0.0	0.000	0.000	0.000
% 1866.1	.249	.013	1.000	1.000	0.000	0.000	0.0	428.918	0.0	0.000	0.000	0.000
% 1866.2	.257	.012	1.000	1.000	0.000	0.000	0.0	529.724	0.0	0.000	0.000	0.000
% 1866.4	.265	.015	1.000	1.000	0.000	0.000	0.0	410.144	0.0	0.000	0.000	0.000
% 1866.5	.250	.017	1.000	1.000	0.000	0.000	0.0	217.619	0.0	0.000	0.000	0.000
% 1866.7	.227	.020	1.000	1.000	0.000	0.000	0.0	83.619	0.0	0.000	0.000	0.000
% 1866.8	.192	.025	1.000	1.000	0.000	0.000	0.0	15.371	0.0	0.000	0.000	0.000
% 1867.0	.187	.028	1.000	1.000	0.000	0.000	0.0	8.767	0.0	0.000	0.000	0.000
% 1867.1	.208	.022	1.000	1.000	0.000	0.000	0.0	35.038	0.0	0.000	0.000	0.000
% 1867.3	.239	.010	1.000	1.000	0.000	0.000	0.0	393.219	0.0	0.000	0.000	0.000
% 1867.4	.249	.005	1.000	1.000	0.000	0.000	0.0	463.951	0.0	0.000	0.000	0.000
% 1867.6	.247	.007	1.000	1.000	0.000	0.000	0.0	449.036	0.0	0.000	0.000	0.000
% 1867.8	.228	.024	1.000	1.000	0.000	0.000	0.0	56.162	0.0	0.000	0.000	0.000
% 1867.9	.222	.026	1.000	1.000	0.000	0.000	0.0	34.996	0.0	0.000	0.000	0.000
% 1868.1	.205	.040	1.000	1.000	0.000	0.000	0.0	5.635	0.0	0.000	0.000	0.000
% 1868.2	.213	.034	1.000	1.000	0.000	0.000	0.0	11.906	0.0	0.000	0.000	0.000
% 1868.4	.217	.045	1.000	1.000	0.000	0.000	0.0	5.894	0.0	0.000	0.000	0.000
% 1868.5	.228	.041	1.000	1.000	0.000	0.000	0.0	11.457	0.0	0.000	0.000	0.000
% 1868.7	.218	.040	1.000	1.000	0.000	0.000	0.0	9.062	0.0	0.000	0.000	0.000
% 1868.8	.211	.030	1.000	1.000	0.000	0.000	0.0	16.202	0.0	0.000	0.000	0.000
% 1869.0	.241	.021	1.000	1.000	0.000	0.000	0.0	102.262	0.0	0.000	0.000	0.000
% 1869.1	.256	.016	1.000	1.000	0.000	0.000	0.0	299.608	0.0	0.000	0.000	0.000
% 1869.3	.251	.023	1.000	1.000	0.000	0.000	0.0	112.451	0.0	0.000	0.000	0.000
% 1869.4	.204	.030	1.000	1.000	0.000	0.000	0.0	13.804	0.0	0.000	0.000	0.000
% 1869.6	.162	.046	1.000	1.000	0.000	0.000	0.0	.544	0.0	0.000	0.000	0.000
% 1869.7	.149	.044	1.000	1.000	0.000	0.000	0.0	.342	0.0	0.000	0.000	0.000
% 1869.9	.135	.043	1.000	1.000	0.000	0.000	0.0	.168	0.0	0.000	0.000	0.000
% 1870.0	.137	.039	1.000	1.000	0.000	0.000	0.0	.277	0.0	0.000	0.000	0.000
% 1870.2	.115	.047	1.000	1.000	0.000	0.000	0.0	.023	0.0	0.000	0.000	0.000
% 1870.3	.109	.056	1.000	1.000	0.000	0.000	0.0	.004	0.0	0.000	0.000	0.000
% 1870.5	.126	.048	1.000	1.000	0.000	0.000	0.0	.051	0.0	0.000	0.000	0.000
% 1870.6	.160	.038	1.000	1.000	0.000	0.000	0.0	1.045	0.0	0.000	0.000	0.000
% 1870.8	.166	.033	1.000	1.000	0.000	0.000	0.0	2.250	0.0	0.000	0.000	0.000
% 1870.9	.157	.035	1.000	1.000	0.000	0.000	0.0	1.289	0.0	0.000	0.000	0.000
% 1871.1	.130	.039	1.000	1.000	0.000	0.000	0.0	.178	0.0	0.000	0.000	0.000
% 1871.3	.116	.046	1.000	1.000	0.000	0.000	0.0	.029	0.0	0.000	0.000	0.000
% 1871.4	.121	.054	1.000	1.000	0.000	0.000	0.0	.017	0.0	0.000	0.000	0.000
% 1871.6	.141	.051	1.000	1.000	0.000	0.000	0.0	.102	0.0	0.000	0.000	0.000
% 1871.7	.140	.057	1.000	1.000	0.000	0.000	0.0	.052	0.0	0.000	0.000	0.000
% 1871.9	.137	.068	1.000	1.000	0.000	0.000	0.0	.014	0.0	0.000	0.000	0.000
% 1872.0	.130	.079	1.000	1.000	0.000	0.000	0.0	.002	0.0	0.000	0.000	0.000
% 1872.2	.147	.078	1.000	1.000	0.000	0.000	0.0	.011	0.0	0.000	0.000	0.000
% 1872.3	.148	.081	1.000	1.000	0.000	0.000	0.0	.008	0.0	0.000	0.000	0.000
% 1872.5	.145	.087	1.000	1.000	0.000	0.000	0.0	.003	0.0	0.000	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-B

SECTION FROM 1865.0 TO 2030.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 1872.6	.138	.083	1.000	1.000	0.000	0.000	0.0	.003	0.0	0.000	0.000	0.000
% 1872.8	.130	.078	1.000	1.000	0.000	0.000	0.0	.002	0.0	0.000	0.000	0.000
% 1872.9	.126	.081	1.000	1.000	0.000	0.000	0.0	.001	0.0	0.000	0.000	0.000
% 1873.1	.119	.087	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 1873.2	.106	.084	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 1873.4	.108	.075	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 1873.5	.101	.078	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 1873.7	.111	.084	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 1873.8	.117	.092	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 1874.0	.158	.075	1.000	1.000	0.000	0.000	0.0	.033	0.0	0.000	0.000	0.000
% 1874.1	.196	.059	1.000	1.000	0.000	0.000	0.0	.897	0.0	0.000	0.000	0.000
% 1874.3	.213	.044	1.000	1.000	0.000	0.000	0.0	5.374	0.0	0.000	0.000	0.000
% 1874.5	.227	.036	1.000	1.000	0.000	0.000	0.0	16.904	0.0	0.000	0.000	0.000
% 1874.6	.230	.028	1.000	1.000	0.000	0.000	0.0	35.957	0.0	0.000	0.000	0.000
% 1874.8	.244	.021	1.000	1.000	0.000	0.000	0.0	119.556	0.0	0.000	0.000	0.000
% 1874.9	.246	.018	1.000	1.000	0.000	0.000	0.0	179.990	0.0	0.000	0.000	0.000
% 1875.1	.245	.016	1.000	1.000	0.000	0.000	0.0	247.397	0.0	0.000	0.000	0.000
% 1875.2	.241	.016	1.000	1.000	0.000	0.000	0.0	202.417	0.0	0.000	0.000	0.000
% 1875.4	.242	.020	1.000	1.000	0.000	0.000	0.0	129.476	0.0	0.000	0.000	0.000
% 1875.5	.234	.023	1.000	1.000	0.000	0.000	0.0	69.346	0.0	0.000	0.000	0.000
% 1875.7	.235	.026	1.000	1.000	0.000	0.000	0.0	50.102	0.0	0.000	0.000	0.000
% 1875.8	.228	.029	1.000	1.000	0.000	0.000	0.0	31.412	0.0	0.000	0.000	0.000
% 1876.0	.238	.022	1.000	1.000	0.000	0.000	0.0	86.951	0.0	0.000	0.000	0.000
% 1876.1	.244	.013	1.000	1.000	0.000	0.000	0.0	371.659	0.0	0.000	0.000	0.000
% 1876.3	.247	.006	1.000	1.000	0.000	0.000	0.0	447.305	0.0	0.000	0.000	0.000
% 1876.4	.239	.008	1.000	1.000	0.000	0.000	0.0	391.210	0.0	0.000	0.000	0.000
% 1876.6	.209	.013	1.000	1.000	0.000	0.000	0.0	150.701	0.0	0.000	0.000	0.000
% 1876.7	.199	.017	1.000	1.000	0.000	0.000	0.0	50.628	0.0	0.000	0.000	0.000
% 1876.9	.192	.021	1.000	1.000	0.000	0.000	0.0	25.568	0.0	0.000	0.000	0.000
% 1877.0	.206	.020	1.000	1.000	0.000	0.000	0.0	43.587	0.0	0.000	0.000	0.000
% 1877.2	.211	.019	1.000	1.000	0.000	0.000	0.0	61.447	0.0	0.000	0.000	0.000
% 1877.4	.219	.019	1.000	1.000	0.000	0.000	0.0	79.840	0.0	0.000	0.000	0.000
% 1877.5	.231	.015	1.000	1.000	0.000	0.000	0.0	178.294	0.0	0.000	0.000	0.000
% 1877.7	.241	.016	.989	.989	.152	.037	.0	202.417	30.7	.036	0.000	0.000
% 1877.8	.243	.015	.974	1.000	.305	.074	.0	262.685	70.9	.072	0.000	0.000
% 1878.0	.258	.013	.924	1.000	.457	.113	.0	509.500	148.4	.109	0.000	0.000
% 1878.1	.250	.013	.994	1.000	.609	.151	.0	413.274	211.2	.146	0.000	0.000
% 1878.3	.250	.016	1.000	1.000	.609	.151	.0	251.969	211.2	.146	0.000	0.000
% 1878.4	.230	.023	1.000	1.000	.609	.151	.0	59.674	211.2	.146	0.000	0.000
% 1878.6	.238	.019	1.000	1.000	.609	.151	.0	125.620	211.2	.146	0.000	0.000
% 1878.7	.230	.018	1.000	1.000	.609	.151	.0	113.048	211.2	.146	0.000	0.000
% 1878.9	.209	.018	1.000	1.000	.609	.151	.0	65.150	211.2	.146	0.000	0.000
% 1879.0	.176	.033	1.000	1.000	.609	.151	.0	3.543	211.2	.146	0.000	0.000
% 1879.2	.156	.041	1.000	1.000	.609	.151	.0	.627	211.2	.146	0.000	0.000
% 1879.3	.165	.047	1.000	1.000	.609	.151	.0	.592	211.2	.146	0.000	0.000
% 1879.5	.196	.033	1.000	1.000	.609	.151	.0	7.401	211.2	.146	0.000	0.000
% 1879.6	.237	.017	1.000	1.000	.609	.151	.0	167.817	211.2	.146	0.000	0.000
% 1879.8	.243	.010	1.000	1.000	.609	.151	.0	418.404	211.2	.146	0.000	0.000
% 1879.9	.229	.014	1.000	1.000	.609	.151	.0	195.874	211.2	.146	0.000	0.000
% 1880.1	.209	.020	1.000	1.000	.609	.151	.0	48.135	211.2	.146	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-B

SECTION FROM 1865.0 TO 2030.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	1880.2	.208	.012	1.000	1.000	.609	.151	.0	156.202	211.2	.146	0.000	0.000
%	1880.4	.212	.004	1.000	1.000	.609	.151	.0	244.365	211.2	.146	0.000	0.000
%	1880.6	.181	.011	1.000	1.000	.609	.151	.0	82.345	211.2	.146	0.000	0.000
%	1880.7	.125	.047	1.000	1.000	.609	.151	.0	.055	211.2	.146	0.000	0.000
%	1880.9	.087	.077	1.000	1.000	.609	.151	.0	.000	211.2	.146	0.000	0.000
%	1881.0	.065	.064	1.000	1.000	.609	.151	.0	.000	211.2	.146	0.000	0.000
%	1881.2	.078	.077	1.000	1.000	.609	.151	.0	.000	211.2	.146	0.000	0.000
%	1881.3	.051	.050	1.000	1.000	.609	.151	.0	.000	211.2	.146	0.000	0.000
%	1881.5	.048	.047	1.000	1.000	.609	.151	.0	.000	211.2	.146	0.000	0.000
%	1881.6	.057	.056	1.000	1.000	.609	.151	.0	.000	211.2	.146	0.000	0.000
%	1881.8	.079	.068	1.000	1.000	.609	.151	.0	.000	211.2	.146	0.000	0.000
%	1881.9	.093	.070	1.000	1.000	.609	.151	.0	.000	211.2	.146	0.000	0.000
%	1882.1	.095	.072	1.000	1.000	.609	.151	.0	.000	211.2	.146	0.000	0.000
%	1882.2	.074	.073	1.000	1.000	.609	.151	.0	.000	211.2	.146	0.000	0.000
%	1882.4	.074	.073	1.000	1.000	.609	.151	.0	.000	211.2	.146	0.000	0.000
%	1882.5	.062	.061	1.000	1.000	.609	.151	.0	.000	211.2	.146	0.000	0.000
%	1882.7	.077	.069	1.000	1.000	.609	.151	.0	.000	211.2	.146	0.000	0.000
%	1882.8	.076	.066	1.000	1.000	.609	.151	.0	.000	211.2	.146	0.000	0.000
%	1883.0	.074	.073	1.000	1.000	.609	.151	.0	.000	211.2	.146	0.000	0.000
%	1883.1	.084	.077	1.000	1.000	.609	.151	.0	.000	211.2	.146	0.000	0.000
%	1883.3	.102	.079	1.000	1.000	.609	.151	.0	.000	211.2	.146	0.000	0.000
%	1883.4	.117	.075	1.000	1.000	.609	.151	.0	.001	211.2	.146	0.000	0.000
%	1883.6	.133	.076	1.000	1.000	.609	.151	.0	.004	211.2	.146	0.000	0.000
%	1883.8	.141	.071	1.000	1.000	.609	.151	.0	.014	211.2	.146	0.000	0.000
%	1883.9	.133	.074	1.000	1.000	.609	.151	.0	.005	211.2	.146	0.000	0.000
%	1884.1	.124	.071	1.000	1.000	.609	.151	.0	.003	211.2	.146	0.000	0.000
%	1884.2	.134	.063	1.000	1.000	.609	.151	.0	.018	211.2	.146	0.000	0.000
%	1884.4	.174	.044	1.000	1.000	.609	.151	.0	1.171	211.2	.146	0.000	0.000
%	1884.5	.200	.028	1.000	1.000	.609	.151	.0	13.935	211.2	.146	0.000	0.000
%	1884.7	.204	.027	1.000	1.000	.609	.151	.0	18.043	211.2	.146	0.000	0.000
%	1884.8	.195	.030	1.000	1.000	.609	.151	.0	10.084	211.2	.146	0.000	0.000
%	1885.0	.182	.036	1.000	1.000	.609	.151	.0	3.327	211.2	.146	0.000	0.000
%	1885.1	.180	.031	1.000	1.000	.609	.151	.0	5.102	211.2	.146	0.000	0.000
%	1885.3	.160	.029	1.000	1.000	.609	.151	.0	2.646	211.2	.146	0.000	0.000
%	1885.4	.151	.033	1.000	1.000	.609	.151	.0	1.115	211.2	.146	0.000	0.000
%	1885.6	.131	.047	1.000	1.000	.609	.151	.0	.084	211.2	.146	0.000	0.000
%	1885.7	.129	.049	1.000	1.000	.609	.151	.0	.055	211.2	.146	0.000	0.000
%	1885.9	.122	.050	1.000	1.000	.609	.151	.0	.031	211.2	.146	0.000	0.000
%	1886.0	.105	.054	1.000	1.000	.609	.151	.0	.004	211.2	.146	0.000	0.000
%	1886.2	.104	.060	1.000	1.000	.609	.151	.0	.001	211.2	.146	0.000	0.000
%	1886.3	.111	.056	1.000	1.000	.609	.151	.0	.005	211.2	.146	0.000	0.000
%	1886.5	.134	.048	1.000	1.000	.609	.151	.0	.085	211.2	.146	0.000	0.000
%	1886.6	.149	.044	1.000	1.000	.609	.151	.0	.342	211.2	.146	0.000	0.000
%	1886.8	.159	.045	1.000	1.000	.609	.151	.0	.514	211.2	.146	0.000	0.000
%	1887.0	.163	.054	1.000	1.000	.609	.151	.0	.275	211.2	.146	0.000	0.000
%	1887.1	.173	.049	1.000	1.000	.609	.151	.0	.753	211.2	.146	0.000	0.000
%	1887.3	.173	.047	1.000	1.000	.609	.151	.0	.831	211.2	.146	0.000	0.000
%	1887.4	.184	.040	1.000	1.000	.609	.151	.0	2.546	211.2	.146	0.000	0.000
%	1887.6	.207	.038	1.000	1.000	.609	.151	.0	7.526	211.2	.146	0.000	0.000
%	1887.7	.246	.031	1.000	1.000	.609	.151	.0	42.262	211.2	.146	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-B

SECTION FROM 1865.0 TO 2030.0

	DEPTH	GROSS POROSITY	VC	SW	SECTION FROM SXO	1865.0 TO SAND COUNT	2030.0 CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	1887.9	.262	.028	1.000	1.000	.609	.151	.0	88.765	211.2	.146	0.000	0.000
%	1888.0	.237	.029	1.000	1.000	.609	.151	.0	40.168	211.2	.146	0.000	0.000
%	1888.2	.199	.033	1.000	1.000	.609	.151	.0	8.819	211.2	.146	0.000	0.000
%	1888.3	.169	.038	1.000	1.000	.609	.151	.0	1.682	211.2	.146	0.000	0.000
%	1888.5	.157	.038	1.000	1.000	.609	.151	.0	.921	211.2	.146	0.000	0.000
%	1888.6	.117	.051	1.000	1.000	.609	.151	.0	.017	211.2	.146	0.000	0.000
%	1888.8	.080	.065	1.000	1.000	.609	.151	.0	.000	211.2	.146	0.000	0.000
%	1888.9	.070	.069	1.000	1.000	.609	.151	.0	.000	211.2	.146	0.000	0.000
%	1889.1	.107	.073	1.000	1.000	.609	.151	.0	.000	211.2	.146	0.000	0.000
%	1889.2	.169	.059	1.000	1.000	.609	.151	.0	.247	211.2	.146	0.000	0.000
	1889.4	.211	.047	.982	.982	.761	.183	.0	3.923	211.8	.178	0.000	0.000
	1889.5	.227	.040	.934	.934	.914	.218	.0	12.196	213.7	.211	0.000	0.000
	1889.7	.224	.035	.990	.993	1.066	.252	.0	16.425	216.2	.244	0.000	0.000
%	1889.8	.219	.034	1.000	1.000	1.066	.252	.0	15.791	216.2	.244	0.000	0.000
	1890.0	.232	.026	.998	1.000	1.219	.288	.0	49.496	223.7	.280	0.000	0.000
%	1890.2	.231	.026	1.000	1.000	1.219	.288	.0	48.673	223.7	.280	0.000	0.000
	1890.3	.244	.019	.998	1.000	1.372	.325	.0	150.437	246.8	.317	0.000	0.000
	1890.5	.250	.017	.997	1.000	1.524	.363	.0	223.979	280.8	.355	0.000	0.000
%	1890.6	.252	.015	1.000	1.000	1.524	.363	.0	315.578	280.8	.355	0.000	0.000
%	1890.8	.237	.018	1.000	1.000	1.524	.363	.0	149.488	280.8	.355	0.000	0.000
%	1890.9	.218	.020	1.000	1.000	1.524	.363	.0	63.613	280.8	.355	0.000	0.000
%	1891.1	.211	.018	1.000	1.000	1.524	.363	.0	66.854	280.8	.355	0.000	0.000
%	1891.2	.217	.013	1.000	1.000	1.524	.363	.0	182.386	280.8	.355	0.000	0.000
%	1891.4	.221	.013	1.000	1.000	1.524	.363	.0	184.131	280.8	.355	0.000	0.000
%	1891.5	.236	.006	1.000	1.000	1.524	.363	.0	373.544	280.8	.355	0.000	0.000
%	1891.7	.241	.005	1.000	1.000	1.524	.363	.0	404.665	280.8	.355	0.000	0.000
	1891.8	.246	.001	.961	.977	1.677	.401	.0	441.660	348.4	.391	0.000	0.000
	1892.0	.247	.002	.921	1.000	1.829	.438	.0	451.833	417.1	.426	0.000	0.000
	1892.1	.250	.003	.960	1.000	1.981	.476	.0	470.392	488.5	.462	0.000	0.000
%	1892.3	.252	.008	1.000	1.000	1.981	.476	.0	485.238	488.5	.462	0.000	0.000
%	1892.4	.245	.009	1.000	1.000	1.981	.476	.0	433.273	488.5	.462	0.000	0.000
%	1892.6	.239	.010	1.000	1.000	1.981	.476	.0	393.669	488.5	.462	0.000	0.000
%	1892.7	.236	.008	1.000	1.000	1.981	.476	.0	371.901	488.5	.462	0.000	0.000
%	1892.9	.234	.016	1.000	1.000	1.981	.476	.0	181.476	488.5	.462	0.000	0.000
%	1893.0	.237	.013	1.000	1.000	1.981	.476	.0	298.238	488.5	.462	0.000	0.000
%	1893.2	.247	.008	1.000	1.000	1.981	.476	.0	450.024	488.5	.462	0.000	0.000
%	1893.4	.244	.005	1.000	1.000	1.981	.476	.0	428.718	488.5	.462	0.000	0.000
%	1893.5	.236	.005	1.000	1.000	1.981	.476	.0	373.114	488.5	.462	0.000	0.000
%	1893.7	.205	.009	1.000	1.000	1.981	.476	.0	213.452	488.5	.462	0.000	0.000
%	1893.8	.168	.022	1.000	1.000	1.981	.476	.0	8.712	488.5	.462	0.000	0.000
%	1894.0	.126	.045	1.000	1.000	1.981	.476	.0	.073	488.5	.462	0.000	0.000
%	1894.1	.117	.058	1.000	1.000	1.981	.476	.0	.007	488.5	.462	0.000	0.000
%	1894.3	.117	.063	1.000	1.000	1.981	.476	.0	.004	488.5	.462	0.000	0.000
%	1894.4	.130	.057	1.000	1.000	1.981	.476	.0	.027	488.5	.462	0.000	0.000
%	1894.6	.110	.065	1.000	1.000	1.981	.476	.0	.001	488.5	.462	0.000	0.000
%	1894.7	.104	.064	1.000	1.000	1.981	.476	.0	.001	488.5	.462	0.000	0.000
%	1894.9	.109	.064	1.000	1.000	1.981	.476	.0	.001	488.5	.462	0.000	0.000
%	1895.0	.139	.050	1.000	1.000	1.981	.476	.0	.099	488.5	.462	0.000	0.000
%	1895.2	.151	.045	1.000	1.000	1.981	.476	.0	.322	488.5	.462	0.000	0.000
%	1895.3	.153	.042	1.000	1.000	1.981	.476	.0	.478	488.5	.462	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-B

		SECTION FROM 1865.0 TO 2030.0												
DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO	-CUMUL VW	
% 1895.5	.167	.040	1.000	1.000	1.981	.476	.0	1.204	488.5	.462	0.000	0.000		
% 1895.6	.161	.044	1.000	1.000	1.981	.476	.0	.637	488.5	.462	0.000	0.000		
% 1895.8	.160	.041	1.000	1.000	1.981	.476	.0	.801	488.5	.462	0.000	0.000		
% 1895.9	.123	.055	1.000	1.000	1.981	.476	.0	.018	488.5	.462	0.000	0.000		
% 1896.1	.122	.051	1.000	1.000	1.981	.476	.0	.027	488.5	.462	0.000	0.000		
% 1896.2	.112	.060	1.000	1.000	1.981	.476	.0	.003	488.5	.462	0.000	0.000		
% 1896.4	.139	.056	1.000	1.000	1.981	.476	.0	.052	488.5	.462	0.000	0.000		
% 1896.6	.165	.053	1.000	1.000	1.981	.476	.0	.359	488.5	.462	0.000	0.000		
% 1896.7	.196	.043	1.000	1.000	1.981	.476	.0	3.137	488.5	.462	0.000	0.000		
% 1896.9	.215	.036	1.000	1.000	1.981	.476	.0	11.425	488.5	.462	0.000	0.000		
% 1897.0	.236	.035	1.000	1.000	1.981	.476	.0	23.033	488.5	.462	0.000	0.000		
% 1897.2	.235	.039	1.000	1.000	1.981	.476	.0	16.710	488.5	.462	0.000	0.000		
% 1897.3	.235	.035	1.000	1.000	1.981	.476	.0	22.178	488.5	.462	0.000	0.000		
% 1897.5	.222	.037	.994	.994	2.133	.510	.0	13.456	490.6	.496	0.000	0.000		
% 1897.6	.227	.028	.976	.976	2.285	.544	.0	33.339	495.6	.529	0.000	0.000		
% 1897.8	.231	.018	1.000	1.000	2.285	.544	.0	114.217	495.6	.529	0.000	0.000		
% 1897.9	.233	.009	1.000	1.000	2.285	.544	.0	357.811	495.6	.529	0.000	0.000		
% 1898.1	.228	.008	1.000	1.000	2.285	.544	.0	328.087	495.6	.529	0.000	0.000		
% 1898.2	.212	.017	1.000	1.000	2.285	.544	.0	81.331	495.6	.529	0.000	0.000		
% 1898.4	.193	.024	1.000	1.000	2.285	.544	.0	16.848	495.6	.529	0.000	0.000		
% 1898.5	.183	.029	1.000	1.000	2.285	.544	.0	7.424	495.6	.529	0.000	0.000		
% 1898.7	.188	.029	1.000	1.000	2.285	.544	.0	8.819	495.6	.529	0.000	0.000		
% 1898.8	.203	.025	1.000	1.000	2.285	.544	.0	20.528	495.6	.529	0.000	0.000		
% 1899.0	.211	.023	1.000	1.000	2.285	.544	.0	34.625	495.6	.529	0.000	0.000		
% 1899.1	.216	.019	1.000	1.000	2.285	.544	.0	68.903	495.6	.529	0.000	0.000		
% 1899.3	.206	.016	1.000	1.000	2.285	.544	.0	78.717	495.6	.529	0.000	0.000		
% 1899.4	.216	.012	1.000	1.000	2.285	.544	.0	189.164	495.6	.529	0.000	0.000		
% 1899.6	.207	.016	1.000	1.000	2.285	.544	.0	77.109	495.6	.529	0.000	0.000		
% 1899.8	.201	.024	1.000	1.000	2.285	.544	.0	24.101	495.6	.529	0.000	0.000		
% 1899.9	.184	.032	1.000	1.000	2.285	.544	.0	5.368	495.6	.529	0.000	0.000		
% 1900.1	.176	.032	1.000	1.000	2.285	.544	.0	3.686	495.6	.529	0.000	0.000		
% 1900.2	.177	.033	1.000	1.000	2.285	.544	.0	3.733	495.6	.529	0.000	0.000		
% 1900.4	.172	.027	1.000	1.000	2.285	.544	.0	5.728	495.6	.529	0.000	0.000		
% 1900.5	.164	.037	1.000	1.000	2.285	.544	.0	1.400	495.6	.529	0.000	0.000		
% 1900.7	.154	.038	1.000	1.000	2.285	.544	.0	.781	495.6	.529	0.000	0.000		
% 1900.8	.137	.045	1.000	1.000	2.285	.544	.0	.143	495.6	.529	0.000	0.000		
% 1901.0	.158	.033	1.000	1.000	2.285	.544	.0	1.577	495.6	.529	0.000	0.000		
% 1901.1	.171	.032	1.000	1.000	2.285	.544	.0	3.228	495.6	.529	0.000	0.000		
% 1901.3	.199	.028	1.000	1.000	2.285	.544	.0	13.050	495.6	.529	0.000	0.000		
% 1901.4	.198	.030	1.000	1.000	2.285	.544	.0	10.829	495.6	.529	0.000	0.000		
% 1901.6	.213	.027	1.000	1.000	2.285	.544	.0	23.276	495.6	.529	0.000	0.000		
% 1901.7	.223	.026	1.000	1.000	2.285	.544	.0	34.895	495.6	.529	0.000	0.000		
% 1901.9	.231	.030	1.000	1.000	2.285	.544	.0	31.416	495.6	.529	0.000	0.000		
% 1902.0	.212	.038	1.000	1.000	2.285	.544	.0	8.384	495.6	.529	0.000	0.000		
% 1902.2	.197	.048	1.000	1.000	2.285	.544	.0	2.257	495.6	.529	0.000	0.000		
% 1902.3	.197	.043	1.000	1.000	2.285	.544	.0	3.293	495.6	.529	0.000	0.000		
% 1902.5	.201	.039	1.000	1.000	2.285	.544	.0	5.427	495.6	.529	0.000	0.000		
% 1902.6	.183	.041	1.000	1.000	2.285	.544	.0	2.218	495.6	.529	0.000	0.000		
% 1902.8	.181	.038	1.000	1.000	2.285	.544	.0	2.835	495.6	.529	0.000	0.000		
% 1903.0	.183	.035	1.000	1.000	2.285	.544	.0	3.984	495.6	.529	0.000	0.000		

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-B

SECTION FROM 1865.0 TO 2030.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	1903.1	.186	.029	1.0000	1.0000	2.285	.544	.0	8.013	495.6	.529	0.0000	0.0000
%	1903.3	.154	.037	1.0000	1.0000	2.285	.544	.0	.878	495.6	.529	0.0000	0.0000
%	1903.4	.151	.038	1.0000	1.0000	2.285	.544	.0	.683	495.6	.529	0.0000	0.0000
%	1903.6	.166	.033	1.0000	1.0000	2.285	.544	.0	2.250	495.6	.529	0.0000	0.0000
%	1903.7	.195	.035	1.0000	1.0000	2.285	.544	.0	6.208	495.6	.529	0.0000	0.0000
%	1903.9	.201	.039	1.0000	1.0000	2.285	.544	.0	5.339	495.6	.529	0.0000	0.0000
%	1904.0	.191	.048	1.0000	1.0000	2.285	.544	.0	1.717	495.6	.529	0.0000	0.0000
%	1904.2	.173	.045	1.0000	1.0000	2.285	.544	.0	1.015	495.6	.529	0.0000	0.0000
%	1904.3	.147	.044	1.0000	1.0000	2.285	.544	.0	.297	495.6	.529	0.0000	0.0000
%	1904.5	.134	.042	1.0000	1.0000	2.285	.544	.0	.172	495.6	.529	0.0000	0.0000
%	1904.6	.134	.048	1.0000	1.0000	2.285	.544	.0	.085	495.6	.529	0.0000	0.0000
%	1904.8	.159	.044	1.0000	1.0000	2.285	.544	.0	.572	495.6	.529	0.0000	0.0000
%	1904.9	.189	.039	1.0000	1.0000	2.285	.544	.0	3.341	495.6	.529	0.0000	0.0000
%	1905.1	.212	.032	1.0000	1.0000	2.285	.544	.0	14.800	495.6	.529	0.0000	0.0000
%	1905.2	.221	.028	1.0000	1.0000	2.285	.544	.0	26.844	495.6	.529	0.0000	0.0000
%	1905.4	.225	.025	1.0000	1.0000	2.285	.544	.0	43.807	495.6	.529	0.0000	0.0000
%	1905.5	.223	.025	1.0000	1.0000	2.285	.544	.0	42.337	495.6	.529	0.0000	0.0000
%	1905.7	.213	.025	1.0000	1.0000	2.285	.544	.0	28.755	495.6	.529	0.0000	0.0000
%	1905.8	.199	.026	1.0000	1.0000	2.285	.544	.0	17.608	495.6	.529	0.0000	0.0000
%	1906.0	.183	.025	1.0000	1.0000	2.285	.544	.0	11.045	495.6	.529	0.0000	0.0000
%	1906.2	.175	.029	1.0000	1.0000	2.285	.544	.0	5.113	495.6	.529	0.0000	0.0000
%	1906.3	.183	.026	1.0000	1.0000	2.285	.544	.0	10.078	495.6	.529	0.0000	0.0000
%	1906.5	.203	.022	1.0000	1.0000	2.285	.544	.0	32.621	495.6	.529	0.0000	0.0000
%	1906.6	.220	.015	1.0000	1.0000	2.285	.544	.0	143.576	495.6	.529	0.0000	0.0000
%	1906.8	.227	.012	1.0000	1.0000	2.285	.544	.0	305.348	495.6	.529	0.0000	0.0000
%	1906.9	.217	.013	1.0000	1.0000	2.285	.544	.0	189.476	495.6	.529	0.0000	0.0000
%	1907.1	.205	.014	1.0000	1.0000	2.285	.544	.0	105.673	495.6	.529	0.0000	0.0000
%	1907.2	.204	.010	1.0000	1.0000	2.285	.544	.0	208.778	495.6	.529	0.0000	0.0000
%	1907.4	.182	.011	1.0000	1.0000	2.285	.544	.0	82.663	495.6	.529	0.0000	0.0000
%	1907.5	.157	.019	1.0000	1.0000	2.285	.544	.0	8.313	495.6	.529	0.0000	0.0000
%	1907.7	.126	.039	1.0000	1.0000	2.285	.544	.0	.145	495.6	.529	0.0000	0.0000
%	1907.8	.161	.029	1.0000	1.0000	2.285	.544	.0	2.802	495.6	.529	0.0000	0.0000
%	1908.0	.179	.026	1.0000	1.0000	2.285	.544	.0	8.313	495.6	.529	0.0000	0.0000
%	1908.1	.199	.015	1.0000	1.0000	2.285	.544	.0	69.267	495.6	.529	0.0000	0.0000
%	1908.3	.179	.024	1.0000	1.0000	2.285	.544	.0	10.733	495.6	.529	0.0000	0.0000
%	1908.4	.168	.029	1.0000	1.0000	2.285	.544	.0	3.803	495.6	.529	0.0000	0.0000
%	1908.6	.167	.029	1.0000	1.0000	2.285	.544	.0	3.680	495.6	.529	0.0000	0.0000
%	1908.7	.165	.030	1.0000	1.0000	2.285	.544	.0	2.777	495.6	.529	0.0000	0.0000
%	1908.9	.163	.028	1.0000	1.0000	2.285	.544	.0	3.660	495.6	.529	0.0000	0.0000
%	1909.0	.164	.032	1.0000	1.0000	2.285	.544	.0	2.287	495.6	.529	0.0000	0.0000
%	1909.2	.189	.026	1.0000	1.0000	2.285	.544	.0	11.682	495.6	.529	0.0000	0.0000
%	1909.4	.208	.033	1.0000	1.0000	2.285	.544	.0	10.969	495.6	.529	0.0000	0.0000
%	1909.5	.223	.034	1.0000	1.0000	2.285	.544	.0	17.211	495.6	.529	0.0000	0.0000
%	1909.7	.221	.043	1.0000	1.0000	2.285	.544	.0	7.559	495.6	.529	0.0000	0.0000
%	1909.8	.234	.038	1.0000	1.0000	2.285	.544	.0	17.818	495.6	.529	0.0000	0.0000
%	1910.0	.224	.040	1.0000	1.0000	2.285	.544	.0	10.974	495.6	.529	0.0000	0.0000
%	1910.1	.224	.033	1.0000	1.0000	2.285	.544	.0	19.926	495.6	.529	0.0000	0.0000
%	1910.3	.222	.031	1.0000	1.0000	2.285	.544	.0	22.599	495.6	.529	0.0000	0.0000
%	1910.4	.231	.027	1.0000	1.0000	2.285	.544	.0	43.857	495.6	.529	0.0000	0.0000
%	1910.6	.232	.025	1.0000	1.0000	2.285	.544	.0	55.074	495.6	.529	0.0000	0.0000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-B

SECTION FROM 1865.0 TO 2030.0

DEPTH	GROSS POROSITY	VC	SW	SECTION FROM 1865.0 TO 2030.0 SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 1910.7	.227	.022	1.000	1.000	2.285	.544	.0	62.113	495.6	.529	0.000	0.000
% 1910.9	.222	.021	1.000	1.000	2.285	.544	.0	64.653	495.6	.529	0.000	0.000
% 1911.0	.224	.019	1.000	1.000	2.285	.544	.0	81.551	495.6	.529	0.000	0.000
% 1911.2	.230	.018	1.000	1.000	2.285	.544	.0	119.586	495.6	.529	0.000	0.000
% 1911.3	.228	.019	1.000	1.000	2.285	.544	.0	101.965	495.6	.529	0.000	0.000
% 1911.5	.224	.012	1.000	1.000	2.285	.544	.0	240.695	495.6	.529	0.000	0.000
% 1911.6	.215	.010	1.000	1.000	2.285	.544	.0	260.183	495.6	.529	0.000	0.000
% 1911.8	.217	.010	1.000	1.000	2.285	.544	.0	266.364	495.6	.529	0.000	0.000
% 1911.9	.225	.012	1.000	1.000	2.285	.544	.0	260.227	495.6	.529	0.000	0.000
% 1912.1	.221	.009	1.000	1.000	2.285	.544	.0	289.506	495.6	.529	0.000	0.000
% 1912.2	.212	.005	1.000	1.000	2.285	.544	.0	244.676	495.6	.529	0.000	0.000
% 1912.4	.191	.012	1.000	1.000	2.285	.544	.0	99.262	495.6	.529	0.000	0.000
% 1912.6	.185	.016	1.000	1.000	2.285	.544	.0	39.856	495.6	.529	0.000	0.000
% 1912.7	.183	.017	1.000	1.000	2.285	.544	.0	28.230	495.6	.529	0.000	0.000
% 1912.9	.181	.012	1.000	1.000	2.285	.544	.0	66.556	495.6	.529	0.000	0.000
% 1913.0	.171	.009	1.000	1.000	2.285	.544	.0	84.744	495.6	.529	0.000	0.000
% 1913.2	.145	.016	1.000	1.000	2.285	.544	.0	7.981	495.6	.529	0.000	0.000
% 1913.3	.134	.025	1.000	1.000	2.285	.544	.0	1.154	495.6	.529	0.000	0.000
% 1913.5	.111	.049	1.000	1.000	2.285	.544	.0	.014	495.6	.529	0.000	0.000
% 1913.6	.110	.077	1.000	1.000	2.285	.544	.0	.000	495.6	.529	0.000	0.000
% 1913.8	.098	.097	1.000	1.000	2.285	.544	.0	.000	495.6	.529	0.000	0.000
% 1913.9	.128	.096	1.000	1.000	2.285	.544	.0	.000	495.6	.529	0.000	0.000
% 1914.1	.163	.079	1.000	1.000	2.285	.544	.0	.032	495.6	.529	0.000	0.000
% 1914.2	.189	.060	1.000	1.000	2.285	.544	.0	.610	495.6	.529	0.000	0.000
% 1914.4	.195	.056	1.000	1.000	2.285	.544	.0	1.054	495.6	.529	0.000	0.000
% 1914.5	.178	.053	1.000	1.000	2.285	.544	.0	.662	495.6	.529	0.000	0.000
% 1914.7	.183	.049	1.000	1.000	2.285	.544	.0	1.130	495.6	.529	0.000	0.000
% 1914.8	.180	.054	1.000	1.000	2.285	.544	.0	.657	495.6	.529	0.000	0.000
% 1915.0	.196	.052	1.000	1.000	2.285	.544	.0	1.588	495.6	.529	0.000	0.000
% 1915.1	.179	.061	1.000	1.000	2.285	.544	.0	.353	495.6	.529	0.000	0.000
% 1915.3	.179	.055	1.000	1.000	2.285	.544	.0	.583	495.6	.529	0.000	0.000
% 1915.4	.185	.048	1.000	1.000	2.285	.544	.0	1.320	495.6	.529	0.000	0.000
% 1915.6	.202	.041	1.000	1.000	2.285	.544	.0	4.601	495.6	.529	0.000	0.000
% 1915.8	.201	.044	1.000	1.000	2.285	.544	.0	3.402	495.6	.529	0.000	0.000
% 1915.9	.201	.043	1.000	1.000	2.285	.544	.0	3.860	495.6	.529	0.000	0.000
% 1916.1	.203	.048	1.000	1.000	2.285	.544	.0	2.792	495.6	.529	0.000	0.000
% 1916.2	.213	.042	1.000	1.000	2.285	.544	.0	6.080	495.6	.529	0.000	0.000
% 1916.4	.224	.043	1.000	1.000	2.285	.544	.0	8.694	495.6	.529	0.000	0.000
% 1916.5	.239	.036	1.000	1.000	2.285	.544	.0	24.018	495.6	.529	0.000	0.000
% 1916.7	.256	.032	1.000	1.000	2.285	.544	.0	51.236	495.6	.529	0.000	0.000
% 1916.8	.257	.031	1.000	1.000	2.285	.544	.0	60.015	495.6	.529	0.000	0.000
% 1917.0	.253	.023	1.000	1.000	2.285	.544	.0	123.289	495.6	.529	0.000	0.000
% 1917.1	.252	.016	1.000	1.000	2.285	.544	.0	278.380	495.6	.529	0.000	0.000
% 1917.3	.242	.016	1.000	1.000	2.285	.544	.0	216.322	495.6	.529	0.000	0.000
% 1917.4	.246	.013	1.000	1.000	2.285	.544	.0	358.203	495.6	.529	0.000	0.000
% 1917.6	.221	.014	1.000	1.000	2.285	.544	.0	159.886	495.6	.529	0.000	0.000
% 1917.7	.206	.016	1.000	1.000	2.285	.544	.0	81.281	495.6	.529	0.000	0.000
% 1917.9	.192	.022	1.000	1.000	2.285	.544	.0	20.450	495.6	.529	0.000	0.000
% 1918.0	.213	.017	1.000	1.000	2.285	.544	.0	87.328	495.6	.529	0.000	0.000
% 1918.2	.215	.016	1.000	1.000	2.285	.544	.0	107.297	495.6	.529	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-B

DEPTH	GROSS POROSITY	VC	SW	SECTION FROM 1865.0 TO 2030.0		CUMUL SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
				SXO	SAND COUNT								
% 1918.3	.203	.017	1.000	1.000	2.285	.544	.0	57.630	495.6	.529	0.000	0.000	
% 1918.5	.193	.021	1.000	1.000	2.285	.544	.0	24.909	495.6	.529	0.000	0.000	
% 1918.6	.191	.024	1.000	1.000	2.285	.544	.0	16.106	495.6	.529	0.000	0.000	
% 1918.8	.199	.026	1.000	1.000	2.285	.544	.0	18.002	495.6	.529	0.000	0.000	
% 1919.0	.210	.024	1.000	1.000	2.285	.544	.0	30.986	495.6	.529	0.000	0.000	
% 1919.1	.228	.016	1.000	1.000	2.285	.544	.0	150.310	495.6	.529	0.000	0.000	
% 1919.3	.238	.005	1.000	1.000	2.285	.544	.0	388.094	495.6	.529	0.000	0.000	
% 1919.4	.237	.004	1.000	1.000	2.285	.544	.0	379.023	495.6	.529	0.000	0.000	
% 1919.6	.229	.003	1.000	1.000	2.285	.544	.0	330.495	495.6	.529	0.000	0.000	
% 1919.7	.224	.008	1.000	1.000	2.285	.544	.0	301.174	495.6	.529	0.000	0.000	
% 1919.9	.215	.006	1.000	1.000	2.285	.544	.0	256.915	495.6	.529	0.000	0.000	
% 1920.0	.234	.000	1.000	1.000	2.285	.544	.0	362.962	495.6	.529	0.000	0.000	
% 1920.2	.241	.000	1.000	1.000	2.285	.544	.0	410.315	495.6	.529	0.000	0.000	
% 1920.3	.234	.000	1.000	1.000	2.285	.544	.0	364.229	495.6	.529	0.000	0.000	
% 1920.5	.219	.009	1.000	1.000	2.285	.544	.0	276.979	495.6	.529	0.000	0.000	
% 1920.6	.216	.010	1.000	1.000	2.285	.544	.0	260.348	495.6	.529	0.000	0.000	
% 1920.8	.235	.005	1.000	1.000	2.285	.544	.0	368.688	495.6	.529	0.000	0.000	
% 1920.9	.247	.002	1.000	1.000	2.285	.544	.0	451.335	495.6	.529	0.000	0.000	
% 1921.1	.250	.001	1.000	1.000	2.285	.544	.0	468.350	495.6	.529	0.000	0.000	
% 1921.2	.250	.006	1.000	1.000	2.285	.544	.0	474.508	495.6	.529	0.000	0.000	
% 1921.4	.242	.008	1.000	1.000	2.285	.544	.0	415.828	495.6	.529	0.000	0.000	
% 1921.5	.231	.014	1.000	1.000	2.285	.544	.0	203.558	495.6	.529	0.000	0.000	
% 1921.7	.220	.015	1.000	1.000	2.285	.544	.0	130.016	495.6	.529	0.000	0.000	
% 1921.8	.210	.016	1.000	1.000	2.285	.544	.0	89.227	495.6	.529	0.000	0.000	
% 1922.0	.203	.014	1.000	1.000	2.285	.544	.0	105.002	495.6	.529	0.000	0.000	
% 1922.2	.181	.018	1.000	1.000	2.285	.544	.0	23.478	495.6	.529	0.000	0.000	
% 1922.3	.150	.035	1.000	1.000	2.285	.544	.0	.887	495.6	.529	0.000	0.000	
% 1922.5	.143	.044	1.000	1.000	2.285	.544	.0	.244	495.6	.529	0.000	0.000	
% 1922.6	.168	.038	1.000	1.000	2.285	.544	.0	1.560	495.6	.529	0.000	0.000	
% 1922.8	.199	.024	1.000	1.000	2.285	.544	.0	21.567	495.6	.529	0.000	0.000	
% 1922.9	.214	.011	1.000	1.000	2.285	.544	.0	254.758	495.6	.529	0.000	0.000	
% 1923.1	.208	.015	1.000	1.000	2.285	.544	.0	94.307	495.6	.529	0.000	0.000	
% 1923.2	.204	.017	1.000	1.000	2.285	.544	.0	60.167	495.6	.529	0.000	0.000	
% 1923.4	.215	.014	1.000	1.000	2.285	.544	.0	130.837	495.6	.529	0.000	0.000	
% 1923.5	.237	.004	1.000	1.000	2.285	.544	.0	379.892	495.6	.529	0.000	0.000	
% 1923.7	.225	.010	1.000	1.000	2.285	.544	.0	309.561	495.6	.529	0.000	0.000	
% 1923.8	.216	.018	1.000	1.000	2.285	.544	.0	77.070	495.6	.529	0.000	0.000	
% 1924.0	.201	.019	1.000	1.000	2.285	.544	.0	42.052	495.6	.529	0.000	0.000	
% 1924.1	.214	.007	1.000	1.000	2.285	.544	.0	251.859	495.6	.529	0.000	0.000	
% 1924.3	.217	.000	1.000	1.000	2.285	.544	.0	269.651	495.6	.529	0.000	0.000	
% 1924.4	.234	.000	1.000	1.000	2.285	.544	.0	360.859	495.6	.529	0.000	0.000	
% 1924.6	.231	.003	1.000	1.000	2.285	.544	.0	344.585	495.6	.529	0.000	0.000	
% 1924.7	.219	.010	1.000	1.000	2.285	.544	.0	277.840	495.6	.529	0.000	0.000	
% 1924.9	.170	.036	1.000	1.000	2.285	.544	.0	1.953	495.6	.529	0.000	0.000	
% 1925.0	.174	.045	1.000	1.000	2.285	.544	.0	1.094	495.6	.529	0.000	0.000	
% 1925.2	.171	.056	1.000	1.000	2.285	.544	.0	.369	495.6	.529	0.000	0.000	
% 1925.4	.199	.055	1.000	1.000	2.285	.544	.0	1.455	495.6	.529	0.000	0.000	
% 1925.5	.210	.053	1.000	1.000	2.285	.544	.0	2.390	495.6	.529	0.000	0.000	
% 1925.7	.232	.053	1.000	1.000	2.285	.544	.0	5.480	495.6	.529	0.000	0.000	
% 1925.8	.267	.048	1.000	1.000	2.285	.544	.0	21.106	495.6	.529	0.000	0.000	

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-B

SECTION FROM 1865.0 TO 2030.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
*%	1926.0	.317	.035	1.000	1.000	2.285	.544	.0	176.758	495.6	.529	0.000	0.000
%	1926.1	.344	.019	1.000	1.000	2.285	.544	.0	1366.556	495.6	.529	0.000	0.000
%	1926.3	.328	.005	1.000	1.000	2.285	.544	.0	1394.856	495.6	.529	0.000	0.000
%	1926.4	.282	.011	1.000	1.000	2.285	.544	.0	762.447	495.6	.529	0.000	0.000
%	1926.6	.254	.020	1.000	1.000	2.285	.544	.0	161.902	495.6	.529	0.000	0.000
%	1926.7	.244	.027	1.000	1.000	2.285	.544	.0	59.523	495.6	.529	0.000	0.000
%	1926.9	.256	.024	1.000	1.000	2.285	.544	.0	108.092	495.6	.529	0.000	0.000
%	1927.0	.254	.022	1.000	1.000	2.285	.544	.0	133.614	495.6	.529	0.000	0.000
%	1927.2	.253	.022	1.000	1.000	2.285	.544	.0	126.109	495.6	.529	0.000	0.000
%	1927.3	.242	.026	1.000	1.000	2.285	.544	.0	62.576	495.6	.529	0.000	0.000
%	1927.5	.229	.032	1.000	1.000	2.285	.544	.0	24.175	495.6	.529	0.000	0.000
%	1927.6	.235	.029	1.000	1.000	2.285	.544	.0	41.008	495.6	.529	0.000	0.000
%	1927.8	.239	.020	1.000	1.000	2.285	.544	.0	111.592	495.6	.529	0.000	0.000
%	1927.9	.236	.017	1.000	1.000	2.285	.544	.0	148.308	495.6	.529	0.000	0.000
%	1928.1	.218	.014	1.000	1.000	2.285	.544	.0	158.204	495.6	.529	0.000	0.000
%	1928.2	.191	.022	1.000	1.000	2.285	.544	.0	20.956	495.6	.529	0.000	0.000
%	1928.4	.181	.021	1.000	1.000	2.285	.544	.0	15.973	495.6	.529	0.000	0.000
%	1928.6	.168	.029	1.000	1.000	2.285	.544	.0	3.722	495.6	.529	0.000	0.000
%	1928.7	.186	.021	1.000	1.000	2.285	.544	.0	19.837	495.6	.529	0.000	0.000
%	1928.9	.200	.013	1.000	1.000	2.285	.544	.0	111.177	495.6	.529	0.000	0.000
%	1929.0	.220	.003	1.000	1.000	2.285	.544	.0	284.379	495.6	.529	0.000	0.000
%	1929.2	.229	.000	1.000	1.000	2.285	.544	.0	333.510	495.6	.529	0.000	0.000
%	1929.3	.236	.000	1.000	1.000	2.285	.544	.0	371.881	495.6	.529	0.000	0.000
%	1929.5	.230	.003	1.000	1.000	2.285	.544	.0	337.287	495.6	.529	0.000	0.000
%	1929.6	.229	.006	1.000	1.000	2.285	.544	.0	333.254	495.6	.529	0.000	0.000
%	1929.8	.240	.005	1.000	1.000	2.285	.544	.0	403.752	495.6	.529	0.000	0.000
%	1929.9	.245	.004	1.000	1.000	2.285	.544	.0	436.482	495.6	.529	0.000	0.000
%	1930.1	.231	.008	1.000	1.000	2.285	.544	.0	342.505	495.6	.529	0.000	0.000
%	1930.2	.210	.016	1.000	1.000	2.285	.544	.0	89.227	495.6	.529	0.000	0.000
%	1930.4	.204	.018	1.000	1.000	2.285	.544	.0	52.002	495.6	.529	0.000	0.000
%	1930.5	.197	.018	1.000	1.000	2.285	.544	.0	42.478	495.6	.529	0.000	0.000
%	1930.7	.189	.020	1.000	1.000	2.285	.544	.0	24.781	495.6	.529	0.000	0.000
%	1930.8	.182	.019	1.000	1.000	2.285	.544	.0	22.594	495.6	.529	0.000	0.000
%	1931.0	.172	.021	1.000	1.000	2.285	.544	.0	10.725	495.6	.529	0.000	0.000
%	1931.1	.154	.029	1.000	1.000	2.285	.544	.0	2.063	495.6	.529	0.000	0.000
%	1931.3	.142	.032	1.000	1.000	2.285	.544	.0	.822	495.6	.529	0.000	0.000
%	1931.4	.169	.020	1.000	1.000	2.285	.544	.0	11.679	495.6	.529	0.000	0.000
%	1931.6	.198	.004	1.000	1.000	2.285	.544	.0	186.455	495.6	.529	0.000	0.000
%	1931.8	.199	.002	1.000	1.000	2.285	.544	.0	189.710	495.6	.529	0.000	0.000
%	1931.9	.188	.007	1.000	1.000	2.285	.544	.0	150.326	495.6	.529	0.000	0.000
%	1932.1	.230	.000	1.000	1.000	2.285	.544	.0	337.397	495.6	.529	0.000	0.000
%	1932.2	.281	.000	1.000	1.000	2.285	.544	.0	756.519	495.6	.529	0.000	0.000
%	1932.4	.289	.012	1.000	1.000	2.285	.544	.0	837.191	495.6	.529	0.000	0.000
%	1932.5	.330	.018	1.000	1.000	2.285	.544	.0	1151.016	495.6	.529	0.000	0.000
*%	1932.7	.287	.051	1.000	1.000	2.285	.544	.0	28.959	495.6	.529	0.000	0.000
*%	1932.8	.223	.077	1.000	1.000	2.285	.544	.0	.790	495.6	.529	0.000	0.000
*%	1933.0	.158	.100	1.000	1.000	2.285	.544	.0	.003	495.6	.529	0.000	0.000
%	1933.1	.138	.093	1.000	1.000	2.285	.544	.0	.001	495.6	.529	0.000	0.000
%	1933.3	.125	.082	1.000	1.000	2.285	.544	.0	.001	495.6	.529	0.000	0.000
%	1933.4	.095	.084	1.000	1.000	2.285	.544	.0	.000	495.6	.529	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-B

SECTION FROM 1865.0 TO 2030.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
X 1933.6	.086	.076	1.000	1.000	2.285	.544	.0	.000	495.6	.529	0.000	0.000
X 1933.7	.085	.072	1.000	1.000	2.285	.544	.0	.000	495.6	.529	0.000	0.000
X 1933.9	.075	.072	1.000	1.000	2.285	.544	.0	.000	495.6	.529	0.000	0.000
X 1934.0	.066	.065	1.000	1.000	2.285	.544	.0	.000	495.6	.529	0.000	0.000
X 1934.2	.082	.077	1.000	1.000	2.285	.544	.0	.000	495.6	.529	0.000	0.000
X 1934.3	.109	.076	1.000	1.000	2.285	.544	.0	.000	495.6	.529	0.000	0.000
X 1934.5	.113	.071	1.000	1.000	2.285	.544	.0	.001	495.6	.529	0.000	0.000
X 1934.6	.113	.069	1.000	1.000	2.285	.544	.0	.001	495.6	.529	0.000	0.000
X 1934.8	.118	.057	1.000	1.000	2.285	.544	.0	.008	495.6	.529	0.000	0.000
X 1935.0	.128	.051	1.000	1.000	2.285	.544	.0	.043	495.6	.529	0.000	0.000
X 1935.1	.135	.047	1.000	1.000	2.285	.544	.0	1.00	495.6	.529	0.000	0.000
X 1935.3	.130	.061	1.000	1.000	2.285	.544	.0	.016	495.6	.529	0.000	0.000
X 1935.4	.131	.063	1.000	1.000	2.285	.544	.0	.014	495.6	.529	0.000	0.000
X 1935.6	.150	.054	1.000	1.000	2.285	.544	.0	.130	495.6	.529	0.000	0.000
X 1935.7	.169	.035	1.000	1.000	2.285	.544	.0	2.030	495.6	.529	0.000	0.000
X 1935.9	.172	.036	1.000	1.000	2.285	.544	.0	2.063	495.6	.529	0.000	0.000
X 1936.0	.169	.039	1.000	1.000	2.285	.544	.0	1.534	495.6	.529	0.000	0.000
X 1936.2	.160	.051	1.000	1.000	2.285	.544	.0	.327	495.6	.529	0.000	0.000
X 1936.3	.163	.052	1.000	1.000	2.285	.544	.0	.331	495.6	.529	0.000	0.000
X 1936.5	.166	.051	1.000	1.000	2.285	.544	.0	.437	495.6	.529	0.000	0.000
X 1936.6	.167	.045	1.000	1.000	2.285	.544	.0	.744	495.6	.529	0.000	0.000
X 1936.8	.168	.035	1.000	1.000	2.285	.544	.0	1.957	495.6	.529	0.000	0.000
X 1936.9	.154	.046	1.000	1.000	2.285	.544	.0	.361	495.6	.529	0.000	0.000
X 1937.1	.154	.056	1.000	1.000	2.285	.544	.0	.142	495.6	.529	0.000	0.000
X 1937.2	.173	.068	1.000	1.000	2.285	.544	.0	.152	495.6	.529	0.000	0.000
X 1937.4	.195	.067	1.000	1.000	2.285	.544	.0	.473	495.6	.529	0.000	0.000
X 1937.5	.215	.057	1.000	1.000	2.285	.544	.0	2.250	495.6	.529	0.000	0.000
X 1937.7	.208	.035	1.000	1.000	2.285	.544	.0	10.027	495.6	.529	0.000	0.000
X 1937.8	.186	.016	1.000	1.000	2.285	.544	.0	39.137	495.6	.529	0.000	0.000
X 1938.0	.166	.009	1.000	1.000	2.285	.544	.0	85.089	495.6	.529	0.000	0.000
X 1938.2	.178	.008	1.000	1.000	2.285	.544	.0	120.793	495.6	.529	0.000	0.000
X 1938.3	.203	.008	1.000	1.000	2.285	.544	.0	202.951	495.6	.529	0.000	0.000
X 1938.5	.214	.009	1.000	1.000	2.285	.544	.0	253.307	495.6	.529	0.000	0.000
X 1938.6	.194	.016	1.000	1.000	2.285	.544	.0	54.367	495.6	.529	0.000	0.000
X 1938.8	.171	.021	1.000	1.000	2.285	.544	.0	11.609	495.6	.529	0.000	0.000
X 1938.9	.162	.020	1.000	1.000	2.285	.544	.0	8.486	495.6	.529	0.000	0.000
X 1939.1	.139	.028	1.000	1.000	2.285	.544	.0	1.022	495.6	.529	0.000	0.000
X 1939.2	.141	.029	1.000	1.000	2.285	.544	.0	1.030	495.6	.529	0.000	0.000
X 1939.4	.148	.028	1.000	1.000	2.285	.544	.0	1.703	495.6	.529	0.000	0.000
X 1939.5	.159	.022	1.000	1.000	2.285	.544	.0	5.657	495.6	.529	0.000	0.000
X 1939.7	.141	.028	1.000	1.000	2.285	.544	.0	1.158	495.6	.529	0.000	0.000
X 1939.8	.125	.031	1.000	1.000	2.285	.544	.0	.337	495.6	.529	0.000	0.000
X 1940.0	.114	.033	1.000	1.000	2.285	.544	.0	.116	495.6	.529	0.000	0.000
X 1940.1	.114	.034	1.000	1.000	2.285	.544	.0	.108	495.6	.529	0.000	0.000
X 1940.3	.121	.037	1.000	1.000	2.285	.544	.0	.121	495.6	.529	0.000	0.000
X 1940.4	.118	.054	1.000	1.000	2.285	.544	.0	.013	495.6	.529	0.000	0.000
X 1940.6	.127	.064	1.000	1.000	2.285	.544	.0	.008	495.6	.529	0.000	0.000
X 1940.7	.142	.072	1.000	1.000	2.285	.544	.0	.013	495.6	.529	0.000	0.000
X 1940.9	.161	.073	1.000	1.000	2.285	.544	.0	.048	495.6	.529	0.000	0.000
X 1941.0	.178	.061	1.000	1.000	2.285	.544	.0	.332	495.6	.529	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-B

SECTION FROM 1865.0 TO 2030.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	1941.2	.165	.066	1.000	1.000	2.285	.544	.0	.113	495.6	.529	0.000	0.000
%	1941.4	.163	.063	1.000	1.000	2.285	.544	.0	.127	495.6	.529	0.000	0.000
%	1941.5	.156	.066	1.000	1.000	2.285	.544	.0	.065	495.6	.529	0.000	0.000
%	1941.7	.178	.059	1.000	1.000	2.285	.544	.0	.387	495.6	.529	0.000	0.000
%	1941.8	.168	.058	1.000	1.000	2.285	.544	.0	.264	495.6	.529	0.000	0.000
%	1942.0	.163	.068	1.000	1.000	2.285	.544	.0	.081	495.6	.529	0.000	0.000
%	1942.1	.164	.069	1.000	1.000	2.285	.544	.0	.081	495.6	.529	0.000	0.000
%	1942.3	.181	.066	1.000	1.000	2.285	.544	.0	.263	495.6	.529	0.000	0.000
%	1942.4	.191	.062	1.000	1.000	2.285	.544	.0	.617	495.6	.529	0.000	0.000
%	1942.6	.174	.072	1.000	1.000	2.285	.544	.0	.110	495.6	.529	0.000	0.000
%	1942.7	.188	.078	1.000	1.000	2.285	.544	.0	.152	495.6	.529	0.000	0.000
%	1942.9	.207	.062	1.000	1.000	2.285	.544	.0	1.227	495.6	.529	0.000	0.000
%	1943.0	.229	.040	1.000	1.000	2.285	.544	.0	12.894	495.6	.529	0.000	0.000
%	1943.2	.208	.025	1.000	1.000	2.285	.544	.0	24.903	495.6	.529	0.000	0.000
%	1943.3	.175	.038	1.000	1.000	2.285	.544	.0	2.024	495.6	.529	0.000	0.000
%	1943.5	.160	.037	1.000	1.000	2.285	.544	.0	1.195	495.6	.529	0.000	0.000
%	1943.6	.158	.033	1.000	1.000	2.285	.544	.0	1.577	495.6	.529	0.000	0.000
%	1943.8	.171	.027	1.000	1.000	2.285	.544	.0	5.437	495.6	.529	0.000	0.000
%	1943.9	.157	.034	1.000	1.000	2.285	.544	.0	1.426	495.6	.529	0.000	0.000
%	1944.1	.142	.047	1.000	1.000	2.285	.544	.0	.164	495.6	.529	0.000	0.000
%	1944.2	.123	.056	1.000	1.000	2.285	.544	.0	.016	495.6	.529	0.000	0.000
%	1944.4	.119	.055	1.000	1.000	2.285	.544	.0	.013	495.6	.529	0.000	0.000
%	1944.6	.123	.056	1.000	1.000	2.285	.544	.0	.016	495.6	.529	0.000	0.000
%	1944.7	.117	.052	1.000	1.000	2.285	.544	.0	.016	495.6	.529	0.000	0.000
%	1944.9	.109	.061	1.000	1.000	2.285	.544	.0	.002	495.6	.529	0.000	0.000
%	1945.0	.108	.058	1.000	1.000	2.285	.544	.0	.003	495.6	.529	0.000	0.000
%	1945.2	.119	.057	1.000	1.000	2.285	.544	.0	.010	495.6	.529	0.000	0.000
%	1945.3	.130	.049	1.000	1.000	2.285	.544	.0	.064	495.6	.529	0.000	0.000
%	1945.5	.126	.052	1.000	1.000	2.285	.544	.0	.030	495.6	.529	0.000	0.000
%	1945.6	.119	.053	1.000	1.000	2.285	.544	.0	.015	495.6	.529	0.000	0.000
%	1945.8	.110	.055	1.000	1.000	2.285	.544	.0	.005	495.6	.529	0.000	0.000
%	1945.9	.131	.041	1.000	1.000	2.285	.544	.0	.162	495.6	.529	0.000	0.000
%	1946.1	.144	.036	1.000	1.000	2.285	.544	.0	.575	495.6	.529	0.000	0.000
%	1946.2	.157	.030	1.000	1.000	2.285	.544	.0	2.082	495.6	.529	0.000	0.000
%	1946.4	.148	.028	1.000	1.000	2.285	.544	.0	1.664	495.6	.529	0.000	0.000
%	1946.5	.134	.028	1.000	1.000	2.285	.544	.0	.834	495.6	.529	0.000	0.000
%	1946.7	.120	.031	1.000	1.000	2.285	.544	.0	.238	495.6	.529	0.000	0.000
%	1946.8	.098	.041	1.000	1.000	2.285	.544	.0	.011	495.6	.529	0.000	0.000
%	1947.0	.097	.044	1.000	1.000	2.285	.544	.0	.006	495.6	.529	0.000	0.000
%	1947.1	.115	.039	1.000	1.000	2.285	.544	.0	.062	495.6	.529	0.000	0.000
%	1947.3	.140	.032	1.000	1.000	2.285	.544	.0	.678	495.6	.529	0.000	0.000
%	1947.4	.136	.030	1.000	1.000	2.285	.544	.0	.674	495.6	.529	0.000	0.000
%	1947.6	.120	.030	1.000	1.000	2.285	.544	.0	.283	495.6	.529	0.000	0.000
%	1947.8	.096	.037	1.000	1.000	2.285	.544	.0	.016	495.6	.529	0.000	0.000
%	1947.9	.105	.045	1.000	1.000	2.285	.544	.0	.012	495.6	.529	0.000	0.000
%	1948.1	.113	.057	1.000	1.000	2.285	.544	.0	.006	495.6	.529	0.000	0.000
%	1948.2	.119	.057	1.000	1.000	2.285	.544	.0	.011	495.6	.529	0.000	0.000
%	1948.4	.122	.046	1.000	1.000	2.285	.544	.0	.050	495.6	.529	0.000	0.000
%	1948.5	.140	.038	1.000	1.000	2.285	.544	.0	.382	495.6	.529	0.000	0.000
%	1948.7	.155	.037	1.000	1.000	2.285	.544	.0	.917	495.6	.529	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-B

		SECTION FROM 1865.0 TO 2030.0											
DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW	
% 1948.8	.165	.039	1.000	1.000	2.285	.544	.0	1.231	495.6	.529	0.000	0.000	
% 1949.0	.149	.051	1.000	1.000	2.285	.544	.0	.165	495.6	.529	0.000	0.000	
% 1949.1	.145	.058	1.000	1.000	2.285	.544	.0	.071	495.6	.529	0.000	0.000	
% 1949.3	.150	.062	1.000	1.000	2.285	.544	.0	.061	495.6	.529	0.000	0.000	
% 1949.4	.185	.048	1.000	1.000	2.285	.544	.0	1.341	495.6	.529	0.000	0.000	
% 1949.6	.203	.037	1.000	1.000	2.285	.544	.0	7.048	495.6	.529	0.000	0.000	
% 1949.7	.189	.043	1.000	1.000	2.285	.544	.0	2.428	495.6	.529	0.000	0.000	
% 1949.9	.174	.045	1.000	1.000	2.285	.544	.0	1.094	495.6	.529	0.000	0.000	
% 1950.0	.165	.051	1.000	1.000	2.285	.544	.0	.396	495.6	.529	0.000	0.000	
% 1950.2	.183	.046	1.000	1.000	2.285	.544	.0	1.483	495.6	.529	0.000	0.000	
% 1950.3	.205	.040	1.000	1.000	2.285	.544	.0	5.546	495.6	.529	0.000	0.000	
% 1950.5	.222	.038	1.000	1.000	2.285	.544	.0	11.598	495.6	.529	0.000	0.000	
% 1950.6	.240	.030	1.000	1.000	2.285	.544	.0	41.603	495.6	.529	0.000	0.000	
% 1950.8	.228	.030	1.000	1.000	2.285	.544	.0	29.098	495.6	.529	0.000	0.000	
% 1951.0	.211	.026	1.000	1.000	2.285	.544	.0	25.333	495.6	.529	0.000	0.000	
% 1951.1	.200	.021	1.000	1.000	2.285	.544	.0	30.114	495.6	.529	0.000	0.000	
% 1951.3	.201	.022	1.000	1.000	2.285	.544	.0	28.491	495.6	.529	0.000	0.000	
% 1951.4	.206	.022	1.000	1.000	2.285	.544	.0	34.655	495.6	.529	0.000	0.000	
% 1951.6	.194	.031	1.000	1.000	2.285	.544	.0	8.722	495.6	.529	0.000	0.000	
% 1951.7	.189	.031	1.000	1.000	2.285	.544	.0	7.227	495.6	.529	0.000	0.000	
% 1951.9	.184	.027	1.000	1.000	2.285	.544	.0	9.053	495.6	.529	0.000	0.000	
% 1952.0	.190	.026	1.000	1.000	2.285	.544	.0	12.516	495.6	.529	0.000	0.000	
% 1952.2	.207	.021	1.000	1.000	2.285	.544	.0	42.041	495.6	.529	0.000	0.000	
% 1952.3	.208	.029	1.000	1.000	2.285	.544	.0	17.072	495.6	.529	0.000	0.000	
% 1952.5	.208	.030	1.000	1.000	2.285	.544	.0	16.084	495.6	.529	0.000	0.000	
% 1952.6	.199	.036	1.000	1.000	2.285	.544	.0	6.081	495.6	.529	0.000	0.000	
% 1952.8	.234	.028	1.000	1.000	2.285	.544	.0	42.744	495.6	.529	0.000	0.000	
% 1952.9	.256	.023	1.000	1.000	2.285	.544	.0	120.573	495.6	.529	0.000	0.000	
% 1953.1	.261	.013	1.000	1.000	2.285	.544	.0	560.571	495.6	.529	0.000	0.000	
% 1953.2	.236	.016	1.000	1.000	2.285	.544	.0	182.519	495.6	.529	0.000	0.000	
% 1953.4	.238	.010	1.000	1.000	2.285	.544	.0	385.817	495.6	.529	0.000	0.000	
% 1953.5	.234	.013	1.000	1.000	2.285	.544	.0	281.737	495.6	.529	0.000	0.000	
% 1953.7	.230	.011	1.000	1.000	2.285	.544	.0	337.826	495.6	.529	0.000	0.000	
% 1953.9	.205	.008	1.000	1.000	2.285	.544	.0	213.029	495.6	.529	0.000	0.000	
% 1954.0	.213	.000	1.000	1.000	2.285	.544	.0	247.919	495.6	.529	0.000	0.000	
% 1954.2	.210	.000	1.000	1.000	2.285	.544	.0	232.820	495.6	.529	0.000	0.000	
% 1954.3	.195	.000	1.000	1.000	2.285	.544	.0	175.533	495.6	.529	0.000	0.000	
% 1954.5	.176	.010	1.000	1.000	2.285	.544	.0	85.108	495.6	.529	0.000	0.000	
% 1954.6	.163	.023	1.000	1.000	2.285	.544	.0	5.890	495.6	.529	0.000	0.000	
% 1954.8	.189	.022	1.000	1.000	2.285	.544	.0	19.121	495.6	.529	0.000	0.000	
% 1954.9	.218	.012	1.000	1.000	2.285	.544	.0	213.246	495.6	.529	0.000	0.000	
% 1955.1	.225	.014	1.000	1.000	2.285	.544	.0	186.110	495.6	.529	0.000	0.000	
% 1955.2	.205	.028	1.000	1.000	2.285	.544	.0	15.939	495.6	.529	0.000	0.000	
% 1955.4	.167	.051	1.000	1.000	2.285	.544	.0	.473	495.6	.529	0.000	0.000	
% 1955.5	.176	.050	1.000	1.000	2.285	.544	.0	.768	495.6	.529	0.000	0.000	
% 1955.7	.192	.042	1.000	1.000	2.285	.544	.0	2.890	495.6	.529	0.000	0.000	
% 1955.8	.217	.029	1.000	1.000	2.285	.544	.0	21.988	495.6	.529	0.000	0.000	
% 1956.0	.224	.019	1.000	1.000	2.285	.544	.0	86.039	495.6	.529	0.000	0.000	
% 1956.1	.202	.025	1.000	1.000	2.285	.544	.0	21.009	495.6	.529	0.000	0.000	
% 1956.3	.177	.025	1.000	1.000	2.285	.544	.0	8.242	495.6	.529	0.000	0.000	

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-B

SECTION FROM 1865.0 TO 2030.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	1956.4	.148	.034	1.000	1.000	2.285	.544	.0	.864	495.6	.529	0.000	0.000
%	1956.6	.167	.020	1.000	1.000	2.285	.544	.0	9.959	495.6	.529	0.000	0.000
%	1956.7	.155	.029	1.000	1.000	2.285	.544	.0	2.191	495.6	.529	0.000	0.000
%	1956.9	.170	.027	1.000	1.000	2.285	.544	.0	5.044	495.6	.529	0.000	0.000
%	1957.1	.189	.028	1.000	1.000	2.285	.544	.0	9.413	495.6	.529	0.000	0.000
%	1957.2	0.0000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
%	1957.4	.232	.016	1.000	1.000	2.285	.544	.0	168.375	495.6	.529	0.000	0.000
%	1957.5	.224	.016	1.000	1.000	2.285	.544	.0	121.192	495.6	.529	0.000	0.000
%	1957.7	.235	.012	1.000	1.000	2.285	.544	.0	340.317	495.6	.529	0.000	0.000
%	1957.8	.215	.019	1.000	1.000	2.285	.544	.0	64.406	495.6	.529	0.000	0.000
%	1958.0	.231	.017	1.000	1.000	2.285	.544	.0	143.532	495.6	.529	0.000	0.000
%	1958.1	0.0000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
%	1958.3	.285	.005	1.000	1.000	2.285	.544	.0	797.816	495.6	.529	0.000	0.000
%	1958.4	0.0000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
%	1958.6	.281	.000	1.000	1.000	2.285	.544	.0	755.585	495.6	.529	0.000	0.000
%	1958.7	.267	.000	1.000	1.000	2.285	.544	.0	617.742	495.6	.529	0.000	0.000
%	1958.9	0.0000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
%	1959.0	0.0000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
%	1959.2	.207	.017	1.000	1.000	2.285	.544	.0	72.491	495.6	.529	0.000	0.000
%	1959.3	0.0000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
%	1959.5	.208	.013	1.000	1.000	2.285	.544	.0	139.103	495.6	.529	0.000	0.000
%	1959.6	.194	.013	1.000	1.000	2.285	.544	.0	82.477	495.6	.529	0.000	0.000
%	1959.8	.197	.011	1.000	1.000	2.285	.544	.0	135.376	495.6	.529	0.000	0.000
%	1959.9	.183	.019	1.000	1.000	2.285	.544	.0	24.382	495.6	.529	0.000	0.000
%	1960.1	.152	.040	1.000	1.000	2.285	.544	.0	.600	495.6	.529	0.000	0.000
%	1960.3	.179	.040	1.000	1.000	2.285	.544	.0	2.064	495.6	.529	0.000	0.000
%	1960.4	.219	.026	1.000	1.000	2.285	.544	.0	32.317	495.6	.529	0.000	0.000
%	1960.6	.217	.018	1.000	1.000	2.285	.544	.0	84.973	495.6	.529	0.000	0.000
%	1960.7	0.0000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
%	1960.9	0.0000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
%	1961.0	0.0000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
%	1961.2	.135	.021	1.000	1.000	2.285	.544	.0	2.209	495.6	.529	0.000	0.000
%	1961.3	0.0000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
%	1961.5	.170	.006	1.000	1.000	2.285	.544	.0	101.494	495.6	.529	0.000	0.000
%	1961.6	.167	.007	1.000	1.000	2.285	.544	.0	93.559	495.6	.529	0.000	0.000
%	1961.8	.166	.007	1.000	1.000	2.285	.544	.0	90.748	495.6	.529	0.000	0.000
%	1961.9	.172	.019	1.000	1.000	2.285	.544	.0	16.143	495.6	.529	0.000	0.000
%	1962.1	.188	.024	1.000	1.000	2.285	.544	.0	14.335	495.6	.529	0.000	0.000
%	1962.2	.197	.029	1.000	1.000	2.285	.544	.0	11.503	495.6	.529	0.000	0.000
%	1962.4	.215	.032	1.000	1.000	2.285	.544	.0	16.431	495.6	.529	0.000	0.000
%	1962.5	.218	.029	1.000	1.000	2.285	.544	.0	24.291	495.6	.529	0.000	0.000
%	1962.7	.222	.027	1.000	1.000	2.285	.544	.0	31.538	495.6	.529	0.000	0.000
%	1962.8	.216	.027	1.000	1.000	2.285	.544	.0	25.795	495.6	.529	0.000	0.000
%	1963.0	0.0000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
%	1963.1	0.0000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
%	1963.3	.215	.013	1.000	1.000	2.285	.544	.0	162.046	495.6	.529	0.000	0.000
%	1963.4	.193	.012	1.000	1.000	2.285	.544	.0	108.671	495.6	.529	0.000	0.000
%	1963.6	.208	.000	1.000	1.000	2.285	.544	.0	227.541	495.6	.529	0.000	0.000
%	1963.8	.210	.000	1.000	1.000	2.285	.544	.0	235.204	495.6	.529	0.000	0.000
%	1963.9	.240	.000	1.000	1.000	2.285	.544	.0	402.220	495.6	.529	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-B

SECTION FROM 1865.0 TO 2030.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	1964.1	.231	.000	1.000	1.000	2.285	.544	.0	342.359	495.6	.529	0.000	0.000
%	1964.2	.234	.000	1.000	1.000	2.285	.544	.0	364.017	495.6	.529	0.000	0.000
%	1964.4	.207	.008	1.000	1.000	2.285	.544	.0	222.746	495.6	.529	0.000	0.000
%	1964.5	.181	.006	1.000	1.000	2.285	.544	.0	129.995	495.6	.529	0.000	0.000
%	1964.7	.130	.016	1.000	1.000	2.285	.544	.0	3.470	495.6	.529	0.000	0.000
%	1964.8	0.000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
%	1965.0	.242	.001	1.000	1.000	2.285	.544	.0	415.658	495.6	.529	0.000	0.000
%	1965.1	.301	.001	1.000	1.000	2.285	.544	.0	995.026	495.6	.529	0.000	0.000
%	1965.3	.274	.008	1.000	1.000	2.285	.544	.0	682.059	495.6	.529	0.000	0.000
%	1965.4	.210	.008	1.000	1.000	2.285	.544	.0	236.078	495.6	.529	0.000	0.000
%	1965.6	.222	.000	1.000	1.000	2.285	.544	.0	292.389	495.6	.529	0.000	0.000
%	1965.7	0.000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
%	1965.9	0.000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
*%	1966.0	0.000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
*%	1966.2	0.000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
*%	1966.3	0.000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
*%	1966.5	0.000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
%	1966.6	0.000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
*%	1966.8	0.000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
*%	1967.0	0.000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
*%	1967.1	0.000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
*%	1967.3	0.000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
*%	1967.4	0.000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
*%	1967.6	0.000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
*%	1967.7	0.000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
%	1967.9	0.000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
%	1968.0	0.000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
%	1968.2	0.000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
%	1968.3	0.000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
%	1968.5	0.000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
%	1968.6	0.000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
%	1968.8	0.000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
%	1968.9	0.000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
*%	1969.1	0.000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
%	1969.2	0.000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
%	1969.4	0.000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
%	1969.5	.114	.086	1.000	1.000	2.285	.544	.0	.000	495.6	.529	0.000	0.000
%	1969.7	.123	.069	1.000	1.000	2.285	.544	.0	.003	495.6	.529	0.000	0.000
%	1969.9	.143	.052	1.000	1.000	2.285	.544	.0	.112	495.6	.529	0.000	0.000
%	1970.0	.153	.032	1.000	1.000	2.285	.544	.0	1.432	495.6	.529	0.000	0.000
%	1970.2	.164	.021	1.000	1.000	2.285	.544	.0	8.478	495.6	.529	0.000	0.000
%	1970.3	.173	.009	1.000	1.000	2.285	.544	.0	93.951	495.6	.529	0.000	0.000
%	1970.5	.167	.017	1.000	1.000	2.285	.544	.0	17.820	495.6	.529	0.000	0.000
%	1970.6	.160	.021	1.000	1.000	2.285	.544	.0	6.822	495.6	.529	0.000	0.000
%	1970.8	.157	.027	1.000	1.000	2.285	.544	.0	3.021	495.6	.529	0.000	0.000
%	1970.9	.180	.017	1.000	1.000	2.285	.544	.0	29.006	495.6	.529	0.000	0.000
%	1971.1	.172	.022	1.000	1.000	2.285	.544	.0	9.430	495.6	.529	0.000	0.000
%	1971.2	.166	.026	1.000	1.000	2.285	.544	.0	5.039	495.6	.529	0.000	0.000
%	1971.4	.159	.028	1.000	1.000	2.285	.544	.0	2.920	495.6	.529	0.000	0.000
%	1971.5	.198	.010	1.000	1.000	2.285	.544	.0	177.177	495.6	.529	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-B

SECTION FROM 1865.0 TO 2030.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	1971.7	.187	.008	1.000	1.000	2.285	.544	.0	147.162	495.6	.529	0.000	0.000
%	1971.8	.165	.011	1.000	1.000	2.285	.544	.0	42.647	495.6	.529	0.000	0.000
%	1972.0	.130	.025	1.000	1.000	2.285	.544	.0	1.011	495.6	.529	0.000	0.000
%	1972.1	.155	.021	1.000	1.000	2.285	.544	.0	5.757	495.6	.529	0.000	0.000
%	1972.3	.188	.017	1.000	1.000	2.285	.544	.0	34.856	495.6	.529	0.000	0.000
%	1972.4	.185	.017	1.000	1.000	2.285	.544	.0	35.066	495.6	.529	0.000	0.000
%	1972.6	.168	.014	1.000	1.000	2.285	.544	.0	26.281	495.6	.529	0.000	0.000
%	1972.7	.118	.023	1.000	1.000	2.285	.544	.0	.578	495.6	.529	0.000	0.000
%	1972.9	.112	.027	1.000	1.000	2.285	.544	.0	.229	495.6	.529	0.000	0.000
%	1973.1	.142	.021	1.000	1.000	2.285	.544	.0	2.897	495.6	.529	0.000	0.000
%	1973.2	.184	.007	1.000	1.000	2.285	.544	.0	137.530	495.6	.529	0.000	0.000
%	1973.4	.182	.005	1.000	1.000	2.285	.544	.0	132.678	495.6	.529	0.000	0.000
%	1973.5	.161	.011	1.000	1.000	2.285	.544	.0	35.378	495.6	.529	0.000	0.000
%	1973.7	.146	.016	1.000	1.000	2.285	.544	.0	8.478	495.6	.529	0.000	0.000
%	1973.8	.143	.012	1.000	1.000	2.285	.544	.0	14.986	495.6	.529	0.000	0.000
%	1974.0	.128	.011	1.000	1.000	2.285	.544	.0	9.663	495.6	.529	0.000	0.000
%	1974.1	.117	.007	1.000	1.000	2.285	.544	.0	15.390	495.6	.529	0.000	0.000
%	1974.3	.108	.010	1.000	1.000	2.285	.544	.0	3.308	495.6	.529	0.000	0.000
%	1974.4	.096	.015	1.000	1.000	2.285	.544	.0	.528	495.6	.529	0.000	0.000
%	1974.6	.089	.021	1.000	1.000	2.285	.544	.0	.101	495.6	.529	0.000	0.000
%	1974.7	.101	.013	1.000	1.000	2.285	.544	.0	1.144	495.6	.529	0.000	0.000
%	1974.9	.096	.014	1.000	1.000	2.285	.544	.0	.702	495.6	.529	0.000	0.000
%	1975.0	.086	.017	1.000	1.000	2.285	.544	.0	.185	495.6	.529	0.000	0.000
%	1975.2	.096	.017	1.000	1.000	2.285	.544	.0	.354	495.6	.529	0.000	0.000
%	1975.3	.119	.009	1.000	1.000	2.285	.544	.0	8.925	495.6	.529	0.000	0.000
%	1975.5	.113	.018	1.000	1.000	2.285	.544	.0	1.048	495.6	.529	0.000	0.000
%	1975.6	.123	.014	1.000	1.000	2.285	.544	.0	3.533	495.6	.529	0.000	0.000
%	1975.8	.137	.004	1.000	1.000	2.285	.544	.0	42.241	495.6	.529	0.000	0.000
%	1975.9	0.000	0.000	1.000	1.000	2.285	.544	.0	-999.999	495.6	.529	0.000	0.000
%	1976.1	.249	.000	.799	.799	2.438	.582	.0	466.522	567.1	.560	0.000	0.000
%	1976.3	0.000	0.000	1.000	1.000	2.438	.582	.0	-999.999	567.1	.560	0.000	0.000
%	1976.4	.216	.000	.968	.968	2.591	.615	.0	262.088	607.1	.592	0.000	0.000
%	1976.6	.160	.015	1.000	1.000	2.591	.615	.0	16.777	607.1	.592	0.000	0.000
%	1976.7	.169	.016	1.000	1.000	2.591	.615	.0	21.773	607.1	.592	0.000	0.000
%	1976.9	.162	.023	1.000	1.000	2.591	.615	.0	5.704	607.1	.592	0.000	0.000
%	1977.0	.187	.017	.972	1.000	2.743	.644	.0	36.463	612.7	.619	0.000	0.000
%	1977.2	.211	.015	.902	.902	2.896	.676	.0	99.173	627.8	.648	0.000	0.000
%	1977.3	.209	.009	.969	.969	3.048	.708	.0	228.842	662.6	.679	0.000	0.000
%	1977.5	.194	.007	1.000	1.000	3.048	.708	.0	170.354	662.6	.679	0.000	0.000
%	1977.6	.157	.011	1.000	1.000	3.048	.708	.0	32.801	662.6	.679	0.000	0.000
%	1977.8	.173	.008	1.000	1.000	3.048	.708	.0	107.931	662.6	.679	0.000	0.000
%	1977.9	.138	.021	1.000	1.000	3.048	.708	.0	2.448	662.6	.679	0.000	0.000
%	1978.1	.138	.024	1.000	1.000	3.048	.708	.0	1.634	662.6	.679	0.000	0.000
%	1978.2	.149	.029	1.000	1.000	3.048	.708	.0	1.581	662.6	.679	0.000	0.000
%	1978.4	.211	.014	.938	.938	3.201	.740	.0	123.970	681.6	.709	0.000	0.000
%	1978.5	.247	.008	.820	.820	3.353	.778	.0	450.274	749.9	.740	0.000	0.000
%	1978.7	.233	.006	.883	.926	3.505	.813	.0	355.313	804.0	.771	0.000	0.000
%	1978.8	.197	.014	1.000	1.000	3.505	.813	.0	87.595	804.0	.771	0.000	0.000
%	1979.0	.138	.020	1.000	1.000	3.505	.813	.0	2.911	804.0	.771	0.000	0.000
%	1979.1	.147	.010	1.000	1.000	3.505	.813	.0	26.174	804.0	.771	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-B

SECTION FROM 1865.0 TO 2030.0

DEPTH	GROSS POROSITY	VC	SW	SECTION FROM SXO	1865.0 TO SAND COUNT	2030.0 CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 1979.3	.169	.005	1.000	1.000	3.505	.813	.0	98.266	804.0	.771	0.000	0.000
% 1979.5	.200	.008	1.000	1.000	3.505	.813	.0	193.629	804.0	.771	0.000	0.000
% 1979.6	.231	.010	1.000	1.000	3.505	.813	.0	344.730	804.0	.771	0.000	0.000
% 1979.8	.241	.007	1.000	1.000	3.505	.813	.0	406.270	804.0	.771	0.000	0.000
% 1979.9	.216	.009	1.000	1.000	3.505	.813	.0	265.029	804.0	.771	0.000	0.000
% 1980.1	.157	.019	1.000	1.000	3.505	.813	.0	8.073	804.0	.771	0.000	0.000
% 1980.2	.089	.035	1.000	1.000	3.505	.813	.0	.010	804.0	.771	0.000	0.000
% 1980.4	.079	.037	1.000	1.000	3.505	.813	.0	.002	804.0	.771	0.000	0.000
% 1980.5	.067	.047	1.000	1.000	3.505	.813	.0	.000	804.0	.771	0.000	0.000
% 1980.7	.067	.057	1.000	1.000	3.505	.813	.0	.000	804.0	.771	0.000	0.000
% 1980.8	.069	.068	1.000	1.000	3.505	.813	.0	.000	804.0	.771	0.000	0.000
% 1981.0	.086	.084	1.000	1.000	3.505	.813	.0	.000	804.0	.771	0.000	0.000
% 1981.1	.157	.069	1.000	1.000	3.505	.813	.0	.055	804.0	.771	0.000	0.000
% 1981.3	.151	.065	1.000	1.000	3.505	.813	.0	.055	804.0	.771	0.000	0.000
% 1981.4	.154	.059	1.000	1.000	3.505	.813	.0	.109	804.0	.771	0.000	0.000
% 1981.6	.114	.072	1.000	1.000	3.505	.813	.0	.001	804.0	.771	0.000	0.000
% 1981.7	.155	.062	1.000	1.000	3.505	.813	.0	.085	804.0	.771	0.000	0.000
% 1981.9	.180	.058	1.000	1.000	3.505	.813	.0	.493	804.0	.771	0.000	0.000
% 1982.0	.191	.052	1.000	1.000	3.505	.813	.0	1.258	804.0	.771	0.000	0.000
% 1982.2	.185	.046	1.000	1.000	3.505	.813	.0	1.624	804.0	.771	0.000	0.000
% 1982.3	.183	.040	1.000	1.000	3.505	.813	.0	2.335	804.0	.771	0.000	0.000
% 1982.5	.185	.037	1.000	1.000	3.505	.813	.0	3.426	804.0	.771	0.000	0.000
% 1982.7	.199	.030	1.000	1.000	3.505	.813	.0	11.109	804.0	.771	0.000	0.000
% 1982.8	.197	.029	1.000	1.000	3.505	.813	.0	11.739	804.0	.771	0.000	0.000
% 1983.0	.196	.022	1.000	1.000	3.505	.813	.0	24.488	804.0	.771	0.000	0.000
% 1983.1	.176	.026	1.000	1.000	3.505	.813	.0	7.485	804.0	.771	0.000	0.000
% 1983.3	.162	.026	1.000	1.000	3.505	.813	.0	4.064	804.0	.771	0.000	0.000
% 1983.4	.157	.023	1.000	1.000	3.505	.813	.0	4.560	804.0	.771	0.000	0.000
% 1983.6	.177	.013	1.000	1.000	3.505	.813	.0	45.475	804.0	.771	0.000	0.000
% 1983.7	.187	.012	1.000	1.000	3.505	.813	.0	90.006	804.0	.771	0.000	0.000
% 1983.9	.188	.010	1.000	1.000	3.505	.813	.0	141.742	804.0	.771	0.000	0.000
% 1984.0	.167	.010	1.000	1.000	3.505	.813	.0	56.745	804.0	.771	0.000	0.000
% 1984.2	.179	.000	1.000	1.000	3.505	.813	.0	123.951	804.0	.771	0.000	0.000
% 1984.3	.194	.000	1.000	1.000	3.505	.813	.0	176.094	804.0	.771	0.000	0.000
% 1984.5	.219	.000	1.000	1.000	3.505	.813	.0	276.703	804.0	.771	0.000	0.000
1984.6	.240	.000	.986	.986	3.657	.850	.0	400.428	865.2	.808	0.000	0.000
1984.8	.239	.000	.982	.982	3.810	.886	.0	394.045	925.1	.843	0.000	0.000
% 1984.9	.226	.000	1.000	1.000	3.810	.886	.0	314.153	925.1	.843	0.000	0.000
% 1985.1	.183	.001	1.000	1.000	3.810	.886	.0	134.600	925.1	.843	0.000	0.000
% 1985.2	.180	.011	1.000	1.000	3.810	.886	.0	75.076	925.1	.843	0.000	0.000
% 1985.4	.199	.008	1.000	1.000	3.810	.886	.0	188.899	925.1	.843	0.000	0.000
1985.5	.242	.001	.926	.926	3.961	.923	.0	415.658	988.2	.877	0.000	0.000
1985.7	.241	.023	.830	.835	4.114	.960	.1	84.757	1001.1	.908	0.000	0.000
1985.9	.208	.043	.916	1.000	4.266	.992	.1	4.780	1001.9	.937	0.000	0.000
1986.0	.212	.054	.877	1.000	4.418	1.024	.1	2.589	1002.3	.965	0.000	0.000
1986.2	.242	.036	.843	1.000	4.572	1.061	.1	24.684	1006.0	.997	0.000	0.000
1986.3	.245	.039	.986	1.000	4.723	1.098	.1	21.287	1009.3	1.033	0.000	0.000
% 1986.5	.263	.022	1.000	1.000	4.723	1.098	.1	167.847	1009.3	1.033	0.000	0.000
% 1986.6	.283	.017	1.000	1.000	4.723	1.098	.1	493.064	1009.3	1.033	0.000	0.000
1986.8	.317	.007	.925	.925	4.875	1.146	.1	1225.181	1195.3	1.078	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-B

SECTION FROM 1865.0 TO 2030.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
1986.9	.287	.017	.929	.995	5.028	1.190	.1	581.610	1284.3	1.119	0.000	0.000
% 1987.1	.187	.044	1.000	1.000	5.028	1.190	.1	2.053	1284.3	1.119	0.000	0.000
% 1987.2	.166	.039	1.000	1.000	5.028	1.190	.1	1.315	1284.3	1.119	0.000	0.000
% 1987.4	.168	.043	1.000	1.000	5.028	1.190	.1	.972	1284.3	1.119	0.000	0.000
% 1987.5	.214	.030	1.000	1.000	5.028	1.190	.1	18.335	1284.3	1.119	0.000	0.000
% 1987.7	.204	.043	1.000	1.000	5.028	1.190	.1	4.439	1284.3	1.119	0.000	0.000
% 1987.8	.215	.038	1.000	1.000	5.028	1.190	.1	9.647	1284.3	1.119	0.000	0.000
% 1988.0	.198	.042	1.000	1.000	5.028	1.190	.1	3.625	1284.3	1.119	0.000	0.000
% 1988.1	.184	.044	1.000	1.000	5.028	1.190	.1	1.784	1284.3	1.119	0.000	0.000
% 1988.3	.155	.048	1.000	1.000	5.028	1.190	.1	.313	1284.3	1.119	0.000	0.000
% 1988.4	.112	.065	1.000	1.000	5.028	1.190	.1	.002	1284.3	1.119	0.000	0.000
% 1988.6	.069	.068	1.000	1.000	5.028	1.190	.1	.000	1284.3	1.119	0.000	0.000
% 1988.7	.054	.053	1.000	1.000	5.028	1.190	.1	.000	1284.3	1.119	0.000	0.000
% 1988.9	.097	.063	1.000	1.000	5.028	1.190	.1	.000	1284.3	1.119	0.000	0.000
% 1989.1	.165	.034	1.000	1.000	5.028	1.190	.1	1.872	1284.3	1.119	0.000	0.000
% 1989.2	.194	.018	1.000	1.000	5.028	1.190	.1	40.012	1284.3	1.119	0.000	0.000
% 1989.4	.207	.011	1.000	1.000	5.028	1.190	.1	192.123	1284.3	1.119	0.000	0.000
% 1989.5	.185	.013	1.000	1.000	5.028	1.190	.1	65.448	1284.3	1.119	0.000	0.000
% 1989.7	.171	.011	1.000	1.000	5.028	1.190	.1	57.806	1284.3	1.119	0.000	0.000
% 1989.8	.151	.015	1.000	1.000	5.028	1.190	.1	11.100	1284.3	1.119	0.000	0.000
% 1990.0	.156	.009	1.000	1.000	5.028	1.190	.1	56.359	1284.3	1.119	0.000	0.000
% 1990.1	.160	.011	1.000	1.000	5.028	1.190	.1	38.288	1284.3	1.119	0.000	0.000
% 1990.3	.163	.011	1.000	1.000	5.028	1.190	.1	38.369	1284.3	1.119	0.000	0.000
% 1990.4	.143	.025	1.000	1.000	5.028	1.190	.1	1.949	1284.3	1.119	0.000	0.000
% 1990.6	.109	.039	1.000	1.000	5.028	1.190	.1	.036	1284.3	1.119	0.000	0.000
% 1990.7	.115	.038	1.000	1.000	5.028	1.190	.1	.067	1284.3	1.119	0.000	0.000
% 1990.9	.138	.025	1.000	1.000	5.028	1.190	.1	1.512	1284.3	1.119	0.000	0.000
% 1991.0	.160	.013	1.000	1.000	5.028	1.190	.1	25.108	1284.3	1.119	0.000	0.000
% 1991.2	.165	.004	1.000	1.000	5.028	1.190	.1	89.782	1284.3	1.119	0.000	0.000
% 1991.3	.158	.003	1.000	1.000	5.028	1.190	.1	75.875	1284.3	1.119	0.000	0.000
% 1991.5	.139	.010	1.000	1.000	5.028	1.190	.1	19.824	1284.3	1.119	0.000	0.000
% 1991.6	.124	.021	1.000	1.000	5.028	1.190	.1	1.216	1284.3	1.119	0.000	0.000
% 1991.8	.131	.030	1.000	1.000	5.028	1.190	.1	.542	1284.3	1.119	0.000	0.000
% 1991.9	.162	.020	1.000	1.000	5.028	1.190	.1	9.230	1284.3	1.119	0.000	0.000
% 1992.1	.170	.019	1.000	1.000	5.028	1.190	.1	13.377	1284.3	1.119	0.000	0.000
% 1992.3	.182	.010	1.000	1.000	5.028	1.190	.1	94.597	1284.3	1.119	0.000	0.000
% 1992.4	.191	.012	1.000	1.000	5.028	1.190	.1	99.262	1284.3	1.119	0.000	0.000
% 1992.6	.204	.007	1.000	1.000	5.028	1.190	.1	207.111	1284.3	1.119	0.000	0.000
% 1992.7	.201	.014	1.000	1.000	5.028	1.190	.1	83.656	1284.3	1.119	0.000	0.000
% 1992.9	.175	.027	1.000	1.000	5.028	1.190	.1	5.946	1284.3	1.119	0.000	0.000
% 1993.0	.161	.042	1.000	1.000	5.028	1.190	.1	.736	1284.3	1.119	0.000	0.000
% 1993.2	.170	.040	1.000	1.000	5.028	1.190	.1	1.352	1284.3	1.119	0.000	0.000
% 1993.3	.168	.037	1.000	1.000	5.028	1.190	.1	1.619	1284.3	1.119	0.000	0.000
% 1993.5	.174	.031	1.000	1.000	5.028	1.190	.1	3.944	1284.3	1.119	0.000	0.000
% 1993.6	.173	.030	1.000	1.000	5.028	1.190	.1	3.978	1284.3	1.119	0.000	0.000
% 1993.8	.185	.033	1.000	1.000	5.028	1.190	.1	4.927	1284.3	1.119	0.000	0.000
% 1993.9	.198	.028	1.000	1.000	5.028	1.190	.1	13.323	1284.3	1.119	0.000	0.000
% 1994.1	.208	.027	1.000	1.000	5.028	1.190	.1	20.517	1284.3	1.119	0.000	0.000
% 1994.2	.235	.024	1.000	1.000	5.028	1.190	.1	63.371	1284.3	1.119	0.000	0.000
1994.4	.285	.029	.890	.890	5.181	1.234	.1	145.601	1306.6	1.157	0.000	0.000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

54

WEST SEAHORSE 1
DEEP SECTION ZONE-B

SECTION FROM 1865.0 TO 2030.0

DEPTH	GROSS POROSITY	VC	SW	SECTION FROM SXO	1865.0 TO SAND COUNT	2030.0 CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
1994.5	.305	.031	.830	.830	5.333	1.280	.1	187.851	1335.2	1.196	0.000	0.000
1994.7	.305	.023	.864	.864	5.485	1.326	.1	403.317	1396.5	1.236	0.000	0.000
% 1994.8	.270	.017	1.000	1.000	5.485	1.326	.1	368.323	1396.5	1.236	0.000	0.000
% 1995.0	.238	.020	1.000	1.000	5.485	1.326	.1	107.574	1396.5	1.236	0.000	0.000
% 1995.1	.219	.030	1.000	1.000	5.485	1.326	.1	22.031	1396.5	1.236	0.000	0.000
% 1995.3	.184	.036	1.000	1.000	5.485	1.326	.1	3.438	1396.5	1.236	0.000	0.000
% 1995.5	.143	.044	1.000	1.000	5.485	1.326	.1	.239	1396.5	1.236	0.000	0.000
% 1995.6	.118	.048	1.000	1.000	5.485	1.326	.1	.028	1396.5	1.236	0.000	0.000
% 1995.8	.102	.058	1.000	1.000	5.485	1.326	.1	.001	1396.5	1.236	0.000	0.000
% 1995.9	.126	.058	1.000	1.000	5.485	1.326	.1	.016	1396.5	1.236	0.000	0.000
% 1996.1	.168	.045	1.000	1.000	5.485	1.326	.1	.803	1396.5	1.236	0.000	0.000
% 1996.2	.197	.036	1.000	1.000	5.485	1.326	.1	6.012	1396.5	1.236	0.000	0.000
% 1996.4	.192	.035	1.000	1.000	5.485	1.326	.1	5.446	1396.5	1.236	0.000	0.000
% 1996.5	.181	.041	1.000	1.000	5.485	1.326	.1	2.066	1396.5	1.236	0.000	0.000
% 1996.7	.178	.039	1.000	1.000	5.485	1.326	.1	2.214	1396.5	1.236	0.000	0.000
% 1996.8	.203	.027	1.000	1.000	5.485	1.326	.1	18.411	1396.5	1.236	0.000	0.000
% 1997.0	.199	.022	1.000	1.000	5.485	1.326	.1	27.416	1396.5	1.236	0.000	0.000
% 1997.1	.188	.021	1.000	1.000	5.485	1.326	.1	21.839	1396.5	1.236	0.000	0.000
% 1997.3	.181	.021	1.000	1.000	5.485	1.326	.1	15.973	1396.5	1.236	0.000	0.000
% 1997.4	.181	.026	1.000	1.000	5.485	1.326	.1	8.733	1396.5	1.236	0.000	0.000
% 1997.6	.185	.023	1.000	1.000	5.485	1.326	.1	14.699	1396.5	1.236	0.000	0.000
% 1997.7	.184	.021	1.000	1.000	5.485	1.326	.1	17.576	1396.5	1.236	0.000	0.000
% 1997.9	.179	.021	1.000	1.000	5.485	1.326	.1	14.874	1396.5	1.236	0.000	0.000
% 1998.0	.174	.028	1.000	1.000	5.485	1.326	.1	5.406	1396.5	1.236	0.000	0.000
% 1998.2	.155	.033	1.000	1.000	5.485	1.326	.1	1.400	1396.5	1.236	0.000	0.000
% 1998.3	.143	.033	1.000	1.000	5.485	1.326	.1	.706	1396.5	1.236	0.000	0.000
% 1998.5	.156	.020	1.000	1.000	5.485	1.326	.1	6.438	1396.5	1.236	0.000	0.000
% 1998.7	.154	.026	1.000	1.000	5.485	1.326	.1	2.655	1396.5	1.236	0.000	0.000
% 1998.8	.155	.029	1.000	1.000	5.485	1.326	.1	2.095	1396.5	1.236	0.000	0.000
% 1999.0	.147	.042	1.000	1.000	5.485	1.326	.1	.353	1396.5	1.236	0.000	0.000
% 1999.1	.146	.039	1.000	1.000	5.485	1.326	.1	.464	1396.5	1.236	0.000	0.000
% 1999.3	.167	.028	1.000	1.000	5.485	1.326	.1	4.016	1396.5	1.236	0.000	0.000
% 1999.4	.147	.027	1.000	1.000	5.485	1.326	.1	1.757	1396.5	1.236	0.000	0.000
% 1999.6	.142	.030	1.000	1.000	5.485	1.326	.1	.960	1396.5	1.236	0.000	0.000
% 1999.7	.133	.030	1.000	1.000	5.485	1.326	.1	.627	1396.5	1.236	0.000	0.000
% 1999.9	.149	.025	1.000	1.000	5.485	1.326	.1	2.595	1396.5	1.236	0.000	0.000
% 2000.0	.168	.015	1.000	1.000	5.485	1.326	.1	24.491	1396.5	1.236	0.000	0.000
% 2000.2	.163	.020	1.000	1.000	5.485	1.326	.1	8.964	1396.5	1.236	0.000	0.000
% 2000.3	.167	.014	1.000	1.000	5.485	1.326	.1	28.847	1396.5	1.236	0.000	0.000
% 2000.5	.138	.011	1.000	1.000	5.485	1.326	.1	13.351	1396.5	1.236	0.000	0.000
% 2000.6	.092	.020	1.000	1.000	5.485	1.326	.1	.171	1396.5	1.236	0.000	0.000
% 2000.8	.055	.037	1.000	1.000	5.485	1.326	.1	.000	1396.5	1.236	0.000	0.000
% 2000.9	.066	.046	1.000	1.000	5.485	1.326	.1	.000	1396.5	1.236	0.000	0.000
% 2001.1	.088	.039	1.000	1.000	5.485	1.326	.1	.005	1396.5	1.236	0.000	0.000
% 2001.2	.125	.021	1.000	1.000	5.485	1.326	.1	1.147	1396.5	1.236	0.000	0.000
% 2001.4	.119	.016	1.000	1.000	5.485	1.326	.1	2.037	1396.5	1.236	0.000	0.000
% 2001.5	.126	.011	1.000	1.000	5.485	1.326	.1	7.832	1396.5	1.236	0.000	0.000
% 2001.7	.110	.016	1.000	1.000	5.485	1.326	.1	1.224	1396.5	1.236	0.000	0.000
% 2001.9	.124	.018	1.000	1.000	5.485	1.326	.1	1.756	1396.5	1.236	0.000	0.000
% 2002.0	.146	.024	1.000	1.000	5.485	1.326	.1	2.606	1396.5	1.236	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-B

SECTION FROM 1865.0 TO 2030.0

DEPTH	GROSS POROSITY	VC	SW	SECTION FROM SXO	1865.0 SAND COUNT	TO 2030.0 CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 2002.2	.182	.018	1.000	1.000	5.485	1.326	.1	26.922	1396.5	1.236	0.000	0.000
% 2002.3	.180	.021	1.000	1.000	5.485	1.326	.1	16.034	1396.5	1.236	0.000	0.000
% 2002.5	.159	.021	1.000	1.000	5.485	1.326	.1	6.284	1396.5	1.236	0.000	0.000
% 2002.6	.133	.035	1.000	1.000	5.485	1.326	.1	.346	1396.5	1.236	0.000	0.000
% 2002.8	.132	.032	1.000	1.000	5.485	1.326	.1	.462	1396.5	1.236	0.000	0.000
% 2002.9	.160	.023	1.000	1.000	5.485	1.326	.1	5.398	1396.5	1.236	0.000	0.000
% 2003.1	.157	.029	1.000	1.000	5.485	1.326	.1	2.174	1396.5	1.236	0.000	0.000
2003.2	.187	.026	.981	.981	5.637	1.355	.1	10.879	1398.2	1.264	0.000	0.000
2003.4	.210	.034	.898	.898	5.790	1.387	.1	10.934	1399.8	1.293	0.000	0.000
2003.5	.243	.020	.894	.894	5.942	1.424	.1	130.817	1419.7	1.326	0.000	0.000
% 2003.7	.240	.014	1.000	1.000	5.942	1.424	.1	269.116	1419.7	1.326	0.000	0.000
% 2003.8	.207	.015	1.000	1.000	5.942	1.424	.1	100.054	1419.7	1.326	0.000	0.000
% 2004.0	.195	.019	1.000	1.000	5.942	1.424	.1	34.700	1419.7	1.326	0.000	0.000
% 2004.1	.161	.040	1.000	1.000	5.942	1.424	.1	.934	1419.7	1.326	0.000	0.000
% 2004.3	.192	.039	1.000	1.000	5.942	1.424	.1	3.778	1419.7	1.326	0.000	0.000
% 2004.4	.194	.043	1.000	1.000	5.942	1.424	.1	2.891	1419.7	1.326	0.000	0.000
% 2004.6	.232	.030	1.000	1.000	5.942	1.424	.1	33.271	1419.7	1.326	0.000	0.000
2004.7	.239	.028	.908	.908	6.094	1.460	.1	48.532	1427.1	1.359	0.000	0.000
2004.9	.238	.021	.896	.896	6.246	1.496	.1	99.865	1442.3	1.391	0.000	0.000
2005.1	.221	.017	.999	.999	6.399	1.530	.1	112.065	1459.4	1.425	0.000	0.000
% 2005.2	.191	.010	1.000	1.000	6.399	1.530	.1	141.317	1459.4	1.425	0.000	0.000
% 2005.4	.184	.009	1.000	1.000	6.399	1.530	.1	138.142	1459.4	1.425	0.000	0.000
% 2005.5	.177	.011	1.000	1.000	6.399	1.530	.1	71.098	1459.4	1.425	0.000	0.000
% 2005.7	.184	.010	1.000	1.000	6.399	1.530	.1	120.033	1459.4	1.425	0.000	0.000
% 2005.8	.171	.011	1.000	1.000	6.399	1.530	.1	57.806	1459.4	1.425	0.000	0.000
% 2006.0	.169	.005	1.000	1.000	6.399	1.530	.1	98.346	1459.4	1.425	0.000	0.000
% 2006.1	.156	.003	1.000	1.000	6.399	1.530	.1	71.254	1459.4	1.425	0.000	0.000
% 2006.3	.146	.001	1.000	1.000	6.399	1.530	.1	54.845	1459.4	1.425	0.000	0.000
% 2006.4	.121	.005	1.000	1.000	6.399	1.530	.1	25.539	1459.4	1.425	0.000	0.000
% 2006.6	.105	.010	1.000	1.000	6.399	1.530	.1	3.284	1459.4	1.425	0.000	0.000
% 2006.7	.096	.013	1.000	1.000	6.399	1.530	.1	.912	1459.4	1.425	0.000	0.000
% 2006.9	.101	.017	1.000	1.000	6.399	1.530	.1	.583	1459.4	1.425	0.000	0.000
% 2007.0	.108	.015	1.000	1.000	6.399	1.530	.1	1.264	1459.4	1.425	0.000	0.000
% 2007.2	.117	.020	1.000	1.000	6.399	1.530	.1	.928	1459.4	1.425	0.000	0.000
% 2007.3	.113	.029	1.000	1.000	6.399	1.530	.1	.187	1459.4	1.425	0.000	0.000
% 2007.5	.115	.043	1.000	1.000	6.399	1.530	.1	.042	1459.4	1.425	0.000	0.000
% 2007.6	.110	.043	1.000	1.000	6.399	1.530	.1	.027	1459.4	1.425	0.000	0.000
% 2007.8	.124	.031	1.000	1.000	6.399	1.530	.1	.290	1459.4	1.425	0.000	0.000
% 2007.9	.110	.032	1.000	1.000	6.399	1.530	.1	.099	1459.4	1.425	0.000	0.000
% 2008.1	.114	.031	1.000	1.000	6.399	1.530	.1	.168	1459.4	1.425	0.000	0.000
% 2008.3	.117	.034	1.000	1.000	6.399	1.530	.1	.132	1459.4	1.425	0.000	0.000
% 2008.4	.108	.040	1.000	1.000	6.399	1.530	.1	.031	1459.4	1.425	0.000	0.000
% 2008.6	.105	.043	1.000	1.000	6.399	1.530	.1	.015	1459.4	1.425	0.000	0.000
% 2008.7	.115	.035	1.000	1.000	6.399	1.530	.1	.097	1459.4	1.425	0.000	0.000
% 2008.9	0.000	0.000	1.000	1.000	6.399	1.530	.1	-999.999	1459.4	1.425	0.000	0.000
% 2009.0	0.000	0.000	1.000	1.000	6.399	1.530	.1	-999.999	1459.4	1.425	0.000	0.000
% 2009.2	0.000	0.000	1.000	1.000	6.399	1.530	.1	-999.999	1459.4	1.425	0.000	0.000
% 2009.3	.130	.021	1.000	1.000	6.399	1.530	.1	1.734	1459.4	1.425	0.000	0.000
% 2009.5	.093	.038	1.000	1.000	6.399	1.530	.1	.010	1459.4	1.425	0.000	0.000
% 2009.6	.099	.037	1.000	1.000	6.399	1.530	.1	.020	1459.4	1.425	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-B

SECTION FROM 1865.0 TO 2030.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 2009.8	.090	.041	1.000	1.000	6.399	1.530	.1	.005	1459.4	1.425	0.000	0.000
% 2009.9	.090	.038	1.000	1.000	6.399	1.530	.1	.008	1459.4	1.425	0.000	0.000
% 2010.1	.091	.042	1.000	1.000	6.399	1.530	.1	.004	1459.4	1.425	0.000	0.000
% 2010.2	.100	.045	1.000	1.000	6.399	1.530	.1	.008	1459.4	1.425	0.000	0.000
% 2010.4	.121	.049	1.000	1.000	6.399	1.530	.1	.029	1459.4	1.425	0.000	0.000
% 2010.5	.147	.043	1.000	1.000	6.399	1.530	.1	.321	1459.4	1.425	0.000	0.000
% 2010.7	.168	.037	1.000	1.000	6.399	1.530	.1	1.713	1459.4	1.425	0.000	0.000
% 2010.8	.171	.035	1.000	1.000	6.399	1.530	.1	2.448	1459.4	1.425	0.000	0.000
% 2011.0	.173	.031	1.000	1.000	6.399	1.530	.1	3.742	1459.4	1.425	0.000	0.000
% 2011.1	.173	.026	1.000	1.000	6.399	1.530	.1	6.603	1459.4	1.425	0.000	0.000
% 2011.3	.192	.013	1.000	1.000	6.399	1.530	.1	85.096	1459.4	1.425	0.000	0.000
% 2011.5	.196	.011	1.000	1.000	6.399	1.530	.1	147.719	1459.4	1.425	0.000	0.000
% 2011.6	.198	.011	1.000	1.000	6.399	1.530	.1	154.507	1459.4	1.425	0.000	0.000
% 2011.8	.186	.017	1.000	1.000	6.399	1.530	.1	35.630	1459.4	1.425	0.000	0.000
% 2011.9	.174	.029	1.000	1.000	6.399	1.530	.1	4.958	1459.4	1.425	0.000	0.000
% 2012.1	.183	.031	1.000	1.000	6.399	1.530	.1	5.640	1459.4	1.425	0.000	0.000
% 2012.2	.184	.030	1.000	1.000	6.399	1.530	.1	6.423	1459.4	1.425	0.000	0.000
% 2012.4	.191	.017	1.000	1.000	6.399	1.530	.1	39.358	1459.4	1.425	0.000	0.000
% 2012.5	.182	.014	1.000	1.000	6.399	1.530	.1	49.358	1459.4	1.425	0.000	0.000
% 2012.7	.191	.011	1.000	1.000	6.399	1.530	.1	117.732	1459.4	1.425	0.000	0.000
% 2012.8	.192	.017	1.000	1.000	6.399	1.530	.1	41.202	1459.4	1.425	0.000	0.000
% 2013.0	.180	.022	1.000	1.000	6.399	1.530	.1	14.450	1459.4	1.425	0.000	0.000
% 2013.1	.167	.029	1.000	1.000	6.399	1.530	.1	3.600	1459.4	1.425	0.000	0.000
% 2013.3	.155	.030	1.000	1.000	6.399	1.530	.1	1.961	1459.4	1.425	0.000	0.000
% 2013.4	.165	.026	1.000	1.000	6.399	1.530	.1	4.557	1459.4	1.425	0.000	0.000
% 2013.6	.153	.022	1.000	1.000	6.399	1.530	.1	4.605	1459.4	1.425	0.000	0.000
% 2013.7	.146	.025	1.000	1.000	6.399	1.530	.1	2.130	1459.4	1.425	0.000	0.000
% 2013.9	.147	.023	1.000	1.000	6.399	1.530	.1	2.995	1459.4	1.425	0.000	0.000
% 2014.0	.158	.025	1.000	1.000	6.399	1.530	.1	3.772	1459.4	1.425	0.000	0.000
% 2014.2	.153	.024	1.000	1.000	6.399	1.530	.1	3.465	1459.4	1.425	0.000	0.000
% 2014.3	.155	.022	1.000	1.000	6.399	1.530	.1	4.774	1459.4	1.425	0.000	0.000
% 2014.5	.143	.022	1.000	1.000	6.399	1.530	.1	2.842	1459.4	1.425	0.000	0.000
% 2014.7	.150	.019	1.000	1.000	6.399	1.530	.1	6.448	1459.4	1.425	0.000	0.000
% 2014.8	.156	.020	1.000	1.000	6.399	1.530	.1	6.806	1459.4	1.425	0.000	0.000
% 2015.0	.164	.025	1.000	1.000	6.399	1.530	.1	4.737	1459.4	1.425	0.000	0.000
% 2015.1	.163	.025	1.000	1.000	6.399	1.530	.1	4.832	1459.4	1.425	0.000	0.000
% 2015.3	.142	.031	1.000	1.000	6.399	1.530	.1	.898	1459.4	1.425	0.000	0.000
% 2015.4	.136	.027	1.000	1.000	6.399	1.530	.1	1.006	1459.4	1.425	0.000	0.000
% 2015.6	.145	.024	1.000	1.000	6.399	1.530	.1	2.512	1459.4	1.425	0.000	0.000
% 2015.7	.147	.025	1.000	1.000	6.399	1.530	.1	2.504	1459.4	1.425	0.000	0.000
% 2015.9	.147	.025	1.000	1.000	6.399	1.530	.1	2.323	1459.4	1.425	0.000	0.000
% 2016.0	.170	.014	1.000	1.000	6.399	1.530	.1	32.462	1459.4	1.425	0.000	0.000
% 2016.2	.173	.007	1.000	1.000	6.399	1.530	.1	107.761	1459.4	1.425	0.000	0.000
% 2016.3	.178	.007	1.000	1.000	6.399	1.530	.1	120.055	1459.4	1.425	0.000	0.000
% 2016.5	.149	.023	1.000	1.000	6.399	1.530	.1	3.469	1459.4	1.425	0.000	0.000
% 2016.6	.136	.031	1.000	1.000	6.399	1.530	.1	.659	1459.4	1.425	0.000	0.000
% 2016.8	.154	.021	1.000	1.000	6.399	1.530	.1	5.149	1459.4	1.425	0.000	0.000
% 2016.9	.177	.011	1.000	1.000	6.399	1.530	.1	71.098	1459.4	1.425	0.000	0.000
% 2017.1	.192	.009	1.000	1.000	6.399	1.530	.1	163.227	1459.4	1.425	0.000	0.000
% 2017.2	.195	.012	1.000	1.000	6.399	1.530	.1	100.672	1459.4	1.425	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-B

SECTION FROM 1865.0 TO 2030.0

	DEPTH	GROSS POROSITY	VC	SW	SECTION FROM SXO	1865.0 TO SAND COUNT	2030.0 CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	2017.4	.163	.024	1.000	1.000	6.399	1.530	.1	5.321	1459.4	1.425	0.000	0.000
%	2017.5	.154	.018	1.000	1.000	6.399	1.530	.1	7.669	1459.4	1.425	0.000	0.000
%	2017.7	.111	.022	1.000	1.000	6.399	1.530	.1	.439	1459.4	1.425	0.000	0.000
%	2017.9	.127	.014	1.000	1.000	6.399	1.530	.1	4.193	1459.4	1.425	0.000	0.000
%	2018.0	.142	.014	1.000	1.000	6.399	1.530	.1	10.180	1459.4	1.425	0.000	0.000
%	2018.2	.159	.014	1.000	1.000	6.399	1.530	.1	18.961	1459.4	1.425	0.000	0.000
%	2018.3	.173	.010	1.000	1.000	6.399	1.530	.1	80.832	1459.4	1.425	0.000	0.000
%	2018.5	.186	.003	1.000	1.000	6.399	1.530	.1	144.503	1459.4	1.425	0.000	0.000
%	2018.6	.194	.000	1.000	1.000	6.399	1.530	.1	170.029	1459.4	1.425	0.000	0.000
%	2018.8	.174	.002	1.000	1.000	6.399	1.530	.1	111.679	1459.4	1.425	0.000	0.000
%	2018.9	.127	.016	1.000	1.000	6.399	1.530	.1	3.027	1459.4	1.425	0.000	0.000
%	2019.1	.116	.029	1.000	1.000	6.399	1.530	.1	.238	1459.4	1.425	0.000	0.000
%	2019.2	.139	.024	1.000	1.000	6.399	1.530	.1	1.826	1459.4	1.425	0.000	0.000
%	2019.4	.164	.025	1.000	1.000	6.399	1.530	.1	5.086	1459.4	1.425	0.000	0.000
%	2019.5	.190	.015	1.000	1.000	6.399	1.530	.1	52.415	1459.4	1.425	0.000	0.000
%	2019.7	.205	.015	1.000	1.000	6.399	1.530	.1	80.500	1459.4	1.425	0.000	0.000
%	2019.8	.218	.019	1.000	1.000	6.399	1.530	.1	70.698	1459.4	1.425	0.000	0.000
%	2020.0	.192	.025	1.000	1.000	6.399	1.530	.1	14.357	1459.4	1.425	0.000	0.000
%	2020.1	.164	.046	1.000	1.000	6.399	1.530	.1	.627	1459.4	1.425	0.000	0.000
%	2020.3	.176	.054	1.000	1.000	6.399	1.530	.1	.535	1459.4	1.425	0.000	0.000
%	2020.4	.232	.047	1.000	1.000	6.399	1.530	.1	8.164	1459.4	1.425	0.000	0.000
%	2020.6	.267	.021	1.000	1.000	6.399	1.530	.1	218.787	1459.4	1.425	0.000	0.000
%	2020.7	.232	.008	1.000	1.000	6.399	1.530	.1	350.097	1459.4	1.425	0.000	0.000
%	2020.9	.164	.017	1.000	1.000	6.399	1.530	.1	13.843	1459.4	1.425	0.000	0.000
%	2021.1	.116	.038	1.000	1.000	6.399	1.530	.1	.079	1459.4	1.425	0.000	0.000
%	2021.2	.121	.037	1.000	1.000	6.399	1.530	.1	.126	1459.4	1.425	0.000	0.000
%	2021.4	.133	.032	1.000	1.000	6.399	1.530	.1	.486	1459.4	1.425	0.000	0.000
%	2021.5	.131	.034	1.000	1.000	6.399	1.530	.1	.343	1459.4	1.425	0.000	0.000
%	2021.7	.143	.033	1.000	1.000	6.399	1.530	.1	.737	1459.4	1.425	0.000	0.000
%	2021.8	.164	.030	1.000	1.000	6.399	1.530	.1	2.940	1459.4	1.425	0.000	0.000
%	2022.0	.188	.016	1.000	1.000	6.399	1.530	.1	40.652	1459.4	1.425	0.000	0.000
%	2022.1	.183	.016	1.000	1.000	6.399	1.530	.1	35.098	1459.4	1.425	0.000	0.000
%	2022.3	.163	.020	1.000	1.000	6.399	1.530	.1	9.218	1459.4	1.425	0.000	0.000
%	2022.4	.161	.021	1.000	1.000	6.399	1.530	.1	7.820	1459.4	1.425	0.000	0.000
%	2022.6	.169	.016	1.000	1.000	6.399	1.530	.1	22.507	1459.4	1.425	0.000	0.000
%	2022.7	.180	.012	1.000	1.000	6.399	1.530	.1	60.848	1459.4	1.425	0.000	0.000
%	2022.9	.163	.022	1.000	1.000	6.399	1.530	.1	7.226	1459.4	1.425	0.000	0.000
%	2023.0	.142	.034	1.000	1.000	6.399	1.530	.1	.632	1459.4	1.425	0.000	0.000
%	2023.2	.116	.042	1.000	1.000	6.399	1.530	.1	.045	1459.4	1.425	0.000	0.000
%	2023.3	.120	.038	1.000	1.000	6.399	1.530	.1	.101	1459.4	1.425	0.000	0.000
%	2023.5	.123	.037	1.000	1.000	6.399	1.530	.1	.153	1459.4	1.425	0.000	0.000
%	2023.6	.125	.038	1.000	1.000	6.399	1.530	.1	.139	1459.4	1.425	0.000	0.000
%	2023.8	.121	.045	1.000	1.000	6.399	1.530	.1	.049	1459.4	1.425	0.000	0.000
%	2023.9	.124	.046	1.000	1.000	6.399	1.530	.1	.051	1459.4	1.425	0.000	0.000
%	2024.1	.124	.046	1.000	1.000	6.399	1.530	.1	.052	1459.4	1.425	0.000	0.000
%	2024.3	.117	.044	1.000	1.000	6.399	1.530	.1	.041	1459.4	1.425	0.000	0.000
%	2024.4	.113	.048	1.000	1.000	6.399	1.530	.1	.016	1459.4	1.425	0.000	0.000
%	2024.6	.099	.057	1.000	1.000	6.399	1.530	.1	.001	1459.4	1.425	0.000	0.000
%	2024.7	.138	.044	1.000	1.000	6.399	1.530	.1	.174	1459.4	1.425	0.000	0.000
%	2024.9	.166	.033	1.000	1.000	6.399	1.530	.1	2.390	1459.4	1.425	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW:SET

WEST SEAHORSE 1
DEEP SECTION ZONE-B

SECTION FROM 1865.0 TO 2030.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	2025.0	.178	.034	1.000	1.000	6.399	1.530	.1	3.370	1459.4	1.425	0.000	0.000
%	2025.2	.136	.055	1.000	1.000	6.399	1.530	.1	.048	1459.4	1.425	0.000	0.000
%	2025.3	.112	.065	1.000	1.000	6.399	1.530	.1	.002	1459.4	1.425	0.000	0.000
%	2025.5	.109	.069	1.000	1.000	6.399	1.530	.1	.001	1459.4	1.425	0.000	0.000
%	2025.6	.139	.060	1.000	1.000	6.399	1.530	.1	.038	1459.4	1.425	0.000	0.000
%	2025.8	.163	.048	1.000	1.000	6.399	1.530	.1	.471	1459.4	1.425	0.000	0.000
%	2025.9	.205	.025	1.000	1.000	6.399	1.530	.1	23.384	1459.4	1.425	0.000	0.000
%	2026.1	.240	.008	1.000	1.000	6.399	1.530	.1	399.819	1459.4	1.425	0.000	0.000
%	2026.2	.255	.004	1.000	1.000	6.399	1.530	.1	509.502	1459.4	1.425	0.000	0.000
%	2026.4	.246	.006	1.000	1.000	6.399	1.530	.1	439.152	1459.4	1.425	0.000	0.000
%	2026.5	.226	.007	1.000	1.000	6.399	1.530	.1	313.563	1459.4	1.425	0.000	0.000
%	2026.7	.206	.007	1.000	1.000	6.399	1.530	.1	216.768	1459.4	1.425	0.000	0.000
%	2026.8	.205	.001	1.000	1.000	6.399	1.530	.1	212.928	1459.4	1.425	0.000	0.000
%	2027.0	.194	.000	1.000	1.000	6.399	1.530	.1	170.867	1459.4	1.425	0.000	0.000
%	2027.1	.183	.001	1.000	1.000	6.399	1.530	.1	134.500	1459.4	1.425	0.000	0.000
%	2027.3	.163	.003	1.000	1.000	6.399	1.530	.1	84.182	1459.4	1.425	0.000	0.000
%	2027.5	.162	.001	1.000	1.000	6.399	1.530	.1	83.689	1459.4	1.425	0.000	0.000
%	2027.6	.180	.000	1.000	1.000	6.399	1.530	.1	126.350	1459.4	1.425	0.000	0.000
%	2027.8	.177	.000	1.000	1.000	6.399	1.530	.1	117.255	1459.4	1.425	0.000	0.000
%	2027.9	.169	.000	1.000	1.000	6.399	1.530	.1	97.500	1459.4	1.425	0.000	0.000
%	2028.1	.147	.007	1.000	1.000	6.399	1.530	.1	56.290	1459.4	1.425	0.000	0.000
%	2028.2	.140	.011	1.000	1.000	6.399	1.530	.1	15.129	1459.4	1.425	0.000	0.000
%	2028.4	.151	.007	1.000	1.000	6.399	1.530	.1	61.956	1459.4	1.425	0.000	0.000
%	2028.5	.153	.008	1.000	1.000	6.399	1.530	.1	59.763	1459.4	1.425	0.000	0.000
%	2028.7	.163	.000	1.000	1.000	6.399	1.530	.1	85.478	1459.4	1.425	0.000	0.000
%	2028.8	.153	.000	1.000	1.000	6.399	1.530	.1	65.610	1459.4	1.425	0.000	0.000
%	2029.0	.122	.000	1.000	1.000	6.399	1.530	.1	26.968	1459.4	1.425	0.000	0.000
%	2029.1	.088	.011	1.000	1.000	6.399	1.530	.1	.793	1459.4	1.425	0.000	0.000
%	2029.3	.068	.020	1.000	1.000	6.399	1.530	.1	.014	1459.4	1.425	0.000	0.000
%	2029.4	.093	.014	1.000	1.000	6.399	1.530	.1	.486	1459.4	1.425	0.000	0.000
%	2029.6	.121	.012	1.000	1.000	6.399	1.530	.1	5.034	1459.4	1.425	0.000	0.000
%	2029.7	.121	.028	1.000	1.000	6.399	1.530	.1	.357	1459.4	1.425	0.000	0.000
%	2029.9	.117	.053	1.000	1.000	6.399	1.530	.1	.014	1459.4	1.425	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-B

SECTION FROM 1865.0 TO 2030.0

INTERVAL SUMMARY

TOTAL INTERVAL	=	165.0 FT
NET INTERVAL	=	6.4 FT
NET/GROSS RATIO	=	.03877
EQUIVALENT POROSITY COLUMN	=	1.530 FT
EQUIVALENT HYDROCARBON COLUMN	=	.105 FT
EQUIVALENT WATER VOL.	=	1.425 FT
EQUIVALENT WATER VOL. (FLUSHED ZONE)	=	0.000 FT

AVERAGES OVER NET INTERVAL

POROSITY	=	.23915
WATER SATURATION	=	.93112
HYDROCARBON SATURATION	=	.06888
HYDROCARBON VOLUME	=	.01647
WATER VOLUME	=	.22268
WATER VOLUME (FLUSHED ZONE)	=	0.00000
(WATER VOL. FLUSHED)-(WATER VOL.)	=	0.00000
PERMEABILITY INDEX	=	22.1
RECOVERY FACTOR	=	-1000.0
HYDROCARBON VOLUME OVER TOTAL INTERVAL	=	.00060

CUT-OFF VALUES

MINIMUM POROSITY	=	.08	MAXIMUM SW	=	1.00
MAXIMUM POROSITY	=	.35	MINIMUM SW RESET	=	.05
MAXIMUM NEUTRON	=	.38	MAXIMUM DENSITY	=	3.00
MINIMUM GR	=	0.00	MAXIMUM GR	=	200.00
BIT SIZE	=	12.25	MAXIMUM CALIPER	=	14.00

WARNING: THE COMPUTED LOG DATA OF THIS REALOG-RUN ARE NOT SAVED I

**** END OF PROGRAM ****

PE603913

This is an enclosure indicator page.
The enclosure PE603913 is enclosed within the
container PE905513 at this location in this
document.

The enclosure PE603913 has the following characteristics:

ITEM_BARCODE = PE603913
CONTAINER_BARCODE = PE905513
NAME = Log Data Plot
BASIN = GIPPSLAND
PERMIT = VIC/P11
TYPE = WELL
SUBTYPE = WELL_LOG
DESCRIPTION = Log Data Plot (5 of 7) from Wireline
Log Interpretation Report (attachment
to WCR), for West Seahorse-1
REMARKS =
DATE_CREATED = 12/03/82
DATE_RECEIVED = 21/06/82
W_NO = W755
WELL_NAME = WEST SEAHORSE-1
CONTRACTOR = PETRODATA A.G.
CLIENT_OP_CO = HUSBAY OIL (AUSTRALIA) LTD

(Inserted by DNRE - Vic Govt Mines Dept)

WELL ANALYSIS PROGRAM REALG (HP-VERSION 20.1)

West Seahorse 1 2030-2185 m

LISTING OF ALL PARAMETER AND ACTION CARDS

NO.	NAME	PARAMETERS
1	WELL	WEST SEAHORSE 1
2	ZONE	DEEP SECTION ZONE-C
3	TAPE	Ø/1
4	INTE	2Ø3Ø/2185
5	SCAL	11/11/Ø.Ø12/Ø
6	GRLO	15/15Ø/Ø/2ØØ
7	DENS	2.66/2.7Ø/1/1/Ø.85/Ø.15/1/3.Ø
8	NEUT	-Ø.Ø4/.35/1.Ø/Ø.38/1
9	TEMP	82.2/24ØØØ.Ø2
1Ø	RESI	Ø.5ØØ/82.2/Ø.225/82.2/Ø.3Ø7/82.2/Ø./316/82.2
11	LIMI	Ø.Ø8/1.Ø/Ø.35/Ø.Ø5
12	PERM	1ØØ
13	DIAM	12.25/14
14	BPAR	1/Ø
15	IPAR	1/1/2/2
16	EVAL	1/3/1/1
17	PRIN	
18	OTIT	13/ SQRT(C)
19	SCAL	16/56/-1./1.
2Ø	SCAL	18/55/6.6667/Ø.
21	SUBT	56/55/55
22	SCAL	28/57/-1./1.
23	ADD	56/29/58
24	SCAL	1Ø/59/Ø./1.
25	OTIT	17/BONDED WATER
26	OTIT	3Ø/FREE WATER
27	OTIT	59/HYDRO- CARBON
28	OTIT	55/SAND
29	OTIT	56/DRY CLAY
3Ø	OTIT	57/BONDED WATER
31	OTIT	58/FREE WATER

NO FATAL ERRORS HAVE BEEN DETECTED-JOB CONTINUED

WELL LOCATION INFORMATION

COUNTRY : AUSTRALIA
STATE : VICTORIA
FIELD NAME : WILDCAT
WELL NAME : WEST SEAHORSE 1 (SHALLOW SECTION
COMMENTS :

DATA SOURCE INFORMATION

UCC LABEL : 8224
CREATE DATE :
UPDATED :

THE (01-DPT)	DATA ARE ALLOCATED IN CHANNEL	1
THE (03-LLD)	DATA ARE ALLOCATED IN CHANNEL	3
THE (04-LLS)	DATA ARE ALLOCATED IN CHANNEL	4
THE (07-MSF)	DATA ARE ALLOCATED IN CHANNEL	7
THE (08-CAL)	DATA ARE ALLOCATED IN CHANNEL	8
THE (10-TGR)	DATA ARE ALLOCATED IN CHANNEL	10
THE (11-CNL)	DATA ARE ALLOCATED IN CHANNEL	11
THE (12-FDC)	DATA ARE ALLOCATED IN CHANNEL	12

LOG DATA RESTRICTION
NO. OF DEPTH LEVELS IN FILE : 5345
FIRST DEPTH LEVEL : 1978.7
LAST DEPTH LEVEL : 2488.0
DEPTH INCREMENT : .2

LOG DATA RECORDS READ FROM INPUT = 1024 RECORDS (MAXIMUM STORAGE AVAILABLE= 1200 RECORDS)

FIRST DEPTH STORED = 2030.04
FINAL DEPTH STORED = 2185.92

WEST SEAHORSE 1
DEEP SECTION ZONE-C

SECTION FROM 2030.0 TO 2185.0

POROSITY METHOD USED IS NEUTRON-DENSITY CROSSPLOT
SW CALCULATION USED IS WAXMAN-SMITS METHOD 1
USING LLD FOR DEEP RESISTIVITY
USING MSFL FOR SHALLOW RESISTIVITY

GROSS POROSITY SELECTED FOR PROGRAM CALCULATIONS

INPUT PARAMETER VARIABLES USED IN THIS ANALYSIS

		DENSITY			

GRAIN DENSITY SAND	=	2.660	GRAIN DENSITY CLAY	=	2.700
FORMATION FLUID DENSITY	=	1.000	WATER DENSITY	=	1.000
HYDROCARBON DENSITY	=	.850	EFFECTIVE CLAY POROS. FACTOR	=	.150
EFFECTIVE CLAY POROS. EXP	=	1.000	MAXIMUM DENSITY	=	3.000

		NEUTRON			

NEUTRON SANDPOINT	=	-.040	NEUTRON CLAY POINT	=	.350
NEUTRON FORMATION FLUID POINT	=	1.000	MAX NEUTRON VALUE	=	.380

		RESISTIVITIES			

FORMATION WATER	=	.500 AT 82.2 DEG F	EQUIV PPM NAACL	=	10485.2
MUD	=	.307 AT 82.2 DEG F	EQUIV PPM NAACL	=	17772.3
MUD FILTRATE	=	.225 AT 82.2 DEG F	EQUIV PPM NAACL	=	25084.7
MUD CAKE	=	.461 AT 82.2 DEG F	EQUIV PPM NAACL	=	11450.2

		TEMPERATURE			

GRADIENT	=	0.000 DEG F/FT	REFERENCE TEMP=	82.200 DEG F AT	24000.0 FT

		GAMMA RAY			

MIN GR IN CLAY VOLUME CALC	=	15.000	MAX GR IN CLAY VOLUME CALC	=	150.000

		INDONESIAN EQUATION CONSTANTS			

R-CLAY	=	1.000	A = PHI DIVISOR COEFF	=	1.000
M = CEMENTATION FACTOR	=	2.000	N = SATURATION EXPONENT	=	2.000

LITHOLOGY FACTOR OF CLAY VOLUME USED IN WATER SATURATION CALCULATIONS = 1.000

		CUT-OFF VALUES			

MINIMUM POROSITY	=	.080	MAXIMUM SW	=	1.000
MAXIMUM POROSITY	=	.350	MINIMUM SW RESET	=	.050
MAXIMUM NEUTRON	=	.380	MAXIMUM DENSITY	=	3.000
MINIMUM GR	=	0.000	MAXIMUM GR	=	200.000
BIT SIZE	=	12.250	MAXIMUM CALIPER	=	14.000

WEST SEAHORSE 1
DEEP SECTION ZONE-C

SECTION FROM 2030.0 TO 2185.0

	DEPTH	GROSS POROSITY	VC	SW	SECTION FROM SXO	2030.0 TO SAND COUNT	2185.0 CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	2030.0	.117	.070	1.000	1.000	0.000	0.000	0.0	.002	0.0	0.000	0.000	0.000
%	2030.2	.146	.060	1.000	1.000	0.000	0.000	0.0	.057	0.0	0.000	0.000	0.000
%	2030.3	.159	.050	1.000	1.000	0.000	0.000	0.0	.311	0.0	0.000	0.000	0.000
%	2030.5	.162	.041	1.000	1.000	0.000	0.000	0.0	.841	0.0	0.000	0.000	0.000
%	2030.7	.146	.046	1.000	1.000	0.000	0.000	0.0	.238	0.0	0.000	0.000	0.000
%	2030.8	.142	.055	1.000	1.000	0.000	0.000	0.0	.073	0.0	0.000	0.000	0.000
%	2031.0	.103	.087	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
%	2031.1	.082	.081	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
%	2031.3	.105	.104	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
**	2031.4	.158	.114	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
**	2031.6	.164	.111	1.000	1.000	0.000	0.000	0.0	.001	0.0	0.000	0.000	0.000
**	2031.7	.141	.111	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
%	2031.9	.121	.104	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
**	2032.0	.123	.114	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
**	2032.2	.118	.115	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
**	2032.3	.120	.119	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
%	2032.5	.130	.105	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
%	2032.6	.128	.103	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
%	2032.8	.085	.084	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
%	2032.9	.048	.047	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
%	2033.1	.069	.068	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
%	2033.2	.127	.079	1.000	1.000	0.000	0.000	0.0	.001	0.0	0.000	0.000	0.000
%	2033.4	.173	.043	.974	1.000	.152	.026	.0	1.226	.2	.026	0.000	0.000
%	2033.5	.185	.028	.865	.970	.305	.054	.0	7.960	1.4	.050	0.000	0.000
%	2033.7	.187	.028	.849	1.000	.457	.083	.0	8.954	2.8	.074	0.000	0.000
%	2033.9	.199	.024	.800	.989	.609	.113	.0	22.077	6.1	.098	0.000	0.000
%	2034.0	.200	.016	.809	.844	.762	.144	.0	65.623	16.2	.123	0.000	0.000
%	2034.2	.195	.007	.834	.846	.914	.173	.0	174.978	42.8	.148	0.000	0.000
%	2034.3	.155	.014	1.000	1.000	.914	.173	.0	16.653	42.8	.148	0.000	0.000
%	2034.5	.137	.014	1.000	1.000	.914	.173	.0	7.080	42.8	.148	0.000	0.000
%	2034.6	.133	.012	1.000	1.000	.914	.173	.0	9.159	42.8	.148	0.000	0.000
%	2034.8	.151	.007	1.000	1.000	.914	.173	.0	62.012	42.8	.148	0.000	0.000
%	2034.9	.186	.002	.956	1.000	1.066	.202	.0	143.870	64.6	.175	0.000	0.000
%	2035.1	.196	.008	.991	1.000	1.219	.232	.0	179.571	92.1	.205	0.000	0.000
%	2035.2	.206	.008	1.000	1.000	1.219	.232	.0	217.773	92.1	.205	0.000	0.000
%	2035.4	.197	.014	1.000	1.000	1.219	.232	.0	75.925	92.1	.205	0.000	0.000
%	2035.5	.204	.009	1.000	1.000	1.219	.232	.0	208.638	92.1	.205	0.000	0.000
%	2035.7	.212	.002	1.000	1.000	1.219	.232	.0	242.490	92.1	.205	0.000	0.000
%	2035.8	.217	.000	.960	1.000	1.372	.265	.0	269.864	133.4	.237	0.000	0.000
%	2036.0	.209	.000	.980	1.000	1.524	.297	.0	230.520	168.5	.268	0.000	0.000
%	2036.1	.203	.000	1.000	1.000	1.524	.297	.0	205.356	168.5	.268	0.000	0.000
%	2036.3	.200	.002	1.000	1.000	1.524	.297	.0	194.326	168.5	.268	0.000	0.000
%	2036.4	.220	.005	.978	.978	1.676	.330	.0	280.316	211.0	.300	0.000	0.000
%	2036.6	.230	.005	.924	1.000	1.828	.365	.0	339.488	262.7	.333	0.000	0.000
%	2036.7	.222	.006	.929	1.000	1.981	.399	.0	293.493	307.6	.364	0.000	0.000
%	2036.9	.208	.007	.880	1.000	2.133	.431	.0	227.652	342.2	.392	0.000	0.000
%	2037.1	.202	.005	.884	1.000	2.286	.462	.0	200.779	372.9	.419	0.000	0.000
%	2037.2	.203	.004	.886	.996	2.438	.493	.0	205.320	404.1	.447	0.000	0.000
%	2037.4	.207	.007	.870	.969	2.590	.524	.0	222.306	437.9	.474	0.000	0.000
%	2037.5	.201	.017	.921	1.000	2.743	.555	.1	60.445	447.1	.503	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

SECTION FROM 2030.0 TO 2185.0

	DEPTH	GROSS POROSITY	VC	SW	SECTION FROM SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
	2037.7	.201	.022	.935	1.000	2.895	.585	.1	28.491	451.5	.531	0.000	0.000
%	2037.8	.186	.026	1.000	1.000	2.895	.585	.1	10.146	451.5	.531	0.000	0.000
	2038.0	.200	.021	.944	.993	3.047	.616	.1	30.890	456.2	.560	0.000	0.000
	2038.1	.195	.031	.990	1.000	3.199	.646	.1	8.787	457.5	.589	0.000	0.000
	2038.3	.213	.028	.925	.955	3.352	.678	.1	21.894	460.8	.619	0.000	0.000
	2038.4	.209	.027	.937	.964	3.504	.710	.1	20.533	464.0	.649	0.000	0.000
	2038.6	.230	.015	.832	.838	3.657	.745	.1	177.370	491.1	.678	0.000	0.000
	2038.7	.223	.018	.841	.846	3.809	.779	.1	95.004	505.6	.707	0.000	0.000
	2038.9	.211	.021	.883	.883	3.961	.811	.1	44.142	512.3	.735	0.000	0.000
	2039.0	.189	.031	.991	1.000	4.114	.840	.1	7.341	513.4	.764	0.000	0.000
	2039.2	.188	.029	.980	1.000	4.266	.868	.1	8.461	514.7	.792	0.000	0.000
	2039.3	.213	.026	.873	.972	4.419	.901	.1	26.974	518.8	.820	0.000	0.000
	2039.5	.216	.019	.867	.893	4.571	.934	.1	65.286	528.7	.849	0.000	0.000
%	2039.6	.194	.022	1.000	1.000	4.571	.934	.1	21.839	528.7	.849	0.000	0.000
%	2039.8	.180	.021	1.000	1.000	4.571	.934	.1	16.466	528.7	.849	0.000	0.000
%	2039.9	.160	.029	1.000	1.000	4.571	.934	.1	2.705	528.7	.849	0.000	0.000
%	2040.1	.151	.030	1.000	1.000	4.571	.934	.1	1.505	528.7	.849	0.000	0.000
%	2040.3	.128	.039	1.000	1.000	4.571	.934	.1	.171	528.7	.849	0.000	0.000
%	2040.4	.111	.047	1.000	1.000	4.571	.934	.1	.018	528.7	.849	0.000	0.000
%	2040.6	.109	.051	1.000	1.000	4.571	.934	.1	.009	528.7	.849	0.000	0.000
%	2040.7	.115	.055	1.000	1.000	4.571	.934	.1	.009	528.7	.849	0.000	0.000
%	2040.9	.161	.042	1.000	1.000	4.571	.934	.1	.777	528.7	.849	0.000	0.000
%	2041.0	.183	.036	1.000	1.000	4.571	.934	.1	3.566	528.7	.849	0.000	0.000
%	2041.2	.199	.033	1.000	1.000	4.571	.934	.1	8.494	528.7	.849	0.000	0.000
%	2041.3	.186	.037	1.000	1.000	4.571	.934	.1	3.603	528.7	.849	0.000	0.000
%	2041.5	.175	.041	1.000	1.000	4.571	.934	.1	1.604	528.7	.849	0.000	0.000
%	2041.6	.143	.052	1.000	1.000	4.571	.934	.1	.104	528.7	.849	0.000	0.000
	2041.8	.196	.043	.915	.915	4.724	.964	.1	3.241	529.2	.876	0.000	0.000
	2041.9	.230	.043	.771	.771	4.876	.999	.1	10.493	530.8	.903	0.000	0.000
	2042.1	.252	.030	.700	1.000	5.029	1.037	.1	55.208	539.3	.930	0.000	0.000
	2042.2	.213	.028	.859	1.000	5.181	1.070	.1	21.894	542.6	.958	0.000	0.000
%	2042.4	.182	.026	1.000	1.000	5.181	1.070	.1	8.972	542.6	.958	0.000	0.000
	2042.5	.201	.019	.937	1.000	5.334	1.100	.1	40.908	548.9	.987	0.000	0.000
	2042.7	.193	.025	.993	1.000	5.486	1.130	.1	15.724	551.2	1.016	0.000	0.000
	2042.8	.192	.021	.995	1.000	5.638	1.159	.1	25.568	555.1	1.045	0.000	0.000
%	2043.0	.180	.021	1.000	1.000	5.638	1.159	.1	16.034	555.1	1.045	0.000	0.000
%	2043.1	.168	.017	1.000	1.000	5.638	1.159	.1	16.561	555.1	1.045	0.000	0.000
%	2043.3	.180	.009	1.000	1.000	5.638	1.159	.1	114.613	555.1	1.045	0.000	0.000
%	2043.5	.176	.014	1.000	1.000	5.638	1.159	.1	36.087	555.1	1.045	0.000	0.000
	2043.6	.186	.012	.996	1.000	5.790	1.187	.1	80.507	567.4	1.073	0.000	0.000
%	2043.8	.170	.024	1.000	1.000	5.790	1.187	.1	6.974	567.4	1.073	0.000	0.000
%	2043.9	.183	.018	1.000	1.000	5.790	1.187	.1	25.096	567.4	1.073	0.000	0.000
%	2044.1	.180	.020	1.000	1.000	5.790	1.187	.1	17.849	567.4	1.073	0.000	0.000
%	2044.2	.181	.019	1.000	1.000	5.790	1.187	.1	20.936	567.4	1.073	0.000	0.000
%	2044.4	.182	.012	1.000	1.000	5.790	1.187	.1	64.377	567.4	1.073	0.000	0.000
%	2044.5	0.000	0.000	1.000	1.000	5.790	1.187	.1	-999.999	567.4	1.073	0.000	0.000
	2044.7	.152	.000	.985	.985	5.942	1.210	.1	63.686	577.0	1.096	0.000	0.000
%	2044.8	0.000	0.000	1.000	1.000	5.942	1.210	.1	-999.999	577.0	1.096	0.000	0.000
%	2045.0	.136	.011	1.000	1.000	5.942	1.210	.1	13.934	577.0	1.096	0.000	0.000
	2045.1	.141	.016	.988	1.000	6.094	1.232	.1	6.644	578.1	1.117	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-C

SECTION FROM 2030.0 TO 2185.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
2045.3	.146	.015	.910	1.000	6.247	1.254	.1	9.086	579.4	1.137	0.000	0.000
% 2045.4	.135	.013	1.000	1.000	6.247	1.254	.1	8.446	579.4	1.137	0.000	0.000
% 2045.6	.111	.023	1.000	1.000	6.247	1.254	.1	.379	579.4	1.137	0.000	0.000
% 2045.7	.108	.028	1.000	1.000	6.247	1.254	.1	.149	579.4	1.137	0.000	0.000
% 2045.9	.131	.023	1.000	1.000	6.247	1.254	.1	1.274	579.4	1.137	0.000	0.000
% 2046.0	.169	.007	1.000	1.000	6.247	1.254	.1	98.902	579.4	1.137	0.000	0.000
2046.2	.181	.001	.971	.971	6.399	1.282	.1	130.706	599.3	1.164	0.000	0.000
2046.4	.186	.002	.947	.947	6.551	1.310	.1	143.870	621.2	1.191	0.000	0.000
% 2046.5	.171	.010	1.000	1.000	6.551	1.310	.1	69.505	621.2	1.191	0.000	0.000
% 2046.7	.157	.019	1.000	1.000	6.551	1.310	.1	8.562	621.2	1.191	0.000	0.000
% 2046.8	.155	.020	1.000	1.000	6.551	1.310	.1	6.254	621.2	1.191	0.000	0.000
2047.0	.162	.020	.981	.981	6.703	1.334	.1	9.230	622.6	1.215	0.000	0.000
2047.1	.167	.015	.946	.946	6.855	1.360	.1	24.072	626.2	1.239	0.000	0.000
% 2047.3	.153	.021	1.000	1.000	6.855	1.360	.1	5.424	626.2	1.239	0.000	0.000
% 2047.4	.149	.023	1.000	1.000	6.855	1.360	.1	3.379	626.2	1.239	0.000	0.000
% 2047.6	.149	.025	1.000	1.000	6.855	1.360	.1	2.411	626.2	1.239	0.000	0.000
% 2047.7	.148	.029	1.000	1.000	6.855	1.360	.1	1.452	626.2	1.239	0.000	0.000
% 2047.9	.145	.032	1.000	1.000	6.855	1.360	.1	.918	626.2	1.239	0.000	0.000
% 2048.0	.128	.036	1.000	1.000	6.855	1.360	.1	.213	626.2	1.239	0.000	0.000
% 2048.2	.139	.027	1.000	1.000	6.855	1.360	.1	1.152	626.2	1.239	0.000	0.000
% 2048.3	.140	.023	1.000	1.000	6.855	1.360	.1	2.054	626.2	1.239	0.000	0.000
% 2048.5	.149	.025	1.000	1.000	6.855	1.360	.1	2.595	626.2	1.239	0.000	0.000
% 2048.6	.142	.032	1.000	1.000	6.855	1.360	.1	.840	626.2	1.239	0.000	0.000
% 2048.8	.141	.030	1.000	1.000	6.855	1.360	.1	.898	626.2	1.239	0.000	0.000
% 2048.9	.157	.019	1.000	1.000	6.855	1.360	.1	8.815	626.2	1.239	0.000	0.000
% 2049.1	.161	.013	1.000	1.000	6.855	1.360	.1	27.568	626.2	1.239	0.000	0.000
% 2049.2	.163	.007	1.000	1.000	6.855	1.360	.1	85.601	626.2	1.239	0.000	0.000
% 2049.4	.140	.012	1.000	1.000	6.855	1.360	.1	14.467	626.2	1.239	0.000	0.000
% 2049.5	.128	.013	1.000	1.000	6.855	1.360	.1	6.172	626.2	1.239	0.000	0.000
% 2049.7	.102	.022	1.000	1.000	6.855	1.360	.1	.244	626.2	1.239	0.000	0.000
% 2049.9	.104	.023	1.000	1.000	6.855	1.360	.1	.244	626.2	1.239	0.000	0.000
% 2050.0	.099	.030	1.000	1.000	6.855	1.360	.1	.056	626.2	1.239	0.000	0.000
% 2050.2	.114	.035	1.000	1.000	6.855	1.360	.1	.098	626.2	1.239	0.000	0.000
% 2050.3	.143	.030	1.000	1.000	6.855	1.360	.1	1.123	626.2	1.239	0.000	0.000
% 2050.5	.176	.020	1.000	1.000	6.855	1.360	.1	14.596	626.2	1.239	0.000	0.000
% 2050.6	.185	.014	1.000	1.000	6.855	1.360	.1	56.297	626.2	1.239	0.000	0.000
% 2050.8	.186	.011	1.000	1.000	6.855	1.360	.1	97.649	626.2	1.239	0.000	0.000
% 2050.9	.175	.015	1.000	1.000	6.855	1.360	.1	33.170	626.2	1.239	0.000	0.000
% 2051.1	.175	.021	1.000	1.000	6.855	1.360	.1	12.819	626.2	1.239	0.000	0.000
% 2051.2	.175	.029	1.000	1.000	6.855	1.360	.1	5.223	626.2	1.239	0.000	0.000
% 2051.4	.182	.028	1.000	1.000	6.855	1.360	.1	7.697	626.2	1.239	0.000	0.000
% 2051.5	.186	.019	1.000	1.000	6.855	1.360	.1	24.613	626.2	1.239	0.000	0.000
2051.7	.186	.017	.985	.998	7.008	1.388	.1	36.758	631.9	1.267	0.000	0.000
2051.8	.184	.012	.913	.913	7.159	1.416	.1	76.817	643.5	1.292	0.000	0.000
2052.0	.174	.017	.911	.911	7.312	1.443	.1	22.702	647.0	1.317	0.000	0.000
% 2052.1	.141	.021	1.000	1.000	7.312	1.443	.1	2.958	647.0	1.317	0.000	0.000
% 2052.3	.118	.028	1.000	1.000	7.312	1.443	.1	.304	647.0	1.317	0.000	0.000
% 2052.4	.120	.029	1.000	1.000	7.312	1.443	.1	.313	647.0	1.317	0.000	0.000
% 2052.6	.122	.031	1.000	1.000	7.312	1.443	.1	.295	647.0	1.317	0.000	0.000
% 2052.8	.132	.029	1.000	1.000	7.312	1.443	.1	.673	647.0	1.317	0.000	0.000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-C

	DEPTH	GROSS POROSITY	VC	SW	SECTION FROM 2030.0 TO 2185.0		SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
					SWO	SXO								
X	2052.9	.142	.028	1.000	1.000	7.312	1.443	.1	1.236	647.0	1.317	0.000	0.000	
X	2053.1	.164	.024	1.000	1.000	7.312	1.443	.1	5.339	647.0	1.317	0.000	0.000	
X	2053.2	.170	.022	1.000	1.000	7.312	1.443	.1	9.423	647.0	1.317	0.000	0.000	
X	2053.4	.169	.019	1.000	1.000	7.312	1.443	.1	12.699	647.0	1.317	0.000	0.000	
X	2053.5	.146	.031	1.000	1.000	7.312	1.443	.1	1.118	647.0	1.317	0.000	0.000	
X	2053.7	.144	.035	1.000	1.000	7.312	1.443	.1	.625	647.0	1.317	0.000	0.000	
X	2053.8	.144	.040	1.000	1.000	7.312	1.443	.1	.373	647.0	1.317	0.000	0.000	
X	2054.0	.165	.035	1.000	1.000	7.312	1.443	.1	1.697	647.0	1.317	0.000	0.000	
X	2054.1	.171	.030	1.000	1.000	7.312	1.443	.1	3.651	647.0	1.317	0.000	0.000	
X	2054.3	.172	.030	1.000	1.000	7.312	1.443	.1	4.101	647.0	1.317	0.000	0.000	
X	2054.4	.169	.023	1.000	1.000	7.312	1.443	.1	8.082	647.0	1.317	0.000	0.000	
X	2054.6	.164	.028	1.000	1.000	7.312	1.443	.1	3.499	647.0	1.317	0.000	0.000	
X	2054.7	.185	.030	1.000	1.000	7.312	1.443	.1	6.479	647.0	1.317	0.000	0.000	
	2054.9	.222	.034	.998	.998	7.465	1.477	.1	17.123	649.6	1.351	0.000	0.000	
	2055.0	.249	.040	.840	.840	7.617	1.515	.1	22.346	653.0	1.382	0.000	0.000	
	2055.2	.241	.039	.847	.847	7.769	1.551	.1	19.581	656.0	1.413	0.000	0.000	
X	2055.3	.194	.038	1.000	1.000	7.769	1.551	.1	4.536	656.0	1.413	0.000	0.000	
X	2055.5	.161	.030	1.000	1.000	7.769	1.551	.1	2.625	656.0	1.413	0.000	0.000	
X	2055.6	.170	.015	1.000	1.000	7.769	1.551	.1	28.091	656.0	1.413	0.000	0.000	
X	2055.8	.197	.011	1.000	1.000	7.769	1.551	.1	154.473	656.0	1.413	0.000	0.000	
X	2056.0	.196	.010	1.000	1.000	7.769	1.551	.1	162.016	656.0	1.413	0.000	0.000	
X	2056.1	.181	.015	1.000	1.000	7.769	1.551	.1	39.496	656.0	1.413	0.000	0.000	
X	2056.3	.159	.013	1.000	1.000	7.769	1.551	.1	22.870	656.0	1.413	0.000	0.000	
X	2056.4	.157	.012	1.000	1.000	7.769	1.551	.1	28.757	656.0	1.413	0.000	0.000	
X	2056.6	.168	.008	1.000	1.000	7.769	1.551	.1	94.661	656.0	1.413	0.000	0.000	
X	2056.7	.183	.005	1.000	1.000	7.769	1.551	.1	136.210	656.0	1.413	0.000	0.000	
X	2056.9	.202	.000	1.000	1.000	7.769	1.551	.1	201.765	656.0	1.413	0.000	0.000	
X	2057.0	.194	.000	1.000	1.000	7.769	1.551	.1	170.386	656.0	1.413	0.000	0.000	
X	2057.2	.186	.002	1.000	1.000	7.769	1.551	.1	144.185	656.0	1.413	0.000	0.000	
X	2057.3	.169	.004	1.000	1.000	7.769	1.551	.1	97.871	656.0	1.413	0.000	0.000	
X	2057.5	.167	.000	1.000	1.000	7.769	1.551	.1	93.201	656.0	1.413	0.000	0.000	
X	2057.6	.164	.000	1.000	1.000	7.769	1.551	.1	87.750	656.0	1.413	0.000	0.000	
X	2057.8	.152	.000	1.000	1.000	7.769	1.551	.1	64.103	656.0	1.413	0.000	0.000	
X	2057.9	.142	.000	1.000	1.000	7.769	1.551	.1	49.207	656.0	1.413	0.000	0.000	
X	2058.1	.131	.023	1.000	1.000	7.769	1.551	.1	1.346	656.0	1.413	0.000	0.000	
X	2058.2	.136	.040	1.000	1.000	7.769	1.551	.1	.227	656.0	1.413	0.000	0.000	
X	2058.4	.153	.046	1.000	1.000	7.769	1.551	.1	.350	656.0	1.413	0.000	0.000	
X	2058.5	.166	.037	1.000	1.000	7.769	1.551	.1	1.471	656.0	1.413	0.000	0.000	
X	2058.7	.180	.024	1.000	1.000	7.769	1.551	.1	10.499	656.0	1.413	0.000	0.000	
X	2058.8	.187	.020	1.000	1.000	7.769	1.551	.1	24.407	656.0	1.413	0.000	0.000	
X	2059.0	.180	.023	1.000	1.000	7.769	1.551	.1	12.427	656.0	1.413	0.000	0.000	
X	2059.1	.174	.022	1.000	1.000	7.769	1.551	.1	10.708	656.0	1.413	0.000	0.000	
X	2059.3	.168	.028	1.000	1.000	7.769	1.551	.1	4.241	656.0	1.413	0.000	0.000	
X	2059.5	.169	.031	1.000	1.000	7.769	1.551	.1	3.252	656.0	1.413	0.000	0.000	
X	2059.6	.169	.038	1.000	1.000	7.769	1.551	.1	1.621	656.0	1.413	0.000	0.000	
X	2059.8	.156	.041	1.000	1.000	7.769	1.551	.1	.663	656.0	1.413	0.000	0.000	
X	2059.9	.159	.035	1.000	1.000	7.769	1.551	.1	1.290	656.0	1.413	0.000	0.000	
X	2060.1	.165	.026	1.000	1.000	7.769	1.551	.1	4.557	656.0	1.413	0.000	0.000	
X	2060.2	.174	.015	1.000	1.000	7.769	1.551	.1	30.494	656.0	1.413	0.000	0.000	
X	2060.4	.161	.017	1.000	1.000	7.769	1.551	.1	12.887	656.0	1.413	0.000	0.000	

* =RAW DATA CUT OFF X =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-C

SECTION FROM 2030.0 TO 2185.0

	DEPTH	GROSS POROSITY	VC	SW	SECTION SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
X	2060.5	.156	.020	1.000	1.000	7.769	1.551	.1	7.002	656.0	1.413	0.000	0.000
X	2060.7	.163	.022	1.000	1.000	7.769	1.551	.1	6.683	656.0	1.413	0.000	0.000
X	2060.8	.175	.021	1.000	1.000	7.769	1.551	.1	13.164	656.0	1.413	0.000	0.000
X	2061.0	.185	.013	1.000	1.000	7.769	1.551	.1	58.424	656.0	1.413	0.000	0.000
X	2061.1	.174	.014	1.000	1.000	7.769	1.551	.1	36.399	656.0	1.413	0.000	0.000
X	2061.3	.162	.012	1.000	1.000	7.769	1.551	.1	34.801	656.0	1.413	0.000	0.000
X	2061.4	.140	.022	1.000	1.000	7.769	1.551	.1	2.550	656.0	1.413	0.000	0.000
X	2061.6	.138	.023	1.000	1.000	7.769	1.551	.1	1.813	656.0	1.413	0.000	0.000
X	2061.7	.143	.023	1.000	1.000	7.769	1.551	.1	2.552	656.0	1.413	0.000	0.000
X	2061.9	.154	.016	1.000	1.000	7.769	1.551	.1	10.762	656.0	1.413	0.000	0.000
X	2062.0	.152	.015	1.000	1.000	7.769	1.551	.1	11.754	656.0	1.413	0.000	0.000
X	2062.2	.158	.011	1.000	1.000	7.769	1.551	.1	34.650	656.0	1.413	0.000	0.000
X	2062.4	.143	.015	1.000	1.000	7.769	1.551	.1	8.344	656.0	1.413	0.000	0.000
X	2062.5	.145	.016	1.000	1.000	7.769	1.551	.1	7.210	656.0	1.413	0.000	0.000
X	2062.7	.147	.017	1.000	1.000	7.769	1.551	.1	7.606	656.0	1.413	0.000	0.000
X	2062.8	.160	.015	1.000	1.000	7.769	1.551	.1	16.777	656.0	1.413	0.000	0.000
X	2063.0	.172	.012	1.000	1.000	7.769	1.551	.1	45.226	656.0	1.413	0.000	0.000
X	2063.1	.166	.016	1.000	1.000	7.769	1.551	.1	18.638	656.0	1.413	0.000	0.000
X	2063.3	.162	.015	1.000	1.000	7.769	1.551	.1	18.182	656.0	1.413	0.000	0.000
X	2063.4	.150	.018	1.000	1.000	7.769	1.551	.1	6.647	656.0	1.413	0.000	0.000
X	2063.6	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
X	2063.7	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
X	2063.9	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
X	2064.0	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
X	2064.2	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
X	2064.3	.138	.021	1.000	1.000	7.769	1.551	.1	2.677	656.0	1.413	0.000	0.000
X	2064.5	.141	.012	1.000	1.000	7.769	1.551	.1	12.185	656.0	1.413	0.000	0.000
X	2064.6	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
X	2064.8	.165	.000	1.000	1.000	7.769	1.551	.1	90.248	656.0	1.413	0.000	0.000
X	2064.9	.164	.000	1.000	1.000	7.769	1.551	.1	88.020	656.0	1.413	0.000	0.000
X	2065.1	.173	.000	1.000	1.000	7.769	1.551	.1	107.024	656.0	1.413	0.000	0.000
X	2065.2	.171	.000	1.000	1.000	7.769	1.551	.1	104.325	656.0	1.413	0.000	0.000
X	2065.4	.177	.000	1.000	1.000	7.769	1.551	.1	119.439	656.0	1.413	0.000	0.000
X	2065.5	.168	.001	1.000	1.000	7.769	1.551	.1	96.537	656.0	1.413	0.000	0.000
X	2065.7	.157	.005	1.000	1.000	7.769	1.551	.1	74.176	656.0	1.413	0.000	0.000
X	2065.9	.146	.011	1.000	1.000	7.769	1.551	.1	21.422	656.0	1.413	0.000	0.000
X	2066.0	.144	.018	1.000	1.000	7.769	1.551	.1	5.409	656.0	1.413	0.000	0.000
X	2066.2	.163	.020	1.000	1.000	7.769	1.551	.1	9.218	656.0	1.413	0.000	0.000
X	2066.3	.162	.024	1.000	1.000	7.769	1.551	.1	5.292	656.0	1.413	0.000	0.000
X	2066.5	.174	.016	1.000	1.000	7.769	1.551	.1	24.976	656.0	1.413	0.000	0.000
X	2066.6	.151	.023	1.000	1.000	7.769	1.551	.1	3.589	656.0	1.413	0.000	0.000
X	2066.8	.169	.019	1.000	1.000	7.769	1.551	.1	13.845	656.0	1.413	0.000	0.000
X	2066.9	.170	.034	1.000	1.000	7.769	1.551	.1	2.505	656.0	1.413	0.000	0.000
X	2067.1	.182	.029	1.000	1.000	7.769	1.551	.1	7.070	656.0	1.413	0.000	0.000
X	2067.2	.171	.034	1.000	1.000	7.769	1.551	.1	2.698	656.0	1.413	0.000	0.000
X	2067.4	.142	.031	1.000	1.000	7.769	1.551	.1	.859	656.0	1.413	0.000	0.000
X	2067.5	.134	.030	1.000	1.000	7.769	1.551	.1	.642	656.0	1.413	0.000	0.000
X	2067.7	.129	.028	1.000	1.000	7.769	1.551	.1	.611	656.0	1.413	0.000	0.000
X	2067.8	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
X	2068.0	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000

* =RAW DATA CUT OFF X =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-C

SECTION FROM 2030.0 TO 2185.0

	DEPTH	GROSS POROSITY	VC	SW	SECTION FROM SXO	2030.0 TO SAND COUNT	2185.0 CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
X	2060.5	.156	.020	1.000	1.000	7.769	1.551	.1	7.002	656.0	1.413	0.000	0.000
X	2060.7	.163	.022	1.000	1.000	7.769	1.551	.1	6.683	656.0	1.413	0.000	0.000
X	2060.8	.175	.021	1.000	1.000	7.769	1.551	.1	13.164	656.0	1.413	0.000	0.000
X	2061.0	.185	.013	1.000	1.000	7.769	1.551	.1	58.424	656.0	1.413	0.000	0.000
X	2061.1	.174	.014	1.000	1.000	7.769	1.551	.1	36.399	656.0	1.413	0.000	0.000
X	2061.3	.162	.012	1.000	1.000	7.769	1.551	.1	34.801	656.0	1.413	0.000	0.000
X	2061.4	.140	.022	1.000	1.000	7.769	1.551	.1	2.550	656.0	1.413	0.000	0.000
X	2061.6	.138	.023	1.000	1.000	7.769	1.551	.1	1.813	656.0	1.413	0.000	0.000
X	2061.7	.143	.023	1.000	1.000	7.769	1.551	.1	2.552	656.0	1.413	0.000	0.000
X	2061.9	.154	.016	1.000	1.000	7.769	1.551	.1	10.762	656.0	1.413	0.000	0.000
X	2062.0	.152	.015	1.000	1.000	7.769	1.551	.1	11.754	656.0	1.413	0.000	0.000
X	2062.2	.158	.011	1.000	1.000	7.769	1.551	.1	34.650	656.0	1.413	0.000	0.000
X	2062.4	.143	.015	1.000	1.000	7.769	1.551	.1	8.344	656.0	1.413	0.000	0.000
X	2062.5	.145	.016	1.000	1.000	7.769	1.551	.1	7.210	656.0	1.413	0.000	0.000
X	2062.7	.147	.017	1.000	1.000	7.769	1.551	.1	7.606	656.0	1.413	0.000	0.000
X	2062.8	.160	.015	1.000	1.000	7.769	1.551	.1	16.777	656.0	1.413	0.000	0.000
X	2063.0	.172	.012	1.000	1.000	7.769	1.551	.1	45.226	656.0	1.413	0.000	0.000
X	2063.1	.166	.016	1.000	1.000	7.769	1.551	.1	18.638	656.0	1.413	0.000	0.000
X	2063.3	.162	.015	1.000	1.000	7.769	1.551	.1	18.182	656.0	1.413	0.000	0.000
X	2063.4	.150	.018	1.000	1.000	7.769	1.551	.1	6.647	656.0	1.413	0.000	0.000
X	2063.6	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
X	2063.7	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
X	2063.9	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
X	2064.0	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
X	2064.2	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
X	2064.3	.138	.021	1.000	1.000	7.769	1.551	.1	2.677	656.0	1.413	0.000	0.000
X	2064.5	.141	.012	1.000	1.000	7.769	1.551	.1	12.185	656.0	1.413	0.000	0.000
X	2064.6	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
X	2064.8	.165	.000	1.000	1.000	7.769	1.551	.1	90.248	656.0	1.413	0.000	0.000
X	2064.9	.164	.000	1.000	1.000	7.769	1.551	.1	88.020	656.0	1.413	0.000	0.000
X	2065.1	.173	.000	1.000	1.000	7.769	1.551	.1	107.024	656.0	1.413	0.000	0.000
X	2065.2	.171	.000	1.000	1.000	7.769	1.551	.1	104.325	656.0	1.413	0.000	0.000
X	2065.4	.177	.000	1.000	1.000	7.769	1.551	.1	119.439	656.0	1.413	0.000	0.000
X	2065.5	.168	.001	1.000	1.000	7.769	1.551	.1	96.537	656.0	1.413	0.000	0.000
X	2065.7	.157	.005	1.000	1.000	7.769	1.551	.1	74.176	656.0	1.413	0.000	0.000
X	2065.9	.146	.011	1.000	1.000	7.769	1.551	.1	21.422	656.0	1.413	0.000	0.000
X	2066.0	.144	.018	1.000	1.000	7.769	1.551	.1	5.409	656.0	1.413	0.000	0.000
X	2066.2	.163	.020	1.000	1.000	7.769	1.551	.1	9.218	656.0	1.413	0.000	0.000
X	2066.3	.162	.024	1.000	1.000	7.769	1.551	.1	5.292	656.0	1.413	0.000	0.000
X	2066.5	.174	.016	1.000	1.000	7.769	1.551	.1	24.976	656.0	1.413	0.000	0.000
X	2066.6	.151	.023	1.000	1.000	7.769	1.551	.1	3.589	656.0	1.413	0.000	0.000
X	2066.8	.169	.019	1.000	1.000	7.769	1.551	.1	13.845	656.0	1.413	0.000	0.000
X	2066.9	.170	.034	1.000	1.000	7.769	1.551	.1	2.505	656.0	1.413	0.000	0.000
X	2067.1	.182	.029	1.000	1.000	7.769	1.551	.1	7.070	656.0	1.413	0.000	0.000
X	2067.2	.171	.034	1.000	1.000	7.769	1.551	.1	2.698	656.0	1.413	0.000	0.000
X	2067.4	.142	.031	1.000	1.000	7.769	1.551	.1	.859	656.0	1.413	0.000	0.000
X	2067.5	.134	.030	1.000	1.000	7.769	1.551	.1	.642	656.0	1.413	0.000	0.000
X	2067.7	.129	.028	1.000	1.000	7.769	1.551	.1	.611	656.0	1.413	0.000	0.000
X	2067.8	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
X	2068.0	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-C

SECTION FROM 2030.0 TO 2185.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	2068.1	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
%	2068.3	.150	.011	1.000	1.000	7.769	1.551	.1	26.762	656.0	1.413	0.000	0.000
%	2068.4	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
%	2068.6	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
%	2068.7	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
%	2068.9	.145	.090	1.000	1.000	7.769	1.551	.1	.002	656.0	1.413	0.000	0.000
*%	2069.1	.123	.115	1.000	1.000	7.769	1.551	.1	.000	656.0	1.413	0.000	0.000
*%	2069.2	.133	.114	1.000	1.000	7.769	1.551	.1	.000	656.0	1.413	0.000	0.000
*%	2069.4	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
*%	2069.5	.571	.015	.275	.880	7.769	1.551	.1	12831.357	656.0	1.413	0.000	0.000
*%	2069.7	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
*%	2069.8	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
*%	2070.0	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
*%	2070.1	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
*%	2070.3	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
*%	2070.4	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
*%	2070.6	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
*%	2070.7	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
*%	2070.9	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
*%	2071.0	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
*%	2071.2	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
*%	2071.3	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
*	2071.5	.346	.081	.733	.733	7.769	1.551	.1	24.430	656.0	1.413	0.000	0.000
*	2071.6	.302	.079	.794	1.000	7.769	1.551	.1	9.193	656.0	1.413	0.000	0.000
*	2071.8	.296	.076	.795	1.000	7.769	1.551	.1	8.987	656.0	1.413	0.000	0.000
*	2071.9	.284	.061	.795	.795	7.769	1.551	.1	14.652	656.0	1.413	0.000	0.000
*	2072.1	.253	.065	.834	.834	7.769	1.551	.1	4.847	656.0	1.413	0.000	0.000
%	2072.3	.177	.079	1.000	1.000	7.769	1.551	.1	.077	656.0	1.413	0.000	0.000
%	2072.4	.151	.093	1.000	1.000	7.769	1.551	.1	.003	656.0	1.413	0.000	0.000
%	2072.6	.153	.095	1.000	1.000	7.769	1.551	.1	.003	656.0	1.413	0.000	0.000
%	2072.7	.171	.085	1.000	1.000	7.769	1.551	.1	.035	656.0	1.413	0.000	0.000
*%	2072.9	.208	.079	1.000	1.000	7.769	1.551	.1	.379	656.0	1.413	0.000	0.000
*%	2073.0	.186	.095	1.000	1.000	7.769	1.551	.1	.035	656.0	1.413	0.000	0.000
*%	2073.2	.171	.104	1.000	1.000	7.769	1.551	.1	.005	656.0	1.413	0.000	0.000
%	2073.3	.143	.100	1.000	1.000	7.769	1.551	.1	.001	656.0	1.413	0.000	0.000
%	2073.5	.173	.073	1.000	1.000	7.769	1.551	.1	.101	656.0	1.413	0.000	0.000
%	2073.6	.189	.052	1.000	1.000	7.769	1.551	.1	1.114	656.0	1.413	0.000	0.000
%	2073.8	.204	.039	1.000	1.000	7.769	1.551	.1	5.752	656.0	1.413	0.000	0.000
%	2073.9	.217	.027	1.000	1.000	7.769	1.551	.1	28.001	656.0	1.413	0.000	0.000
%	2074.1	.212	.028	1.000	1.000	7.769	1.551	.1	21.875	656.0	1.413	0.000	0.000
%	2074.2	.210	.025	1.000	1.000	7.769	1.551	.1	27.076	656.0	1.413	0.000	0.000
%	2074.4	.204	.024	1.000	1.000	7.769	1.551	.1	25.087	656.0	1.413	0.000	0.000
%	2074.5	.203	.024	1.000	1.000	7.769	1.551	.1	22.955	656.0	1.413	0.000	0.000
%	2074.7	.206	.015	1.000	1.000	7.769	1.551	.1	95.882	656.0	1.413	0.000	0.000
%	2074.8	.209	.010	1.000	1.000	7.769	1.551	.1	229.738	656.0	1.413	0.000	0.000
%	2075.0	.220	.001	1.000	1.000	7.769	1.551	.1	283.155	656.0	1.413	0.000	0.000
%	2075.1	.213	.003	1.000	1.000	7.769	1.551	.1	249.304	656.0	1.413	0.000	0.000
%	2075.3	.219	.002	1.000	1.000	7.769	1.551	.1	277.374	656.0	1.413	0.000	0.000
%	2075.5	.210	.006	1.000	1.000	7.769	1.551	.1	235.009	656.0	1.413	0.000	0.000
%	2075.6	.236	.002	1.000	1.000	7.769	1.551	.1	376.845	656.0	1.413	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

SECTION FROM 2030.0 TO 2185.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 2075.8	.225	.006	1.000	1.000	7.769	1.551	.1	306.761	656.0	1.413	0.000	0.000
% 2075.9	.229	.002	1.000	1.000	7.769	1.551	.1	329.904	656.0	1.413	0.000	0.000
% 2076.1	.211	.004	1.000	1.000	7.769	1.551	.1	238.421	656.0	1.413	0.000	0.000
% 2076.2	.215	.002	1.000	1.000	7.769	1.551	.1	259.574	656.0	1.413	0.000	0.000
% 2076.4	.205	.004	1.000	1.000	7.769	1.551	.1	215.198	656.0	1.413	0.000	0.000
% 2076.5	.200	.005	1.000	1.000	7.769	1.551	.1	191.402	656.0	1.413	0.000	0.000
% 2076.7	.192	.003	1.000	1.000	7.769	1.551	.1	164.070	656.0	1.413	0.000	0.000
% 2076.8	.197	.002	1.000	1.000	7.769	1.551	.1	180.478	656.0	1.413	0.000	0.000
% 2077.0	.196	.002	1.000	1.000	7.769	1.551	.1	176.359	656.0	1.413	0.000	0.000
% 2077.1	.188	.007	1.000	1.000	7.769	1.551	.1	150.545	656.0	1.413	0.000	0.000
% 2077.3	.177	.010	1.000	1.000	7.769	1.551	.1	89.522	656.0	1.413	0.000	0.000
% 2077.4	.178	.009	1.000	1.000	7.769	1.551	.1	120.979	656.0	1.413	0.000	0.000
% 2077.6	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
% 2077.7	.191	.000	1.000	1.000	7.769	1.551	.1	162.103	656.0	1.413	0.000	0.000
% 2077.9	.186	.001	1.000	1.000	7.769	1.551	.1	143.448	656.0	1.413	0.000	0.000
% 2078.0	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
% 2078.2	.173	.014	1.000	1.000	7.769	1.551	.1	33.392	656.0	1.413	0.000	0.000
% 2078.3	.182	.014	1.000	1.000	7.769	1.551	.1	51.196	656.0	1.413	0.000	0.000
% 2078.5	.194	.010	1.000	1.000	7.769	1.551	.1	147.830	656.0	1.413	0.000	0.000
% 2078.7	.193	.009	1.000	1.000	7.769	1.551	.1	167.705	656.0	1.413	0.000	0.000
% 2078.8	.193	.004	1.000	1.000	7.769	1.551	.1	169.040	656.0	1.413	0.000	0.000
% 2079.0	.197	.003	1.000	1.000	7.769	1.551	.1	181.353	656.0	1.413	0.000	0.000
% 2079.1	.201	.000	1.000	1.000	7.769	1.551	.1	197.149	656.0	1.413	0.000	0.000
% 2079.3	.194	.001	1.000	1.000	7.769	1.551	.1	171.467	656.0	1.413	0.000	0.000
% 2079.4	.180	.001	1.000	1.000	7.769	1.551	.1	127.281	656.0	1.413	0.000	0.000
% 2079.6	.181	.000	1.000	1.000	7.769	1.551	.1	130.538	656.0	1.413	0.000	0.000
% 2079.7	.166	.000	1.000	1.000	7.769	1.551	.1	90.843	656.0	1.413	0.000	0.000
% 2079.9	.140	.015	1.000	1.000	7.769	1.551	.1	7.457	656.0	1.413	0.000	0.000
% 2080.0	.140	.033	1.000	1.000	7.769	1.551	.1	.608	656.0	1.413	0.000	0.000
% 2080.2	.159	.039	1.000	1.000	7.769	1.551	.1	.947	656.0	1.413	0.000	0.000
% 2080.3	.205	.028	1.000	1.000	7.769	1.551	.1	16.269	656.0	1.413	0.000	0.000
% 2080.5	.222	.014	1.000	1.000	7.769	1.551	.1	166.276	656.0	1.413	0.000	0.000
% 2080.6	.228	.004	1.000	1.000	7.769	1.551	.1	324.776	656.0	1.413	0.000	0.000
% 2080.8	.216	.005	1.000	1.000	7.769	1.551	.1	262.374	656.0	1.413	0.000	0.000
% 2080.9	.209	.004	1.000	1.000	7.769	1.551	.1	230.530	656.0	1.413	0.000	0.000
% 2081.1	.204	.003	1.000	1.000	7.769	1.551	.1	209.515	656.0	1.413	0.000	0.000
% 2081.2	.200	.002	1.000	1.000	7.769	1.551	.1	194.591	656.0	1.413	0.000	0.000
% 2081.4	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
% 2081.5	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
% 2081.7	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
% 2081.9	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
% 2082.0	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
% 2082.2	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
% 2082.3	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
% 2082.5	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
% 2082.6	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
% 2082.8	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
% 2082.9	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
*% 2083.1	.162	.104	1.000	1.000	7.769	1.551	.1	.003	656.0	1.413	0.000	0.000
*% 2083.2	.143	.111	1.000	1.000	7.769	1.551	.1	.000	656.0	1.413	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-C

SECTION FROM 2030.0 TO 2185.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
*%	2083.4	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
*%	2083.5	.126	.126	1.000	1.000	7.769	1.551	.1	.0000	656.0	1.413	0.000	0.000
*%	2083.7	.128	.127	1.000	1.000	7.769	1.551	.1	.0000	656.0	1.413	0.000	0.000
*%	2083.8	.128	.112	1.000	1.000	7.769	1.551	.1	.0000	656.0	1.413	0.000	0.000
%	2084.0	.126	.107	1.000	1.000	7.769	1.551	.1	.0000	656.0	1.413	0.000	0.000
%	2084.1	.119	.108	1.000	1.000	7.769	1.551	.1	.0000	656.0	1.413	0.000	0.000
%	2084.3	.130	.107	1.000	1.000	7.769	1.551	.1	.0000	656.0	1.413	0.000	0.000
%	2084.4	.137	.101	1.000	1.000	7.769	1.551	.1	.0000	656.0	1.413	0.000	0.000
%	2084.6	.168	.085	1.000	1.000	7.769	1.551	.1	.027	656.0	1.413	0.000	0.000
%	2084.7	.183	.065	1.000	1.000	7.769	1.551	.1	.321	656.0	1.413	0.000	0.000
%	2084.9	.207	.038	1.000	1.000	7.769	1.551	.1	7.400	656.0	1.413	0.000	0.000
%	2085.1	.208	.018	1.000	1.000	7.769	1.551	.1	62.503	656.0	1.413	0.000	0.000
%	2085.2	.209	.010	1.000	1.000	7.769	1.551	.1	229.291	656.0	1.413	0.000	0.000
%	2085.4	.190	.021	1.000	1.000	7.769	1.551	.1	23.336	656.0	1.413	0.000	0.000
%	2085.5	.202	.014	1.000	1.000	7.769	1.551	.1	93.643	656.0	1.413	0.000	0.000
%	2085.7	.194	.016	1.000	1.000	7.769	1.551	.1	49.436	656.0	1.413	0.000	0.000
%	2085.8	.210	.008	1.000	1.000	7.769	1.551	.1	236.228	656.0	1.413	0.000	0.000
%	2086.0	.206	.013	1.000	1.000	7.769	1.551	.1	132.769	656.0	1.413	0.000	0.000
%	2086.1	.208	.010	1.000	1.000	7.769	1.551	.1	219.140	656.0	1.413	0.000	0.000
%	2086.3	.192	.013	1.000	1.000	7.769	1.551	.1	78.858	656.0	1.413	0.000	0.000
%	2086.4	.181	.016	1.000	1.000	7.769	1.551	.1	34.579	656.0	1.413	0.000	0.000
%	2086.6	.181	.015	1.000	1.000	7.769	1.551	.1	42.324	656.0	1.413	0.000	0.000
%	2086.7	.187	.014	1.000	1.000	7.769	1.551	.1	52.322	656.0	1.413	0.000	0.000
%	2086.9	.188	.016	1.000	1.000	7.769	1.551	.1	43.342	656.0	1.413	0.000	0.000
%	2087.0	.180	.025	1.000	1.000	7.769	1.551	.1	10.017	656.0	1.413	0.000	0.000
%	2087.2	.182	.026	1.000	1.000	7.769	1.551	.1	9.176	656.0	1.413	0.000	0.000
%	2087.3	.170	.028	1.000	1.000	7.769	1.551	.1	4.518	656.0	1.413	0.000	0.000
%	2087.5	.147	.030	1.000	1.000	7.769	1.551	.1	1.274	656.0	1.413	0.000	0.000
%	2087.6	.105	.042	1.000	1.000	7.769	1.551	.1	.020	656.0	1.413	0.000	0.000
%	2087.8	.065	.058	1.000	1.000	7.769	1.551	.1	.000	656.0	1.413	0.000	0.000
%	2087.9	.066	.065	1.000	1.000	7.769	1.551	.1	.000	656.0	1.413	0.000	0.000
%	2088.1	.090	.060	1.000	1.000	7.769	1.551	.1	.000	656.0	1.413	0.000	0.000
%	2088.3	.148	.035	1.000	1.000	7.769	1.551	.1	.763	656.0	1.413	0.000	0.000
%	2088.4	.184	.016	1.000	1.000	7.769	1.551	.1	35.650	656.0	1.413	0.000	0.000
%	2088.6	.186	.013	1.000	1.000	7.769	1.551	.1	71.324	656.0	1.413	0.000	0.000
%	2088.7	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
%	2088.9	.147	.020	1.000	1.000	7.769	1.551	.1	4.390	656.0	1.413	0.000	0.000
%	2089.0	.135	.024	1.000	1.000	7.769	1.551	.1	1.371	656.0	1.413	0.000	0.000
%	2089.2	.134	.029	1.000	1.000	7.769	1.551	.1	.758	656.0	1.413	0.000	0.000
%	2089.3	.136	.032	1.000	1.000	7.769	1.551	.1	.562	656.0	1.413	0.000	0.000
%	2089.5	.125	.031	1.000	1.000	7.769	1.551	.1	.329	656.0	1.413	0.000	0.000
%	2089.6	.104	.028	1.000	1.000	7.769	1.551	.1	.122	656.0	1.413	0.000	0.000
%	2089.8	.097	.019	1.000	1.000	7.769	1.551	.1	.282	656.0	1.413	0.000	0.000
%	2089.9	.094	.013	1.000	1.000	7.769	1.551	.1	.662	656.0	1.413	0.000	0.000
%	2090.1	.113	.008	1.000	1.000	7.769	1.551	.1	9.309	656.0	1.413	0.000	0.000
%	2090.2	.123	.006	1.000	1.000	7.769	1.551	.1	27.787	656.0	1.413	0.000	0.000
%	2090.4	.138	.002	1.000	1.000	7.769	1.551	.1	43.442	656.0	1.413	0.000	0.000
%	2090.5	.128	.003	1.000	1.000	7.769	1.551	.1	32.001	656.0	1.413	0.000	0.000
%	2090.7	.130	.003	1.000	1.000	7.769	1.551	.1	34.406	656.0	1.413	0.000	0.000
%	2090.8	.123	.007	1.000	1.000	7.769	1.551	.1	20.697	656.0	1.413	0.000	0.000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-C

SECTION FROM 2030.0 TO 2185.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
X	2091.0	.121	.016	1.0000	1.0000	7.769	1.551	.1	2.359	656.0	1.413	0.000	0.000
X	2091.1	.123	.027	1.0000	1.0000	7.769	1.551	.1	.499	656.0	1.413	0.000	0.000
X	2091.3	.131	.037	1.0000	1.0000	7.769	1.551	.1	.244	656.0	1.413	0.000	0.000
X	2091.5	.154	.035	1.0000	1.0000	7.769	1.551	.1	1.009	656.0	1.413	0.000	0.000
X	2091.6	.161	.035	1.0000	1.0000	7.769	1.551	.1	1.482	656.0	1.413	0.000	0.000
X	2091.8	.172	.026	1.0000	1.0000	7.769	1.551	.1	6.414	656.0	1.413	0.000	0.000
X	2091.9	.173	.025	1.0000	1.0000	7.769	1.551	.1	7.588	656.0	1.413	0.000	0.000
X	2092.1	.189	.016	1.0000	1.0000	7.769	1.551	.1	46.874	656.0	1.413	0.000	0.000
X	2092.2	.195	.011	1.0000	1.0000	7.769	1.551	.1	118.537	656.0	1.413	0.000	0.000
X	2092.4	.175	.016	1.0000	1.0000	7.769	1.551	.1	27.108	656.0	1.413	0.000	0.000
X	2092.5	.159	.022	1.0000	1.0000	7.769	1.551	.1	5.657	656.0	1.413	0.000	0.000
X	2092.7	.124	.043	1.0000	1.0000	7.769	1.551	.1	.083	656.0	1.413	0.000	0.000
X	2092.8	.133	.041	1.0000	1.0000	7.769	1.551	.1	.165	656.0	1.413	0.000	0.000
X	2093.0	.117	.048	1.0000	1.0000	7.769	1.551	.1	.025	656.0	1.413	0.000	0.000
X	2093.1	.137	.032	1.0000	1.0000	7.769	1.551	.1	.603	656.0	1.413	0.000	0.000
X	2093.3	.143	.028	1.0000	1.0000	7.769	1.551	.1	1.260	656.0	1.413	0.000	0.000
X	2093.4	.158	.023	1.0000	1.0000	7.769	1.551	.1	4.950	656.0	1.413	0.000	0.000
X	2093.6	.157	.025	1.0000	1.0000	7.769	1.551	.1	3.738	656.0	1.413	0.000	0.000
X	2093.7	.156	.025	1.0000	1.0000	7.769	1.551	.1	3.529	656.0	1.413	0.000	0.000
X	2093.9	.156	.027	1.0000	1.0000	7.769	1.551	.1	2.917	656.0	1.413	0.000	0.000
X	2094.0	.164	.029	1.0000	1.0000	7.769	1.551	.1	3.068	656.0	1.413	0.000	0.000
X	2094.2	.187	.025	1.0000	1.0000	7.769	1.551	.1	11.900	656.0	1.413	0.000	0.000
X	2094.3	.191	.024	1.0000	1.0000	7.769	1.551	.1	16.106	656.0	1.413	0.000	0.000
X	2094.5	.194	.025	1.0000	1.0000	7.769	1.551	.1	16.833	656.0	1.413	0.000	0.000
X	2094.7	.195	.026	1.0000	1.0000	7.769	1.551	.1	14.087	656.0	1.413	0.000	0.000
X	2094.8	.194	.024	1.0000	1.0000	7.769	1.551	.1	17.628	656.0	1.413	0.000	0.000
X	2095.0	.191	.021	1.0000	1.0000	7.769	1.551	.1	23.198	656.0	1.413	0.000	0.000
X	2095.1	.180	.025	1.0000	1.0000	7.769	1.551	.1	10.255	656.0	1.413	0.000	0.000
X	2095.3	.188	.025	1.0000	1.0000	7.769	1.551	.1	13.363	656.0	1.413	0.000	0.000
X	2095.4	.191	.022	1.0000	1.0000	7.769	1.551	.1	21.489	656.0	1.413	0.000	0.000
X	2095.6	.204	.015	1.0000	1.0000	7.769	1.551	.1	82.364	656.0	1.413	0.000	0.000
X	2095.7	.207	.013	1.0000	1.0000	7.769	1.551	.1	119.290	656.0	1.413	0.000	0.000
X	2095.9	.224	.011	1.0000	1.0000	7.769	1.551	.1	304.116	656.0	1.413	0.000	0.000
X	2096.0	.230	.012	1.0000	1.0000	7.769	1.551	.1	304.076	656.0	1.413	0.000	0.000
X	2096.2	.225	.014	1.0000	1.0000	7.769	1.551	.1	186.110	656.0	1.413	0.000	0.000
X	2096.3	.206	.016	1.0000	1.0000	7.769	1.551	.1	78.717	656.0	1.413	0.000	0.000
X	2096.5	.204	.013	1.0000	1.0000	7.769	1.551	.1	122.388	656.0	1.413	0.000	0.000
X	2096.6	.197	.014	1.0000	1.0000	7.769	1.551	.1	87.595	656.0	1.413	0.000	0.000
X	2096.8	.202	.012	1.0000	1.0000	7.769	1.551	.1	136.614	656.0	1.413	0.000	0.000
X	2096.9	.183	.013	1.0000	1.0000	7.769	1.551	.1	57.830	656.0	1.413	0.000	0.000
X	2097.1	.183	.011	1.0000	1.0000	7.769	1.551	.1	94.794	656.0	1.413	0.000	0.000
X	2097.2	.177	.008	1.0000	1.0000	7.769	1.551	.1	117.295	656.0	1.413	0.000	0.000
X	2097.4	.155	.019	1.0000	1.0000	7.769	1.551	.1	7.649	656.0	1.413	0.000	0.000
X	2097.5	.115	.040	1.0000	1.0000	7.769	1.551	.1	.061	656.0	1.413	0.000	0.000
X	2097.7	.091	.062	1.0000	1.0000	7.769	1.551	.1	.000	656.0	1.413	0.000	0.000
X	2097.9	.095	.067	1.0000	1.0000	7.769	1.551	.1	.000	656.0	1.413	0.000	0.000
X	2098.0	.112	.068	1.0000	1.0000	7.769	1.551	.1	.001	656.0	1.413	0.000	0.000
X	2098.2	.121	.074	1.0000	1.0000	7.769	1.551	.1	.001	656.0	1.413	0.000	0.000
X	2098.3	.151	.069	1.0000	1.0000	7.769	1.551	.1	.034	656.0	1.413	0.000	0.000
X	2098.5	.170	.055	1.0000	1.0000	7.769	1.551	.1	.357	656.0	1.413	0.000	0.000

* =RAW DATA CUT OFF X =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-C

SECTION FROM 2030.0 TO 2185.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
X 2098.6	.199	.029	1.000	1.000	7.769	1.551	.1	11.791	656.0	1.413	0.000	0.000
X 2098.8	.210	.019	1.000	1.000	7.769	1.551	.1	58.981	656.0	1.413	0.000	0.000
X 2098.9	.226	.015	1.000	1.000	7.769	1.551	.1	163.386	656.0	1.413	0.000	0.000
X 2099.1	.220	.017	1.000	1.000	7.769	1.551	.1	101.475	656.0	1.413	0.000	0.000
X 2099.2	.220	.018	1.000	1.000	7.769	1.551	.1	87.829	656.0	1.413	0.000	0.000
X 2099.4	.207	.024	1.000	1.000	7.769	1.551	.1	29.170	656.0	1.413	0.000	0.000
X 2099.5	.212	.021	1.000	1.000	7.769	1.551	.1	49.388	656.0	1.413	0.000	0.000
X 2099.7	.204	.016	1.000	1.000	7.769	1.551	.1	67.935	656.0	1.413	0.000	0.000
X 2099.8	.205	.012	1.000	1.000	7.769	1.551	.1	162.027	656.0	1.413	0.000	0.000
X 2100.0	.199	.014	1.000	1.000	7.769	1.551	.1	88.236	656.0	1.413	0.000	0.000
X 2100.1	.213	.011	1.000	1.000	7.769	1.551	.1	222.234	656.0	1.413	0.000	0.000
X 2100.3	.205	.014	1.000	1.000	7.769	1.551	.1	109.565	656.0	1.413	0.000	0.000
X 2100.4	.204	.011	1.000	1.000	7.769	1.551	.1	192.572	656.0	1.413	0.000	0.000
X 2100.6	.195	.012	1.000	1.000	7.769	1.551	.1	104.790	656.0	1.413	0.000	0.000
X 2100.7	.212	.000	1.000	1.000	7.769	1.551	.1	244.722	656.0	1.413	0.000	0.000
X 2100.9	.213	.000	1.000	1.000	7.769	1.551	.1	246.814	656.0	1.413	0.000	0.000
X 2101.1	.190	.000	1.000	1.000	7.769	1.551	.1	155.857	656.0	1.413	0.000	0.000
X 2101.2	.168	.000	1.000	1.000	7.769	1.551	.1	96.091	656.0	1.413	0.000	0.000
X 2101.4	.121	.007	1.000	1.000	7.769	1.551	.1	20.617	656.0	1.413	0.000	0.000
X 2101.5	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
X 2101.7	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
X 2101.8	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
X 2102.0	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
X 2102.1	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
X 2102.3	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
X 2102.4	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
X 2102.6	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
X 2102.7	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
X 2102.9	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
X 2103.0	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
X 2103.2	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
X 2103.3	.118	.092	1.000	1.000	7.769	1.551	.1	.000	656.0	1.413	0.000	0.000
X 2103.5	.109	.094	1.000	1.000	7.769	1.551	.1	.000	656.0	1.413	0.000	0.000
X 2103.6	.113	.093	1.000	1.000	7.769	1.551	.1	.000	656.0	1.413	0.000	0.000
X 2103.8	.092	.091	1.000	1.000	7.769	1.551	.1	.000	656.0	1.413	0.000	0.000
X 2103.9	.083	.082	1.000	1.000	7.769	1.551	.1	.000	656.0	1.413	0.000	0.000
X 2104.1	.084	.083	1.000	1.000	7.769	1.551	.1	.000	656.0	1.413	0.000	0.000
X 2104.3	.085	.078	1.000	1.000	7.769	1.551	.1	.000	656.0	1.413	0.000	0.000
X 2104.4	.116	.063	1.000	1.000	7.769	1.551	.1	.003	656.0	1.413	0.000	0.000
X 2104.6	.113	.061	1.000	1.000	7.769	1.551	.1	.003	656.0	1.413	0.000	0.000
X 2104.7	.124	.050	1.000	1.000	7.769	1.551	.1	.034	656.0	1.413	0.000	0.000
X 2104.9	.109	.051	1.000	1.000	7.769	1.551	.1	.009	656.0	1.413	0.000	0.000
X 2105.0	.126	.045	1.000	1.000	7.769	1.551	.1	.067	656.0	1.413	0.000	0.000
X 2105.2	.142	.045	1.000	1.000	7.769	1.551	.1	.198	656.0	1.413	0.000	0.000
X 2105.3	.134	.050	1.000	1.000	7.769	1.551	.1	.072	656.0	1.413	0.000	0.000
X 2105.5	.131	.054	1.000	1.000	7.769	1.551	.1	.037	656.0	1.413	0.000	0.000
X 2105.6	.141	.048	1.000	1.000	7.769	1.551	.1	.140	656.0	1.413	0.000	0.000
X 2105.8	.166	.039	1.000	1.000	7.769	1.551	.1	1.222	656.0	1.413	0.000	0.000
X 2105.9	.164	.037	1.000	1.000	7.769	1.551	.1	1.427	656.0	1.413	0.000	0.000
X 2106.1	.164	.040	1.000	1.000	7.769	1.551	.1	1.098	656.0	1.413	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-C

		SECTION FROM 2030.0 TO 2185.0											
DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW	
% 2106.2	.160	.041	1.000	1.000	7.769	1.551	.1	.757	656.0	1.413	0.000	0.000	
% 2106.4	.181	.043	1.000	1.000	7.769	1.551	.1	1.714	656.0	1.413	0.000	0.000	
% 2106.5	.189	.039	1.000	1.000	7.769	1.551	.1	3.227	656.0	1.413	0.000	0.000	
% 2106.7	.190	.040	1.000	1.000	7.769	1.551	.1	3.223	656.0	1.413	0.000	0.000	
% 2106.8	.177	.045	1.000	1.000	7.769	1.551	.1	1.165	656.0	1.413	0.000	0.000	
% 2107.0	.152	.051	1.000	1.000	7.769	1.551	.1	.194	656.0	1.413	0.000	0.000	
% 2107.1	.144	.050	1.000	1.000	7.769	1.551	.1	.141	656.0	1.413	0.000	0.000	
% 2107.3	.137	.041	1.000	1.000	7.769	1.551	.1	.235	656.0	1.413	0.000	0.000	
% 2107.5	.155	.030	1.000	1.000	7.769	1.551	.1	1.838	656.0	1.413	0.000	0.000	
% 2107.6	.152	.031	1.000	1.000	7.769	1.551	.1	1.406	656.0	1.413	0.000	0.000	
% 2107.8	.182	.022	1.000	1.000	7.769	1.551	.1	15.128	656.0	1.413	0.000	0.000	
% 2107.9	.207	.015	1.000	1.000	7.769	1.551	.1	100.054	656.0	1.413	0.000	0.000	
% 2108.1	.229	.003	1.000	1.000	7.769	1.551	.1	330.692	656.0	1.413	0.000	0.000	
% 2108.2	.218	.002	1.000	1.000	7.769	1.551	.1	271.341	656.0	1.413	0.000	0.000	
% 2108.4	.196	.008	1.000	1.000	7.769	1.551	.1	179.821	656.0	1.413	0.000	0.000	
% 2108.5	.170	.024	1.000	1.000	7.769	1.551	.1	7.146	656.0	1.413	0.000	0.000	
% 2108.7	.142	.036	1.000	1.000	7.769	1.551	.1	.522	656.0	1.413	0.000	0.000	
% 2108.8	.080	.060	1.000	1.000	7.769	1.551	.1	.000	656.0	1.413	0.000	0.000	
% 2109.0	.081	.067	1.000	1.000	7.769	1.551	.1	.000	656.0	1.413	0.000	0.000	
% 2109.1	.121	.072	1.000	1.000	7.769	1.551	.1	.002	656.0	1.413	0.000	0.000	
% 2109.3	.146	.060	1.000	1.000	7.769	1.551	.1	.057	656.0	1.413	0.000	0.000	
% 2109.4	.139	.050	1.000	1.000	7.769	1.551	.1	.101	656.0	1.413	0.000	0.000	
% 2109.6	.133	.032	1.000	1.000	7.769	1.551	.1	.497	656.0	1.413	0.000	0.000	
% 2109.7	.171	.019	1.000	1.000	7.769	1.551	.1	14.485	656.0	1.413	0.000	0.000	
% 2109.9	.193	.019	1.000	1.000	7.769	1.551	.1	35.093	656.0	1.413	0.000	0.000	
% 2110.0	.200	.015	1.000	1.000	7.769	1.551	.1	72.385	656.0	1.413	0.000	0.000	
% 2110.2	.180	.022	1.000	1.000	7.769	1.551	.1	14.450	656.0	1.413	0.000	0.000	
% 2110.3	.155	.033	1.000	1.000	7.769	1.551	.1	1.400	656.0	1.413	0.000	0.000	
% 2110.5	.129	.050	1.000	1.000	7.769	1.551	.1	.049	656.0	1.413	0.000	0.000	
% 2110.7	.096	.070	1.000	1.000	7.769	1.551	.1	.000	656.0	1.413	0.000	0.000	
% 2110.8	.115	.058	1.000	1.000	7.769	1.551	.1	.006	656.0	1.413	0.000	0.000	
% 2111.0	.132	.054	1.000	1.000	7.769	1.551	.1	.042	656.0	1.413	0.000	0.000	
% 2111.1	.159	.039	1.000	1.000	7.769	1.551	.1	.912	656.0	1.413	0.000	0.000	
% 2111.3	.150	.044	1.000	1.000	7.769	1.551	.1	.374	656.0	1.413	0.000	0.000	
% 2111.4	.157	.039	1.000	1.000	7.769	1.551	.1	.853	656.0	1.413	0.000	0.000	
% 2111.6	.164	.039	1.000	1.000	7.769	1.551	.1	1.183	656.0	1.413	0.000	0.000	
% 2111.7	.172	.045	1.000	1.000	7.769	1.551	.1	.975	656.0	1.413	0.000	0.000	
% 2111.9	.167	.048	1.000	1.000	7.769	1.551	.1	.598	656.0	1.413	0.000	0.000	
% 2112.0	.174	.039	1.000	1.000	7.769	1.551	.1	1.784	656.0	1.413	0.000	0.000	
% 2112.2	.175	.027	1.000	1.000	7.769	1.551	.1	6.213	656.0	1.413	0.000	0.000	
% 2112.3	.177	.023	1.000	1.000	7.769	1.551	.1	10.454	656.0	1.413	0.000	0.000	
% 2112.5	.188	.022	1.000	1.000	7.769	1.551	.1	17.369	656.0	1.413	0.000	0.000	
% 2112.6	.202	.019	1.000	1.000	7.769	1.551	.1	45.137	656.0	1.413	0.000	0.000	
% 2112.8	.224	.012	1.000	1.000	7.769	1.551	.1	240.695	656.0	1.413	0.000	0.000	
% 2112.9	.226	.013	1.000	1.000	7.769	1.551	.1	240.992	656.0	1.413	0.000	0.000	
% 2113.1	.238	.009	1.000	1.000	7.769	1.551	.1	384.278	656.0	1.413	0.000	0.000	
% 2113.2	.235	.006	1.000	1.000	7.769	1.551	.1	369.760	656.0	1.413	0.000	0.000	
% 2113.4	.235	.000	1.000	1.000	7.769	1.551	.1	367.760	656.0	1.413	0.000	0.000	
% 2113.5	.213	.001	1.000	1.000	7.769	1.551	.1	247.876	656.0	1.413	0.000	0.000	
% 2113.7	.202	.004	1.000	1.000	7.769	1.551	.1	200.642	656.0	1.413	0.000	0.000	

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-C

		SECTION FROM 2030.0 TO 2185.0										
DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 2113.9	.200	.008	1.000	1.000	7.769	1.551	.1	193.498	656.0	1.413	0.000	0.000
% 2114.0	.205	.010	1.000	1.000	7.769	1.551	.1	210.411	656.0	1.413	0.000	0.000
% 2114.2	.211	.011	1.000	1.000	7.769	1.551	.1	204.384	656.0	1.413	0.000	0.000
% 2114.3	.209	.011	1.000	1.000	7.769	1.551	.1	218.545	656.0	1.413	0.000	0.000
% 2114.5	.183	.024	1.000	1.000	7.769	1.551	.1	11.574	656.0	1.413	0.000	0.000
% 2114.6	.174	.027	1.000	1.000	7.769	1.551	.1	6.035	656.0	1.413	0.000	0.000
% 2114.8	.163	.027	1.000	1.000	7.769	1.551	.1	4.007	656.0	1.413	0.000	0.000
% 2114.9	.160	.014	1.000	1.000	7.769	1.551	.1	21.552	656.0	1.413	0.000	0.000
% 2115.1	.128	.013	1.000	1.000	7.769	1.551	.1	6.172	656.0	1.413	0.000	0.000
% 2115.2	.098	.025	1.000	1.000	7.769	1.551	.1	.108	656.0	1.413	0.000	0.000
% 2115.4	.098	.038	1.000	1.000	7.769	1.551	.1	.017	656.0	1.413	0.000	0.000
% 2115.5	.107	.054	1.000	1.000	7.769	1.551	.1	.005	656.0	1.413	0.000	0.000
% 2115.7	.126	.051	1.000	1.000	7.769	1.551	.1	.035	656.0	1.413	0.000	0.000
% 2115.8	.157	.042	1.000	1.000	7.769	1.551	.1	.632	656.0	1.413	0.000	0.000
% 2116.0	.169	.033	1.000	1.000	7.769	1.551	.1	2.515	656.0	1.413	0.000	0.000
% 2116.1	.184	.026	1.000	1.000	7.769	1.551	.1	10.108	656.0	1.413	0.000	0.000
% 2116.3	.178	.026	1.000	1.000	7.769	1.551	.1	7.734	656.0	1.413	0.000	0.000
% 2116.4	.171	.043	1.000	1.000	7.769	1.551	.1	1.158	656.0	1.413	0.000	0.000
% 2116.6	.145	.063	1.000	1.000	7.769	1.551	.1	.042	656.0	1.413	0.000	0.000
% 2116.7	.128	.073	1.000	1.000	7.769	1.551	.1	.003	656.0	1.413	0.000	0.000
% 2116.9	.121	.068	1.000	1.000	7.769	1.551	.1	.003	656.0	1.413	0.000	0.000
% 2117.1	.129	.060	1.000	1.000	7.769	1.551	.1	.018	656.0	1.413	0.000	0.000
% 2117.2	.137	.065	1.000	1.000	7.769	1.551	.1	.020	656.0	1.413	0.000	0.000
% 2117.4	.126	.064	1.000	1.000	7.769	1.551	.1	.009	656.0	1.413	0.000	0.000
% 2117.5	.134	.071	1.000	1.000	7.769	1.551	.1	.007	656.0	1.413	0.000	0.000
% 2117.7	.176	.051	1.000	1.000	7.769	1.551	.1	.709	656.0	1.413	0.000	0.000
% 2117.8	.204	.048	1.000	1.000	7.769	1.551	.1	2.884	656.0	1.413	0.000	0.000
% 2118.0	.216	.039	1.000	1.000	7.769	1.551	.1	9.269	656.0	1.413	0.000	0.000
% 2118.1	.185	.051	1.000	1.000	7.769	1.551	.1	1.070	656.0	1.413	0.000	0.000
% 2118.3	.167	.058	1.000	1.000	7.769	1.551	.1	.247	656.0	1.413	0.000	0.000
% 2118.4	.173	.054	1.000	1.000	7.769	1.551	.1	.459	656.0	1.413	0.000	0.000
% 2118.6	.177	.054	1.000	1.000	7.769	1.551	.1	.586	656.0	1.413	0.000	0.000
% 2118.7	.202	.042	1.000	1.000	7.769	1.551	.1	4.244	656.0	1.413	0.000	0.000
% 2118.9	.195	.045	1.000	1.000	7.769	1.551	.1	2.630	656.0	1.413	0.000	0.000
% 2119.0	.207	.043	1.000	1.000	7.769	1.551	.1	4.788	656.0	1.413	0.000	0.000
% 2119.2	.199	.046	1.000	1.000	7.769	1.551	.1	2.772	656.0	1.413	0.000	0.000
% 2119.3	.197	.043	1.000	1.000	7.769	1.551	.1	3.346	656.0	1.413	0.000	0.000
% 2119.5	.194	.039	1.000	1.000	7.769	1.551	.1	4.163	656.0	1.413	0.000	0.000
% 2119.6	.198	.035	1.000	1.000	7.769	1.551	.1	7.009	656.0	1.413	0.000	0.000
% 2119.8	.182	.042	1.000	1.000	7.769	1.551	.1	2.000	656.0	1.413	0.000	0.000
% 2119.9	.159	.050	1.000	1.000	7.769	1.551	.1	.322	656.0	1.413	0.000	0.000
% 2120.1	.122	.071	1.000	1.000	7.769	1.551	.1	.002	656.0	1.413	0.000	0.000
% 2120.3	.130	.080	1.000	1.000	7.769	1.551	.1	.002	656.0	1.413	0.000	0.000
% 2120.4	.138	.085	1.000	1.000	7.769	1.551	.1	.002	656.0	1.413	0.000	0.000
% 2120.6	.171	.071	1.000	1.000	7.769	1.551	.1	.105	656.0	1.413	0.000	0.000
% 2120.7	.172	.056	1.000	1.000	7.769	1.551	.1	.375	656.0	1.413	0.000	0.000
% 2120.9	.186	.047	1.000	1.000	7.769	1.551	.1	1.606	656.0	1.413	0.000	0.000
% 2121.0	.184	.040	1.000	1.000	7.769	1.551	.1	2.546	656.0	1.413	0.000	0.000
% 2121.2	.206	.032	1.000	1.000	7.769	1.551	.1	11.953	656.0	1.413	0.000	0.000
% 2121.3	.222	.031	1.000	1.000	7.769	1.551	.1	21.767	656.0	1.413	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-C

SECTION FROM 2030.0 TO 2185.0

DEPTH	GROSS POROSITY	VC	SW	SECTION FROM 2030.0 TO 2185.0 SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 2121.5	.224	.026	1.000	1.000	7.769	1.551	.1	37.071	656.0	1.413	0.000	0.000
% 2121.6	.214	.024	1.000	1.000	7.769	1.551	.1	35.809	656.0	1.413	0.000	0.000
% 2121.8	.186	.020	1.000	1.000	7.769	1.551	.1	22.058	656.0	1.413	0.000	0.000
% 2121.9	.171	.020	1.000	1.000	7.769	1.551	.1	13.314	656.0	1.413	0.000	0.000
% 2122.1	.165	.026	1.000	1.000	7.769	1.551	.1	4.885	656.0	1.413	0.000	0.000
% 2122.2	.178	.023	1.000	1.000	7.769	1.551	.1	10.720	656.0	1.413	0.000	0.000
% 2122.4	.178	.029	1.000	1.000	7.769	1.551	.1	5.548	656.0	1.413	0.000	0.000
% 2122.5	.176	.025	1.000	1.000	7.769	1.551	.1	8.404	656.0	1.413	0.000	0.000
% 2122.7	.173	.024	1.000	1.000	7.769	1.551	.1	8.553	656.0	1.413	0.000	0.000
% 2122.8	.177	.018	1.000	1.000	7.769	1.551	.1	22.182	656.0	1.413	0.000	0.000
% 2123.0	.183	.012	1.000	1.000	7.769	1.551	.1	70.278	656.0	1.413	0.000	0.000
% 2123.1	.176	.010	1.000	1.000	7.769	1.551	.1	89.358	656.0	1.413	0.000	0.000
% 2123.3	.163	.012	1.000	1.000	7.769	1.551	.1	31.090	656.0	1.413	0.000	0.000
% 2123.5	.170	.033	1.000	1.000	7.769	1.551	.1	2.605	656.0	1.413	0.000	0.000
% 2123.6	.213	.031	1.000	1.000	7.769	1.551	.1	17.287	656.0	1.413	0.000	0.000
% 2123.8	.211	.040	.996	1.000	7.922	1.583	.1	7.156	657.1	1.445	0.000	0.000
% 2123.9	.177	.032	1.000	1.000	7.922	1.583	.1	4.040	657.1	1.445	0.000	0.000
% 2124.1	.126	.043	1.000	1.000	7.922	1.583	.1	.085	657.1	1.445	0.000	0.000
% 2124.2	.093	.048	1.000	1.000	7.922	1.583	.1	.002	657.1	1.445	0.000	0.000
% 2124.4	.080	.068	1.000	1.000	7.922	1.583	.1	.000	657.1	1.445	0.000	0.000
% 2124.5	.087	.080	1.000	1.000	7.922	1.583	.1	.000	657.1	1.445	0.000	0.000
% 2124.7	.107	.094	1.000	1.000	7.922	1.583	.1	.000	657.1	1.445	0.000	0.000
% 2124.8	.148	.080	1.000	1.000	7.922	1.583	.1	.010	657.1	1.445	0.000	0.000
% 2125.0	.154	.090	1.000	1.000	7.922	1.583	.1	.005	657.1	1.445	0.000	0.000
% 2125.1	.133	.103	1.000	1.000	7.922	1.583	.1	.000	657.1	1.445	0.000	0.000
% 2125.3	.106	.105	1.000	1.000	7.922	1.583	.1	.000	657.1	1.445	0.000	0.000
% 2125.4	.075	.074	1.000	1.000	7.922	1.583	.1	.000	657.1	1.445	0.000	0.000
% 2125.6	.032	.031	1.000	1.000	7.922	1.583	.1	.000	657.1	1.445	0.000	0.000
% 2125.7	.068	.067	1.000	1.000	7.922	1.583	.1	.000	657.1	1.445	0.000	0.000
% 2125.9	.122	.084	1.000	1.000	7.922	1.583	.1	.000	657.1	1.445	0.000	0.000
% 2126.0	.195	.049	.975	1.000	8.074	1.613	.1	1.807	657.3	1.474	0.000	0.000
% 2126.2	.151	.062	1.000	1.000	8.074	1.613	.1	.070	657.3	1.474	0.000	0.000
% 2126.3	.120	.071	1.000	1.000	8.074	1.613	.1	.002	657.3	1.474	0.000	0.000
% 2126.5	.100	.077	1.000	1.000	8.074	1.613	.1	.000	657.3	1.474	0.000	0.000
% 2126.7	.100	.075	1.000	1.000	8.074	1.613	.1	.000	657.3	1.474	0.000	0.000
% 2126.8	.115	.075	1.000	1.000	8.074	1.613	.1	.000	657.3	1.474	0.000	0.000
% 2127.0	.130	.068	1.000	1.000	8.074	1.613	.1	.007	657.3	1.474	0.000	0.000
% 2127.1	.122	.075	1.000	1.000	8.074	1.613	.1	.001	657.3	1.474	0.000	0.000
% 2127.3	.094	.073	1.000	1.000	8.074	1.613	.1	.000	657.3	1.474	0.000	0.000
% 2127.4	.082	.077	1.000	1.000	8.074	1.613	.1	.000	657.3	1.474	0.000	0.000
% 2127.6	.081	.077	1.000	1.000	8.074	1.613	.1	.000	657.3	1.474	0.000	0.000
% 2127.7	.095	.078	1.000	1.000	8.074	1.613	.1	.000	657.3	1.474	0.000	0.000
% 2127.9	.093	.082	1.000	1.000	8.074	1.613	.1	.000	657.3	1.474	0.000	0.000
% 2128.0	.101	.076	1.000	1.000	8.074	1.613	.1	.000	657.3	1.474	0.000	0.000
% 2128.2	.099	.075	1.000	1.000	8.074	1.613	.1	.000	657.3	1.474	0.000	0.000
% 2128.3	.096	.073	1.000	1.000	8.074	1.613	.1	.000	657.3	1.474	0.000	0.000
% 2128.5	.088	.078	1.000	1.000	8.074	1.613	.1	.000	657.3	1.474	0.000	0.000
% 2128.6	.092	.075	1.000	1.000	8.074	1.613	.1	.000	657.3	1.474	0.000	0.000
% 2128.8	.097	.076	1.000	1.000	8.074	1.613	.1	.000	657.3	1.474	0.000	0.000
% 2128.9	.112	.069	1.000	1.000	8.074	1.613	.1	.001	657.3	1.474	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-C

SECTION FROM 2030.0 TO 2185.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 2129.1	.121	.072	1.000	1.000	8.074	1.613	.1	.002	657.3	1.474	0.000	0.000
% 2129.2	.151	.057	1.000	1.000	8.074	1.613	.1	.112	657.3	1.474	0.000	0.000
% 2129.4	.174	.038	1.000	1.000	8.074	1.613	.1	1.987	657.3	1.474	0.000	0.000
% 2129.5	.173	.032	1.000	1.000	8.074	1.613	.1	3.450	657.3	1.474	0.000	0.000
% 2129.7	.163	.031	1.000	1.000	8.074	1.613	.1	2.396	657.3	1.474	0.000	0.000
% 2129.9	.143	.048	1.000	1.000	8.074	1.613	.1	.158	657.3	1.474	0.000	0.000
% 2130.0	.157	.046	1.000	1.000	8.074	1.613	.1	.412	657.3	1.474	0.000	0.000
% 2130.2	.158	.049	1.000	1.000	8.074	1.613	.1	.357	657.3	1.474	0.000	0.000
% 2130.3	.172	.038	1.000	1.000	8.074	1.613	.1	1.780	657.3	1.474	0.000	0.000
% 2130.5	.193	.029	1.000	1.000	8.074	1.613	.1	10.181	657.3	1.474	0.000	0.000
% 2130.6	.203	.020	1.000	1.000	8.074	1.613	.1	40.027	657.3	1.474	0.000	0.000
% 2130.8	.193	.024	1.000	1.000	8.074	1.613	.1	16.848	657.3	1.474	0.000	0.000
% 2130.9	.164	.038	1.000	1.000	8.074	1.613	.1	1.323	657.3	1.474	0.000	0.000
% 2131.1	.173	.046	1.000	1.000	8.074	1.613	.1	.966	657.3	1.474	0.000	0.000
% 2131.2	.185	.035	1.000	1.000	8.074	1.613	.1	3.962	657.3	1.474	0.000	0.000
% 2131.4	.167	.028	1.000	1.000	8.074	1.613	.1	4.016	657.3	1.474	0.000	0.000
% 2131.5	.117	.029	1.000	1.000	8.074	1.613	.1	.259	657.3	1.474	0.000	0.000
% 2131.7	.076	.057	1.000	1.000	8.074	1.613	.1	.000	657.3	1.474	0.000	0.000
% 2131.8	.084	.075	1.000	1.000	8.074	1.613	.1	.000	657.3	1.474	0.000	0.000
% 2132.0	.137	.074	1.000	1.000	8.074	1.613	.1	.007	657.3	1.474	0.000	0.000
% 2132.1	.168	.068	1.000	1.000	8.074	1.613	.1	.111	657.3	1.474	0.000	0.000
% 2132.3	.172	.070	1.000	1.000	8.074	1.613	.1	.124	657.3	1.474	0.000	0.000
% 2132.4	.162	.081	1.000	1.000	8.074	1.613	.1	.026	657.3	1.474	0.000	0.000
% 2132.6	.166	.074	1.000	1.000	8.074	1.613	.1	.062	657.3	1.474	0.000	0.000
% 2132.7	.200	.045	1.000	1.000	8.074	1.613	.1	3.047	657.3	1.474	0.000	0.000
% 2132.9	.208	.022	1.000	1.000	8.074	1.613	.1	35.898	657.3	1.474	0.000	0.000
% 2133.1	.200	.023	1.000	1.000	8.074	1.613	.1	24.761	657.3	1.474	0.000	0.000
% 2133.2	.204	.025	1.000	1.000	8.074	1.613	.1	22.902	657.3	1.474	0.000	0.000
% 2133.4	.235	.019	1.000	1.000	8.074	1.613	.1	114.658	657.3	1.474	0.000	0.000
2133.5	.252	.015	.923	.923	8.227	1.652	.1	305.660	704.2	1.510	0.000	0.000
2133.7	.234	.018	.956	.956	8.379	1.687	.1	137.694	725.1	1.544	0.000	0.000
% 2133.8	.194	.030	1.000	1.000	8.379	1.687	.1	9.632	725.1	1.544	0.000	0.000
% 2134.0	.177	.034	1.000	1.000	8.379	1.687	.1	3.323	725.1	1.544	0.000	0.000
% 2134.1	.199	.030	1.000	1.000	8.379	1.687	.1	11.557	725.1	1.544	0.000	0.000
% 2134.3	.214	.025	1.000	1.000	8.379	1.687	.1	30.616	725.1	1.544	0.000	0.000
% 2134.4	.231	.012	.988	1.000	8.531	1.722	.1	342.412	777.3	1.579	0.000	0.000
% 2134.6	.222	.015	1.000	1.000	8.531	1.722	.1	155.298	777.3	1.579	0.000	0.000
% 2134.7	.204	.016	1.000	1.000	8.531	1.722	.1	70.097	777.3	1.579	0.000	0.000
% 2134.9	.191	.018	1.000	1.000	8.531	1.722	.1	34.951	777.3	1.579	0.000	0.000
% 2135.0	.190	.015	1.000	1.000	8.531	1.722	.1	54.211	777.3	1.579	0.000	0.000
% 2135.2	.192	.016	1.000	1.000	8.531	1.722	.1	48.133	777.3	1.579	0.000	0.000
% 2135.3	.194	.018	1.000	1.000	8.531	1.722	.1	38.863	777.3	1.579	0.000	0.000
% 2135.5	.181	.020	1.000	1.000	8.531	1.722	.1	18.741	777.3	1.579	0.000	0.000
% 2135.6	.182	.018	1.000	1.000	8.531	1.722	.1	23.933	777.3	1.579	0.000	0.000
% 2135.8	.168	.023	1.000	1.000	8.531	1.722	.1	7.866	777.3	1.579	0.000	0.000
% 2135.9	.153	.030	1.000	1.000	8.531	1.722	.1	1.702	777.3	1.579	0.000	0.000
% 2136.1	.160	.022	1.000	1.000	8.531	1.722	.1	6.470	777.3	1.579	0.000	0.000
% 2136.3	.161	.012	1.000	1.000	8.531	1.722	.1	29.895	777.3	1.579	0.000	0.000
% 2136.4	.156	.006	1.000	1.000	8.531	1.722	.1	72.129	777.3	1.579	0.000	0.000
% 2136.6	.142	.014	1.000	1.000	8.531	1.722	.1	10.180	777.3	1.579	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-C

SECTION FROM 2030.0 TO 2185.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 2136.7	.155	.013	1.000	1.000	8.531	1.722	.1	18.642	777.3	1.579	0.000	0.000
% 2136.9	.159	.013	1.000	1.000	8.531	1.722	.1	23.783	777.3	1.579	0.000	0.000
% 2137.0	.154	.014	1.000	1.000	8.531	1.722	.1	15.181	777.3	1.579	0.000	0.000
% 2137.2	.159	.012	1.000	1.000	8.531	1.722	.1	29.135	777.3	1.579	0.000	0.000
% 2137.3	.177	.011	1.000	1.000	8.531	1.722	.1	68.041	777.3	1.579	0.000	0.000
% 2137.5	.187	.010	1.000	1.000	8.531	1.722	.1	135.246	777.3	1.579	0.000	0.000
% 2137.6	.175	.023	1.000	1.000	8.531	1.722	.1	10.188	777.3	1.579	0.000	0.000
% 2137.8	.188	.029	1.000	1.000	8.531	1.722	.1	8.638	777.3	1.579	0.000	0.000
% 2137.9	.190	.034	1.000	1.000	8.531	1.722	.1	5.629	777.3	1.579	0.000	0.000
% 2138.1	.198	.039	1.000	1.000	8.531	1.722	.1	4.883	777.3	1.579	0.000	0.000
% 2138.2	.198	.038	1.000	1.000	8.531	1.722	.1	5.053	777.3	1.579	0.000	0.000
2138.4	.215	.035	.990	1.000	8.685	1.755	.1	11.829	779.1	1.611	0.000	0.000
2138.5	.223	.022	.966	1.000	8.837	1.789	.1	60.887	788.3	1.644	0.000	0.000
% 2138.7	.218	.024	1.000	1.000	8.837	1.789	.1	38.626	788.3	1.644	0.000	0.000
% 2138.8	.215	.028	1.000	1.000	8.837	1.789	.1	22.819	788.3	1.644	0.000	0.000
2139.0	.226	.029	.972	1.000	8.989	1.823	.1	28.514	792.7	1.677	0.000	0.000
2139.1	.226	.028	.975	1.000	9.141	1.858	.1	32.072	797.6	1.711	0.000	0.000
2139.3	.231	.025	.947	.991	9.294	1.893	.1	53.048	805.7	1.744	0.000	0.000
% 2139.5	.216	.033	1.000	1.000	9.294	1.893	.1	14.205	805.7	1.744	0.000	0.000
% 2139.6	.219	.039	1.000	1.000	9.294	1.893	.1	9.603	805.7	1.744	0.000	0.000
% 2139.8	.206	.048	1.000	1.000	9.294	1.893	.1	3.216	805.7	1.744	0.000	0.000
% 2139.9	.210	.046	1.000	1.000	9.294	1.893	.1	4.039	805.7	1.744	0.000	0.000
% 2140.1	.214	.043	1.000	1.000	9.294	1.893	.1	6.062	805.7	1.744	0.000	0.000
2140.2	.232	.039	.991	1.000	9.446	1.929	.1	15.221	808.0	1.779	0.000	0.000
% 2140.4	.219	.049	1.000	1.000	9.446	1.929	.1	4.531	808.0	1.779	0.000	0.000
% 2140.5	.207	.050	1.000	1.000	9.446	1.929	.1	2.816	808.0	1.779	0.000	0.000
% 2140.7	.195	.051	1.000	1.000	9.446	1.929	.1	1.578	808.0	1.779	0.000	0.000
% 2140.8	.213	.037	1.000	1.000	9.446	1.929	.1	9.841	808.0	1.779	0.000	0.000
2141.0	.228	.033	.996	.996	9.598	1.963	.1	21.648	811.3	1.814	0.000	0.000
2141.1	.236	.025	.959	.959	9.750	1.999	.2	58.973	820.2	1.848	0.000	0.000
2141.3	.233	.023	.968	.998	9.903	2.035	.2	68.344	830.7	1.883	0.000	0.000
% 2141.4	.214	.026	1.000	1.000	9.903	2.035	.2	26.916	830.7	1.883	0.000	0.000
% 2141.6	.190	.033	1.000	1.000	9.903	2.035	.2	6.070	830.7	1.883	0.000	0.000
% 2141.7	.177	.040	1.000	1.000	9.903	2.035	.2	1.822	830.7	1.883	0.000	0.000
% 2141.9	.162	.044	1.000	1.000	9.903	2.035	.2	.690	830.7	1.883	0.000	0.000
% 2142.0	.152	.045	1.000	1.000	9.903	2.035	.2	.345	830.7	1.883	0.000	0.000
% 2142.2	.119	.049	1.000	1.000	9.903	2.035	.2	.028	830.7	1.883	0.000	0.000
% 2142.3	.093	.055	1.000	1.000	9.903	2.035	.2	.001	830.7	1.883	0.000	0.000
% 2142.5	.082	.063	1.000	1.000	9.903	2.035	.2	.000	830.7	1.883	0.000	0.000
% 2142.7	.086	.066	1.000	1.000	9.903	2.035	.2	.000	830.7	1.883	0.000	0.000
% 2142.8	.101	.064	1.000	1.000	9.903	2.035	.2	.000	830.7	1.883	0.000	0.000
% 2143.0	.106	.058	1.000	1.000	9.903	2.035	.2	.002	830.7	1.883	0.000	0.000
% 2143.1	.134	.044	1.000	1.000	9.903	2.035	.2	.143	830.7	1.883	0.000	0.000
% 2143.3	.139	.031	1.000	1.000	9.903	2.035	.2	.775	830.7	1.883	0.000	0.000
% 2143.4	.133	.020	1.000	1.000	9.903	2.035	.2	2.303	830.7	1.883	0.000	0.000
% 2143.6	.076	.036	1.000	1.000	9.903	2.035	.2	.002	830.7	1.883	0.000	0.000
% 2143.7	.049	.048	1.000	1.000	9.903	2.035	.2	.000	830.7	1.883	0.000	0.000
% 2143.9	.072	.049	1.000	1.000	9.903	2.035	.2	.000	830.7	1.883	0.000	0.000
% 2144.0	.126	.029	1.000	1.000	9.903	2.035	.2	.431	830.7	1.883	0.000	0.000
% 2144.2	.152	.018	1.000	1.000	9.903	2.035	.2	8.187	830.7	1.883	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-C

SECTION FROM 2030.0 TO 2185.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
X	2144.3	.155	.015	1.000	1.000	9.903	2.035	.2	13.454	830.7	1.883	0.000	0.000
X	2144.5	.159	.009	1.000	1.000	9.903	2.035	.2	53.774	830.7	1.883	0.000	0.000
X	2144.6	.140	.007	1.000	1.000	9.903	2.035	.2	41.928	830.7	1.883	0.000	0.000
X	2144.8	.110	.008	1.000	1.000	9.903	2.035	.2	8.492	830.7	1.883	0.000	0.000
X	2144.9	.086	.013	1.000	1.000	9.903	2.035	.2	.365	830.7	1.883	0.000	0.000
X	2145.1	.103	.003	1.000	1.000	9.903	2.035	.2	13.497	830.7	1.883	0.000	0.000
X	2145.2	.103	.005	1.000	1.000	9.903	2.035	.2	13.677	830.7	1.883	0.000	0.000
X	2145.4	.108	.007	1.000	1.000	9.903	2.035	.2	8.611	830.7	1.883	0.000	0.000
X	2145.5	.106	.031	1.000	1.000	9.903	2.035	.2	.094	830.7	1.883	0.000	0.000
X	2145.7	.131	.039	1.000	1.000	9.903	2.035	.2	.184	830.7	1.883	0.000	0.000
X	2145.9	.161	.044	1.000	1.000	9.903	2.035	.2	.649	830.7	1.883	0.000	0.000
X	2146.0	.188	.032	1.000	1.000	9.903	2.035	.2	6.340	830.7	1.883	0.000	0.000
X	2146.2	.189	.027	1.000	1.000	9.903	2.035	.2	10.934	830.7	1.883	0.000	0.000
X	2146.3	.174	.028	1.000	1.000	9.903	2.035	.2	5.289	830.7	1.883	0.000	0.000
X	2146.5	.156	.035	1.000	1.000	9.903	2.035	.2	1.238	830.7	1.883	0.000	0.000
X	2146.6	.155	.040	1.000	1.000	9.903	2.035	.2	.683	830.7	1.883	0.000	0.000
X	2146.8	.161	.044	1.000	1.000	9.903	2.035	.2	.637	830.7	1.883	0.000	0.000
X	2146.9	.188	.034	1.000	1.000	9.903	2.035	.2	4.950	830.7	1.883	0.000	0.000
X	2147.1	.176	.040	1.000	1.000	9.903	2.035	.2	1.756	830.7	1.883	0.000	0.000
X	2147.2	.161	.038	1.000	1.000	9.903	2.035	.2	1.175	830.7	1.883	0.000	0.000
X	2147.4	.125	.055	1.000	1.000	9.903	2.035	.2	.022	830.7	1.883	0.000	0.000
X	2147.5	.167	.044	1.000	1.000	9.903	2.035	.2	.825	830.7	1.883	0.000	0.000
X	2147.7	.201	.034	1.000	1.000	9.903	2.035	.2	7.964	830.7	1.883	0.000	0.000
X	2147.8	.220	.024	1.000	1.000	10.056	2.068	.2	42.796	837.2	1.916	0.000	0.000
X	2148.0	.201	.027	1.000	1.000	10.056	2.068	.2	16.168	837.2	1.916	0.000	0.000
X	2148.1	.183	.039	1.000	1.000	10.056	2.068	.2	2.591	837.2	1.916	0.000	0.000
X	2148.3	.178	.042	1.000	1.000	10.056	2.068	.2	1.646	837.2	1.916	0.000	0.000
X	2148.4	.191	.033	.986	1.000	10.208	2.097	.2	6.132	838.2	1.945	0.000	0.000
X	2148.6	.187	.033	1.000	1.000	10.208	2.097	.2	5.376	838.2	1.945	0.000	0.000
X	2148.7	.184	.044	1.000	1.000	10.208	2.097	.2	1.814	838.2	1.945	0.000	0.000
X	2148.9	.189	.042	1.000	1.000	10.208	2.097	.2	2.636	838.2	1.945	0.000	0.000
X	2149.0	.199	.030	1.000	1.000	10.208	2.097	.2	11.557	838.2	1.945	0.000	0.000
X	2149.2	.206	.008	1.000	1.000	10.208	2.097	.2	217.629	838.2	1.945	0.000	0.000
X	2149.4	.209	.001	.982	.988	10.361	2.129	.2	228.584	873.1	1.976	0.000	0.000
X	2149.5	.208	.000	1.000	1.000	10.361	2.129	.2	227.691	873.1	1.976	0.000	0.000
X	2149.7	.214	.002	1.000	1.000	10.512	2.162	.2	254.318	911.7	2.009	0.000	0.000
X	2149.8	.214	.000	1.000	1.000	10.512	2.162	.2	252.546	911.7	2.009	0.000	0.000
X	2150.0	.211	.000	1.000	1.000	10.512	2.162	.2	239.080	911.7	2.009	0.000	0.000
X	2150.1	.209	.000	1.000	1.000	10.512	2.162	.2	230.325	911.7	2.009	0.000	0.000
X	2150.3	.189	.006	1.000	1.000	10.512	2.162	.2	153.871	911.7	2.009	0.000	0.000
X	2150.4	.198	.006	1.000	1.000	10.512	2.162	.2	187.353	911.7	2.009	0.000	0.000
X	2150.6	.190	.007	1.000	1.000	10.512	2.162	.2	158.156	911.7	2.009	0.000	0.000
X	2150.7	.210	.007	1.000	1.000	10.512	2.162	.2	235.162	911.7	2.009	0.000	0.000
X	2150.9	.203	.013	1.000	1.000	10.512	2.162	.2	108.835	911.7	2.009	0.000	0.000
X	2151.0	.215	.015	1.000	1.000	10.512	2.162	.2	114.401	911.7	2.009	0.000	0.000
X	2151.2	.197	.023	1.000	1.000	10.512	2.162	.2	21.178	911.7	2.009	0.000	0.000
X	2151.3	.189	.028	1.000	1.000	10.512	2.162	.2	9.820	911.7	2.009	0.000	0.000
X	2151.5	.188	.024	1.000	1.000	10.512	2.162	.2	14.674	911.7	2.009	0.000	0.000
X	2151.6	.196	.017	1.000	1.000	10.512	2.162	.2	44.372	911.7	2.009	0.000	0.000
X	2151.8	.202	.011	1.000	1.000	10.512	2.162	.2	168.733	911.7	2.009	0.000	0.000

* =RAW DATA CUT OFF

X =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-C

		SECTION FROM 2030.0 TO 2185.0											
DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW	
% 2151.9	.187	.009	1.000	1.000	10.512	2.162	.2	147.593	911.7	2.009	0.000	0.000	
% 2152.1	.188	.009	1.000	1.000	10.512	2.162	.2	151.527	911.7	2.009	0.000	0.000	
% 2152.3	.190	.011	1.000	1.000	10.512	2.162	.2	122.929	911.7	2.009	0.000	0.000	
% 2152.4	.200	.016	1.000	1.000	10.512	2.162	.2	67.778	911.7	2.009	0.000	0.000	
% 2152.6	.215	.015	1.000	1.000	10.512	2.162	.2	122.245	911.7	2.009	0.000	0.000	
% 2152.7	.217	.014	1.000	1.000	10.512	2.162	.2	157.529	911.7	2.009	0.000	0.000	
% 2152.9	.221	.008	1.000	1.000	10.512	2.162	.2	288.796	911.7	2.009	0.000	0.000	
% 2153.0	.211	.007	1.000	1.000	10.512	2.162	.2	240.581	911.7	2.009	0.000	0.000	
% 2153.2	.230	.005	1.000	1.000	10.512	2.162	.2	339.887	911.7	2.009	0.000	0.000	
% 2153.3	.234	.005	1.000	1.000	10.512	2.162	.2	361.010	911.7	2.009	0.000	0.000	
% 2153.5	.232	.007	1.000	1.000	10.512	2.162	.2	348.456	911.7	2.009	0.000	0.000	
% 2153.6	.212	.006	1.000	1.000	10.512	2.162	.2	245.619	911.7	2.009	0.000	0.000	
% 2153.8	.199	.010	1.000	1.000	10.512	2.162	.2	176.905	911.7	2.009	0.000	0.000	
% 2153.9	.186	.010	1.000	1.000	10.512	2.162	.2	135.432	911.7	2.009	0.000	0.000	
% 2154.1	.177	.011	1.000	1.000	10.512	2.162	.2	74.346	911.7	2.009	0.000	0.000	
% 2154.2	.170	.010	1.000	1.000	10.512	2.162	.2	76.477	911.7	2.009	0.000	0.000	
% 2154.4	.172	.012	1.000	1.000	10.512	2.162	.2	53.377	911.7	2.009	0.000	0.000	
% 2154.5	.168	.014	1.000	1.000	10.512	2.162	.2	28.230	911.7	2.009	0.000	0.000	
% 2154.7	.170	.013	1.000	1.000	10.512	2.162	.2	39.281	911.7	2.009	0.000	0.000	
% 2154.8	.163	.018	1.000	1.000	10.512	2.162	.2	11.279	911.7	2.009	0.000	0.000	
% 2155.0	.157	.025	1.000	1.000	10.512	2.162	.2	3.563	911.7	2.009	0.000	0.000	
% 2155.1	.123	.052	1.000	1.000	10.512	2.162	.2	.027	911.7	2.009	0.000	0.000	
% 2155.3	.095	.076	1.000	1.000	10.512	2.162	.2	.000	911.7	2.009	0.000	0.000	
% 2155.5	.077	.076	1.000	1.000	10.512	2.162	.2	.000	911.7	2.009	0.000	0.000	
% 2155.6	.074	.073	1.000	1.000	10.512	2.162	.2	.000	911.7	2.009	0.000	0.000	
% 2155.8	.076	.075	1.000	1.000	10.512	2.162	.2	.000	911.7	2.009	0.000	0.000	
% 2155.9	.079	.078	1.000	1.000	10.512	2.162	.2	.000	911.7	2.009	0.000	0.000	
% 2156.1	.092	.088	1.000	1.000	10.512	2.162	.2	.000	911.7	2.009	0.000	0.000	
% 2156.2	.115	.077	1.000	1.000	10.512	2.162	.2	.000	911.7	2.009	0.000	0.000	
% 2156.4	.181	.053	1.000	1.000	10.512	2.162	.2	.775	911.7	2.009	0.000	0.000	
2156.5	.212	.034	.948	.948	10.664	2.194	.2	11.411	913.5	2.039	0.000	0.000	
2156.7	.240	.025	.917	.917	10.817	2.231	.2	65.635	923.5	2.073	0.000	0.000	
% 2156.8	.223	.027	1.000	1.000	10.817	2.231	.2	34.189	923.5	2.073	0.000	0.000	
% 2157.0	.232	.018	1.000	1.000	10.817	2.231	.2	128.945	923.5	2.073	0.000	0.000	
% 2157.1	.230	.002	1.000	1.000	10.817	2.231	.2	336.687	923.5	2.073	0.000	0.000	
% 2157.3	.227	.000	1.000	1.000	10.817	2.231	.2	318.229	923.5	2.073	0.000	0.000	
% 2157.4	.214	.000	1.000	1.000	10.817	2.231	.2	255.010	923.5	2.073	0.000	0.000	
% 2157.6	.200	.008	1.000	1.000	10.817	2.231	.2	193.498	923.5	2.073	0.000	0.000	
% 2157.7	.180	.017	1.000	1.000	10.817	2.231	.2	26.456	923.5	2.073	0.000	0.000	
% 2157.9	.171	.026	1.000	1.000	10.817	2.231	.2	6.232	923.5	2.073	0.000	0.000	
% 2158.0	.174	.027	1.000	1.000	10.817	2.231	.2	5.901	923.5	2.073	0.000	0.000	
% 2158.2	.182	.029	1.000	1.000	10.817	2.231	.2	6.638	923.5	2.073	0.000	0.000	
% 2158.3	.188	.024	1.000	1.000	10.817	2.231	.2	15.026	923.5	2.073	0.000	0.000	
% 2158.5	.193	.019	1.000	1.000	10.817	2.231	.2	34.132	923.5	2.073	0.000	0.000	
% 2158.6	.204	.017	1.000	1.000	10.817	2.231	.2	65.861	923.5	2.073	0.000	0.000	
% 2158.8	.214	.018	1.000	1.000	10.817	2.231	.2	76.143	923.5	2.073	0.000	0.000	
% 2159.0	.217	.020	1.000	1.000	10.817	2.231	.2	64.405	923.5	2.073	0.000	0.000	
% 2159.1	.218	.023	1.000	1.000	10.817	2.231	.2	41.367	923.5	2.073	0.000	0.000	
2159.3	.242	.023	.931	.931	10.969	2.267	.2	85.909	936.6	2.107	0.000	0.000	
2159.4	.252	.021	.895	.948	11.121	2.306	.2	137.085	957.4	2.141	0.000	0.000	

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-C

SECTION FROM 2030.0 TO 2185.0

	DEPTH	GROSS POROSITY	VC	SW	SECTION SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
	2159.6	.250	.019	.903	.974	11.274	2.344	.2	184.278	985.6	2.176	0.000	0.000
%	2159.7	.224	.020	1.000	1.000	11.274	2.344	.2	77.411	985.6	2.176	0.000	0.000
%	2159.9	.220	.017	1.000	1.000	11.274	2.344	.2	95.730	985.6	2.176	0.000	0.000
%	2160.0	.213	.018	1.000	1.000	11.274	2.344	.2	71.063	985.6	2.176	0.000	0.000
%	2160.2	.217	.015	1.000	1.000	11.274	2.344	.2	137.096	985.6	2.176	0.000	0.000
%	2160.3	.212	.016	1.000	1.000	11.274	2.344	.2	91.982	985.6	2.176	0.000	0.000
%	2160.5	.211	.008	1.000	1.000	11.274	2.344	.2	241.355	985.6	2.176	0.000	0.000
%	2160.6	.195	.006	1.000	1.000	11.274	2.344	.2	174.247	985.6	2.176	0.000	0.000
%	2160.8	.170	.012	1.000	1.000	11.274	2.344	.2	44.314	985.6	2.176	0.000	0.000
%	2160.9	.171	.010	1.000	1.000	11.274	2.344	.2	69.505	985.6	2.176	0.000	0.000
%	2161.1	.174	.014	1.000	1.000	11.274	2.344	.2	36.399	985.6	2.176	0.000	0.000
%	2161.2	.187	.006	1.000	1.000	11.274	2.344	.2	146.094	985.6	2.176	0.000	0.000
%	2161.4	.196	.006	1.000	1.000	11.274	2.344	.2	178.576	985.6	2.176	0.000	0.000
%	2161.5	.196	.005	1.000	1.000	11.274	2.344	.2	177.834	985.6	2.176	0.000	0.000
%	2161.7	.204	.011	1.000	1.000	11.274	2.344	.2	184.152	985.6	2.176	0.000	0.000
%	2161.9	.200	.015	1.000	1.000	11.274	2.344	.2	77.371	985.6	2.176	0.000	0.000
%	2162.0	.199	.016	1.000	1.000	11.274	2.344	.2	58.971	985.6	2.176	0.000	0.000
%	2162.2	.190	.020	1.000	1.000	11.274	2.344	.2	25.943	985.6	2.176	0.000	0.000
%	2162.3	.188	.023	1.000	1.000	11.274	2.344	.2	16.946	985.6	2.176	0.000	0.000
%	2162.5	.200	.020	1.000	1.000	11.274	2.344	.2	34.265	985.6	2.176	0.000	0.000
%	2162.6	.195	.030	1.000	1.000	11.274	2.344	.2	9.693	985.6	2.176	0.000	0.000
%	2162.8	.203	.033	1.000	1.000	11.274	2.344	.2	10.090	985.6	2.176	0.000	0.000
%	2162.9	.206	.039	1.000	1.000	11.274	2.344	.2	6.297	985.6	2.176	0.000	0.000
%	2163.1	.213	.031	1.000	1.000	11.274	2.344	.2	16.327	985.6	2.176	0.000	0.000
%	2163.2	.214	.029	1.000	1.000	11.274	2.344	.2	19.439	985.6	2.176	0.000	0.000
%	2163.4	.223	.030	1.000	1.000	11.274	2.344	.2	25.851	985.6	2.176	0.000	0.000
%	2163.5	.236	.025	1.000	1.000	11.274	2.344	.2	58.973	985.6	2.176	0.000	0.000
%	2163.7	.229	.026	1.000	1.000	11.274	2.344	.2	45.127	985.6	2.176	0.000	0.000
%	2163.8	.213	.022	1.000	1.000	11.274	2.344	.2	41.490	985.6	2.176	0.000	0.000
%	2164.0	.203	.025	1.000	1.000	11.274	2.344	.2	20.979	985.6	2.176	0.000	0.000
%	2164.1	.205	.025	1.000	1.000	11.274	2.344	.2	24.458	985.6	2.176	0.000	0.000
%	2164.3	.204	.026	1.000	1.000	11.274	2.344	.2	20.965	985.6	2.176	0.000	0.000
%	2164.4	.201	.021	1.000	1.000	11.274	2.344	.2	33.094	985.6	2.176	0.000	0.000
%	2164.6	.208	.020	1.000	1.000	11.274	2.344	.2	46.180	985.6	2.176	0.000	0.000
%	2164.7	.213	.016	1.000	1.000	11.274	2.344	.2	95.808	985.6	2.176	0.000	0.000
%	2164.9	.200	.022	1.000	1.000	11.274	2.344	.2	28.653	985.6	2.176	0.000	0.000
%	2165.0	.180	.023	1.000	1.000	11.274	2.344	.2	11.831	985.6	2.176	0.000	0.000
%	2165.2	.181	.025	1.000	1.000	11.274	2.344	.2	9.568	985.6	2.176	0.000	0.000
%	2165.4	.193	.016	1.000	1.000	11.274	2.344	.2	47.280	985.6	2.176	0.000	0.000
%	2165.5	.204	.018	1.000	1.000	11.274	2.344	.2	55.079	985.6	2.176	0.000	0.000
%	2165.7	.208	.020	1.000	1.000	11.274	2.344	.2	44.985	985.6	2.176	0.000	0.000
%	2165.8	.206	.028	1.000	1.000	11.274	2.344	.2	17.337	985.6	2.176	0.000	0.000
%	2166.0	.182	.035	1.000	1.000	11.274	2.344	.2	3.581	985.6	2.176	0.000	0.000
%	2166.1	.157	.031	1.000	1.000	11.274	2.344	.2	1.791	985.6	2.176	0.000	0.000
%	2166.3	.139	.027	1.000	1.000	11.274	2.344	.2	1.209	985.6	2.176	0.000	0.000
%	2166.4	.151	.011	1.000	1.000	11.274	2.344	.2	28.346	985.6	2.176	0.000	0.000
%	2166.6	.134	.013	1.000	1.000	11.274	2.344	.2	7.920	985.6	2.176	0.000	0.000
%	2166.7	.131	.014	1.000	1.000	11.274	2.344	.2	5.138	985.6	2.176	0.000	0.000
%	2166.9	.115	.017	1.000	1.000	11.274	2.344	.2	1.458	985.6	2.176	0.000	0.000
%	2167.0	.124	.012	1.000	1.000	11.274	2.344	.2	5.701	985.6	2.176	0.000	0.000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-C

SECTION FROM 2030.0 TO 2185.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	2167.2	.135	.007	1.000	1.000	11.274	2.344	.2	38.283	985.6	2.176	0.000	0.000
%	2167.3	.144	.006	1.000	1.000	11.274	2.344	.2	52.306	985.6	2.176	0.000	0.000
%	2167.5	.152	.003	1.000	1.000	11.274	2.344	.2	65.012	985.6	2.176	0.000	0.000
%	2167.6	.130	.008	1.000	1.000	11.274	2.344	.2	24.044	985.6	2.176	0.000	0.000
%	2167.8	.111	.014	1.000	1.000	11.274	2.344	.2	1.882	985.6	2.176	0.000	0.000
%	2167.9	.118	.012	1.000	1.000	11.274	2.344	.2	3.985	985.6	2.176	0.000	0.000
%	2168.1	.159	.004	1.000	1.000	11.274	2.344	.2	76.267	985.6	2.176	0.000	0.000
%	2168.3	.193	.000	1.000	1.000	11.274	2.344	.2	169.195	985.6	2.176	0.000	0.000
%	2168.4	.196	.000	1.000	1.000	11.274	2.344	.2	178.985	985.6	2.176	0.000	0.000
%	2168.6	.186	.000	1.000	1.000	11.274	2.344	.2	145.701	985.6	2.176	0.000	0.000
%	2168.7	.165	.005	1.000	1.000	11.274	2.344	.2	90.005	985.6	2.176	0.000	0.000
%	2168.9	.154	.011	1.000	1.000	11.274	2.344	.2	31.791	985.6	2.176	0.000	0.000
%	2169.0	.150	.014	1.000	1.000	11.274	2.344	.2	13.272	985.6	2.176	0.000	0.000
%	2169.2	.144	.017	1.000	1.000	11.274	2.344	.2	6.145	985.6	2.176	0.000	0.000
%	2169.3	.141	.039	1.000	1.000	11.274	2.344	.2	.365	985.6	2.176	0.000	0.000
%	2169.5	.138	.068	1.000	1.000	11.274	2.344	.2	.015	985.6	2.176	0.000	0.000
%	2169.6	.159	.092	1.000	1.000	11.274	2.344	.2	.007	985.6	2.176	0.000	0.000
%	2169.8	.179	.086	1.000	1.000	11.274	2.344	.2	.052	985.6	2.176	0.000	0.000
%	2169.9	.159	.088	1.000	1.000	11.274	2.344	.2	.010	985.6	2.176	0.000	0.000
%	2170.1	.125	.084	1.000	1.000	11.274	2.344	.2	.000	985.6	2.176	0.000	0.000
%	2170.2	.079	.078	1.000	1.000	11.274	2.344	.2	.000	985.6	2.176	0.000	0.000
%	2170.4	.075	.074	1.000	1.000	11.274	2.344	.2	.000	985.6	2.176	0.000	0.000
%	2170.5	.071	.070	1.000	1.000	11.274	2.344	.2	.000	985.6	2.176	0.000	0.000
%	2170.7	.064	.063	1.000	1.000	11.274	2.344	.2	.000	985.6	2.176	0.000	0.000
%	2170.8	.105	.096	1.000	1.000	11.274	2.344	.2	.000	985.6	2.176	0.000	0.000
%	2171.0	.084	.083	1.000	1.000	11.274	2.344	.2	.000	985.6	2.176	0.000	0.000
*%	2171.1	.091	.090	1.000	1.000	11.274	2.344	.2	.000	985.6	2.176	0.000	0.000
*%	2171.3	.124	.123	1.000	1.000	11.274	2.344	.2	.000	985.6	2.176	0.000	0.000
*%	2171.5	.209	.092	1.000	1.000	11.274	2.344	.2	.167	985.6	2.176	0.000	0.000
*	2171.6	.252	.066	.975	1.000	11.274	2.344	.2	4.296	985.6	2.176	0.000	0.000
%	2171.8	.173	.079	1.000	1.000	11.274	2.344	.2	.066	985.6	2.176	0.000	0.000
%	2171.9	.075	.074	1.000	1.000	11.274	2.344	.2	.000	985.6	2.176	0.000	0.000
%	2172.1	.067	.066	1.000	1.000	11.274	2.344	.2	.000	985.6	2.176	0.000	0.000
%	2172.2	.065	.064	1.000	1.000	11.274	2.344	.2	.000	985.6	2.176	0.000	0.000
%	2172.4	.054	.053	1.000	1.000	11.274	2.344	.2	.000	985.6	2.176	0.000	0.000
%	2172.5	.051	.050	1.000	1.000	11.274	2.344	.2	.000	985.6	2.176	0.000	0.000
%	2172.7	.065	.064	1.000	1.000	11.274	2.344	.2	.000	985.6	2.176	0.000	0.000
%	2172.8	.080	.079	1.000	1.000	11.274	2.344	.2	.000	985.6	2.176	0.000	0.000
%	2173.0	.076	.075	1.000	1.000	11.274	2.344	.2	.000	985.6	2.176	0.000	0.000
%	2173.1	.075	.074	1.000	1.000	11.274	2.344	.2	.000	985.6	2.176	0.000	0.000
%	2173.3	.093	.082	1.000	1.000	11.274	2.344	.2	.000	985.6	2.176	0.000	0.000
%	2173.4	.105	.090	1.000	1.000	11.274	2.344	.2	.000	985.6	2.176	0.000	0.000
%	2173.6	.111	.097	1.000	1.000	11.274	2.344	.2	.000	985.6	2.176	0.000	0.000
%	2173.7	.101	.097	1.000	1.000	11.274	2.344	.2	.000	985.6	2.176	0.000	0.000
%	2173.9	.090	.089	1.000	1.000	11.274	2.344	.2	.000	985.6	2.176	0.000	0.000
%	2174.0	.083	.082	1.000	1.000	11.274	2.344	.2	.000	985.6	2.176	0.000	0.000
%	2174.2	.115	.077	1.000	1.000	11.274	2.344	.2	.000	985.6	2.176	0.000	0.000
%	2174.3	.139	.066	1.000	1.000	11.274	2.344	.2	.020	985.6	2.176	0.000	0.000
%	2174.5	.149	.057	1.000	1.000	11.274	2.344	.2	.099	985.6	2.176	0.000	0.000
%	2174.6	.142	.063	1.000	1.000	11.274	2.344	.2	.034	985.6	2.176	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-C

SECTION FROM 2030.0 TO 2185.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	2174.8	.125	.071	1.000	1.000	11.274	2.344	.2	.003	985.6	2.176	0.000	0.000
%	2175.0	.159	.055	1.000	1.000	11.274	2.344	.2	.221	985.6	2.176	0.000	0.000
%	2175.1	.164	.045	1.000	1.000	11.274	2.344	.2	.650	985.6	2.176	0.000	0.000
%	2175.3	.154	.053	1.000	1.000	11.274	2.344	.2	.191	985.6	2.176	0.000	0.000
%	2175.4	.128	.071	1.000	1.000	11.274	2.344	.2	.004	985.6	2.176	0.000	0.000
%	2175.6	.145	.067	1.000	1.000	11.274	2.344	.2	.029	985.6	2.176	0.000	0.000
%	2175.7	.179	.053	1.000	1.000	11.274	2.344	.2	.691	985.6	2.176	0.000	0.000
%	2175.9	.196	.041	1.000	1.000	11.274	2.344	.2	3.574	985.6	2.176	0.000	0.000
%	2176.0	.222	.033	1.000	1.000	11.274	2.344	.2	17.746	985.6	2.176	0.000	0.000
%	2176.2	.226	.026	1.000	1.000	11.274	2.344	.2	42.687	985.6	2.176	0.000	0.000
%	2176.3	.238	.017	1.000	1.000	11.274	2.344	.2	156.653	985.6	2.176	0.000	0.000
%	2176.5	.226	.017	1.000	1.000	11.274	2.344	.2	123.302	985.6	2.176	0.000	0.000
%	2176.6	.226	.015	1.000	1.000	11.274	2.344	.2	174.561	985.6	2.176	0.000	0.000
%	2176.8	.210	.017	1.000	1.000	11.274	2.344	.2	78.799	985.6	2.176	0.000	0.000
%	2176.9	.183	.019	1.000	1.000	11.274	2.344	.2	23.043	985.6	2.176	0.000	0.000
%	2177.1	.158	.022	1.000	1.000	11.274	2.344	.2	5.944	985.6	2.176	0.000	0.000
%	2177.2	.116	.035	1.000	1.000	11.274	2.344	.2	.104	985.6	2.176	0.000	0.000
%	2177.4	.101	.043	1.000	1.000	11.274	2.344	.2	.011	985.6	2.176	0.000	0.000
%	2177.5	.123	.037	1.000	1.000	11.274	2.344	.2	.140	985.6	2.176	0.000	0.000
%	2177.7	.152	.024	1.000	1.000	11.274	2.344	.2	3.187	985.6	2.176	0.000	0.000
%	2177.8	.133	.026	1.000	1.000	11.274	2.344	.2	.948	985.6	2.176	0.000	0.000
%	2178.0	.076	.049	1.000	1.000	11.274	2.344	.2	.000	985.6	2.176	0.000	0.000
%	2178.2	.075	.049	1.000	1.000	11.274	2.344	.2	.000	985.6	2.176	0.000	0.000
%	2178.3	.116	.030	1.000	1.000	11.274	2.344	.2	.220	985.6	2.176	0.000	0.000
%	2178.5	.158	.004	1.000	1.000	11.274	2.344	.2	76.070	985.6	2.176	0.000	0.000
%	2178.6	.159	.000	1.000	1.000	11.274	2.344	.2	76.482	985.6	2.176	0.000	0.000
%	2178.8	.149	.002	1.000	1.000	11.274	2.344	.2	58.703	985.6	2.176	0.000	0.000
%	2178.9	.154	.000	1.000	1.000	11.274	2.344	.2	68.298	985.6	2.176	0.000	0.000
%	2179.1	.152	.006	1.000	1.000	11.274	2.344	.2	63.613	985.6	2.176	0.000	0.000
%	2179.2	.145	.011	1.000	1.000	11.274	2.344	.2	21.146	985.6	2.176	0.000	0.000
%	2179.4	.132	.020	1.000	1.000	11.274	2.344	.2	1.969	985.6	2.176	0.000	0.000
%	2179.5	.138	.019	1.000	1.000	11.274	2.344	.2	3.288	985.6	2.176	0.000	0.000
%	2179.7	.152	.021	1.000	1.000	11.274	2.344	.2	4.974	985.6	2.176	0.000	0.000
%	2179.8	.161	.022	1.000	1.000	11.274	2.344	.2	6.835	985.6	2.176	0.000	0.000
%	2180.0	.147	.028	1.000	1.000	11.274	2.344	.2	1.599	985.6	2.176	0.000	0.000
%	2180.1	.156	.024	1.000	1.000	11.274	2.344	.2	3.992	985.6	2.176	0.000	0.000
%	2180.3	.158	.023	1.000	1.000	11.274	2.344	.2	4.704	985.6	2.176	0.000	0.000
%	2180.4	.182	.020	1.000	1.000	11.274	2.344	.2	19.661	985.6	2.176	0.000	0.000
%	2180.6	.170	.022	1.000	1.000	11.274	2.344	.2	9.423	985.6	2.176	0.000	0.000
%	2180.7	.169	.015	1.000	1.000	11.274	2.344	.2	24.900	985.6	2.176	0.000	0.000
%	2180.9	.141	.016	1.000	1.000	11.274	2.344	.2	6.001	985.6	2.176	0.000	0.000
%	2181.0	.136	.015	1.000	1.000	11.274	2.344	.2	5.557	985.6	2.176	0.000	0.000
%	2181.2	.124	.026	1.000	1.000	11.274	2.344	.2	.598	985.6	2.176	0.000	0.000
%	2181.4	.135	.026	1.000	1.000	11.274	2.344	.2	1.062	985.6	2.176	0.000	0.000
%	2181.5	.147	.029	1.000	1.000	11.274	2.344	.2	1.459	985.6	2.176	0.000	0.000
%	2181.7	.145	.031	1.000	1.000	11.274	2.344	.2	1.048	985.6	2.176	0.000	0.000
%	2181.8	.164	.028	1.000	1.000	11.274	2.344	.2	3.424	985.6	2.176	0.000	0.000
%	2182.0	.160	.030	1.000	1.000	11.274	2.344	.2	2.325	985.6	2.176	0.000	0.000
%	2182.1	.183	.024	1.000	1.000	11.274	2.344	.2	12.131	985.6	2.176	0.000	0.000
%	2182.3	.173	.023	1.000	1.000	11.274	2.344	.2	8.983	985.6	2.176	0.000	0.000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-C

SECTION FROM 2030.0 TO 2185.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	2182.4	.168	.016	1.000	1.000	11.274	2.344	.2	20.686	985.6	2.176	0.000	0.000
%	2182.6	.155	.017	1.000	1.000	11.274	2.344	.2	9.470	985.6	2.176	0.000	0.000
%	2182.7	.129	.037	1.000	1.000	11.274	2.344	.2	.225	985.6	2.176	0.000	0.000
%	2182.9	.141	.042	1.000	1.000	11.274	2.344	.2	.251	985.6	2.176	0.000	0.000
%	2183.0	.169	.035	1.000	1.000	11.274	2.344	.2	2.193	985.6	2.176	0.000	0.000
%	2183.2	.206	.020	1.000	1.000	11.274	2.344	.2	44.765	985.6	2.176	0.000	0.000
%	2183.3	.209	.018	1.000	1.000	11.274	2.344	.2	65.150	985.6	2.176	0.000	0.000
%	2183.5	.197	.022	1.000	1.000	11.274	2.344	.2	26.905	985.6	2.176	0.000	0.000
%	2183.6	.188	.022	1.000	1.000	11.274	2.344	.2	19.193	985.6	2.176	0.000	0.000
%	2183.8	.202	.019	1.000	1.000	11.274	2.344	.2	46.422	985.6	2.176	0.000	0.000
%	2183.9	.210	.016	1.000	1.000	11.274	2.344	.2	92.139	985.6	2.176	0.000	0.000
%	2184.1	.212	.020	1.000	1.000	11.274	2.344	.2	53.687	985.6	2.176	0.000	0.000
%	2184.2	.204	.023	1.000	1.000	11.274	2.344	.2	28.879	985.6	2.176	0.000	0.000
%	2184.4	.186	.034	1.000	1.000	11.274	2.344	.2	4.570	985.6	2.176	0.000	0.000
%	2184.6	.163	.037	1.000	1.000	11.274	2.344	.2	1.271	985.6	2.176	0.000	0.000
%	2184.7	.133	.043	1.000	1.000	11.274	2.344	.2	.143	985.6	2.176	0.000	0.000
%	2184.9	.116	.044	1.000	1.000	11.274	2.344	.2	.037	985.6	2.176	0.000	0.000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-C

SECTION FROM 2030.0 TO 2185.0

INTERVAL SUMMARY

TOTAL INTERVAL	=	155.0 FT
NET INTERVAL	=	11.3 FT
NET/GROSS RATIO	=	.07275
EQUIVALENT POROSITY COLUMN	=	2.344 FT
EQUIVALENT HYDROCARBON COLUMN	=	.168 FT
EQUIVALENT WATER VOL.	=	2.176 FT
EQUIVALENT WATER VOL. (FLUSHED ZONE)	=	0.000 FT

AVERAGES OVER NET INTERVAL

POROSITY	=	.20790
WATER SATURATION	=	.92835
HYDROCARBON SATURATION	=	.07165
HYDROCARBON VOLUME	=	.01490
WATER VOLUME	=	.19300
WATER VOLUME (FLUSHED ZONE)	=	0.00000
(WATER VOL. FLUSHED)-(WATER VOL.)	=	0.00000
PERMEABILITY INDEX	=	87.4
RECOVERY FACTOR	=	-1000.0

HYDROCARBON VOLUME OVER TOTAL INTERVAL = .00108

CUT-OFF VALUES

MINIMUM POROSITY	=	.08	MAXIMUM SW	=	1.00
MAXIMUM POROSITY	=	.35	MINIMUM SW RESET	=	.05
MAXIMUM NEUTRON	=	.38	MAXIMUM DENSITY	=	3.00
MINIMUM GR	=	0.00	MAXIMUM GR	=	200.00
BIT SIZE	=	12.25	MAXIMUM CALIPER	=	14.00

WARNING: THE COMPUTED LOG DATA OF THIS RELOG#RUN ARE NOT SAVED !

**** END OF PROGRAM ****

WEST SEAHORSE 1
DEEP SECTION ZONE-C

SECTION FROM 2030.0 TO 2185.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 2060.5	.156	.020	1.000	1.000	7.769	1.551	.1	7.002	656.0	1.413	0.000	0.000
% 2060.7	.163	.022	1.000	1.000	7.769	1.551	.1	6.683	656.0	1.413	0.000	0.000
% 2060.8	.175	.021	1.000	1.000	7.769	1.551	.1	13.164	656.0	1.413	0.000	0.000
% 2061.0	.185	.013	1.000	1.000	7.769	1.551	.1	58.424	656.0	1.413	0.000	0.000
% 2061.1	.174	.014	1.000	1.000	7.769	1.551	.1	36.399	656.0	1.413	0.000	0.000
% 2061.3	.162	.012	1.000	1.000	7.769	1.551	.1	34.801	656.0	1.413	0.000	0.000
% 2061.4	.140	.022	1.000	1.000	7.769	1.551	.1	2.550	656.0	1.413	0.000	0.000
% 2061.6	.138	.023	1.000	1.000	7.769	1.551	.1	1.813	656.0	1.413	0.000	0.000
% 2061.7	.143	.023	1.000	1.000	7.769	1.551	.1	2.552	656.0	1.413	0.000	0.000
% 2061.9	.154	.016	1.000	1.000	7.769	1.551	.1	10.762	656.0	1.413	0.000	0.000
% 2062.0	.152	.015	1.000	1.000	7.769	1.551	.1	11.754	656.0	1.413	0.000	0.000
% 2062.2	.158	.011	1.000	1.000	7.769	1.551	.1	34.650	656.0	1.413	0.000	0.000
% 2062.4	.143	.015	1.000	1.000	7.769	1.551	.1	8.344	656.0	1.413	0.000	0.000
% 2062.5	.145	.016	1.000	1.000	7.769	1.551	.1	7.210	656.0	1.413	0.000	0.000
% 2062.7	.147	.017	1.000	1.000	7.769	1.551	.1	7.606	656.0	1.413	0.000	0.000
% 2062.8	.160	.015	1.000	1.000	7.769	1.551	.1	16.777	656.0	1.413	0.000	0.000
% 2063.0	.172	.012	1.000	1.000	7.769	1.551	.1	45.226	656.0	1.413	0.000	0.000
% 2063.1	.166	.016	1.000	1.000	7.769	1.551	.1	18.638	656.0	1.413	0.000	0.000
% 2063.3	.162	.015	1.000	1.000	7.769	1.551	.1	18.182	656.0	1.413	0.000	0.000
% 2063.4	.150	.018	1.000	1.000	7.769	1.551	.1	6.647	656.0	1.413	0.000	0.000
% 2063.6	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
% 2063.7	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
% 2063.9	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
% 2064.0	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
% 2064.2	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
% 2064.3	.138	.021	1.000	1.000	7.769	1.551	.1	2.677	656.0	1.413	0.000	0.000
% 2064.5	.141	.012	1.000	1.000	7.769	1.551	.1	12.185	656.0	1.413	0.000	0.000
% 2064.6	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
% 2064.8	.165	.000	1.000	1.000	7.769	1.551	.1	90.248	656.0	1.413	0.000	0.000
% 2064.9	.164	.000	1.000	1.000	7.769	1.551	.1	88.020	656.0	1.413	0.000	0.000
% 2065.1	.173	.000	1.000	1.000	7.769	1.551	.1	107.024	656.0	1.413	0.000	0.000
% 2065.2	.171	.000	1.000	1.000	7.769	1.551	.1	104.325	656.0	1.413	0.000	0.000
% 2065.4	.177	.000	1.000	1.000	7.769	1.551	.1	119.439	656.0	1.413	0.000	0.000
% 2065.5	.168	.001	1.000	1.000	7.769	1.551	.1	96.537	656.0	1.413	0.000	0.000
% 2065.7	.157	.005	1.000	1.000	7.769	1.551	.1	74.176	656.0	1.413	0.000	0.000
% 2065.9	.146	.011	1.000	1.000	7.769	1.551	.1	21.422	656.0	1.413	0.000	0.000
% 2066.0	.144	.018	1.000	1.000	7.769	1.551	.1	5.409	656.0	1.413	0.000	0.000
% 2066.2	.163	.020	1.000	1.000	7.769	1.551	.1	9.218	656.0	1.413	0.000	0.000
% 2066.3	.162	.024	1.000	1.000	7.769	1.551	.1	5.292	656.0	1.413	0.000	0.000
% 2066.5	.174	.016	1.000	1.000	7.769	1.551	.1	24.976	656.0	1.413	0.000	0.000
% 2066.6	.151	.023	1.000	1.000	7.769	1.551	.1	3.589	656.0	1.413	0.000	0.000
% 2066.8	.169	.019	1.000	1.000	7.769	1.551	.1	13.845	656.0	1.413	0.000	0.000
% 2066.9	.170	.034	1.000	1.000	7.769	1.551	.1	2.505	656.0	1.413	0.000	0.000
% 2067.1	.182	.029	1.000	1.000	7.769	1.551	.1	7.070	656.0	1.413	0.000	0.000
% 2067.2	.171	.034	1.000	1.000	7.769	1.551	.1	2.698	656.0	1.413	0.000	0.000
% 2067.4	.142	.031	1.000	1.000	7.769	1.551	.1	.859	656.0	1.413	0.000	0.000
% 2067.5	.134	.030	1.000	1.000	7.769	1.551	.1	.642	656.0	1.413	0.000	0.000
% 2067.7	.129	.028	1.000	1.000	7.769	1.551	.1	.611	656.0	1.413	0.000	0.000
% 2067.8	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000
% 2068.0	0.000	0.000	1.000	1.000	7.769	1.551	.1	-999.999	656.0	1.413	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

PE603914

This is an enclosure indicator page.
The enclosure PE603914 is enclosed within the
container PE905513 at this location in this
document.

The enclosure PE603914 has the following characteristics:

- ITEM_BARCODE = PE603914
- CONTAINER_BARCODE = PE905513
- NAME = Log Data Plot
- BASIN = GIPPSLAND
- PERMIT = VIC/P11
- TYPE = WELL
- SUBTYPE = WELL_LOG
- DESCRIPTION = Log Data Plot (6 of 7) from Wireline
Log Interpretation Report (attachment
to WCR), for West Seahorse-1
- REMARKS =
- DATE_CREATED = 12/03/82
- DATE_RECEIVED = 21/06/82
- W_NO = W755
- WELL_NAME = WEST SEAHORSE-1
- CONTRACTOR = PETRODATA A.G.
- CLIENT_OP_CO = HUSBAY OIL (AUSTRALIA) LTD

(Inserted by DNRE - Vic Govt Mines Dept)

PETRODATA SERVICE AG SWITZERLAND

WELL ANALYSIS PROGRAM REALG (HP-VERSION 20.1)

West Seahorse 1 2185-2340 m

LISTING OF ALL PARAMETER AND ACTION CARDS

NO.	NAME	PARAMETERS
1	WELL	WEST SEAHORSE 1
2	ZONE	DEEP SECTION ZONE-D
3	TAPE	Ø/1
4	INTE	2185/234Ø
5	SCAL	11/11/Ø.Ø12/Ø
6	GRLO	15/15Ø/Ø/2ØØ
7	DENS	2.66/2.7Ø/1/1/Ø.85/Ø.15/1/3.Ø
8	NEUT	-Ø.Ø4/.35/1.Ø/Ø.38/1
9	TEMP	82.2/24ØØØ.Ø2
1Ø	RESI	Ø.5ØØ/82.2/Ø.225/82.2/Ø.3Ø7/82.2/Ø./316/82.2
11	LIMI	Ø.Ø8/1.Ø/Ø.35/Ø.Ø5
12	PERM	1ØØ
13	DIAM	12.25/14
14	BPAR	1/Ø
15	IPAR	1/1/2/2
16	EVAL	1/3/1/1
17	PRIN	
18	OTIT	13/ SQRT(C)
19	SCAL	16/56/-1./1.
2Ø	SCAL	18/55/6.6667/Ø.
21	SUBT	56/55/55
22	SCAL	28/57/-1./1.
23	ADD	56/29/58
24	SCAL	1Ø/59/Ø./1.
25	OTIT	17/BONDED WATER
26	OTIT	3Ø/FREE WATER
27	OTIT	59/HYDRO- CARBON
28	OTIT	55/SAND
29	OTIT	56/DRY CLAY
3Ø	OTIT	57/BONDED WATER
31	OTIT	58/FREE WATER

NO FATAL ERRORS HAVE BEEN DETECTED-JOB CONTINUED

WELL LOCATION INFORMATION

COUNTRY : AUSTRALIA
STATE : VICTORIA
FIELD NAME : WILDCAT
WELL NAME : WEST SEAHORSE 1 (SHALLOW SECTION
COMMENTS :

DATA SOURCE INFORMATION

UCC LABEL : 8224
CREATE DATE :
UPDATED :

THE (01-DPT) DATA ARE ALLOCATED IN CHANNEL 1
THE (03-LLD) DATA ARE ALLOCATED IN CHANNEL 3
THE (04-LLS) DATA ARE ALLOCATED IN CHANNEL 4
THE (07-MSF) DATA ARE ALLOCATED IN CHANNEL 7
THE (08-CAL) DATA ARE ALLOCATED IN CHANNEL 8
THE (10-TGR) DATA ARE ALLOCATED IN CHANNEL 10
THE (11-CNL) DATA ARE ALLOCATED IN CHANNEL 11
THE (12-FDC) DATA ARE ALLOCATED IN CHANNEL 12

LOG DATA DESCRIPTION

NO. OF DEPTH LEVELS IN FILE : 5345
FIRST DEPTH LEVEL : 1678.7
LAST DEPTH LEVEL : 2400.9
DEPTH INCREMENT : .2

LOG DATA RECORDS READ FROM INPUT = 1024 RECORDS (MAXIMUM STORAGE AVAILABLE = 1200 RECORDS)

FIRST DEPTH STORED = 2185.01
FINAL DEPTH STORED = 2340.89

WEST SEAHORSE 1
DEEP SECTION ZONE-D

SECTION FROM 2185.0 TO 2340.0

POROSITY METHOD USED IS NEUTRON-DENSITY CROSSPLOT
SW CALCULATION USED IS WAXMAN-SMITS METHOD 1
USING LLD FOR DEEP RESISTIVITY
USING MSFL FOR SHALLOW RESISTIVITY

GROSS POROSITY SELECTED FOR PROGRAM CALCULATIONS

INPUT PARAMETER VARIABLES USED IN THIS ANALYSIS

		DENSITY			

GRAIN DENSITY SAND	=	2.660	GRAIN DENSITY CLAY	=	2.700
FORMATION FLUID DENSITY	=	1.000	WATER DENSITY	=	1.000
HYDROCARBON DENSITY	=	.850	EFFECTIVE CLAY POROS. FACTOR	=	.150
EFFECTIVE CLAY POROS. EXP	=	1.000	MAXIMUM DENSITY	=	3.000

		NEUTRON			

NEUTRON SANDPOINT	=	-.040	NEUTRON CLAY POINT	=	.350
NEUTRON FORMATION FLUID POINT	=	1.000	MAX NEUTRON VALUE	=	.380

		RESISTIVITIES			

FORMATION WATER	=	.500 AT 82.2 DEG F	EQUIV PPM NAACL	=	10485.2
MUD	=	.307 AT 82.2 DEG F	EQUIV PPM NAACL	=	17772.3
MUD FILTRATE	=	.225 AT 82.2 DEG F	EQUIV PPM NAACL	=	25084.7
MUD CAKE	=	.461 AT 82.2 DEG F	EQUIV PPM NAACL	=	11450.2

		TEMPERATURE			

GRADIENT	=	0.000 DEG F/FT	REFERENCE TEMP=	82.200 DEG F AT	24000.0 FT

		GAMMA RAY			

MIN GR IN CLAY VOLUME CALC	=	15.000	MAX GR IN CLAY VOLUME CALC	=	150.000

		INDONESIAN EQUATION CONSTANTS			

R-CLAY	=	1.000	A = PHI DIVISOR COEFF	=	1.000
M = CEMENTATION FACTOR	=	2.000	N = SATURATION EXPONENT	=	2.000

LITHOLOGY FACTOR OF CLAY VOLUME USED IN WATER SATURATION CALCULATIONS = 1.000

		CUT-OFF VALUES			

MINIMUM POROSITY	=	.080	MAXIMUM SW	=	1.000
MAXIMUM POROSITY	=	.350	MINIMUM SW RESET	=	.050
MAXIMUM NEUTRON	=	.380	MAXIMUM DENSITY	=	3.000
MINIMUM GR	=	0.000	MAXIMUM GR	=	200.000
BIT SIZE	=	12.250	MAXIMUM CALIPER	=	14.000

WEST SEAHORSE 1
DEEP SECTION ZONE-D

SECTION FROM 2185.0 TO 2340.0

DEPTH	GROSS POROSITY	VC	SW	SECTION FROM SXO	2185.0 TO SAND COUNT	2340.0 CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 2185.0	.141	.032	1.000	1.000	0.000	0.000	0.0	.785	0.0	0.000	0.000	0.000
% 2185.2	.158	.029	1.000	1.000	0.000	0.000	0.0	2.306	0.0	0.000	0.000	0.000
% 2185.3	.173	.020	1.000	1.000	0.000	0.000	0.0	13.251	0.0	0.000	0.000	0.000
% 2185.5	.176	.017	1.000	1.000	0.000	0.000	0.0	22.430	0.0	0.000	0.000	0.000
% 2185.6	.166	.015	1.000	1.000	0.000	0.000	0.0	22.854	0.0	0.000	0.000	0.000
% 2185.8	.146	.017	1.000	1.000	0.000	0.000	0.0	6.715	0.0	0.000	0.000	0.000
% 2185.9	.128	.016	1.000	1.000	0.000	0.000	0.0	3.478	0.0	0.000	0.000	0.000
% 2186.1	.103	.020	1.000	1.000	0.000	0.000	0.0	.355	0.0	0.000	0.000	0.000
% 2186.2	.112	.019	1.000	1.000	0.000	0.000	0.0	.737	0.0	0.000	0.000	0.000
% 2186.4	.114	.029	1.000	1.000	0.000	0.000	0.0	.211	0.0	0.000	0.000	0.000
% 2186.5	.170	.020	1.000	1.000	0.000	0.000	0.0	11.968	0.0	0.000	0.000	0.000
% 2186.7	.194	.018	1.000	1.000	0.000	0.000	0.0	41.207	0.0	0.000	0.000	0.000
% 2186.8	.223	.005	1.000	1.000	0.000	0.000	0.0	298.613	0.0	0.000	0.000	0.000
% 2187.0	.210	.001	1.000	1.000	0.000	0.000	0.0	236.579	0.0	0.000	0.000	0.000
% 2187.1	.214	.000	1.000	1.000	0.000	0.000	0.0	255.172	0.0	0.000	0.000	0.000
% 2187.3	.206	.000	1.000	1.000	0.000	0.000	0.0	215.808	0.0	0.000	0.000	0.000
% 2187.4	.214	.000	1.000	1.000	0.000	0.000	0.0	254.043	0.0	0.000	0.000	0.000
% 2187.6	.211	.000	1.000	1.000	0.000	0.000	0.0	237.848	0.0	0.000	0.000	0.000
% 2187.8	.216	.000	1.000	1.000	0.000	0.000	0.0	263.959	0.0	0.000	0.000	0.000
% 2187.9	.213	.000	1.000	1.000	0.000	0.000	0.0	250.467	0.0	0.000	0.000	0.000
% 2188.1	.197	.004	1.000	1.000	0.000	0.000	0.0	181.604	0.0	0.000	0.000	0.000
% 2188.2	.184	.014	1.000	1.000	0.000	0.000	0.0	49.946	0.0	0.000	0.000	0.000
% 2188.4	.163	.029	1.000	1.000	0.000	0.000	0.0	2.901	0.0	0.000	0.000	0.000
% 2188.5	.170	.035	1.000	1.000	0.000	0.000	0.0	2.188	0.0	0.000	0.000	0.000
% 2188.7	.172	.040	1.000	1.000	0.000	0.000	0.0	1.513	0.0	0.000	0.000	0.000
% 2188.8	.202	.033	1.000	1.000	0.000	0.000	0.0	9.651	0.0	0.000	0.000	0.000
% 2189.0	.222	.029	1.000	1.000	0.000	0.000	0.0	25.823	0.0	0.000	0.000	0.000
% 2189.1	.234	.040	1.000	1.000	0.000	0.000	0.0	14.180	0.0	0.000	0.000	0.000
% 2189.3	0.000	0.000	1.000	1.000	0.000	0.000	0.0	-999.999	0.0	0.000	0.000	0.000
% 2189.4	0.000	0.000	1.000	1.000	0.000	0.000	0.0	-999.999	0.0	0.000	0.000	0.000
% 2189.6	0.000	0.000	1.000	1.000	0.000	0.000	0.0	-999.999	0.0	0.000	0.000	0.000
% 2189.7	.252	.051	1.000	1.000	0.000	0.000	0.0	11.329	0.0	0.000	0.000	0.000
% 2189.9	.253	.046	1.000	1.000	0.000	0.000	0.0	16.616	0.0	0.000	0.000	0.000
% 2190.0	.241	.039	1.000	1.000	0.000	0.000	0.0	18.690	0.0	0.000	0.000	0.000
% 2190.2	.251	.038	1.000	1.000	0.000	0.000	0.0	27.150	0.0	0.000	0.000	0.000
% 2190.3	.249	.041	1.000	1.000	0.000	0.000	0.0	20.729	0.0	0.000	0.000	0.000
% 2190.5	.240	.038	1.000	1.000	0.000	0.000	0.0	21.533	0.0	0.000	0.000	0.000
% 2190.6	.223	.035	1.000	1.000	0.000	0.000	0.0	15.247	0.0	0.000	0.000	0.000
% 2190.8	.207	.024	1.000	1.000	0.000	0.000	0.0	29.170	0.0	0.000	0.000	0.000
% 2191.0	.201	.024	1.000	1.000	0.000	0.000	0.0	24.101	0.0	0.000	0.000	0.000
% 2191.1	.198	.026	1.000	1.000	0.000	0.000	0.0	15.778	0.0	0.000	0.000	0.000
% 2191.3	.188	.029	1.000	1.000	0.000	0.000	0.0	8.288	0.0	0.000	0.000	0.000
% 2191.4	.188	.025	1.000	1.000	0.000	0.000	0.0	13.374	0.0	0.000	0.000	0.000
% 2191.6	.188	.024	1.000	1.000	0.000	0.000	0.0	14.002	0.0	0.000	0.000	0.000
% 2191.7	.213	.020	1.000	1.000	0.000	0.000	0.0	57.065	0.0	0.000	0.000	0.000
% 2191.9	.202	.032	1.000	1.000	0.000	0.000	0.0	9.831	0.0	0.000	0.000	0.000
% 2192.0	.204	.035	1.000	1.000	0.000	0.000	0.0	8.479	0.0	0.000	0.000	0.000
% 2192.2	.201	.036	1.000	1.000	0.000	0.000	0.0	7.026	0.0	0.000	0.000	0.000
% 2192.3	.220	.021	1.000	1.000	0.000	0.000	0.0	61.285	0.0	0.000	0.000	0.000
% 2192.5	.222	.008	1.000	1.000	0.000	0.000	0.0	294.935	0.0	0.000	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-D

SECTION FROM 2185.0 TO 2340.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	2192.6	.204	.001	1.000	1.000	0.000	0.000	0.0	208.122	0.0	0.000	0.000	0.000
%	2192.8	.192	.000	1.000	1.000	0.000	0.000	0.0	163.754	0.0	0.000	0.000	0.000
%	2192.9	.170	.005	1.000	1.000	0.000	0.000	0.0	100.927	0.0	0.000	0.000	0.000
%	2193.1	.158	.024	1.000	1.000	0.000	0.000	0.0	4.365	0.0	0.000	0.000	0.000
%	2193.2	.136	.047	1.000	1.000	0.000	0.000	0.0	.112	0.0	0.000	0.000	0.000
%	2193.4	.089	.072	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
%	2193.5	.056	.055	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
%	2193.7	.052	.051	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
%	2193.8	.067	.066	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
%	2194.0	.098	.085	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
%	2194.2	.144	.068	1.000	1.000	0.000	0.000	0.0	.024	0.0	0.000	0.000	0.000
%	2194.3	.166	.054	1.000	1.000	0.000	0.000	0.0	.347	0.0	0.000	0.000	0.000
%	2194.5	.180	.038	1.000	1.000	0.000	0.000	0.0	2.596	0.0	0.000	0.000	0.000
%	2194.6	.154	.034	1.000	1.000	0.000	0.000	0.0	1.139	0.0	0.000	0.000	0.000
%	2194.8	.137	.040	1.000	1.000	0.000	0.000	0.0	.260	0.0	0.000	0.000	0.000
%	2194.9	.126	.050	1.000	1.000	0.000	0.000	0.0	.038	0.0	0.000	0.000	0.000
%	2195.1	.138	.053	1.000	1.000	0.000	0.000	0.0	.072	0.0	0.000	0.000	0.000
%	2195.2	.175	.040	1.000	1.000	0.000	0.000	0.0	1.632	0.0	0.000	0.000	0.000
%	2195.4	.208	.023	1.000	1.000	0.000	0.000	0.0	34.205	0.0	0.000	0.000	0.000
%	2195.5	.216	.015	1.000	1.000	0.000	0.000	0.0	115.347	0.0	0.000	0.000	0.000
%	2195.7	.206	.015	1.000	1.000	0.000	0.000	0.0	86.756	0.0	0.000	0.000	0.000
%	2195.8	.201	.018	1.000	1.000	0.000	0.000	0.0	45.722	0.0	0.000	0.000	0.000
%	2196.0	.188	.027	1.000	1.000	0.000	0.000	0.0	10.680	0.0	0.000	0.000	0.000
%	2196.1	.197	.019	1.000	1.000	0.000	0.000	0.0	34.913	0.0	0.000	0.000	0.000
%	2196.3	.187	.016	1.000	1.000	0.000	0.000	0.0	42.731	0.0	0.000	0.000	0.000
%	2196.4	.210	.003	1.000	1.000	0.000	0.000	0.0	232.733	0.0	0.000	0.000	0.000
%	2196.6	.217	.000	1.000	1.000	0.000	0.000	0.0	268.639	0.0	0.000	0.000	0.000
%	2196.7	.223	.000	1.000	1.000	0.000	0.000	0.0	296.666	0.0	0.000	0.000	0.000
%	2196.9	.210	.000	1.000	1.000	0.000	0.000	0.0	233.081	0.0	0.000	0.000	0.000
%	2197.0	.197	.000	1.000	1.000	0.000	0.000	0.0	183.403	0.0	0.000	0.000	0.000
%	2197.2	.184	.001	1.000	1.000	0.000	0.000	0.0	138.069	0.0	0.000	0.000	0.000
%	2197.4	.183	.002	1.000	1.000	0.000	0.000	0.0	134.701	0.0	0.000	0.000	0.000
%	2197.5	.181	.003	1.000	1.000	0.000	0.000	0.0	128.535	0.0	0.000	0.000	0.000
%	2197.7	.158	.019	1.000	1.000	0.000	0.000	0.0	8.786	0.0	0.000	0.000	0.000
%	2197.8	.137	.037	1.000	1.000	0.000	0.000	0.0	.341	0.0	0.000	0.000	0.000
%	2198.0	.120	.048	1.000	1.000	0.000	0.000	0.0	.032	0.0	0.000	0.000	0.000
%	2198.1	.135	.041	1.000	1.000	0.000	0.000	0.0	.202	0.0	0.000	0.000	0.000
%	2198.3	.128	.036	1.000	1.000	0.000	0.000	0.0	.213	0.0	0.000	0.000	0.000
%	2198.4	.090	.054	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
%	2198.6	.066	.065	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
%	2198.7	.132	.050	1.000	1.000	0.000	0.000	0.0	.059	0.0	0.000	0.000	0.000
%	2198.9	.200	.040	1.000	1.000	0.000	0.000	0.0	4.930	0.0	0.000	0.000	0.000
%	2199.0	.245	.026	.986	.986	.153	.038	.0	68.245	10.5	.037	0.000	0.000
%	2199.2	.203	.043	1.000	1.000	.153	.038	.0	4.106	10.5	.037	0.000	0.000
%	2199.3	.139	.045	1.000	1.000	.153	.038	.0	.170	10.5	.037	0.000	0.000
%	2199.5	.104	.047	1.000	1.000	.153	.038	.0	.008	10.5	.037	0.000	0.000
%	2199.6	.106	.039	1.000	1.000	.153	.038	.0	.031	10.5	.037	0.000	0.000
%	2199.8	.122	.031	1.000	1.000	.153	.038	.0	.295	10.5	.037	0.000	0.000
%	2199.9	.146	.019	1.000	1.000	.153	.038	.0	5.080	10.5	.037	0.000	0.000
%	2200.1	.155	.015	1.000	1.000	.153	.038	.0	14.426	10.5	.037	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-D

SECTION FROM 2185.0 TO 2340.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	2200.2	.163	.012	1.000	1.000	.153	.038	.0	36.741	10.5	.037	0.000	0.000
%	2200.4	.157	.015	1.000	1.000	.153	.038	.0	14.734	10.5	.037	0.000	0.000
%	2200.6	.156	.021	1.000	1.000	.153	.038	.0	6.092	10.5	.037	0.000	0.000
%	2200.7	.163	.022	1.000	1.000	.153	.038	.0	7.226	10.5	.037	0.000	0.000
%	2200.9	.178	.016	1.000	1.000	.153	.038	.0	28.957	10.5	.037	0.000	0.000
%	2201.0	.178	.008	1.000	1.000	.153	.038	.0	120.608	10.5	.037	0.000	0.000
%	2201.2	.182	.003	1.000	1.000	.153	.038	.0	131.688	10.5	.037	0.000	0.000
%	2201.3	.174	.000	1.000	1.000	.153	.038	.0	110.724	10.5	.037	0.000	0.000
%	2201.5	.161	.000	1.000	1.000	.153	.038	.0	80.624	10.5	.037	0.000	0.000
%	2201.6	.139	.004	1.000	1.000	.153	.038	.0	45.285	10.5	.037	0.000	0.000
%	2201.8	.128	.004	1.000	1.000	.153	.038	.0	32.173	10.5	.037	0.000	0.000
%	2201.9	.132	.000	1.000	1.000	.153	.038	.0	36.527	10.5	.037	0.000	0.000
%	2202.1	.136	.000	1.000	1.000	.153	.038	.0	40.789	10.5	.037	0.000	0.000
%	2202.2	.144	.000	1.000	1.000	.153	.038	.0	51.730	10.5	.037	0.000	0.000
%	2202.4	.142	.000	1.000	1.000	.153	.038	.0	49.348	10.5	.037	0.000	0.000
%	2202.5	.145	.001	1.000	1.000	.153	.038	.0	52.965	10.5	.037	0.000	0.000
%	2202.7	.133	.007	1.000	1.000	.153	.038	.0	31.348	10.5	.037	0.000	0.000
%	2202.8	.144	.009	1.000	1.000	.153	.038	.0	29.671	10.5	.037	0.000	0.000
%	2203.0	.139	.015	1.000	1.000	.153	.038	.0	7.006	10.5	.037	0.000	0.000
%	2203.1	.138	.017	1.000	1.000	.153	.038	.0	4.353	10.5	.037	0.000	0.000
%	2203.3	.119	.025	1.000	1.000	.153	.038	.0	.488	10.5	.037	0.000	0.000
%	2203.4	.110	.042	1.000	1.000	.153	.038	.0	.031	10.5	.037	0.000	0.000
%	2203.6	.115	.065	1.000	1.000	.153	.038	.0	.002	10.5	.037	0.000	0.000
%	2203.8	.127	.076	1.000	1.000	.153	.038	.0	.002	10.5	.037	0.000	0.000
%	2203.9	.114	.095	1.000	1.000	.153	.038	.0	.000	10.5	.037	0.000	0.000
%	2204.1	.128	.093	1.000	1.000	.153	.038	.0	.000	10.5	.037	0.000	0.000
%	2204.2	.133	.106	1.000	1.000	.153	.038	.0	.000	10.5	.037	0.000	0.000
%	2204.4	.150	.099	1.000	1.000	.153	.038	.0	.001	10.5	.037	0.000	0.000
%	2204.5	.129	.103	1.000	1.000	.153	.038	.0	.000	10.5	.037	0.000	0.000
%	2204.7	.117	.096	1.000	1.000	.153	.038	.0	.000	10.5	.037	0.000	0.000
%	2204.8	.148	.097	1.000	1.000	.153	.038	.0	.001	10.5	.037	0.000	0.000
%	2205.0	.211	.096	1.000	1.000	.153	.038	.0	.139	10.5	.037	0.000	0.000
*	2205.1	.298	.078	.689	1.000	.153	.038	.0	8.565	10.5	.037	0.000	0.000
*	2205.3	.310	.072	.688	1.000	.153	.038	.0	16.074	10.5	.037	0.000	0.000
**	2205.4	.385	.035	.549	.940	.153	.038	.0	611.974	10.5	.037	0.000	0.000
**	2205.6	.389	.048	.559	1.000	.153	.038	.0	292.889	10.5	.037	0.000	0.000
**	2205.7	.388	.040	.537	1.000	.153	.038	.0	463.835	10.5	.037	0.000	0.000
*	2205.9	.286	.057	.737	1.000	.153	.038	.0	19.661	10.5	.037	0.000	0.000
%	2206.0	.168	.072	1.000	1.000	.153	.038	.0	.082	10.5	.037	0.000	0.000
%	2206.2	.115	.088	1.000	1.000	.153	.038	.0	.000	10.5	.037	0.000	0.000
%	2206.3	.099	.093	1.000	1.000	.153	.038	.0	.000	10.5	.037	0.000	0.000
%	2206.5	.081	.080	1.000	1.000	.153	.038	.0	.000	10.5	.037	0.000	0.000
%	2206.6	.068	.067	1.000	1.000	.153	.038	.0	.000	10.5	.037	0.000	0.000
%	2206.8	.030	.029	1.000	1.000	.153	.038	.0	.000	10.5	.037	0.000	0.000
%	2207.0	.051	.050	1.000	1.000	.153	.038	.0	.000	10.5	.037	0.000	0.000
%	2207.1	.046	.045	1.000	1.000	.153	.038	.0	.000	10.5	.037	0.000	0.000
%	2207.3	.099	.084	1.000	1.000	.153	.038	.0	.000	10.5	.037	0.000	0.000
%	2207.4	.138	.078	1.000	1.000	.153	.038	.0	.005	10.5	.037	0.000	0.000
**	2207.6	.217	.076	1.000	1.000	.153	.038	.0	.694	10.5	.037	0.000	0.000
*	2207.7	.300	.082	.774	1.000	.153	.038	.0	7.375	10.5	.037	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-D

SECTION FROM 2185.0 TO 2340.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
*%	2207.9	.368	.069	.634	1.000	.153	.038	.0	66.133	10.5	.037	0.000	0.000
*	2208.0	.329	.078	.709	1.000	.153	.038	.0	19.070	10.5	.037	0.000	0.000
*%	2208.2	.237	.092	1.000	1.000	.153	.038	.0	.557	10.5	.037	0.000	0.000
*%	2208.3	.172	.110	1.000	1.000	.153	.038	.0	.003	10.5	.037	0.000	0.000
*%	2208.5	.176	.106	1.000	1.000	.153	.038	.0	.007	10.5	.037	0.000	0.000
*%	2208.6	.175	.101	1.000	1.000	.153	.038	.0	.011	10.5	.037	0.000	0.000
%	2208.8	.175	.085	1.000	1.000	.153	.038	.0	.040	10.5	.037	0.000	0.000
%	2208.9	.135	.072	1.000	1.000	.153	.038	.0	.007	10.5	.037	0.000	0.000
%	2209.1	.098	.073	1.000	1.000	.153	.038	.0	.000	10.5	.037	0.000	0.000
%	2209.2	.080	.079	1.000	1.000	.153	.038	.0	.000	10.5	.037	0.000	0.000
%	2209.4	.170	.069	1.000	1.000	.153	.038	.0	.116	10.5	.037	0.000	0.000
	2209.5	.224	.072	.951	1.000	.305	.072	.0	1.208	10.6	.069	0.000	0.000
*	2209.7	.252	.074	.866	1.000	.305	.072	.0	2.685	10.6	.069	0.000	0.000
*%	2209.8	.166	.114	1.000	1.000	.305	.072	.0	.001	10.6	.069	0.000	0.000
*%	2210.0	.143	.133	1.000	1.000	.305	.072	.0	.000	10.6	.069	0.000	0.000
*%	2210.2	.164	.136	1.000	1.000	.305	.072	.0	.000	10.6	.069	0.000	0.000
*	2210.3	.254	.113	.924	1.000	.305	.072	.0	.340	10.6	.069	0.000	0.000
*%	2210.5	.218	.099	1.000	1.000	.305	.072	.0	.164	10.6	.069	0.000	0.000
*	2210.6	.230	.079	.988	1.000	.305	.072	.0	.930	10.6	.069	0.000	0.000
%	2210.8	.193	.082	1.000	1.000	.305	.072	.0	.147	10.6	.069	0.000	0.000
%	2210.9	.204	.075	1.000	1.000	.305	.072	.0	.415	10.6	.069	0.000	0.000
%	2211.1	.138	.078	1.000	1.000	.305	.072	.0	.005	10.6	.069	0.000	0.000
%	2211.2	.099	.068	1.000	1.000	.305	.072	.0	.000	10.6	.069	0.000	0.000
%	2211.4	.070	.069	1.000	1.000	.305	.072	.0	.000	10.6	.069	0.000	0.000
%	2211.5	.053	.052	1.000	1.000	.305	.072	.0	.000	10.6	.069	0.000	0.000
%	2211.7	.054	.053	1.000	1.000	.305	.072	.0	.000	10.6	.069	0.000	0.000
%	2211.8	.079	.068	1.000	1.000	.305	.072	.0	.000	10.6	.069	0.000	0.000
%	2212.0	.115	.049	1.000	1.000	.305	.072	.0	.019	10.6	.069	0.000	0.000
%	2212.1	.119	.050	1.000	1.000	.305	.072	.0	.025	10.6	.069	0.000	0.000
%	2212.3	.130	.051	1.000	1.000	.305	.072	.0	.052	10.6	.069	0.000	0.000
%	2212.4	.200	.051	1.000	1.000	.305	.072	.0	1.902	10.6	.069	0.000	0.000
	2212.6	.267	.049	.718	.734	.458	.112	.0	19.766	13.7	.099	0.000	0.000
*	2212.7	.283	.050	.656	.724	.458	.112	.0	28.702	13.7	.099	0.000	0.000
	2212.9	.233	.046	.774	.807	.610	.148	.0	8.869	15.0	.126	0.000	0.000
%	2213.0	.168	.050	1.000	1.000	.610	.148	.0	.513	15.0	.126	0.000	0.000
%	2213.2	.135	.056	1.000	1.000	.610	.148	.0	.042	15.0	.126	0.000	0.000
%	2213.4	.136	.055	1.000	1.000	.610	.148	.0	.048	15.0	.126	0.000	0.000
%	2213.5	.166	.038	1.000	1.000	.610	.148	.0	1.365	15.0	.126	0.000	0.000
%	2213.7	.185	.032	1.000	1.000	.610	.148	.0	5.639	15.0	.126	0.000	0.000
%	2213.8	.203	.025	1.000	1.000	.610	.148	.0	21.452	15.0	.126	0.000	0.000
%	2214.0	.183	.030	1.000	1.000	.610	.148	.0	6.241	15.0	.126	0.000	0.000
%	2214.1	.174	.023	1.000	1.000	.610	.148	.0	9.932	15.0	.126	0.000	0.000
%	2214.3	.171	.018	1.000	1.000	.610	.148	.0	17.269	15.0	.126	0.000	0.000
%	2214.4	.185	.009	1.000	1.000	.610	.148	.0	141.990	15.0	.126	0.000	0.000
%	2214.6	.198	.004	1.000	1.000	.610	.148	.0	186.327	15.0	.126	0.000	0.000
%	2214.7	.190	.008	1.000	1.000	.610	.148	.0	158.724	15.0	.126	0.000	0.000
%	2214.9	.208	.004	1.000	1.000	.610	.148	.0	225.429	15.0	.126	0.000	0.000
%	2215.0	.199	.004	1.000	1.000	.610	.148	.0	191.011	15.0	.126	0.000	0.000
%	2215.2	.183	.005	1.000	1.000	.610	.148	.0	136.210	15.0	.126	0.000	0.000
%	2215.3	.142	.013	1.000	1.000	.610	.148	.0	12.426	15.0	.126	0.000	0.000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-D

SECTION FROM 2185.0 TO 2340.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 2215.5	.112	.028	1.000	1.000	.610	.148	.0	.206	15.0	.126	0.000	0.000
% 2215.6	.092	.042	1.000	1.000	.610	.148	.0	.005	15.0	.126	0.000	0.000
% 2215.8	.093	.055	1.000	1.000	.610	.148	.0	.001	15.0	.126	0.000	0.000
% 2215.9	.094	.069	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2216.1	.098	.071	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2216.2	.096	.066	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2216.4	.099	.047	1.000	1.000	.610	.148	.0	.005	15.0	.126	0.000	0.000
% 2216.6	.106	.033	1.000	1.000	.610	.148	.0	.071	15.0	.126	0.000	0.000
% 2216.7	.112	.019	1.000	1.000	.610	.148	.0	.713	15.0	.126	0.000	0.000
% 2216.9	.111	.017	1.000	1.000	.610	.148	.0	1.031	15.0	.126	0.000	0.000
% 2217.0	.109	.025	1.000	1.000	.610	.148	.0	.239	15.0	.126	0.000	0.000
% 2217.2	.114	.030	1.000	1.000	.610	.148	.0	.181	15.0	.126	0.000	0.000
% 2217.3	.113	.035	1.000	1.000	.610	.148	.0	.085	15.0	.126	0.000	0.000
% 2217.5	.118	.032	1.000	1.000	.610	.148	.0	.192	15.0	.126	0.000	0.000
% 2217.6	.119	.030	1.000	1.000	.610	.148	.0	.242	15.0	.126	0.000	0.000
% 2217.8	.121	.030	1.000	1.000	.610	.148	.0	.300	15.0	.126	0.000	0.000
% 2217.9	.121	.030	1.000	1.000	.610	.148	.0	.307	15.0	.126	0.000	0.000
% 2218.1	.142	.028	1.000	1.000	.610	.148	.0	1.266	15.0	.126	0.000	0.000
% 2218.2	.166	.023	1.000	1.000	.610	.148	.0	7.255	15.0	.126	0.000	0.000
% 2218.4	.179	.018	1.000	1.000	.610	.148	.0	24.446	15.0	.126	0.000	0.000
% 2218.5	.159	.022	1.000	1.000	.610	.148	.0	5.959	15.0	.126	0.000	0.000
% 2218.7	.160	.021	1.000	1.000	.610	.148	.0	7.403	15.0	.126	0.000	0.000
% 2218.8	.146	.026	1.000	1.000	.610	.148	.0	1.887	15.0	.126	0.000	0.000
% 2219.0	.147	.025	1.000	1.000	.610	.148	.0	2.504	15.0	.126	0.000	0.000
% 2219.1	.129	.028	1.000	1.000	.610	.148	.0	.596	15.0	.126	0.000	0.000
% 2219.3	.138	.022	1.000	1.000	.610	.148	.0	2.190	15.0	.126	0.000	0.000
% 2219.4	.125	.026	1.000	1.000	.610	.148	.0	.613	15.0	.126	0.000	0.000
% 2219.6	.129	.028	1.000	1.000	.610	.148	.0	.658	15.0	.126	0.000	0.000
% 2219.8	.139	.026	1.000	1.000	.610	.148	.0	1.414	15.0	.126	0.000	0.000
% 2219.9	.154	.022	1.000	1.000	.610	.148	.0	5.011	15.0	.126	0.000	0.000
% 2220.1	.152	.022	1.000	1.000	.610	.148	.0	4.342	15.0	.126	0.000	0.000
% 2220.2	.143	.025	1.000	1.000	.610	.148	.0	1.900	15.0	.126	0.000	0.000
% 2220.4	.150	.025	1.000	1.000	.610	.148	.0	2.691	15.0	.126	0.000	0.000
% 2220.5	.167	.019	1.000	1.000	.610	.148	.0	13.147	15.0	.126	0.000	0.000
% 2220.7	.173	.017	1.000	1.000	.610	.148	.0	20.299	15.0	.126	0.000	0.000
% 2220.8	.172	.022	1.000	1.000	.610	.148	.0	9.920	15.0	.126	0.000	0.000
% 2221.0	.141	.041	1.000	1.000	.610	.148	.0	.271	15.0	.126	0.000	0.000
% 2221.1	.108	.056	1.000	1.000	.610	.148	.0	.004	15.0	.126	0.000	0.000
% 2221.3	.082	.058	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2221.4	.094	.043	1.000	1.000	.610	.148	.0	.005	15.0	.126	0.000	0.000
% 2221.6	.112	.031	1.000	1.000	.610	.148	.0	.147	15.0	.126	0.000	0.000
% 2221.7	.129	.025	1.000	1.000	.610	.148	.0	.870	15.0	.126	0.000	0.000
% 2221.9	.135	.025	1.000	1.000	.610	.148	.0	1.236	15.0	.126	0.000	0.000
% 2222.0	.140	.030	1.000	1.000	.610	.148	.0	.859	15.0	.126	0.000	0.000
% 2222.2	.140	.031	1.000	1.000	.610	.148	.0	.820	15.0	.126	0.000	0.000
% 2222.3	.140	.026	1.000	1.000	.610	.148	.0	1.473	15.0	.126	0.000	0.000
% 2222.5	.108	.028	1.000	1.000	.610	.148	.0	.161	15.0	.126	0.000	0.000
% 2222.6	.080	.036	1.000	1.000	.610	.148	.0	.003	15.0	.126	0.000	0.000
% 2222.8	.051	.050	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2223.0	.069	.067	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-D

SECTION FROM 2185.0 TO 2340.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 2223.1	.076	.075	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2223.3	.081	.080	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2223.4	.095	.077	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2223.6	.099	.068	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2223.7	.120	.054	1.000	1.000	.610	.148	.0	.016	15.0	.126	0.000	0.000
% 2223.9	.131	.045	1.000	1.000	.610	.148	.0	.095	15.0	.126	0.000	0.000
% 2224.0	.149	.036	1.000	1.000	.610	.148	.0	.751	15.0	.126	0.000	0.000
% 2224.2	.164	.026	1.000	1.000	.610	.148	.0	4.414	15.0	.126	0.000	0.000
% 2224.3	.190	.022	1.000	1.000	.610	.148	.0	20.531	15.0	.126	0.000	0.000
% 2224.5	.200	.015	1.000	1.000	.610	.148	.0	70.031	15.0	.126	0.000	0.000
% 2224.6	.216	.013	1.000	1.000	.610	.148	.0	168.733	15.0	.126	0.000	0.000
% 2224.8	.209	.012	1.000	1.000	.610	.148	.0	162.872	15.0	.126	0.000	0.000
% 2224.9	.216	.013	1.000	1.000	.610	.148	.0	175.188	15.0	.126	0.000	0.000
% 2225.1	.208	.014	1.000	1.000	.610	.148	.0	107.969	15.0	.126	0.000	0.000
% 2225.2	.191	.020	1.000	1.000	.610	.148	.0	27.167	15.0	.126	0.000	0.000
% 2225.4	.181	.021	1.000	1.000	.610	.148	.0	17.281	15.0	.126	0.000	0.000
% 2225.5	.185	.020	1.000	1.000	.610	.148	.0	19.944	15.0	.126	0.000	0.000
% 2225.7	.192	.013	1.000	1.000	.610	.148	.0	88.468	15.0	.126	0.000	0.000
% 2225.8	.184	.017	1.000	1.000	.610	.148	.0	29.611	15.0	.126	0.000	0.000
% 2226.0	.169	.019	1.000	1.000	.610	.148	.0	12.699	15.0	.126	0.000	0.000
% 2226.2	.146	.026	1.000	1.000	.610	.148	.0	1.933	15.0	.126	0.000	0.000
% 2226.3	.152	.015	1.000	1.000	.610	.148	.0	11.754	15.0	.126	0.000	0.000
% 2226.5	.151	.012	1.000	1.000	.610	.148	.0	19.962	15.0	.126	0.000	0.000
% 2226.6	.172	.007	1.000	1.000	.610	.148	.0	104.634	15.0	.126	0.000	0.000
% 2226.8	.165	.009	1.000	1.000	.610	.148	.0	80.678	15.0	.126	0.000	0.000
% 2226.9	.139	.036	1.000	1.000	.610	.148	.0	.420	15.0	.126	0.000	0.000
% 2227.1	.103	.069	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2227.2	.077	.076	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2227.4	.077	.076	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2227.5	.090	.086	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2227.7	.131	.056	1.000	1.000	.610	.148	.0	.031	15.0	.126	0.000	0.000
% 2227.8	.164	.033	1.000	1.000	.610	.148	.0	2.026	15.0	.126	0.000	0.000
% 2228.0	.187	.019	1.000	1.000	.610	.148	.0	27.939	15.0	.126	0.000	0.000
% 2228.1	.190	.020	1.000	1.000	.610	.148	.0	25.943	15.0	.126	0.000	0.000
% 2228.3	.200	.017	1.000	1.000	.610	.148	.0	56.154	15.0	.126	0.000	0.000
% 2228.4	.222	.018	1.000	1.000	.610	.148	.0	91.383	15.0	.126	0.000	0.000
% 2228.6	.221	.015	1.000	1.000	.610	.148	.0	131.011	15.0	.126	0.000	0.000
% 2228.7	.210	.019	1.000	1.000	.610	.148	.0	58.981	15.0	.126	0.000	0.000
% 2228.9	.188	.021	1.000	1.000	.610	.148	.0	21.272	15.0	.126	0.000	0.000
% 2229.0	.160	.028	1.000	1.000	.610	.148	.0	3.023	15.0	.126	0.000	0.000
% 2229.2	.140	.030	1.000	1.000	.610	.148	.0	.859	15.0	.126	0.000	0.000
% 2229.4	.133	.024	1.000	1.000	.610	.148	.0	1.280	15.0	.126	0.000	0.000
% 2229.5	.113	.034	1.000	1.000	.610	.148	.0	.103	15.0	.126	0.000	0.000
% 2229.7	.108	.044	1.000	1.000	.610	.148	.0	.018	15.0	.126	0.000	0.000
% 2229.8	.092	.069	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2230.0	.109	.076	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2230.1	.106	.088	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2230.3	.100	.093	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2230.4	.103	.089	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2230.6	.111	.066	1.000	1.000	.610	.148	.0	.001	15.0	.126	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-D

SECTION FROM 2185.0 TO 2340.0

DEPTH	GROSS POROSITY	VC	SW	SECTION FROM SXO	2185.0 TO SAND COUNT	2340.0 CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 2230.7	.101	.053	1.000	1.000	.610	.148	.0	.003	15.0	.126	0.000	0.000
% 2230.9	.113	.037	1.000	1.000	.610	.148	.0	.068	15.0	.126	0.000	0.000
% 2231.0	.125	.042	1.000	1.000	.610	.148	.0	.092	15.0	.126	0.000	0.000
% 2231.2	.153	.036	1.000	1.000	.610	.148	.0	.910	15.0	.126	0.000	0.000
% 2231.3	.159	.031	1.000	1.000	.610	.148	.0	1.974	15.0	.126	0.000	0.000
% 2231.5	.163	.021	1.000	1.000	.610	.148	.0	8.486	15.0	.126	0.000	0.000
% 2231.6	.172	.011	1.000	1.000	.610	.148	.0	55.676	15.0	.126	0.000	0.000
% 2231.8	.151	.018	1.000	1.000	.610	.148	.0	7.044	15.0	.126	0.000	0.000
% 2231.9	.148	.020	1.000	1.000	.610	.148	.0	4.939	15.0	.126	0.000	0.000
% 2232.1	.121	.038	1.000	1.000	.610	.148	.0	.108	15.0	.126	0.000	0.000
% 2232.2	.116	.055	1.000	1.000	.610	.148	.0	.009	15.0	.126	0.000	0.000
% 2232.4	.090	.069	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2232.6	.083	.077	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2232.7	.057	.056	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2232.9	.068	.067	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2233.0	.073	.072	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2233.2	.110	.068	1.000	1.000	.610	.148	.0	.001	15.0	.126	0.000	0.000
% 2233.3	.108	.066	1.000	1.000	.610	.148	.0	.001	15.0	.126	0.000	0.000
% 2233.5	.107	.063	1.000	1.000	.610	.148	.0	.001	15.0	.126	0.000	0.000
% 2233.6	.103	.065	1.000	1.000	.610	.148	.0	.001	15.0	.126	0.000	0.000
% 2233.8	.112	.053	1.000	1.000	.610	.148	.0	.009	15.0	.126	0.000	0.000
% 2233.9	.101	.049	1.000	1.000	.610	.148	.0	.005	15.0	.126	0.000	0.000
% 2234.1	.081	.036	1.000	1.000	.610	.148	.0	.003	15.0	.126	0.000	0.000
% 2234.2	.078	.026	1.000	1.000	.610	.148	.0	.015	15.0	.126	0.000	0.000
% 2234.4	.099	.010	1.000	1.000	.610	.148	.0	2.145	15.0	.126	0.000	0.000
% 2234.5	.115	.013	1.000	1.000	.610	.148	.0	3.048	15.0	.126	0.000	0.000
% 2234.7	.112	.025	1.000	1.000	.610	.148	.0	.328	15.0	.126	0.000	0.000
% 2234.8	.109	.039	1.000	1.000	.610	.148	.0	.037	15.0	.126	0.000	0.000
% 2235.0	.102	.049	1.000	1.000	.610	.148	.0	.005	15.0	.126	0.000	0.000
% 2235.1	.087	.056	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2235.3	.080	.057	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2235.4	.085	.047	1.000	1.000	.610	.148	.0	.001	15.0	.126	0.000	0.000
% 2235.6	.098	.035	1.000	1.000	.610	.148	.0	.028	15.0	.126	0.000	0.000
% 2235.8	.082	.040	1.000	1.000	.610	.148	.0	.002	15.0	.126	0.000	0.000
% 2235.9	.071	.048	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2236.1	.075	.050	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2236.2	.081	.049	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2236.4	.089	.049	1.000	1.000	.610	.148	.0	.001	15.0	.126	0.000	0.000
% 2236.5	.108	.049	1.000	1.000	.610	.148	.0	.009	15.0	.126	0.000	0.000
% 2236.7	.127	.053	1.000	1.000	.610	.148	.0	.033	15.0	.126	0.000	0.000
% 2236.8	.124	.055	1.000	1.000	.610	.148	.0	.020	15.0	.126	0.000	0.000
% 2237.0	.094	.061	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2237.1	.066	.063	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2237.3	.064	.061	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2237.4	.082	.057	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2237.6	.111	.040	1.000	1.000	.610	.148	.0	.041	15.0	.126	0.000	0.000
% 2237.7	.118	.033	1.000	1.000	.610	.148	.0	.158	15.0	.126	0.000	0.000
% 2237.9	.140	.021	1.000	1.000	.610	.148	.0	2.698	15.0	.126	0.000	0.000
% 2238.0	.159	.021	1.000	1.000	.610	.148	.0	6.633	15.0	.126	0.000	0.000
% 2238.2	.157	.027	1.000	1.000	.610	.148	.0	3.092	15.0	.126	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-D

SECTION FROM 2185.0 TO 2340.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	2238.3	.124	.033	1.000	1.000	.610	.148	.0	.252	15.0	.126	0.000	0.000
%	2238.5	.079	.043	1.000	1.000	.610	.148	.0	.001	15.0	.126	0.000	0.000
%	2238.6	.019	.018	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
%	2238.8	.001	0.000	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
%	2239.0	.001	0.000	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
%	2239.1	.041	.040	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
%	2239.3	.103	.027	1.000	1.000	.610	.148	.0	.127	15.0	.126	0.000	0.000
%	2239.4	.141	.030	1.000	1.000	.610	.148	.0	.961	15.0	.126	0.000	0.000
%	2239.6	.150	.035	1.000	1.000	.610	.148	.0	.905	15.0	.126	0.000	0.000
%	2239.7	.126	.036	1.000	1.000	.610	.148	.0	.193	15.0	.126	0.000	0.000
%	2239.9	.098	.030	1.000	1.000	.610	.148	.0	.054	15.0	.126	0.000	0.000
%	2240.0	.106	.021	1.000	1.000	.610	.148	.0	.374	15.0	.126	0.000	0.000
%	2240.2	.112	.025	1.000	1.000	.610	.148	.0	.328	15.0	.126	0.000	0.000
%	2240.3	.098	.032	1.000	1.000	.610	.148	.0	.041	15.0	.126	0.000	0.000
%	2240.5	.057	.049	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
%	2240.6	.044	.043	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
%	2240.8	.051	.047	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
%	2240.9	.091	.033	1.000	1.000	.610	.148	.0	.017	15.0	.126	0.000	0.000
%	2241.1	.109	.028	1.000	1.000	.610	.148	.0	.182	15.0	.126	0.000	0.000
%	2241.2	.124	.024	1.000	1.000	.610	.148	.0	.740	15.0	.126	0.000	0.000
%	2241.4	.116	.028	1.000	1.000	.610	.148	.0	.264	15.0	.126	0.000	0.000
%	2241.5	.119	.030	1.000	1.000	.610	.148	.0	.242	15.0	.126	0.000	0.000
%	2241.7	.107	.038	1.000	1.000	.610	.148	.0	.038	15.0	.126	0.000	0.000
%	2241.8	.098	.042	1.000	1.000	.610	.148	.0	.010	15.0	.126	0.000	0.000
%	2242.0	.092	.049	1.000	1.000	.610	.148	.0	.002	15.0	.126	0.000	0.000
%	2242.2	.121	.040	1.000	1.000	.610	.148	.0	.090	15.0	.126	0.000	0.000
%	2242.3	.157	.031	1.000	1.000	.610	.148	.0	1.830	15.0	.126	0.000	0.000
%	2242.5	.163	.026	1.000	1.000	.610	.148	.0	4.196	15.0	.126	0.000	0.000
%	2242.6	.148	.033	1.000	1.000	.610	.148	.0	.901	15.0	.126	0.000	0.000
%	2242.8	.126	.041	1.000	1.000	.610	.148	.0	.114	15.0	.126	0.000	0.000
%	2242.9	.121	.046	1.000	1.000	.610	.148	.0	.042	15.0	.126	0.000	0.000
%	2243.1	.123	.043	1.000	1.000	.610	.148	.0	.069	15.0	.126	0.000	0.000
%	2243.2	.129	.042	1.000	1.000	.610	.148	.0	.124	15.0	.126	0.000	0.000
%	2243.4	.151	.035	1.000	1.000	.610	.148	.0	.908	15.0	.126	0.000	0.000
%	2243.5	.157	.040	1.000	1.000	.610	.148	.0	.733	15.0	.126	0.000	0.000
%	2243.7	.159	.038	1.000	1.000	.610	.148	.0	.984	15.0	.126	0.000	0.000
%	2243.8	.142	.043	1.000	1.000	.610	.148	.0	.250	15.0	.126	0.000	0.000
%	2244.0	.134	.036	1.000	1.000	.610	.148	.0	.334	15.0	.126	0.000	0.000
%	2244.1	.123	.036	1.000	1.000	.610	.148	.0	.157	15.0	.126	0.000	0.000
%	2244.3	.115	.039	1.000	1.000	.610	.148	.0	.059	15.0	.126	0.000	0.000
%	2244.4	.093	.048	1.000	1.000	.610	.148	.0	.002	15.0	.126	0.000	0.000
%	2244.6	.085	.048	1.000	1.000	.610	.148	.0	.001	15.0	.126	0.000	0.000
%	2244.7	.068	.053	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
%	2244.9	.069	.054	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
%	2245.0	.072	.052	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
%	2245.2	.089	.042	1.000	1.000	.610	.148	.0	.004	15.0	.126	0.000	0.000
%	2245.4	.116	.029	1.000	1.000	.610	.148	.0	.232	15.0	.126	0.000	0.000
%	2245.5	.138	.020	1.000	1.000	.610	.148	.0	2.836	15.0	.126	0.000	0.000
%	2245.7	.142	.012	1.000	1.000	.610	.148	.0	12.954	15.0	.126	0.000	0.000
%	2245.8	.117	.013	1.000	1.000	.610	.148	.0	3.254	15.0	.126	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-D

SECTION FROM 2185.0 TO 2340.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL -CUMUL VW
%	2246.0	.113	.009	1.000	1.000	.610	.148	.0	6.869	15.0	.126	0.000	0.000
%	2246.1	.092	.015	1.000	1.000	.610	.148	.0	.406	15.0	.126	0.000	0.000
%	2246.3	.110	.010	1.000	1.000	.610	.148	.0	3.881	15.0	.126	0.000	0.000
%	2246.4	.083	.023	1.000	1.000	.610	.148	.0	.039	15.0	.126	0.000	0.000
%	2246.6	.096	.020	1.000	1.000	.610	.148	.0	.231	15.0	.126	0.000	0.000
%	2246.7	.099	.019	1.000	1.000	.610	.148	.0	.318	15.0	.126	0.000	0.000
%	2246.9	.118	.015	1.000	1.000	.610	.148	.0	2.109	15.0	.126	0.000	0.000
%	2247.0	.126	.017	1.000	1.000	.610	.148	.0	2.464	15.0	.126	0.000	0.000
%	2247.2	.115	.021	1.000	1.000	.610	.148	.0	.680	15.0	.126	0.000	0.000
%	2247.3	.107	.027	1.000	1.000	.610	.148	.0	.174	15.0	.126	0.000	0.000
%	2247.5	.095	.028	1.000	1.000	.610	.148	.0	.055	15.0	.126	0.000	0.000
%	2247.6	.102	.030	1.000	1.000	.610	.148	.0	.074	15.0	.126	0.000	0.000
%	2247.8	.103	.028	1.000	1.000	.610	.148	.0	.114	15.0	.126	0.000	0.000
%	2247.9	.116	.031	1.000	1.000	.610	.148	.0	.185	15.0	.126	0.000	0.000
%	2248.1	.101	.034	1.000	1.000	.610	.148	.0	.037	15.0	.126	0.000	0.000
%	2248.2	.070	.048	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
%	2248.4	.037	.036	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
%	2248.6	.038	.037	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
%	2248.7	.070	.040	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
%	2248.9	.099	.026	1.000	1.000	.610	.148	.0	.106	15.0	.126	0.000	0.000
%	2249.0	.107	.024	1.000	1.000	.610	.148	.0	.275	15.0	.126	0.000	0.000
%	2249.2	.130	.017	1.000	1.000	.610	.148	.0	3.134	15.0	.126	0.000	0.000
%	2249.3	.129	.018	1.000	1.000	.610	.148	.0	2.564	15.0	.126	0.000	0.000
%	2249.5	.131	.015	1.000	1.000	.610	.148	.0	4.274	15.0	.126	0.000	0.000
%	2249.6	.121	.015	1.000	1.000	.610	.148	.0	2.632	15.0	.126	0.000	0.000
%	2249.8	.124	.010	1.000	1.000	.610	.148	.0	9.120	15.0	.126	0.000	0.000
%	2249.9	.121	.010	1.000	1.000	.610	.148	.0	8.778	15.0	.126	0.000	0.000
%	2250.1	.104	.015	1.000	1.000	.610	.148	.0	.977	15.0	.126	0.000	0.000
%	2250.2	.078	.023	1.000	1.000	.610	.148	.0	.024	15.0	.126	0.000	0.000
%	2250.4	.078	.023	1.000	1.000	.610	.148	.0	.026	15.0	.126	0.000	0.000
%	2250.5	.091	.018	1.000	1.000	.610	.148	.0	.205	15.0	.126	0.000	0.000
%	2250.7	.089	.019	1.000	1.000	.610	.148	.0	.149	15.0	.126	0.000	0.000
%	2250.8	.085	.023	1.000	1.000	.610	.148	.0	.052	15.0	.126	0.000	0.000
%	2251.0	.089	.027	1.000	1.000	.610	.148	.0	.038	15.0	.126	0.000	0.000
%	2251.1	.084	.036	1.000	1.000	.610	.148	.0	.005	15.0	.126	0.000	0.000
%	2251.3	.077	.041	1.000	1.000	.610	.148	.0	.001	15.0	.126	0.000	0.000
%	2251.4	.062	.041	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
%	2251.6	.077	.032	1.000	1.000	.610	.148	.0	.005	15.0	.126	0.000	0.000
%	2251.8	.077	.028	1.000	1.000	.610	.148	.0	.009	15.0	.126	0.000	0.000
%	2251.9	.081	.029	1.000	1.000	.610	.148	.0	.013	15.0	.126	0.000	0.000
%	2252.1	.084	.026	1.000	1.000	.610	.148	.0	.027	15.0	.126	0.000	0.000
%	2252.2	.090	.028	1.000	1.000	.610	.148	.0	.035	15.0	.126	0.000	0.000
%	2252.4	.095	.031	1.000	1.000	.610	.148	.0	.036	15.0	.126	0.000	0.000
%	2252.5	.100	.030	1.000	1.000	.610	.148	.0	.060	15.0	.126	0.000	0.000
%	2252.7	.097	.027	1.000	1.000	.610	.148	.0	.082	15.0	.126	0.000	0.000
%	2252.8	.086	.027	1.000	1.000	.610	.148	.0	.029	15.0	.126	0.000	0.000
%	2253.0	.065	.035	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
%	2253.1	.067	.031	1.000	1.000	.610	.148	.0	.001	15.0	.126	0.000	0.000
%	2253.3	.081	.028	1.000	1.000	.610	.148	.0	.015	15.0	.126	0.000	0.000
%	2253.4	.123	.012	1.000	1.000	.610	.148	.0	5.315	15.0	.126	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW/SET

WEST SEAHORSE 1
DEEP SECTION ZONE-D

SECTION FROM 2185.0 TO 2340.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 2253.6	.126	.017	1.000	1.000	.610	.148	.0	2.464	15.0	.126	0.000	0.000
% 2253.7	.119	.022	1.000	1.000	.610	.148	.0	.701	15.0	.126	0.000	0.000
% 2253.9	.087	.041	1.000	1.000	.610	.148	.0	.003	15.0	.126	0.000	0.000
% 2254.0	.084	.044	1.000	1.000	.610	.148	.0	.001	15.0	.126	0.000	0.000
% 2254.2	.095	.035	1.000	1.000	.610	.148	.0	.018	15.0	.126	0.000	0.000
% 2254.3	.102	.028	1.000	1.000	.610	.148	.0	.106	15.0	.126	0.000	0.000
% 2254.5	.103	.026	1.000	1.000	.610	.148	.0	.143	15.0	.126	0.000	0.000
% 2254.6	.083	.033	1.000	1.000	.610	.148	.0	.007	15.0	.126	0.000	0.000
% 2254.8	.108	.026	1.000	1.000	.610	.148	.0	.196	15.0	.126	0.000	0.000
% 2255.0	.082	.037	1.000	1.000	.610	.148	.0	.004	15.0	.126	0.000	0.000
% 2255.1	.081	.042	1.000	1.000	.610	.148	.0	.001	15.0	.126	0.000	0.000
% 2255.3	.057	.053	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2255.4	.084	.047	1.000	1.000	.610	.148	.0	.001	15.0	.126	0.000	0.000
% 2255.6	.092	.051	1.000	1.000	.610	.148	.0	.001	15.0	.126	0.000	0.000
% 2255.7	.071	.059	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2255.9	.070	.059	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2256.0	.115	.040	1.000	1.000	.610	.148	.0	.055	15.0	.126	0.000	0.000
% 2256.2	.135	.039	1.000	1.000	.610	.148	.0	.248	15.0	.126	0.000	0.000
% 2256.3	.148	.034	1.000	1.000	.610	.148	.0	.829	15.0	.126	0.000	0.000
% 2256.5	.123	.044	1.000	1.000	.610	.148	.0	.068	15.0	.126	0.000	0.000
% 2256.6	.140	.025	1.000	1.000	.610	.148	.0	1.713	15.0	.126	0.000	0.000
% 2256.8	.133	.016	1.000	1.000	.610	.148	.0	4.710	15.0	.126	0.000	0.000
% 2256.9	.150	.003	1.000	1.000	.610	.148	.0	60.955	15.0	.126	0.000	0.000
% 2257.1	.164	.008	1.000	1.000	.610	.148	.0	88.365	15.0	.126	0.000	0.000
% 2257.2	.190	.010	1.000	1.000	.610	.148	.0	128.741	15.0	.126	0.000	0.000
% 2257.4	.186	.010	1.000	1.000	.610	.148	.0	128.890	15.0	.126	0.000	0.000
% 2257.5	.176	.003	1.000	1.000	.610	.148	.0	115.320	15.0	.126	0.000	0.000
% 2257.7	.141	.006	1.000	1.000	.610	.148	.0	47.323	15.0	.126	0.000	0.000
% 2257.8	.119	.009	1.000	1.000	.610	.148	.0	8.455	15.0	.126	0.000	0.000
% 2258.0	.097	.020	1.000	1.000	.610	.148	.0	.255	15.0	.126	0.000	0.000
% 2258.1	.130	.017	1.000	1.000	.610	.148	.0	3.134	15.0	.126	0.000	0.000
% 2258.3	.158	.036	1.000	1.000	.610	.148	.0	1.167	15.0	.126	0.000	0.000
% 2258.5	.199	.059	1.000	1.000	.610	.148	.0	1.040	15.0	.126	0.000	0.000
*% 2258.6	.236	.070	1.000	1.000	.610	.148	.0	2.076	15.0	.126	0.000	0.000
*% 2258.8	.223	.098	1.000	1.000	.610	.148	.0	.215	15.0	.126	0.000	0.000
*% 2258.9	.200	.110	1.000	1.000	.610	.148	.0	.028	15.0	.126	0.000	0.000
*% 2259.1	.179	.122	1.000	1.000	.610	.148	.0	.002	15.0	.126	0.000	0.000
*% 2259.2	.191	.103	1.000	1.000	.610	.148	.0	.026	15.0	.126	0.000	0.000
*% 2259.4	.192	.104	1.000	1.000	.610	.148	.0	.026	15.0	.126	0.000	0.000
*% 2259.5	.191	.095	1.000	1.000	.610	.148	.0	.049	15.0	.126	0.000	0.000
% 2259.7	.184	.081	1.000	1.000	.610	.148	.0	.095	15.0	.126	0.000	0.000
% 2259.8	.170	.062	1.000	1.000	.610	.148	.0	.205	15.0	.126	0.000	0.000
% 2260.0	.157	.052	1.000	1.000	.610	.148	.0	.244	15.0	.126	0.000	0.000
% 2260.1	.135	.051	1.000	1.000	.610	.148	.0	.068	15.0	.126	0.000	0.000
% 2260.3	.113	.053	1.000	1.000	.610	.148	.0	.009	15.0	.126	0.000	0.000
% 2260.4	.085	.073	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2260.6	.076	.075	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2260.7	.110	.061	1.000	1.000	.610	.148	.0	.002	15.0	.126	0.000	0.000
% 2260.9	.122	.035	1.000	1.000	.610	.148	.0	.161	15.0	.126	0.000	0.000
% 2261.0	.131	.015	1.000	1.000	.610	.148	.0	4.948	15.0	.126	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-D

SECTION FROM 2185.0 TO 2340.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	2261.2	.120	.017	1.000	1.000	.610	.148	.0	1.905	15.0	.126	0.000	0.000
%	2261.4	.130	.016	1.000	1.000	.610	.148	.0	3.470	15.0	.126	0.000	0.000
%	2261.5	.150	.010	1.000	1.000	.610	.148	.0	32.464	15.0	.126	0.000	0.000
%	2261.7	.155	.006	1.000	1.000	.610	.148	.0	70.063	15.0	.126	0.000	0.000
%	2261.8	.164	.003	1.000	1.000	.610	.148	.0	86.696	15.0	.126	0.000	0.000
%	2262.0	.156	.008	1.000	1.000	.610	.148	.0	63.204	15.0	.126	0.000	0.000
%	2262.1	.160	.008	1.000	1.000	.610	.148	.0	79.612	15.0	.126	0.000	0.000
%	2262.3	.157	.008	1.000	1.000	.610	.148	.0	63.093	15.0	.126	0.000	0.000
%	2262.4	.172	.001	1.000	1.000	.610	.148	.0	105.157	15.0	.126	0.000	0.000
%	2262.6	.160	.004	1.000	1.000	.610	.148	.0	79.587	15.0	.126	0.000	0.000
%	2262.7	.156	.011	1.000	1.000	.610	.148	.0	32.443	15.0	.126	0.000	0.000
%	2262.9	.152	.021	1.000	1.000	.610	.148	.0	4.841	15.0	.126	0.000	0.000
%	2263.0	.144	.029	1.000	1.000	.610	.148	.0	1.254	15.0	.126	0.000	0.000
%	2263.2	.155	.021	1.000	1.000	.610	.148	.0	5.757	15.0	.126	0.000	0.000
%	2263.3	.144	.019	1.000	1.000	.610	.148	.0	4.501	15.0	.126	0.000	0.000
%	2263.5	.171	.006	1.000	1.000	.610	.148	.0	104.137	15.0	.126	0.000	0.000
%	2263.6	.163	.008	1.000	1.000	.610	.148	.0	85.815	15.0	.126	0.000	0.000
%	2263.8	.161	.010	1.000	1.000	.610	.148	.0	53.995	15.0	.126	0.000	0.000
%	2263.9	.139	.019	1.000	1.000	.610	.148	.0	3.840	15.0	.126	0.000	0.000
%	2264.1	.136	.019	1.000	1.000	.610	.148	.0	3.270	15.0	.126	0.000	0.000
%	2264.2	.116	.023	1.000	1.000	.610	.148	.0	.549	15.0	.126	0.000	0.000
%	2264.4	.114	.023	1.000	1.000	.610	.148	.0	.494	15.0	.126	0.000	0.000
%	2264.5	.117	.021	1.000	1.000	.610	.148	.0	.797	15.0	.126	0.000	0.000
%	2264.7	.150	.009	1.000	1.000	.610	.148	.0	37.914	15.0	.126	0.000	0.000
%	2264.9	.152	.006	1.000	1.000	.610	.148	.0	63.728	15.0	.126	0.000	0.000
%	2265.0	.169	.000	1.000	1.000	.610	.148	.0	97.894	15.0	.126	0.000	0.000
%	2265.2	.177	.000	1.000	1.000	.610	.148	.0	117.709	15.0	.126	0.000	0.000
%	2265.3	.178	.000	1.000	1.000	.610	.148	.0	120.476	15.0	.126	0.000	0.000
%	2265.5	.165	.000	1.000	1.000	.610	.148	.0	90.470	15.0	.126	0.000	0.000
%	2265.6	.141	.007	1.000	1.000	.610	.148	.0	44.701	15.0	.126	0.000	0.000
%	2265.8	.138	.006	1.000	1.000	.610	.148	.0	44.220	15.0	.126	0.000	0.000
%	2265.9	.122	.009	1.000	1.000	.610	.148	.0	12.414	15.0	.126	0.000	0.000
%	2266.1	.127	.009	1.000	1.000	.610	.148	.0	15.501	15.0	.126	0.000	0.000
%	2266.2	.127	.014	1.000	1.000	.610	.148	.0	4.529	15.0	.126	0.000	0.000
%	2266.4	.137	.014	1.000	1.000	.610	.148	.0	7.637	15.0	.126	0.000	0.000
%	2266.5	.153	.008	1.000	1.000	.610	.148	.0	56.337	15.0	.126	0.000	0.000
%	2266.7	.170	.003	1.000	1.000	.610	.148	.0	100.203	15.0	.126	0.000	0.000
%	2266.8	.188	.000	1.000	1.000	.610	.148	.0	152.357	15.0	.126	0.000	0.000
%	2267.0	.184	.000	1.000	1.000	.610	.148	.0	139.803	15.0	.126	0.000	0.000
%	2267.1	.178	.000	1.000	1.000	.610	.148	.0	119.831	15.0	.126	0.000	0.000
%	2267.3	.158	.000	1.000	1.000	.610	.148	.0	76.089	15.0	.126	0.000	0.000
%	2267.4	.146	.004	1.000	1.000	.610	.148	.0	55.409	15.0	.126	0.000	0.000
%	2267.6	.140	.008	1.000	1.000	.610	.148	.0	32.685	15.0	.126	0.000	0.000
%	2267.8	.148	.008	1.000	1.000	.610	.148	.0	44.598	15.0	.126	0.000	0.000
%	2267.9	.127	.016	1.000	1.000	.610	.148	.0	3.363	15.0	.126	0.000	0.000
%	2268.1	.114	.019	1.000	1.000	.610	.148	.0	.930	15.0	.126	0.000	0.000
%	2268.2	.094	.025	1.000	1.000	.610	.148	.0	.090	15.0	.126	0.000	0.000
%	2268.4	.101	.029	1.000	1.000	.610	.148	.0	.079	15.0	.126	0.000	0.000
%	2268.5	.131	.025	1.000	1.000	.610	.148	.0	1.030	15.0	.126	0.000	0.000
%	2268.7	.143	.035	1.000	1.000	.610	.148	.0	.608	15.0	.126	0.000	0.000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-D

SECTION FROM 2185.0 TO 2340.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 2268.8	.166	.026	1.000	1.000	.610	.148	.0	5.156	15.0	.126	0.000	0.000
% 2269.0	.152	.026	1.000	1.000	.610	.148	.0	2.686	15.0	.126	0.000	0.000
% 2269.1	.147	.016	1.000	1.000	.610	.148	.0	8.401	15.0	.126	0.000	0.000
% 2269.3	.135	.011	1.000	1.000	.610	.148	.0	11.386	15.0	.126	0.000	0.000
% 2269.4	.119	.022	1.000	1.000	.610	.148	.0	.765	15.0	.126	0.000	0.000
% 2269.6	.104	.034	1.000	1.000	.610	.148	.0	.048	15.0	.126	0.000	0.000
% 2269.7	.105	.044	1.000	1.000	.610	.148	.0	.014	15.0	.126	0.000	0.000
% 2269.9	.118	.035	1.000	1.000	.610	.148	.0	.125	15.0	.126	0.000	0.000
% 2270.0	.143	.019	1.000	1.000	.610	.148	.0	4.360	15.0	.126	0.000	0.000
% 2270.2	.142	.017	1.000	1.000	.610	.148	.0	6.172	15.0	.126	0.000	0.000
% 2270.3	.158	.010	1.000	1.000	.610	.148	.0	45.977	15.0	.126	0.000	0.000
% 2270.5	.163	.004	1.000	1.000	.610	.148	.0	84.676	15.0	.126	0.000	0.000
% 2270.6	.180	.000	1.000	1.000	.610	.148	.0	126.636	15.0	.126	0.000	0.000
% 2270.8	.170	.000	1.000	1.000	.610	.148	.0	101.945	15.0	.126	0.000	0.000
% 2271.0	.163	.000	1.000	1.000	.610	.148	.0	84.979	15.0	.126	0.000	0.000
% 2271.1	.163	.006	1.000	1.000	.610	.148	.0	85.315	15.0	.126	0.000	0.000
% 2271.3	.170	.010	1.000	1.000	.610	.148	.0	76.477	15.0	.126	0.000	0.000
% 2271.4	.183	.010	1.000	1.000	.610	.148	.0	99.235	15.0	.126	0.000	0.000
% 2271.6	.179	.014	1.000	1.000	.610	.148	.0	45.982	15.0	.126	0.000	0.000
% 2271.7	.183	.016	1.000	1.000	.610	.148	.0	36.258	15.0	.126	0.000	0.000
% 2271.9	.155	.027	1.000	1.000	.610	.148	.0	2.566	15.0	.126	0.000	0.000
% 2272.0	.150	.028	1.000	1.000	.610	.148	.0	1.800	15.0	.126	0.000	0.000
% 2272.2	.136	.035	1.000	1.000	.610	.148	.0	.404	15.0	.126	0.000	0.000
% 2272.3	.157	.030	1.000	1.000	.610	.148	.0	2.082	15.0	.126	0.000	0.000
% 2272.5	.146	.033	1.000	1.000	.610	.148	.0	.881	15.0	.126	0.000	0.000
% 2272.6	.159	.030	1.000	1.000	.610	.148	.0	2.391	15.0	.126	0.000	0.000
% 2272.8	.163	.027	1.000	1.000	.610	.148	.0	3.743	15.0	.126	0.000	0.000
% 2272.9	.171	.034	1.000	1.000	.610	.148	.0	2.594	15.0	.126	0.000	0.000
% 2273.1	.168	.029	1.000	1.000	.610	.148	.0	3.803	15.0	.126	0.000	0.000
% 2273.2	.164	.031	1.000	1.000	.610	.148	.0	2.589	15.0	.126	0.000	0.000
% 2273.4	.168	.022	1.000	1.000	.610	.148	.0	8.277	15.0	.126	0.000	0.000
% 2273.5	.177	.021	1.000	1.000	.610	.148	.0	14.535	15.0	.126	0.000	0.000
% 2273.7	.176	.014	1.000	1.000	.610	.148	.0	38.765	15.0	.126	0.000	0.000
% 2273.8	.180	.013	1.000	1.000	.610	.148	.0	56.230	15.0	.126	0.000	0.000
% 2274.0	.192	.012	1.000	1.000	.610	.148	.0	99.676	15.0	.126	0.000	0.000
% 2274.1	.206	.015	1.000	1.000	.610	.148	.0	83.959	15.0	.126	0.000	0.000
% 2274.3	.216	.015	1.000	1.000	.610	.148	.0	123.166	15.0	.126	0.000	0.000
% 2274.5	.211	.016	1.000	1.000	.610	.148	.0	84.661	15.0	.126	0.000	0.000
% 2274.6	.199	.018	1.000	1.000	.610	.148	.0	46.378	15.0	.126	0.000	0.000
% 2274.8	.201	.011	1.000	1.000	.610	.148	.0	161.535	15.0	.126	0.000	0.000
% 2274.9	.175	.013	1.000	1.000	.610	.148	.0	41.194	15.0	.126	0.000	0.000
% 2275.1	.159	.012	1.000	1.000	.610	.148	.0	30.402	15.0	.126	0.000	0.000
% 2275.2	.134	.017	1.000	1.000	.610	.148	.0	3.468	15.0	.126	0.000	0.000
% 2275.4	.141	.014	1.000	1.000	.610	.148	.0	8.230	15.0	.126	0.000	0.000
% 2275.5	.159	.012	1.000	1.000	.610	.148	.0	30.402	15.0	.126	0.000	0.000
% 2275.7	.176	.009	1.000	1.000	.610	.148	.0	109.655	15.0	.126	0.000	0.000
% 2275.8	.184	.004	1.000	1.000	.610	.148	.0	139.402	15.0	.126	0.000	0.000
% 2276.0	.174	.013	1.000	1.000	.610	.148	.0	45.717	15.0	.126	0.000	0.000
% 2276.1	.163	.014	1.000	1.000	.610	.148	.0	25.579	15.0	.126	0.000	0.000
% 2276.3	.150	.016	1.000	1.000	.610	.148	.0	9.451	15.0	.126	0.000	0.000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-D

SECTION FROM 2185.0 TO 2340.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	2276.4	.156	.002	1.000	1.000	.610	.148	.0	70.943	15.0	.126	0.000	0.000
%	2276.6	.157	.000	1.000	1.000	.610	.148	.0	72.460	15.0	.126	0.000	0.000
%	2276.7	.145	.012	1.000	1.000	.610	.148	.0	16.200	15.0	.126	0.000	0.000
%	2276.9	.166	.017	1.000	1.000	.610	.148	.0	16.387	15.0	.126	0.000	0.000
%	2277.0	.210	.009	1.000	1.000	.610	.148	.0	234.457	15.0	.126	0.000	0.000
%	2277.2	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2277.4	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2277.5	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2277.7	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2277.8	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2278.0	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2278.1	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2278.3	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2278.4	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2278.6	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2278.7	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2278.9	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2279.0	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2279.2	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2279.3	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2279.5	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2279.6	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2279.8	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2279.9	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2280.1	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2280.2	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2280.4	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2280.5	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2280.7	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2280.9	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2281.0	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2281.2	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2281.3	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2281.5	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2281.6	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2281.8	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2281.9	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2282.1	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2282.2	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2282.4	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2282.5	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2282.7	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2282.8	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2283.0	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2283.1	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2283.3	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2283.4	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2283.6	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2283.7	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
%	2283.9	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-D

SECTION FROM 2185.0 TO 2340.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 2284.1	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2284.2	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2284.4	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2284.5	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2284.7	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2284.8	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2285.0	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2285.1	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2285.3	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2285.4	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2285.6	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2285.7	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2285.9	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2286.0	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2286.2	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2286.3	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2286.5	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2286.6	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2286.8	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2286.9	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2287.1	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2287.3	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2287.4	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2287.6	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2287.7	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2287.9	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2288.0	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2288.2	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2288.3	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2288.5	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2288.6	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2288.8	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2288.9	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2289.1	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2289.2	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2289.4	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2289.5	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2289.7	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2289.8	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2290.0	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2290.1	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2290.3	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2290.5	0.000	0.000	1.000	1.000	.610	.148	.0	-999.999	15.0	.126	0.000	0.000
% 2290.6	.069	.013	1.000	1.000	.610	.148	.0	.089	15.0	.126	0.000	0.000
% 2290.8	.073	.014	1.000	1.000	.610	.148	.0	.098	15.0	.126	0.000	0.000
% 2290.9	.074	.013	1.000	1.000	.610	.148	.0	.148	15.0	.126	0.000	0.000
% 2291.1	.050	.017	1.000	1.000	.610	.148	.0	.002	15.0	.126	0.000	0.000
% 2291.2	.032	.022	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000
% 2291.4	.059	.018	1.000	1.000	.610	.148	.0	.008	15.0	.126	0.000	0.000
% 2291.5	.082	.021	1.000	1.000	.610	.148	.0	.052	15.0	.126	0.000	0.000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-D

		SECTION FROM 2185.0 TO 2340.0											
DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW	
% 2291.7	.086	.024	1.000	1.000	.610	.148	.0	.051	15.0	.126	0.000	0.000	
% 2291.8	.079	.022	1.000	1.000	.610	.148	.0	.032	15.0	.126	0.000	0.000	
% 2292.0	.058	.021	1.000	1.000	.610	.148	.0	.003	15.0	.126	0.000	0.000	
% 2292.1	.055	.018	1.000	1.000	.610	.148	.0	.004	15.0	.126	0.000	0.000	
% 2292.3	.034	.025	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000	
% 2292.4	.043	.018	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000	
% 2292.6	.049	.014	1.000	1.000	.610	.148	.0	.005	15.0	.126	0.000	0.000	
% 2292.7	.053	.009	.995	.995	.610	.148	.0	.039	15.0	.126	0.000	0.000	
% 2292.9	.024	.020	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000	
% 2293.0	.013	.012	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000	
% 2293.2	.011	.010	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000	
% 2293.3	.033	.013	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000	
% 2293.5	.033	.012	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000	
% 2293.7	.042	.007	.865	.934	.610	.148	.0	.015	15.0	.126	0.000	0.000	
% 2293.8	.044	.005	.686	.855	.610	.148	.0	.057	15.0	.126	0.000	0.000	
% 2294.0	.046	.004	.585	.762	.610	.148	.0	.118	15.0	.126	0.000	0.000	
% 2294.1	.021	.015	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000	
% 2294.3	.001	0.000	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000	
% 2294.4	.001	0.000	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000	
% 2294.6	.001	0.000	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000	
% 2294.7	.013	.012	1.000	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000	
% 2294.9	.040	.017	.860	1.000	.610	.148	.0	.000	15.0	.126	0.000	0.000	
2295.0	.084	.011	.124	.528	.762	.161	.0	.501	15.1	.128	0.000	0.000	
2295.2	.139	.006	.062	.293	.916	.182	.1	45.641	22.1	.129	0.000	0.000	
2295.3	.170	.004	.398	.398	1.067	.208	.1	100.686	37.4	.139	0.000	0.000	
2295.5	.176	.005	.602	.602	1.220	.235	.1	115.944	55.1	.156	0.000	0.000	
% 2295.6	.155	.006	1.000	1.000	1.220	.235	.1	70.123	55.1	.156	0.000	0.000	
% 2295.8	.117	.004	1.000	1.000	1.220	.235	.1	22.519	55.1	.156	0.000	0.000	
% 2295.9	.084	.000	1.000	1.000	1.220	.235	.1	6.072	55.1	.156	0.000	0.000	
% 2296.1	.062	.000	1.000	1.000	1.220	.235	.1	1.766	55.1	.156	0.000	0.000	
% 2296.2	.058	.000	1.000	1.000	1.220	.235	.1	1.380	55.1	.156	0.000	0.000	
% 2296.4	.036	.007	1.000	1.000	1.220	.235	.1	.004	55.1	.156	0.000	0.000	
% 2296.5	.025	.019	1.000	1.000	1.220	.235	.1	.000	55.1	.156	0.000	0.000	
% 2296.7	.069	.021	1.000	1.000	1.220	.235	.1	.013	55.1	.156	0.000	0.000	
2296.9	.125	.010	.627	.627	1.372	.254	.1	9.293	56.5	.168	0.000	0.000	
2297.0	.135	.006	.945	.945	1.524	.274	.1	40.507	62.7	.187	0.000	0.000	
% 2297.2	.116	.013	1.000	1.000	1.524	.274	.1	3.286	62.7	.187	0.000	0.000	
% 2297.3	.101	.016	1.000	1.000	1.524	.274	.1	.703	62.7	.187	0.000	0.000	
% 2297.5	.120	.002	1.000	1.000	1.524	.274	.1	25.252	62.7	.187	0.000	0.000	
% 2297.6	.106	.000	1.000	1.000	1.524	.274	.1	15.154	62.7	.187	0.000	0.000	
% 2297.8	0.000	0.000	1.000	1.000	1.524	.274	.1	-999.999	62.7	.187	0.000	0.000	
% 2297.9	0.000	0.000	1.000	1.000	1.524	.274	.1	-999.999	62.7	.187	0.000	0.000	
% 2298.1	0.000	0.000	1.000	1.000	1.524	.274	.1	-999.999	62.7	.187	0.000	0.000	
% 2298.2	0.000	0.000	1.000	1.000	1.524	.274	.1	-999.999	62.7	.187	0.000	0.000	
% 2298.4	0.000	0.000	1.000	1.000	1.524	.274	.1	-999.999	62.7	.187	0.000	0.000	
% 2298.5	0.000	0.000	1.000	1.000	1.524	.274	.1	-999.999	62.7	.187	0.000	0.000	
% 2298.7	0.000	0.000	1.000	1.000	1.524	.274	.1	-999.999	62.7	.187	0.000	0.000	
% 2298.8	0.000	0.000	1.000	1.000	1.524	.274	.1	-999.999	62.7	.187	0.000	0.000	
% 2299.0	0.000	0.000	1.000	1.000	1.524	.274	.1	-999.999	62.7	.187	0.000	0.000	
% 2299.1	0.000	0.000	1.000	1.000	1.524	.274	.1	-999.999	62.7	.187	0.000	0.000	

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

722

WEST SEAHORSE 1
DEEP SECTION ZONE-D

		SECTION FROM 2185.0 TO 2340.0											
DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW	
% 2306.9	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2307.1	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2307.2	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2307.4	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2307.5	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2307.7	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2307.8	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2308.0	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2308.1	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2308.3	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2308.4	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2308.6	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2308.7	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2308.9	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2309.0	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2309.2	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2309.3	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2309.5	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2309.7	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2309.8	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2310.0	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2310.1	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2310.3	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2310.4	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2310.6	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2310.7	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2310.9	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2311.0	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2311.2	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2311.3	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2311.5	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2311.6	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2311.8	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2311.9	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2312.1	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2312.2	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2312.4	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2312.5	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2312.7	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2312.9	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2313.0	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2313.2	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2313.3	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2313.5	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2313.6	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
% 2313.8	0.0000	0.0000	1.0000	1.0000	1.524	.274	.1	-999.999	62.7	.187	0.0000	0.0000	
2313.9	.236	.0000	.110	.272	1.677	.311	.1	376.380	120.2	.191	0.0000	0.0000	
2314.1	.184	.0003	.312	.486	1.830	.339	.1	138.785	141.3	.200	0.0000	0.0000	
2314.2	.116	.027	.783	.930	1.982	.356	.1	.326	141.4	.214	0.0000	0.0000	
% 2314.4	.086	.022	1.0000	1.0000	1.982	.356	.1	.065	141.4	.214	0.0000	0.0000	

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-D

		SECTION FROM 2185.0 TO 2340.0											
DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW	
% 2314.5	.088	.015	1.000	1.000	1.982	.356	.1	.300	141.4	.214	0.000	0.000	
% 2314.7	.078	.012	1.000	1.000	1.982	.356	.1	.238	141.4	.214	0.000	0.000	
% 2314.8	.065	.014	1.000	1.000	1.982	.356	.1	.046	141.4	.214	0.000	0.000	
% 2315.0	.047	.017	1.000	1.000	1.982	.356	.1	.002	141.4	.214	0.000	0.000	
% 2315.1	.046	.016	1.000	1.000	1.982	.356	.1	.001	141.4	.214	0.000	0.000	
% 2315.3	.098	.001	1.000	1.000	1.982	.356	.1	11.040	141.4	.214	0.000	0.000	
% 2315.4	.137	.000	1.000	1.000	1.982	.356	.1	42.475	141.4	.214	0.000	0.000	
% 2315.6	.146	.000	1.000	1.000	1.982	.356	.1	54.823	141.4	.214	0.000	0.000	
% 2315.7	.091	.000	1.000	1.000	1.982	.356	.1	8.418	141.4	.214	0.000	0.000	
% 2315.9	.083	.016	1.000	1.000	1.982	.356	.1	.163	141.4	.214	0.000	0.000	
% 2316.1	.090	.036	1.000	1.000	1.982	.356	.1	.009	141.4	.214	0.000	0.000	
% 2316.2	.137	.046	1.000	1.000	1.982	.356	.1	.135	141.4	.214	0.000	0.000	
% 2316.4	.149	.051	1.000	1.000	1.982	.356	.1	.171	141.4	.214	0.000	0.000	
% 2316.5	.187	.034	1.000	1.000	1.982	.356	.1	4.891	141.4	.214	0.000	0.000	
% 2316.7	.190	.027	1.000	1.000	1.982	.356	.1	11.463	141.4	.214	0.000	0.000	
% 2316.8	.181	.021	1.000	1.000	1.982	.356	.1	16.389	141.4	.214	0.000	0.000	
% 2317.0	.170	.025	1.000	1.000	1.982	.356	.1	6.494	141.4	.214	0.000	0.000	
% 2317.1	.176	.022	1.000	1.000	1.982	.356	.1	11.841	141.4	.214	0.000	0.000	
% 2317.3	.182	.016	1.000	1.000	1.982	.356	.1	31.398	141.4	.214	0.000	0.000	
% 2317.4	.155	.012	1.000	1.000	1.982	.356	.1	24.672	141.4	.214	0.000	0.000	
% 2317.6	.120	.006	1.000	1.000	1.982	.356	.1	24.706	141.4	.214	0.000	0.000	
% 2317.7	.087	.004	1.000	1.000	1.982	.356	.1	7.032	141.4	.214	0.000	0.000	
% 2317.9	.061	.009	1.000	1.000	1.982	.356	.1	.115	141.4	.214	0.000	0.000	
% 2318.0	.067	.008	1.000	1.000	1.982	.356	.1	.245	141.4	.214	0.000	0.000	
% 2318.2	.078	.015	1.000	1.000	1.982	.356	.1	.117	141.4	.214	0.000	0.000	
% 2318.3	.116	.008	1.000	1.000	1.982	.356	.1	11.699	141.4	.214	0.000	0.000	
% 2318.5	.119	.011	1.000	1.000	1.982	.356	.1	5.630	141.4	.214	0.000	0.000	
% 2318.6	.113	.005	1.000	1.000	1.982	.356	.1	19.989	141.4	.214	0.000	0.000	
% 2318.8	.079	.010	1.000	1.000	1.982	.356	.1	.500	141.4	.214	0.000	0.000	
% 2318.9	.057	.011	1.000	1.000	1.982	.356	.1	.036	141.4	.214	0.000	0.000	
% 2319.1	.051	.005	1.000	1.000	1.982	.356	.1	.154	141.4	.214	0.000	0.000	
% 2319.3	.066	.000	1.000	1.000	1.982	.356	.1	2.314	141.4	.214	0.000	0.000	
% 2319.4	.067	.000	1.000	1.000	1.982	.356	.1	2.487	141.4	.214	0.000	0.000	
% 2319.6	.067	.000	1.000	1.000	1.982	.356	.1	2.377	141.4	.214	0.000	0.000	
% 2319.7	.056	.004	1.000	1.000	1.982	.356	.1	.458	141.4	.214	0.000	0.000	
% 2319.9	.050	.005	1.000	1.000	1.982	.356	.1	.130	141.4	.214	0.000	0.000	
% 2320.0	.044	.009	1.000	1.000	1.982	.356	.1	.010	141.4	.214	0.000	0.000	
% 2320.2	.062	.012	1.000	1.000	1.982	.356	.1	.049	141.4	.214	0.000	0.000	
% 2320.3	.103	.014	1.000	1.000	1.982	.356	.1	1.103	141.4	.214	0.000	0.000	
% 2320.5	.138	.016	1.000	1.000	1.982	.356	.1	5.142	141.4	.214	0.000	0.000	
% 2320.6	.138	.016	1.000	1.000	1.982	.356	.1	5.317	141.4	.214	0.000	0.000	
% 2320.8	.107	.015	1.000	1.000	1.982	.356	.1	1.121	141.4	.214	0.000	0.000	
% 2320.9	.089	.012	1.000	1.000	1.982	.356	.1	.563	141.4	.214	0.000	0.000	
% 2321.1	.107	.006	1.000	1.000	1.982	.356	.1	13.436	141.4	.214	0.000	0.000	
% 2321.2	.141	.000	1.000	1.000	1.982	.356	.1	47.473	141.4	.214	0.000	0.000	
% 2321.4	.159	.000	1.000	1.000	1.982	.356	.1	77.249	141.4	.214	0.000	0.000	
% 2321.5	.149	.000	1.000	1.000	1.982	.356	.1	59.910	141.4	.214	0.000	0.000	
% 2321.7	.137	.000	1.000	1.000	1.982	.356	.1	42.169	141.4	.214	0.000	0.000	
% 2321.8	.094	.005	1.000	1.000	1.982	.356	.1	9.226	141.4	.214	0.000	0.000	
% 2322.0	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW/SET

WEST SEAHORSE 1
DEEP SECTION ZONE-D

		SECTION FROM 2185.0 TO 2340.0											
DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW	
% 2329.8	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2329.9	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2330.1	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2330.2	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2330.4	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2330.5	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2330.7	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2330.8	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2331.0	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2331.1	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2331.3	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2331.4	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2331.6	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2331.7	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2331.9	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2332.1	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2332.2	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2332.4	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2332.5	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2332.7	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2332.8	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2333.0	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2333.1	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2333.3	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2333.4	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2333.6	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2333.7	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2333.9	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2334.0	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2334.2	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2334.3	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2334.5	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2334.6	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2334.8	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2334.9	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2335.1	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2335.3	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2335.4	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2335.6	.015	.013	1.000	1.000	1.982	.356	.1	.000	141.4	.214	0.000	0.000	
% 2335.7	.022	.008	1.000	1.000	1.982	.356	.1	.000	141.4	.214	0.000	0.000	
% 2335.9	.036	.001	1.000	1.000	1.982	.356	.1	.211	141.4	.214	0.000	0.000	
% 2336.0	.025	.007	1.000	1.000	1.982	.356	.1	.000	141.4	.214	0.000	0.000	
% 2336.2	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2336.3	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
% 2336.5	0.000	0.000	1.000	1.000	1.982	.356	.1	-999.999	141.4	.214	0.000	0.000	
2336.6	.157	.005	.572	1.000	2.135	.380	.2	73.983	152.7	.227	0.000	0.000	
2336.8	.182	.000	.626	1.000	2.288	.408	.2	132.798	172.9	.245	0.000	0.000	
% 2336.9	.116	.000	1.000	1.000	2.288	.408	.2	21.936	172.9	.245	0.000	0.000	
% 2337.1	.046	.000	1.000	1.000	2.288	.408	.2	.529	172.9	.245	0.000	0.000	
% 2337.2	.005	.004	1.000	1.000	2.288	.408	.2	.000	172.9	.245	0.000	0.000	

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

227

WEST SEAHORSE 1
DEEP SECTION ZONE-D

		SECTION FROM 2185.0 TO 2340.0											
DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW	
% 2337.4	.020	.009	1.000	1.000	2.288	.408	.2	.000	172.9	.245	0.000	0.000	
% 2337.5	.029	.006	1.000	1.000	2.288	.408	.2	.002	172.9	.245	0.000	0.000	
% 2337.7	.037	.004	.763	.882	2.288	.408	.2	.042	172.9	.245	0.000	0.000	
% 2337.8	.034	.005	.776	.840	2.288	.408	.2	.008	172.9	.245	0.000	0.000	
% 2338.0	.025	.009	1.000	1.000	2.288	.408	.2	.000	172.9	.245	0.000	0.000	
% 2338.1	.008	.007	1.000	1.000	2.288	.408	.2	.000	172.9	.245	0.000	0.000	
% 2338.3	.009	.008	1.000	1.000	2.288	.408	.2	.000	172.9	.245	0.000	0.000	
% 2338.5	.001	0.000	1.000	1.000	2.288	.408	.2	.000	172.9	.245	0.000	0.000	
% 2338.6	.021	.020	1.000	1.000	2.288	.408	.2	.000	172.9	.245	0.000	0.000	
% 2338.8	.059	.035	1.000	1.000	2.288	.408	.2	.000	172.9	.245	0.000	0.000	
% 2338.9	.102	.019	1.000	1.000	2.288	.408	.2	.396	172.9	.245	0.000	0.000	
% 2339.1	.101	.014	1.000	1.000	2.288	.408	.2	.927	172.9	.245	0.000	0.000	
% 2339.2	.104	.013	1.000	1.000	2.288	.408	.2	1.545	172.9	.245	0.000	0.000	
% 2339.4	.124	.010	1.000	1.000	2.288	.408	.2	10.107	172.9	.245	0.000	0.000	
% 2339.5	.149	.021	1.000	1.000	2.288	.408	.2	4.301	172.9	.245	0.000	0.000	
2339.7	.187	.023	.940	.940	2.440	.437	.2	16.156	175.4	.272	0.000	0.000	
2339.8	.189	.028	.939	.939	2.592	.465	.2	9.614	176.9	.299	0.000	0.000	
% 2340.0	.154	.018	1.000	1.000	2.592	.465	.2	7.906	176.9	.299	0.000	0.000	

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-D

SECTION FROM 2185.0 TO 2340.0

INTERVAL SUMMARY

TOTAL INTERVAL	=	155.1 FT
NET INTERVAL	=	2.6 FT
NET/GROSS RATIO	=	.01671
EQUIVALENT POROSITY COLUMN	=	.465 FT
EQUIVALENT HYDROCARBON COLUMN	=	.167 FT
EQUIVALENT WATER VOL.	=	.299 FT
EQUIVALENT WATER VOL. (FLUSHED ZONE)	=	0.000 FT

AVERAGES OVER NET INTERVAL

POROSITY	=	.17955
WATER SATURATION	=	.64146
HYDROCARBON SATURATION	=	.35854
HYDROCARBON VOLUME	=	.06438
WATER VOLUME	=	.11517
WATER VOLUME (FLUSHED ZONE)	=	0.00000
(WATER VOL. FLUSHED)-(WATER VOL.)	=	0.00000
PERMEABILITY INDEX	=	68.2
RECOVERY FACTOR	=	-1000.0
HYDROCARBON VOLUME OVER TOTAL INTERVAL	=	.00108

CUT-OFF VALUES

MINIMUM POROSITY	=	.08	MAXIMUM SW	=	1.00
MAXIMUM POROSITY	=	.35	MINIMUM SW RESET	=	.05
MAXIMUM NEUTRON	=	.38	MAXIMUM DENSITY	=	3.00
MINIMUM GR	=	0.00	MAXIMUM GR	=	200.00
BIT SIZE	=	12.25	MAXIMUM CALIPER	=	14.00

WARNING: THE COMPUTED LOG DATA OF THIS REALOG-RUN ARE NOT SAVED !

**** END OF PROGRAM ****

PE603915

This is an enclosure indicator page.
The enclosure PE603915 is enclosed within the
container PE905513 at this location in this
document.

The enclosure PE603915 has the following characteristics:

ITEM_BARCODE = PE603915
CONTAINER_BARCODE = PE905513
NAME = Log Data Plot
BASIN = GIPPSLAND
PERMIT = VIC/P11
TYPE = WELL
SUBTYPE = WELL_LOG
DESCRIPTION = Log Data Plot (7 of 7) from Wireline
Log Interpretation Report (attachment
to WCR), for West Seahorse-1
REMARKS =
DATE_CREATED = 12/03/82
DATE_RECEIVED = 21/06/82
W_NO = W755
WELL_NAME = WEST SEAHORSE-1
CONTRACTOR = PETRODATA A.G.
CLIENT_OP_CO = HUSBAY OIL (AUSTRALIA) LTD

(Inserted by DNRE - Vic Govt Mines Dept)

 LISTING OF ALL PARAMETER AND ACTION CARDS

NO.	NAME	PARAMETERS
1	WELL	WEST SEAHORSE 1
2	ZONE	DEEP SECTION ZONE-E
3	TAPE	0/1
4	INTE	2340/2485
5	SCAL	11/11/0.012/0
6	GRLO	15/150/0/200
7	DENS	2.66/2.70/1/1/0.85/0.15/1/3.0
8	NEUT	-0.04/.35/1.0/0.38/1
9	TEMP	82.2/24000.02
10	RESI	0.500/82.2/0.225/82.2/0.307/82.2/0./316/82.2
11	LIMI	0.08/1.0/0.35/0.05
12	PERM	100
13	DIAM	12.25/14
14	BPAR	1/0
15	IPAR	1/1/2/2
16	EVAL	1/3/1/1
17	PRIN	
18	OTIT	13/ SQRT(C)
19	SCAL	16/56/-1./1.
20	SCAL	18/55/6.6667/0.
21	SUBT	56/55/55
22	SCAL	28/57/-1./1.
23	ADD	56/29/58
24	SCAL	10/59/0./1.
25	OTIT	17/BONDED WATER
26	OTIT	30/FREE WATER
27	OTIT	59/HYDRO- CARBON
28	OTIT	55/SAND
29	OTIT	56/DRY CLAY
30	OTIT	57/BONDED WATER
31	OTIT	58/FREE WATER

NO FATAL ERRORS HAVE BEEN DETECTED-JOB CONTINUED

WELL LOCATION INFORMATION

COUNTRY : AUSTRALIA
STATE : VICTORIA
FIELD NAME : WILDCAT
WELL NAME : WEST SEAHORSE 1 (SHALLOW SECTION
COMMENTS :

DATA SOURCE INFORMATION

UCC LABEL : 8224
CREATE DATE :
UPDATED :

THE (01-DPT) DATA ARE ALLOCATED IN CHANNEL 1
THE (03-LLD) DATA ARE ALLOCATED IN CHANNEL 3
THE (04-LLS) DATA ARE ALLOCATED IN CHANNEL 4
THE (07-MSF) DATA ARE ALLOCATED IN CHANNEL 7
THE (08-CAL) DATA ARE ALLOCATED IN CHANNEL 8
THE (10-TGR) DATA ARE ALLOCATED IN CHANNEL 10
THE (11-CNL) DATA ARE ALLOCATED IN CHANNEL 11
THE (12-FDC) DATA ARE ALLOCATED IN CHANNEL 12

LOG DATA DESCRIPTION

NO. OF DEPTH LEVELS IN FILE : 5345
FIRST DEPTH LEVEL : 1673.7
LAST DEPTH LEVEL : 2486.8
DEPTH INCREMENT : .2

LOG DATA RECORDS READ FROM INPUT = 958 RECORDS (MAXIMUM STORAGE AVAILABLE= 1200 RECORDS)

FIRST DEPTH STORED = 2340.13
FINAL DEPTH STORED = 2485.95

WEST SEAHORSE 1
DEEP SECTION ZONE-E

SECTION FROM 2340.0 TO 2486.0

POROSITY METHOD USED IS NEUTRON-DENSITY CROSSPLOT
SW CALCULATION USED IS WAXMAN-SMITS METHOD 1
USING LLD FOR DEEP RESISTIVITY
USING MSFL FOR SHALLOW RESISTIVITY

GROSS POROSITY SELECTED FOR PROGRAM CALCULATIONS

INPUT PARAMETER VARIABLES USED IN THIS ANALYSIS

DENSITY

GRAIN DENSITY SAND	=	2.660	GRAIN DENSITY CLAY	=	2.700
FORMATION FLUID DENSITY	=	1.000	WATER DENSITY	=	1.000
HYDROCARBON DENSITY	=	.850	EFFECTIVE CLAY POROS. FACTOR	=	.150
EFFECTIVE CLAY POROS. EXP	=	1.000	MAXIMUM DENSITY	=	3.000

NEUTRON

NEUTRON SANDPOINT	=	-.040	NEUTRON CLAY POINT	=	.350
NEUTRON FORMATION FLUID POINT	=	1.000	MAX NEUTRON VALUE	=	.380

RESISTIVITIES

FORMATION WATER	=	.500 AT 82.2 DEG F	EQUIV PPM NA CL	=	10485.2
MUD	=	.307 AT 82.2 DEG F	EQUIV PPM NA CL	=	17772.3
MUD FILTRATE	=	.225 AT 82.2 DEG F	EQUIV PPM NA CL	=	25084.7
MUD CAKE	=	.461 AT 82.2 DEG F	EQUIV PPM NA CL	=	11450.2

TEMPERATURE

GRADIENT = 0.000 DEG F/FT REFERENCE TEMP= 82.200 DEG F AT 24000.0 FT

GAMMA RAY

MIN GR IN CLAY VOLUME CALC = 15.000 MAX GR IN CLAY VOLUME CALC = 150.000

INDONESIAN EQUATION CONSTANTS

R-CLAY	=	1.000	A = PHI DIVISOR COEFF	=	1.000
M = CEMENTATION FACTOR	=	2.000	N = SATURATION EXPONENT	=	2.000

LITHOLOGY FACTOR OF CLAY VOLUME USED IN WATER SATURATION CALCULATIONS = 1.000

CUT-OFF VALUES

MINIMUM POROSITY	=	.080	MAXIMUM SW	=	1.000
MAXIMUM POROSITY	=	.350	MINIMUM SW RESET	=	.050
MAXIMUM NEUTRON	=	.380	MAXIMUM DENSITY	=	3.000
MINIMUM GR	=	0.000	MAXIMUM GR	=	200.000
BIT SIZE	=	12.250	MAXIMUM CALIPER	=	14.000

WEST SEAHORSE 1
DEEP SECTION ZONE-E

SECTION FROM 2340.0 TO 2486.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 2340.1	.087	.017	1.000	1.000	0.000	0.000	0.0	.188	0.0	0.000	0.000	0.000
% 2340.3	.031	.019	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 2340.4	.026	.013	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 2340.6	.032	.009	1.000	1.000	0.000	0.000	0.0	.001	0.0	0.000	0.000	0.000
% 2340.7	.028	.011	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 2340.9	.013	.012	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 2341.0	.001	0.000	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 2341.2	.014	.013	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 2341.3	.012	.011	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 2341.5	0.000	0.000	1.000	1.000	0.000	0.000	0.0	-999.999	0.0	0.000	0.000	0.000
% 2341.7	0.000	0.000	1.000	1.000	0.000	0.000	0.0	-999.999	0.0	0.000	0.000	0.000
% 2341.8	.082	.077	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 2342.0	.151	.069	1.000	1.000	0.000	0.000	0.0	.035	0.0	0.000	0.000	0.000
% 2342.1	.175	.070	1.000	1.000	0.000	0.000	0.0	.138	0.0	0.000	0.000	0.000
% 2342.3	.148	.079	1.000	1.000	0.000	0.000	0.0	.010	0.0	0.000	0.000	0.000
% 2342.4	.123	.091	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 2342.6	.117	.075	1.000	1.000	0.000	0.000	0.0	.001	0.0	0.000	0.000	0.000
% 2342.7	.094	.071	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 2342.9	.077	.064	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 2343.0	.077	.054	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 2343.2	.078	.047	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 2343.3	.083	.045	1.000	1.000	0.000	0.000	0.0	.001	0.0	0.000	0.000	0.000
% 2343.5	.077	.059	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 2343.6	.067	.066	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 2343.8	.083	.081	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 2343.9	.070	.069	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 2344.1	0.000	0.000	1.000	1.000	0.000	0.000	0.0	-999.999	0.0	0.000	0.000	0.000
% 2344.2	0.000	0.000	1.000	1.000	0.000	0.000	0.0	-999.999	0.0	0.000	0.000	0.000
% 2344.4	0.000	0.000	1.000	1.000	0.000	0.000	0.0	-999.999	0.0	0.000	0.000	0.000
% 2344.5	0.000	0.000	1.000	1.000	0.000	0.000	0.0	-999.999	0.0	0.000	0.000	0.000
% 2344.7	0.000	0.000	1.000	1.000	0.000	0.000	0.0	-999.999	0.0	0.000	0.000	0.000
% 2344.9	.192	.031	1.000	1.000	0.000	0.000	0.0	7.944	0.0	0.000	0.000	0.000
% 2345.0	.178	.011	1.000	1.000	0.000	0.000	0.0	71.450	0.0	0.000	0.000	0.000
% 2345.2	.108	.022	1.000	1.000	0.000	0.000	0.0	.405	0.0	0.000	0.000	0.000
% 2345.3	.053	.037	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 2345.5	.064	.036	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 2345.6	.073	.030	1.000	1.000	0.000	0.000	0.0	.004	0.0	0.000	0.000	0.000
% 2345.8	.061	.029	1.000	1.000	0.000	0.000	0.0	.001	0.0	0.000	0.000	0.000
% 2345.9	.059	.029	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 2346.1	.049	.037	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 2346.2	.079	.029	1.000	1.000	0.000	0.000	0.0	.009	0.0	0.000	0.000	0.000
% 2346.4	.078	.031	1.000	1.000	0.000	0.000	0.0	.006	0.0	0.000	0.000	0.000
% 2346.5	.081	.031	1.000	1.000	0.000	0.000	0.0	.009	0.0	0.000	0.000	0.000
% 2346.7	.069	.029	1.000	1.000	0.000	0.000	0.0	.003	0.0	0.000	0.000	0.000
% 2346.8	.069	.022	1.000	1.000	0.000	0.000	0.0	.012	0.0	0.000	0.000	0.000
% 2347.0	.068	.014	1.000	1.000	0.000	0.000	0.0	.052	0.0	0.000	0.000	0.000
% 2347.1	.061	.016	1.000	1.000	0.000	0.000	0.0	.017	0.0	0.000	0.000	0.000
% 2347.3	.053	.017	1.000	1.000	0.000	0.000	0.0	.004	0.0	0.000	0.000	0.000
% 2347.4	.044	.019	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 2347.6	.043	.018	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-E

SECTION FROM 2340.0 TO 2486.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 2347.7	.043	.019	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 2347.9	.049	.017	1.000	1.000	0.000	0.000	0.0	.002	0.0	0.000	0.000	0.000
% 2348.1	.056	.010	1.000	1.000	0.000	0.000	0.0	.041	0.0	0.000	0.000	0.000
% 2348.2	.055	.002	1.000	1.000	0.000	0.000	0.0	1.069	0.0	0.000	0.000	0.000
% 2348.4	.040	.004	1.000	1.000	0.000	0.000	0.0	.083	0.0	0.000	0.000	0.000
% 2348.5	.023	.009	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 2348.7	.011	.010	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 2348.8	.011	.010	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 2349.0	.019	.011	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 2349.1	.011	.010	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 2349.3	.023	.010	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 2349.4	.018	.013	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 2349.6	.001	.000	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 2349.7	.001	0.000	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 2349.9	.001	0.000	1.000	1.000	0.000	0.000	0.0	.000	0.0	0.000	0.000	0.000
% 2350.0	.041	.013	1.000	1.000	0.000	0.000	0.0	.001	0.0	0.000	0.000	0.000
% 2350.2	.067	.018	1.000	1.000	0.000	0.000	0.0	.022	0.0	0.000	0.000	0.000
2350.3	.108	.020	.997	1.000	.152	.016	.0	.489	.1	.016	0.000	0.000
% 2350.5	.067	.038	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2350.6	.050	.039	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2350.8	.036	.035	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2350.9	.038	.027	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2351.1	.027	.016	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2351.3	.009	.008	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2351.4	.018	.011	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2351.6	.017	.012	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2351.7	.023	.010	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2351.9	.034	.007	1.000	1.000	.152	.016	.0	.004	.1	.016	0.000	0.000
% 2352.0	.038	.009	1.000	1.000	.152	.016	.0	.003	.1	.016	0.000	0.000
% 2352.2	.055	.004	1.000	1.000	.152	.016	.0	.348	.1	.016	0.000	0.000
% 2352.3	.055	.003	1.000	1.000	.152	.016	.0	1.053	.1	.016	0.000	0.000
% 2352.5	.023	.011	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2352.6	.001	0.000	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2352.8	.001	0.000	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2352.9	.001	0.000	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2353.1	.019	.010	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2353.2	.009	.008	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2353.4	.001	.000	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2353.5	.001	0.000	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2353.7	.001	.000	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2353.8	.021	.008	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2354.0	.034	.005	1.000	1.000	.152	.016	.0	.008	.1	.016	0.000	0.000
% 2354.1	.042	.009	1.000	1.000	.152	.016	.0	.009	.1	.016	0.000	0.000
% 2354.3	.037	.019	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2354.5	.038	.028	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2354.6	.069	.022	1.000	1.000	.152	.016	.0	.011	.1	.016	0.000	0.000
% 2354.8	.076	.025	1.000	1.000	.152	.016	.0	.013	.1	.016	0.000	0.000
% 2354.9	.082	.020	1.000	1.000	.152	.016	.0	.067	.1	.016	0.000	0.000
% 2355.1	.062	.015	1.000	1.000	.152	.016	.0	.022	.1	.016	0.000	0.000
% 2355.2	.055	.006	1.000	1.000	.152	.016	.0	.188	.1	.016	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-E

SECTION FROM 2340.0 TO 2486.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 2355.4	.037	.007	1.000	1.000	.152	.016	.0	.006	.1	.016	0.000	0.000
% 2355.5	.023	.014	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2355.7	.012	.011	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2355.8	.005	.004	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2356.0	.010	.009	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2356.1	.017	.016	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2356.3	.039	.016	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2356.4	.035	.022	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2356.6	.047	.020	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2356.7	.035	.026	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2356.9	.038	.025	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2357.0	.045	.019	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2357.2	.047	.017	1.000	1.000	.152	.016	.0	.002	.1	.016	0.000	0.000
% 2357.3	.030	.027	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2357.5	.023	.022	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2357.7	.039	.038	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2357.8	.078	.041	1.000	1.000	.152	.016	.0	.001	.1	.016	0.000	0.000
% 2358.0	.077	.026	1.000	1.000	.152	.016	.0	.013	.1	.016	0.000	0.000
% 2358.1	.057	.023	1.000	1.000	.152	.016	.0	.001	.1	.016	0.000	0.000
% 2358.3	.041	.023	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2358.4	.040	.019	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2358.6	.041	.018	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2358.7	.039	.022	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2358.9	.020	.019	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2359.0	.016	.015	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2359.2	.001	0.000	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2359.3	.004	.003	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2359.5	.006	.005	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2359.6	.020	.019	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2359.8	.043	.021	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2359.9	.042	.026	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2360.1	.062	.023	1.000	1.000	.152	.016	.0	.003	.1	.016	0.000	0.000
% 2360.2	.069	.028	1.000	1.000	.152	.016	.0	.003	.1	.016	0.000	0.000
% 2360.4	.091	.024	1.000	1.000	.152	.016	.0	.071	.1	.016	0.000	0.000
% 2360.5	.079	.025	1.000	1.000	.152	.016	.0	.020	.1	.016	0.000	0.000
% 2360.7	.077	.017	1.000	1.000	.152	.016	.0	.077	.1	.016	0.000	0.000
% 2360.9	.063	.014	1.000	1.000	.152	.016	.0	.036	.1	.016	0.000	0.000
% 2361.0	.070	.006	1.000	1.000	.152	.016	.0	.893	.1	.016	0.000	0.000
% 2361.2	.055	.007	1.000	1.000	.152	.016	.0	.096	.1	.016	0.000	0.000
% 2361.3	.051	.010	1.000	1.000	.152	.016	.0	.024	.1	.016	0.000	0.000
% 2361.5	.039	.018	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2361.6	.031	.026	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2361.8	.026	.025	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2361.9	.031	.030	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2362.1	.015	.014	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2362.2	.026	.025	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2362.4	.053	.032	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2362.5	.069	.023	1.000	1.000	.152	.016	.0	.009	.1	.016	0.000	0.000
% 2362.7	.060	.023	1.000	1.000	.152	.016	.0	.003	.1	.016	0.000	0.000
% 2362.8	.043	.027	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-E

SECTION FROM 2340.0 TO 2486.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 2363.0	.051	.029	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2363.1	.065	.036	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2363.3	.071	.038	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2363.4	.068	.039	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2363.6	.045	.040	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2363.7	.039	.034	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2363.9	.039	.033	1.000	1.000	.152	.016	.0	.000	.1	.016	0.000	0.000
% 2364.1	.061	.030	1.000	1.000	.152	.016	.0	.001	.1	.016	0.000	0.000
% 2364.2	.076	.026	1.000	1.000	.152	.016	.0	.011	.1	.016	0.000	0.000
% 2364.4	.078	.022	1.000	1.000	.152	.016	.0	.032	.1	.016	0.000	0.000
% 2364.5	.085	.016	1.000	1.000	.152	.016	.0	.173	.1	.016	0.000	0.000
% 2364.7	.085	.017	1.000	1.000	.152	.016	.0	.166	.1	.016	0.000	0.000
2364.8	.091	.014	.965	.965	.305	.030	.0	.523	.2	.030	0.000	0.000
% 2365.0	.086	.013	1.000	1.000	.305	.030	.0	.397	.2	.030	0.000	0.000
% 2365.1	.073	.014	1.000	1.000	.305	.030	.0	.098	.2	.030	0.000	0.000
% 2365.3	.057	.019	1.000	1.000	.305	.030	.0	.004	.2	.030	0.000	0.000
% 2365.4	.043	.025	1.000	1.000	.305	.030	.0	.000	.2	.030	0.000	0.000
% 2365.6	.051	.024	1.000	1.000	.305	.030	.0	.000	.2	.030	0.000	0.000
% 2365.7	.061	.020	1.000	1.000	.305	.030	.0	.006	.2	.030	0.000	0.000
% 2365.9	.057	.025	1.000	1.000	.305	.030	.0	.001	.2	.030	0.000	0.000
% 2366.0	.080	.031	1.000	1.000	.305	.030	.0	.008	.2	.030	0.000	0.000
% 2366.2	.096	.040	1.000	1.000	.305	.030	.0	.010	.2	.030	0.000	0.000
% 2366.3	.118	.041	1.000	1.000	.305	.030	.0	.064	.2	.030	0.000	0.000
% 2366.5	.114	.044	1.000	1.000	.305	.030	.0	.034	.2	.030	0.000	0.000
% 2366.6	.100	.044	1.000	1.000	.305	.030	.0	.009	.2	.030	0.000	0.000
% 2366.8	.087	.047	1.000	1.000	.305	.030	.0	.001	.2	.030	0.000	0.000
% 2366.9	.078	.047	1.000	1.000	.305	.030	.0	.000	.2	.030	0.000	0.000
% 2367.1	.091	.043	1.000	1.000	.305	.030	.0	.004	.2	.030	0.000	0.000
% 2367.3	.092	.030	1.000	1.000	.305	.030	.0	.028	.2	.030	0.000	0.000
% 2367.4	.071	.027	1.000	1.000	.305	.030	.0	.005	.2	.030	0.000	0.000
% 2367.6	.068	.023	1.000	1.000	.305	.030	.0	.009	.2	.030	0.000	0.000
% 2367.7	.055	.041	1.000	1.000	.305	.030	.0	.000	.2	.030	0.000	0.000
% 2367.9	.075	.045	1.000	1.000	.305	.030	.0	.000	.2	.030	0.000	0.000
% 2368.0	.086	.051	1.000	1.000	.305	.030	.0	.000	.2	.030	0.000	0.000
% 2368.2	.112	.047	1.000	1.000	.305	.030	.0	.018	.2	.030	0.000	0.000
% 2368.3	.119	.057	1.000	1.000	.305	.030	.0	.010	.2	.030	0.000	0.000
% 2368.5	.134	.056	1.000	1.000	.305	.030	.0	.039	.2	.030	0.000	0.000
% 2368.6	.139	.060	1.000	1.000	.305	.030	.0	.037	.2	.030	0.000	0.000
% 2368.8	.119	.062	1.000	1.000	.305	.030	.0	.005	.2	.030	0.000	0.000
% 2368.9	.115	.071	1.000	1.000	.305	.030	.0	.001	.2	.030	0.000	0.000
% 2369.1	.120	.066	1.000	1.000	.305	.030	.0	.003	.2	.030	0.000	0.000
% 2369.2	.147	.050	1.000	1.000	.305	.030	.0	.155	.2	.030	0.000	0.000
% 2369.4	.143	.044	1.000	1.000	.305	.030	.0	.235	.2	.030	0.000	0.000
% 2369.5	.150	.033	1.000	1.000	.305	.030	.0	1.069	.2	.030	0.000	0.000
% 2369.7	.132	.043	1.000	1.000	.305	.030	.0	.127	.2	.030	0.000	0.000
% 2369.8	.128	.038	1.000	1.000	.305	.030	.0	.179	.2	.030	0.000	0.000
% 2370.0	.134	.035	1.000	1.000	.305	.030	.0	.373	.2	.030	0.000	0.000
% 2370.1	.150	.024	1.000	1.000	.305	.030	.0	2.828	.2	.030	0.000	0.000
% 2370.3	.154	.021	1.000	1.000	.305	.030	.0	5.745	.2	.030	0.000	0.000
% 2370.5	.149	.027	1.000	1.000	.305	.030	.0	2.037	.2	.030	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-E

SECTION FROM 2340.0 TO 2486.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	2370.6	.148	.033	1.000	1.000	.305	.030	.0	.921	.2	.030	0.000	0.000
%	2370.8	.150	.040	1.000	1.000	.305	.030	.0	.496	.2	.030	0.000	0.000
%	2370.9	.138	.045	1.000	1.000	.305	.030	.0	.164	.2	.030	0.000	0.000
%	2371.1	.134	.042	1.000	1.000	.305	.030	.0	.165	.2	.030	0.000	0.000
%	2371.2	.117	.043	1.000	1.000	.305	.030	.0	.047	.2	.030	0.000	0.000
%	2371.4	.120	.040	1.000	1.000	.305	.030	.0	.079	.2	.030	0.000	0.000
%	2371.5	.119	.042	1.000	1.000	.305	.030	.0	.064	.2	.030	0.000	0.000
%	2371.7	.122	.043	1.000	1.000	.305	.030	.0	.067	.2	.030	0.000	0.000
%	2371.8	.122	.044	1.000	1.000	.305	.030	.0	.060	.2	.030	0.000	0.000
%	2372.0	.119	.044	1.000	1.000	.305	.030	.0	.046	.2	.030	0.000	0.000
%	2372.1	.123	.035	1.000	1.000	.305	.030	.0	.180	.2	.030	0.000	0.000
%	2372.3	.102	.033	1.000	1.000	.305	.030	.0	.045	.2	.030	0.000	0.000
%	2372.4	.090	.027	1.000	1.000	.305	.030	.0	.044	.2	.030	0.000	0.000
%	2372.6	.066	.030	1.000	1.000	.305	.030	.0	.001	.2	.030	0.000	0.000
%	2372.7	.048	.033	1.000	1.000	.305	.030	.0	.000	.2	.030	0.000	0.000
%	2372.9	.030	.029	1.000	1.000	.305	.030	.0	.000	.2	.030	0.000	0.000
%	2373.0	.015	.014	1.000	1.000	.305	.030	.0	.000	.2	.030	0.000	0.000
%	2373.2	.028	.027	1.000	1.000	.305	.030	.0	.000	.2	.030	0.000	0.000
%	2373.3	.055	.033	1.000	1.000	.305	.030	.0	.000	.2	.030	0.000	0.000
%	2373.5	.065	.031	1.000	1.000	.305	.030	.0	.001	.2	.030	0.000	0.000
%	2373.6	.069	.031	1.000	1.000	.305	.030	.0	.002	.2	.030	0.000	0.000
%	2373.8	.056	.035	1.000	1.000	.305	.030	.0	.000	.2	.030	0.000	0.000
%	2374.0	.073	.030	1.000	1.000	.305	.030	.0	.004	.2	.030	0.000	0.000
%	2374.1	.066	.027	1.000	1.000	.305	.030	.0	.003	.2	.030	0.000	0.000
%	2374.3	.072	.030	1.000	1.000	.305	.030	.0	.003	.2	.030	0.000	0.000
%	2374.4	.078	.032	1.000	1.000	.305	.030	.0	.005	.2	.030	0.000	0.000
%	2374.6	.076	.037	1.000	1.000	.305	.030	.0	.002	.2	.030	0.000	0.000
%	2374.7	.024	.023	1.000	1.000	.305	.030	.0	.000	.2	.030	0.000	0.000
%	2374.9	.079	.058	1.000	1.000	.305	.030	.0	.000	.2	.030	0.000	0.000
%	2375.0	.116	.054	1.000	1.000	.305	.030	.0	.011	.2	.030	0.000	0.000
%	2375.2	.136	.035	1.000	1.000	.305	.030	.0	.396	.2	.030	0.000	0.000
%	2375.3	.059	.032	1.000	1.000	.305	.030	.0	.000	.2	.030	0.000	0.000
%	2375.5	.035	.027	1.000	1.000	.305	.030	.0	.000	.2	.030	0.000	0.000
%	2375.6	.028	.027	1.000	1.000	.305	.030	.0	.000	.2	.030	0.000	0.000
%	2375.8	.042	.037	1.000	1.000	.305	.030	.0	.000	.2	.030	0.000	0.000
%	2375.9	.060	.036	1.000	1.000	.305	.030	.0	.000	.2	.030	0.000	0.000
%	2376.1	.085	.031	1.000	1.000	.305	.030	.0	.014	.2	.030	0.000	0.000
%	2376.2	.096	.029	1.000	1.000	.305	.030	.0	.052	.2	.030	0.000	0.000
%	2376.4	.095	.030	1.000	1.000	.305	.030	.0	.043	.2	.030	0.000	0.000
%	2376.5	.090	.025	1.000	1.000	.305	.030	.0	.053	.2	.030	0.000	0.000
%	2376.7	.068	.024	1.000	1.000	.305	.030	.0	.006	.2	.030	0.000	0.000
%	2376.9	.022	.021	1.000	1.000	.305	.030	.0	.000	.2	.030	0.000	0.000
%	2377.0	0.000	0.000	1.000	1.000	.305	.030	.0	-999.999	.2	.030	0.000	0.000
%	2377.2	0.000	0.000	1.000	1.000	.305	.030	.0	-999.999	.2	.030	0.000	0.000
%	2377.3	0.000	0.000	1.000	1.000	.305	.030	.0	-999.999	.2	.030	0.000	0.000
%	2377.5	0.000	0.000	1.000	1.000	.305	.030	.0	-999.999	.2	.030	0.000	0.000
	2377.6	.111	.000	.384	1.000	.457	.047	.0	18.012	2.9	.036	0.000	0.000
	2377.8	.090	.000	.396	1.000	.610	.061	.0	8.003	4.1	.042	0.000	0.000
%	2377.9	.042	.001	.910	1.000	.610	.061	.0	.390	4.1	.042	0.000	0.000
%	2378.1	.016	.013	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-E

SECTION FROM 2340.0 TO 2486.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 2378.2	.019	.016	1.000	1.000	.610	.061	.0	.0000	4.1	.042	0.000	0.000
% 2378.4	.021	.020	1.000	1.000	.610	.061	.0	.0000	4.1	.042	0.000	0.000
% 2378.5	.017	.016	1.000	1.000	.610	.061	.0	.0000	4.1	.042	0.000	0.000
% 2378.7	.048	.034	1.000	1.000	.610	.061	.0	.0000	4.1	.042	0.000	0.000
% 2378.8	.064	.045	1.000	1.000	.610	.061	.0	.0000	4.1	.042	0.000	0.000
% 2379.0	.075	.058	1.000	1.000	.610	.061	.0	.0000	4.1	.042	0.000	0.000
% 2379.1	.079	.078	1.000	1.000	.610	.061	.0	.0000	4.1	.042	0.000	0.000
% 2379.3	.090	.090	1.000	1.000	.610	.061	.0	.0000	4.1	.042	0.000	0.000
% 2379.4	.118	.086	1.000	1.000	.610	.061	.0	.0000	4.1	.042	0.000	0.000
% 2379.6	.109	.084	1.000	1.000	.610	.061	.0	.0000	4.1	.042	0.000	0.000
% 2379.7	.106	.080	1.000	1.000	.610	.061	.0	.0000	4.1	.042	0.000	0.000
% 2379.9	.096	.082	1.000	1.000	.610	.061	.0	.0000	4.1	.042	0.000	0.000
% 2380.0	.111	.077	1.000	1.000	.610	.061	.0	.0000	4.1	.042	0.000	0.000
% 2380.2	.103	.070	1.000	1.000	.610	.061	.0	.0000	4.1	.042	0.000	0.000
% 2380.4	.098	.056	1.000	1.000	.610	.061	.0	.001	4.1	.042	0.000	0.000
% 2380.5	.083	.042	1.000	1.000	.610	.061	.0	.002	4.1	.042	0.000	0.000
% 2380.7	.079	.030	1.000	1.000	.610	.061	.0	.008	4.1	.042	0.000	0.000
% 2380.8	.038	.038	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2381.0	.038	.032	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2381.1	.026	.025	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2381.3	.040	.025	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2381.4	.034	.026	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2381.6	.036	.031	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2381.7	.049	.033	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2381.9	.031	.030	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2382.0	.044	.036	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2382.2	.025	.024	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2382.3	.025	.024	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2382.5	.008	.007	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2382.6	.009	.008	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2382.8	.019	.018	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2382.9	.016	.015	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2383.1	.014	.013	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2383.3	.018	.017	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2383.4	.018	.017	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2383.6	.030	.029	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2383.7	.023	.022	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2383.9	.015	.014	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2384.0	.007	.006	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2384.2	.007	.006	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2384.3	.022	.020	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2384.5	.035	.010	1.000	1.000	.610	.061	.0	.001	4.1	.042	0.000	0.000
% 2384.6	.038	.007	.907	1.000	.610	.061	.0	.011	4.1	.042	0.000	0.000
% 2384.8	.030	.008	1.000	1.000	.610	.061	.0	.001	4.1	.042	0.000	0.000
% 2384.9	.029	.007	1.000	1.000	.610	.061	.0	.001	4.1	.042	0.000	0.000
% 2385.1	.024	.008	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2385.2	.020	.009	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2385.4	.013	.012	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2385.5	.015	.013	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2385.7	.011	.010	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-E

SECTION FROM 2340.0 TO 2486.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	2385.8	.001	0.000	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2386.0	.001	0.000	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2386.1	.014	.013	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2386.3	.033	.013	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2386.5	.046	.011	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2386.6	.033	.016	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2386.8	.012	.011	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2386.9	.028	.010	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2387.1	.030	.010	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2387.2	.001	0.000	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2387.4	.001	0.000	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2387.5	.001	0.000	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2387.7	.001	0.000	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2387.8	.001	0.000	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2388.0	.001	0.000	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2388.1	.001	0.000	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2388.3	.001	0.000	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2388.4	.001	0.000	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2388.6	.001	0.000	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2388.7	.001	0.000	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2388.9	.001	0.000	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2389.0	.001	0.000	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2389.2	.001	0.000	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2389.3	.001	0.000	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2389.5	.001	0.000	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2389.6	.021	.020	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2389.8	.072	.047	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2390.0	.099	.045	1.000	1.000	.610	.061	.0	.006	4.1	.042	0.000	0.000
%	2390.1	.096	.041	1.000	1.000	.610	.061	.0	.008	4.1	.042	0.000	0.000
%	2390.3	.080	.035	1.000	1.000	.610	.061	.0	.003	4.1	.042	0.000	0.000
%	2390.4	.091	.024	1.000	1.000	.610	.061	.0	.074	4.1	.042	0.000	0.000
%	2390.6	.099	.021	1.000	1.000	.610	.061	.0	.215	4.1	.042	0.000	0.000
%	2390.7	.088	.021	1.000	1.000	.610	.061	.0	.088	4.1	.042	0.000	0.000
%	2390.9	.069	.027	1.000	1.000	.610	.061	.0	.004	4.1	.042	0.000	0.000
%	2391.0	.078	.024	1.000	1.000	.610	.061	.0	.020	4.1	.042	0.000	0.000
%	2391.2	.093	.030	1.000	1.000	.610	.061	.0	.034	4.1	.042	0.000	0.000
%	2391.3	.101	.034	1.000	1.000	.610	.061	.0	.040	4.1	.042	0.000	0.000
%	2391.5	.098	.033	1.000	1.000	.610	.061	.0	.033	4.1	.042	0.000	0.000
%	2391.6	.093	.033	1.000	1.000	.610	.061	.0	.021	4.1	.042	0.000	0.000
%	2391.8	.100	.032	1.000	1.000	.610	.061	.0	.050	4.1	.042	0.000	0.000
%	2391.9	.071	.040	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2392.1	.049	.042	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2392.2	.053	.037	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2392.4	.064	.043	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2392.5	.078	.041	1.000	1.000	.610	.061	.0	.001	4.1	.042	0.000	0.000
%	2392.7	.070	.044	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2392.8	.068	.038	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2393.0	.054	.045	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2393.2	.039	.038	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2393.3	.047	.046	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-E

SECTION FROM 2340.0 TO 2486.0

	DEPTH	GROSS POROSITY	VC	SW	SECTION FROM SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	2393.5	.085	.063	1.0000	1.0000	.610	.061	.0	.0000	4.1	.042	0.0000	0.0000
%	2393.6	.123	.050	1.0000	1.0000	.610	.061	.0	.032	4.1	.042	0.0000	0.0000
%	2393.8	.117	.050	1.0000	1.0000	.610	.061	.0	.019	4.1	.042	0.0000	0.0000
%	2393.9	.096	.056	1.0000	1.0000	.610	.061	.0	.001	4.1	.042	0.0000	0.0000
%	2394.1	.088	.054	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.0000	0.0000
%	2394.2	.104	.045	1.0000	1.0000	.610	.061	.0	.010	4.1	.042	0.0000	0.0000
%	2394.4	.098	.041	1.0000	1.0000	.610	.061	.0	.010	4.1	.042	0.0000	0.0000
%	2394.5	.087	.043	1.0000	1.0000	.610	.061	.0	.002	4.1	.042	0.0000	0.0000
%	2394.7	.093	.034	1.0000	1.0000	.610	.061	.0	.018	4.1	.042	0.0000	0.0000
%	2394.8	.114	.024	1.0000	1.0000	.610	.061	.0	.405	4.1	.042	0.0000	0.0000
%	2395.0	.132	.019	1.0000	1.0000	.610	.061	.0	2.767	4.1	.042	0.0000	0.0000
%	2395.1	.125	.027	1.0000	1.0000	.610	.061	.0	.567	4.1	.042	0.0000	0.0000
%	2395.3	.116	.041	1.0000	1.0000	.610	.061	.0	.050	4.1	.042	0.0000	0.0000
%	2395.4	.092	.052	1.0000	1.0000	.610	.061	.0	.001	4.1	.042	0.0000	0.0000
%	2395.6	.095	.051	1.0000	1.0000	.610	.061	.0	.002	4.1	.042	0.0000	0.0000
%	2395.7	.100	.038	1.0000	1.0000	.610	.061	.0	.022	4.1	.042	0.0000	0.0000
%	2395.9	.098	.039	1.0000	1.0000	.610	.061	.0	.015	4.1	.042	0.0000	0.0000
%	2396.0	.096	.034	1.0000	1.0000	.610	.061	.0	.025	4.1	.042	0.0000	0.0000
%	2396.2	.086	.039	1.0000	1.0000	.610	.061	.0	.004	4.1	.042	0.0000	0.0000
%	2396.4	.090	.027	1.0000	1.0000	.610	.061	.0	.039	4.1	.042	0.0000	0.0000
%	2396.5	.087	.022	1.0000	1.0000	.610	.061	.0	.070	4.1	.042	0.0000	0.0000
%	2396.7	.106	.012	1.0000	1.0000	.610	.061	.0	2.008	4.1	.042	0.0000	0.0000
%	2396.8	.118	.017	1.0000	1.0000	.610	.061	.0	1.479	4.1	.042	0.0000	0.0000
%	2397.0	.127	.022	1.0000	1.0000	.610	.061	.0	1.183	4.1	.042	0.0000	0.0000
%	2397.1	.116	.030	1.0000	1.0000	.610	.061	.0	.226	4.1	.042	0.0000	0.0000
%	2397.3	.102	.029	1.0000	1.0000	.610	.061	.0	.082	4.1	.042	0.0000	0.0000
%	2397.4	.085	.036	1.0000	1.0000	.610	.061	.0	.006	4.1	.042	0.0000	0.0000
%	2397.6	.076	.042	1.0000	1.0000	.610	.061	.0	.001	4.1	.042	0.0000	0.0000
%	2397.7	.073	.044	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.0000	0.0000
%	2397.9	.055	.050	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.0000	0.0000
%	2398.0	.042	.041	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.0000	0.0000
%	2398.2	.035	.034	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.0000	0.0000
%	2398.3	.044	.043	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.0000	0.0000
%	2398.5	.062	.061	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.0000	0.0000
%	2398.6	.075	.074	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.0000	0.0000
%	2398.8	.073	.072	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.0000	0.0000
%	2398.9	.080	.074	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.0000	0.0000
%	2399.1	.079	.071	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.0000	0.0000
%	2399.2	.090	.069	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.0000	0.0000
%	2399.4	.096	.063	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.0000	0.0000
%	2399.6	.093	.055	1.0000	1.0000	.610	.061	.0	.001	4.1	.042	0.0000	0.0000
%	2399.7	.077	.042	1.0000	1.0000	.610	.061	.0	.001	4.1	.042	0.0000	0.0000
%	2399.9	.053	.028	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.0000	0.0000
%	2400.0	.044	.013	1.0000	1.0000	.610	.061	.0	.003	4.1	.042	0.0000	0.0000
%	2400.2	.014	.013	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.0000	0.0000
%	2400.3	.023	.022	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.0000	0.0000
%	2400.5	.035	.034	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.0000	0.0000
%	2400.6	.064	.035	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.0000	0.0000
%	2400.8	.100	.029	1.0000	1.0000	.610	.061	.0	.069	4.1	.042	0.0000	0.0000
%	2400.9	.123	.015	1.0000	1.0000	.610	.061	.0	3.273	4.1	.042	0.0000	0.0000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-E

SECTION FROM 2340.0 TO 2486.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 2401.1	.126	.013	1.000	1.000	.610	.061	.0	5.379	4.1	.042	0.000	0.000
% 2401.2	.092	.028	1.000	1.000	.610	.061	.0	.043	4.1	.042	0.000	0.000
% 2401.4	.070	.056	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2401.5	.091	.065	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2401.7	.108	.056	1.000	1.000	.610	.061	.0	.004	4.1	.042	0.000	0.000
% 2401.8	.105	.048	1.000	1.000	.610	.061	.0	.008	4.1	.042	0.000	0.000
% 2402.0	.084	.045	1.000	1.000	.610	.061	.0	.001	4.1	.042	0.000	0.000
% 2402.1	.075	.044	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2402.3	.069	.048	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2402.4	.054	.052	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2402.6	.045	.044	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2402.8	.048	.047	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2402.9	.088	.078	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2403.1	.093	.087	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2403.2	.093	.090	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2403.4	.081	.080	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2403.5	.101	.086	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2403.7	.119	.080	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2403.8	.123	.080	1.000	1.000	.610	.061	.0	.001	4.1	.042	0.000	0.000
% 2404.0	.132	.069	1.000	1.000	.610	.061	.0	.008	4.1	.042	0.000	0.000
% 2404.1	.124	.065	1.000	1.000	.610	.061	.0	.006	4.1	.042	0.000	0.000
% 2404.3	.084	.082	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2404.4	.057	.056	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2404.6	.068	.067	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2404.7	.095	.094	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2404.9	.096	.095	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2405.0	.079	.078	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2405.2	.087	.086	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2405.3	.092	.091	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2405.5	.107	.093	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2405.6	.113	.089	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2405.8	.120	.093	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2406.0	.097	.096	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2406.1	.073	.072	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2406.3	.059	.058	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2406.4	.077	.076	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2406.6	.090	.084	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2406.7	.099	.077	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2406.9	.099	.070	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2407.0	.126	.059	1.000	1.000	.610	.061	.0	.015	4.1	.042	0.000	0.000
% 2407.2	.145	.053	1.000	1.000	.610	.061	.0	.109	4.1	.042	0.000	0.000
% 2407.3	.145	.058	1.000	1.000	.610	.061	.0	.071	4.1	.042	0.000	0.000
% 2407.5	.147	.065	1.000	1.000	.610	.061	.0	.040	4.1	.042	0.000	0.000
% 2407.6	.137	.071	1.000	1.000	.610	.061	.0	.010	4.1	.042	0.000	0.000
% 2407.8	.145	.066	1.000	1.000	.610	.061	.0	.030	4.1	.042	0.000	0.000
% 2407.9	.128	.063	1.000	1.000	.610	.061	.0	.011	4.1	.042	0.000	0.000
% 2408.1	.114	.064	1.000	1.000	.610	.061	.0	.002	4.1	.042	0.000	0.000
% 2408.2	.105	.068	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2408.4	.111	.068	1.000	1.000	.610	.061	.0	.001	4.1	.042	0.000	0.000
% 2408.5	.117	.060	1.000	1.000	.610	.061	.0	.006	4.1	.042	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-E

SECTION FROM 2340.0 TO 2486.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	2408.7	.125	.052	1.0000	1.0000	.610	.061	.0	.028	4.1	.042	0.000	0.000
%	2408.8	.102	.055	1.0000	1.0000	.610	.061	.0	.002	4.1	.042	0.000	0.000
%	2409.0	.130	.053	1.0000	1.0000	.610	.061	.0	.038	4.1	.042	0.000	0.000
%	2409.2	.138	.069	1.0000	1.0000	.610	.061	.0	.013	4.1	.042	0.000	0.000
%	2409.3	.156	.091	1.0000	1.0000	.610	.061	.0	.006	4.1	.042	0.000	0.000
%	2409.5	.144	.111	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.000	0.000
*%	2409.6	.134	.110	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2409.8	.133	.103	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2409.9	.112	.100	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2410.1	.096	.095	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2410.2	.087	.086	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2410.4	.082	.081	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2410.5	.077	.076	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2410.7	.079	.078	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2410.8	.071	.070	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2411.0	.061	.060	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2411.1	.063	.062	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2411.3	.061	.060	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2411.4	.077	.076	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2411.6	.070	.069	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2411.7	.027	.026	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2411.9	.001	0.000	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2412.0	.001	0.000	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2412.2	.001	0.000	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2412.4	.014	.013	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2412.5	.035	.034	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2412.7	.054	.053	1.0000	1.0000	.610	.061	.0	.000	4.1	.042	0.000	0.000
%	2412.8	.092	.042	1.0000	1.0000	.610	.061	.0	.005	4.1	.042	0.000	0.000
%	2413.0	.121	.022	1.0000	1.0000	.610	.061	.0	.841	4.1	.042	0.000	0.000
%	2413.1	.115	.021	1.0000	1.0000	.610	.061	.0	.723	4.1	.042	0.000	0.000
%	2413.3	.089	.023	1.0000	1.0000	.610	.061	.0	.080	4.1	.042	0.000	0.000
%	2413.4	.091	.013	1.0000	1.0000	.610	.061	.0	.571	4.1	.042	0.000	0.000
%	2413.6	.075	.012	1.0000	1.0000	.610	.061	.0	.185	4.1	.042	0.000	0.000
%	2413.7	.079	.014	1.0000	1.0000	.610	.061	.0	.171	4.1	.042	0.000	0.000
%	2413.9	.068	.028	1.0000	1.0000	.610	.061	.0	.003	4.1	.042	0.000	0.000
%	2414.0	.079	.031	1.0000	1.0000	.610	.061	.0	.007	4.1	.042	0.000	0.000
%	2414.2	.081	.033	1.0000	1.0000	.610	.061	.0	.006	4.1	.042	0.000	0.000
%	2414.3	.094	.027	1.0000	1.0000	.610	.061	.0	.056	4.1	.042	0.000	0.000
%	2414.5	.111	.025	1.0000	1.0000	.610	.061	.0	.285	4.1	.042	0.000	0.000
%	2414.6	.150	.013	1.0000	1.0000	.610	.061	.0	15.428	4.1	.042	0.000	0.000
%	2414.8	.170	.007	1.0000	1.0000	.610	.061	.0	101.818	4.1	.042	0.000	0.000
%	2414.9	.177	.005	1.0000	1.0000	.610	.061	.0	119.138	4.1	.042	0.000	0.000
%	2415.1	.169	.006	1.0000	1.0000	.610	.061	.0	98.583	4.1	.042	0.000	0.000
%	2415.2	.165	.003	1.0000	1.0000	.610	.061	.0	89.265	4.1	.042	0.000	0.000
%	2415.4	.151	.010	1.0000	1.0000	.610	.061	.0	32.751	4.1	.042	0.000	0.000
%	2415.6	.138	.019	1.0000	1.0000	.610	.061	.0	3.389	4.1	.042	0.000	0.000
%	2415.7	.147	.026	1.0000	1.0000	.610	.061	.0	2.212	4.1	.042	0.000	0.000
%	2415.9	.176	.025	1.0000	1.0000	.610	.061	.0	8.404	4.1	.042	0.000	0.000
%	2416.0	.178	.027	1.0000	1.0000	.610	.061	.0	7.076	4.1	.042	0.000	0.000
%	2416.2	.155	.032	1.0000	1.0000	.610	.061	.0	1.491	4.1	.042	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-E

SECTION FROM 2340.0 TO 2486.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 2416.3	.160	.020	1.000	1.000	.610	.061	.0	8.514	4.1	.042	0.000	0.000
% 2416.5	.159	.012	1.000	1.000	.610	.061	.0	27.939	4.1	.042	0.000	0.000
% 2416.6	.153	.010	1.000	1.000	.610	.061	.0	38.591	4.1	.042	0.000	0.000
% 2416.8	.107	.023	1.000	1.000	.610	.061	.0	.292	4.1	.042	0.000	0.000
% 2416.9	.087	.030	1.000	1.000	.610	.061	.0	.019	4.1	.042	0.000	0.000
% 2417.1	.057	.040	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2417.2	.077	.029	1.000	1.000	.610	.061	.0	.009	4.1	.042	0.000	0.000
% 2417.4	.103	.020	1.000	1.000	.610	.061	.0	.367	4.1	.042	0.000	0.000
% 2417.5	.135	.003	1.000	1.000	.610	.061	.0	40.656	4.1	.042	0.000	0.000
% 2417.7	.118	.009	1.000	1.000	.610	.061	.0	8.776	4.1	.042	0.000	0.000
% 2417.8	.082	.021	1.000	1.000	.610	.061	.0	.060	4.1	.042	0.000	0.000
% 2418.0	.073	.033	1.000	1.000	.610	.061	.0	.002	4.1	.042	0.000	0.000
% 2418.1	.091	.034	1.000	1.000	.610	.061	.0	.015	4.1	.042	0.000	0.000
% 2418.3	.119	.025	1.000	1.000	.610	.061	.0	.488	4.1	.042	0.000	0.000
% 2418.4	.136	.009	1.000	1.000	.610	.061	.0	19.772	4.1	.042	0.000	0.000
% 2418.6	.110	.009	1.000	1.000	.610	.061	.0	5.884	4.1	.042	0.000	0.000
% 2418.8	.083	.013	1.000	1.000	.610	.061	.0	.293	4.1	.042	0.000	0.000
% 2418.9	.047	.038	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2419.1	.061	.050	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2419.2	.080	.053	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2419.4	.115	.044	1.000	1.000	.610	.061	.0	.037	4.1	.042	0.000	0.000
% 2419.5	.138	.037	1.000	1.000	.610	.061	.0	.367	4.1	.042	0.000	0.000
% 2419.7	.147	.032	1.000	1.000	.610	.061	.0	1.046	4.1	.042	0.000	0.000
% 2419.8	.120	.039	1.000	1.000	.610	.061	.0	.092	4.1	.042	0.000	0.000
% 2420.0	.103	.044	1.000	1.000	.610	.061	.0	.012	4.1	.042	0.000	0.000
% 2420.1	.089	.057	1.000	1.000	.610	.061	.0	.000	4.1	.042	0.000	0.000
% 2420.3	.120	.055	1.000	1.000	.610	.061	.0	.014	4.1	.042	0.000	0.000
% 2420.4	.117	.054	1.000	1.000	.610	.061	.0	.012	4.1	.042	0.000	0.000
% 2420.6	.130	.047	1.000	1.000	.610	.061	.0	.075	4.1	.042	0.000	0.000
% 2420.7	.119	.048	1.000	1.000	.610	.061	.0	.030	4.1	.042	0.000	0.000
% 2420.9	.128	.048	1.000	1.000	.610	.061	.0	.055	4.1	.042	0.000	0.000
% 2421.0	.122	.049	1.000	1.000	.610	.061	.0	.032	4.1	.042	0.000	0.000
% 2421.2	.125	.044	1.000	1.000	.610	.061	.0	.071	4.1	.042	0.000	0.000
% 2421.3	.121	.045	1.000	1.000	.610	.061	.0	.048	4.1	.042	0.000	0.000
% 2421.5	.127	.043	1.000	1.000	.610	.061	.0	.092	4.1	.042	0.000	0.000
% 2421.6	.149	.034	1.000	1.000	.610	.061	.0	.884	4.1	.042	0.000	0.000
% 2421.8	.184	.015	1.000	1.000	.610	.061	.0	40.605	4.1	.042	0.000	0.000
2422.0	.225	.000	.825	.825	.762	.095	.0	307.985	50.9	.070	0.000	0.000
2422.1	.227	.000	.791	.791	.915	.130	.0	320.061	99.8	.097	0.000	0.000
2422.3	.205	.000	.805	.805	1.067	.161	.0	211.738	132.1	.122	0.000	0.000
% 2422.4	.124	.009	1.000	1.000	1.067	.161	.0	11.896	132.1	.122	0.000	0.000
% 2422.6	.080	.021	1.000	1.000	1.067	.161	.0	.047	132.1	.122	0.000	0.000
% 2422.7	.040	.030	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000
% 2422.9	.003	.002	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000
% 2423.0	.001	0.000	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000
% 2423.2	.023	.022	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000
% 2423.3	.057	.016	1.000	1.000	1.067	.161	.0	.008	132.1	.122	0.000	0.000
% 2423.5	.069	.008	1.000	1.000	1.067	.161	.0	.363	132.1	.122	0.000	0.000
% 2423.6	.044	.016	1.000	1.000	1.067	.161	.0	.001	132.1	.122	0.000	0.000
% 2423.8	.052	.014	1.000	1.000	1.067	.161	.0	.007	132.1	.122	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-E

SECTION FROM 2340.0 TO 2486.0

	DEPTH	GROSS POROSITY	VC	SW	SECTION SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	2423.9	.071	.012	1.000	1.000	1.067	.161	.0	.134	132.1	.122	0.000	0.000
%	2424.1	.117	.000	1.000	1.000	1.067	.161	.0	22.948	132.1	.122	0.000	0.000
%	2424.2	.126	.003	1.000	1.000	1.067	.161	.0	30.748	132.1	.122	0.000	0.000
%	2424.4	.111	.011	1.000	1.000	1.067	.161	.0	3.165	132.1	.122	0.000	0.000
%	2424.5	.070	.029	1.000	1.000	1.067	.161	.0	.003	132.1	.122	0.000	0.000
%	2424.7	.056	.036	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000
%	2424.8	.074	.025	1.000	1.000	1.067	.161	.0	.013	132.1	.122	0.000	0.000
%	2425.0	.104	.009	1.000	1.000	1.067	.161	.0	3.367	132.1	.122	0.000	0.000
%	2425.2	.115	.000	1.000	1.000	1.067	.161	.0	21.104	132.1	.122	0.000	0.000
%	2425.3	.104	.017	1.000	1.000	1.067	.161	.0	.646	132.1	.122	0.000	0.000
%	2425.5	.106	.023	1.000	1.000	1.067	.161	.0	.283	132.1	.122	0.000	0.000
%	2425.6	.109	.033	1.000	1.000	1.067	.161	.0	.086	132.1	.122	0.000	0.000
%	2425.8	.130	.024	1.000	1.000	1.067	.161	.0	1.066	132.1	.122	0.000	0.000
%	2425.9	.120	.033	1.000	1.000	1.067	.161	.0	.197	132.1	.122	0.000	0.000
%	2426.1	.112	.042	1.000	1.000	1.067	.161	.0	.033	132.1	.122	0.000	0.000
%	2426.2	.107	.049	1.000	1.000	1.067	.161	.0	.009	132.1	.122	0.000	0.000
%	2426.4	.144	.035	1.000	1.000	1.067	.161	.0	.651	132.1	.122	0.000	0.000
%	2426.5	.151	.034	1.000	1.000	1.067	.161	.0	1.026	132.1	.122	0.000	0.000
%	2426.7	.144	.031	1.000	1.000	1.067	.161	.0	.960	132.1	.122	0.000	0.000
%	2426.8	.131	.041	1.000	1.000	1.067	.161	.0	.156	132.1	.122	0.000	0.000
%	2427.0	.141	.037	1.000	1.000	1.067	.161	.0	.439	132.1	.122	0.000	0.000
%	2427.1	.159	.038	1.000	1.000	1.067	.161	.0	.965	132.1	.122	0.000	0.000
%	2427.3	.177	.031	1.000	1.000	1.067	.161	.0	4.204	132.1	.122	0.000	0.000
%	2427.4	.187	.033	1.000	1.000	1.067	.161	.0	5.275	132.1	.122	0.000	0.000
%	2427.6	.211	.022	1.000	1.000	1.067	.161	.0	38.083	132.1	.122	0.000	0.000
%	2427.7	.220	.022	1.000	1.000	1.067	.161	.0	50.339	132.1	.122	0.000	0.000
%	2427.9	.232	.014	1.000	1.000	1.067	.161	.0	226.432	132.1	.122	0.000	0.000
%	2428.0	.221	.017	1.000	1.000	1.067	.161	.0	105.588	132.1	.122	0.000	0.000
%	2428.2	.211	.014	1.000	1.000	1.067	.161	.0	117.278	132.1	.122	0.000	0.000
%	2428.4	.192	.019	1.000	1.000	1.067	.161	.0	32.614	132.1	.122	0.000	0.000
%	2428.5	.155	.029	1.000	1.000	1.067	.161	.0	2.240	132.1	.122	0.000	0.000
%	2428.7	.110	.050	1.000	1.000	1.067	.161	.0	.011	132.1	.122	0.000	0.000
%	2428.8	.068	.062	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000
%	2429.0	.065	.055	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000
%	2429.1	.066	.042	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000
%	2429.3	.067	.032	1.000	1.000	1.067	.161	.0	.001	132.1	.122	0.000	0.000
%	2429.4	.058	.032	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000
%	2429.6	.079	.023	1.000	1.000	1.067	.161	.0	.028	132.1	.122	0.000	0.000
%	2429.7	.099	.019	1.000	1.000	1.067	.161	.0	.341	132.1	.122	0.000	0.000
%	2429.9	.103	.020	1.000	1.000	1.067	.161	.0	.344	132.1	.122	0.000	0.000
%	2430.0	.092	.032	1.000	1.000	1.067	.161	.0	.024	132.1	.122	0.000	0.000
%	2430.2	.100	.050	1.000	1.000	1.067	.161	.0	.003	132.1	.122	0.000	0.000
%	2430.3	.139	.049	1.000	1.000	1.067	.161	.0	.111	132.1	.122	0.000	0.000
%	2430.5	.163	.033	1.000	1.000	1.067	.161	.0	2.033	132.1	.122	0.000	0.000
%	2430.6	.143	.018	1.000	1.000	1.067	.161	.0	5.085	132.1	.122	0.000	0.000
%	2430.8	.104	.023	1.000	1.000	1.067	.161	.0	.229	132.1	.122	0.000	0.000
%	2430.9	.076	.036	1.000	1.000	1.067	.161	.0	.002	132.1	.122	0.000	0.000
%	2431.1	.057	.045	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000
%	2431.2	.050	.049	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000
%	2431.4	.052	.051	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-E

SECTION FROM 2340.0 TO 2486.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	2431.6	.101	.044	1.000	1.000	1.067	.161	.0	.009	132.1	.122	0.000	0.000
%	2431.7	.120	.030	1.000	1.000	1.067	.161	.0	.270	132.1	.122	0.000	0.000
%	2431.9	.132	.017	1.000	1.000	1.067	.161	.0	3.355	132.1	.122	0.000	0.000
%	2432.0	.126	.022	1.000	1.000	1.067	.161	.0	1.198	132.1	.122	0.000	0.000
%	2432.2	.125	.025	1.000	1.000	1.067	.161	.0	.736	132.1	.122	0.000	0.000
%	2432.3	.107	.031	1.000	1.000	1.067	.161	.0	.099	132.1	.122	0.000	0.000
%	2432.5	.101	.028	1.000	1.000	1.067	.161	.0	.088	132.1	.122	0.000	0.000
%	2432.6	.110	.020	1.000	1.000	1.067	.161	.0	.636	132.1	.122	0.000	0.000
%	2432.8	.118	.010	1.000	1.000	1.067	.161	.0	7.061	132.1	.122	0.000	0.000
%	2432.9	.089	.015	1.000	1.000	1.067	.161	.0	.332	132.1	.122	0.000	0.000
%	2433.1	.053	.037	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000
%	2433.2	.087	.050	1.000	1.000	1.067	.161	.0	.001	132.1	.122	0.000	0.000
%	2433.4	.127	.049	1.000	1.000	1.067	.161	.0	.047	132.1	.122	0.000	0.000
%	2433.5	.129	.041	1.000	1.000	1.067	.161	.0	.132	132.1	.122	0.000	0.000
%	2433.7	.108	.026	1.000	1.000	1.067	.161	.0	.201	132.1	.122	0.000	0.000
%	2433.8	.102	.015	1.000	1.000	1.067	.161	.0	.933	132.1	.122	0.000	0.000
%	2434.0	.124	.001	1.000	1.000	1.067	.161	.0	28.290	132.1	.122	0.000	0.000
%	2434.1	.128	.000	1.000	1.000	1.067	.161	.0	31.977	132.1	.122	0.000	0.000
%	2434.3	.128	.000	1.000	1.000	1.067	.161	.0	32.560	132.1	.122	0.000	0.000
%	2434.4	.122	.012	1.000	1.000	1.067	.161	.0	4.742	132.1	.122	0.000	0.000
%	2434.6	.110	.030	1.000	1.000	1.067	.161	.0	.136	132.1	.122	0.000	0.000
%	2434.8	.106	.037	1.000	1.000	1.067	.161	.0	.040	132.1	.122	0.000	0.000
%	2434.9	.079	.045	1.000	1.000	1.067	.161	.0	.001	132.1	.122	0.000	0.000
%	2435.1	.074	.044	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000
%	2435.2	.062	.046	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000
%	2435.4	.105	.028	1.000	1.000	1.067	.161	.0	.118	132.1	.122	0.000	0.000
%	2435.5	.118	.018	1.000	1.000	1.067	.161	.0	1.294	132.1	.122	0.000	0.000
%	2435.7	.119	.011	1.000	1.000	1.067	.161	.0	5.126	132.1	.122	0.000	0.000
%	2435.8	.110	.008	1.000	1.000	1.067	.161	.0	6.355	132.1	.122	0.000	0.000
%	2436.0	.094	.005	1.000	1.000	1.067	.161	.0	7.239	132.1	.122	0.000	0.000
%	2436.1	.081	.005	1.000	1.000	1.067	.161	.0	3.694	132.1	.122	0.000	0.000
%	2436.3	.061	.005	1.000	1.000	1.067	.161	.0	.406	132.1	.122	0.000	0.000
%	2436.4	.032	.014	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000
%	2436.6	.035	.011	1.000	1.000	1.067	.161	.0	.001	132.1	.122	0.000	0.000
%	2436.7	.056	.006	1.000	1.000	1.067	.161	.0	.183	132.1	.122	0.000	0.000
%	2436.9	.065	.008	1.000	1.000	1.067	.161	.0	.215	132.1	.122	0.000	0.000
%	2437.0	.045	.017	1.000	1.000	1.067	.161	.0	.001	132.1	.122	0.000	0.000
%	2437.2	.010	.009	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000
%	2437.3	.023	.021	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000
%	2437.5	.044	.014	1.000	1.000	1.067	.161	.0	.002	132.1	.122	0.000	0.000
%	2437.6	.035	.020	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000
%	2437.8	.047	.014	1.000	1.000	1.067	.161	.0	.003	132.1	.122	0.000	0.000
%	2438.0	.060	.008	1.000	1.000	1.067	.161	.0	.114	132.1	.122	0.000	0.000
%	2438.1	.066	.002	1.000	1.000	1.067	.161	.0	2.299	132.1	.122	0.000	0.000
%	2438.3	.046	.008	1.000	1.000	1.067	.161	.0	.017	132.1	.122	0.000	0.000
%	2438.4	.018	.018	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000
%	2438.6	.034	.012	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000
%	2438.7	.020	.018	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000
%	2438.9	.040	.014	1.000	1.000	1.067	.161	.0	.001	132.1	.122	0.000	0.000
%	2439.0	.021	.020	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-E

SECTION FROM 2340.0 TO 2486.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	2439.2	.025	.024	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000
%	2439.3	.028	.027	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000
%	2439.5	.044	.026	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000
%	2439.6	.071	.018	1.000	1.000	1.067	.161	.0	.034	132.1	.122	0.000	0.000
%	2439.8	.049	.027	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000
%	2439.9	.064	.020	1.000	1.000	1.067	.161	.0	.010	132.1	.122	0.000	0.000
%	2440.1	.055	.027	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000
%	2440.2	.068	.022	1.000	1.000	1.067	.161	.0	.009	132.1	.122	0.000	0.000
%	2440.4	.064	.029	1.000	1.000	1.067	.161	.0	.001	132.1	.122	0.000	0.000
%	2440.5	.050	.033	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000
%	2440.7	.064	.039	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000
%	2440.8	.063	.049	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000
%	2441.0	.090	.052	1.000	1.000	1.067	.161	.0	.001	132.1	.122	0.000	0.000
%	2441.2	.102	.055	1.000	1.000	1.067	.161	.0	.002	132.1	.122	0.000	0.000
%	2441.3	.124	.047	1.000	1.000	1.067	.161	.0	.050	132.1	.122	0.000	0.000
%	2441.5	.125	.042	1.000	1.000	1.067	.161	.0	.094	132.1	.122	0.000	0.000
%	2441.6	.124	.042	1.000	1.000	1.067	.161	.0	.088	132.1	.122	0.000	0.000
%	2441.8	.105	.052	1.000	1.000	1.067	.161	.0	.005	132.1	.122	0.000	0.000
%	2441.9	.120	.060	1.000	1.000	1.067	.161	.0	.007	132.1	.122	0.000	0.000
%	2442.1	.146	.072	1.000	1.000	1.067	.161	.0	.019	132.1	.122	0.000	0.000
%	2442.2	.159	.092	1.000	1.000	1.067	.161	.0	.007	132.1	.122	0.000	0.000
*%	2442.4	.122	.115	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000
%	2442.5	.122	.095	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000
%	2442.7	.135	.058	1.000	1.000	1.067	.161	.0	.034	132.1	.122	0.000	0.000
%	2442.8	.161	.019	1.000	1.000	1.067	.161	.0	9.807	132.1	.122	0.000	0.000
%	2443.0	.129	.018	1.000	1.000	1.067	.161	.0	2.649	132.1	.122	0.000	0.000
%	2443.1	.073	.037	1.000	1.000	1.067	.161	.0	.001	132.1	.122	0.000	0.000
%	2443.3	.049	.048	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000
%	2443.4	.074	.053	1.000	1.000	1.067	.161	.0	.000	132.1	.122	0.000	0.000
%	2443.6	.134	.036	1.000	1.000	1.067	.161	.0	.320	132.1	.122	0.000	0.000
%	2443.7	.165	.021	1.000	1.000	1.067	.161	.0	8.947	132.1	.122	0.000	0.000
%	2443.9	.142	.020	1.000	1.000	1.067	.161	.0	3.433	132.1	.122	0.000	0.000
%	2444.0	.133	.016	1.000	1.000	1.067	.161	.0	4.546	132.1	.122	0.000	0.000
	2444.2	.136	.012	.994	.994	1.220	.182	.0	11.616	133.8	.143	0.000	0.000
	2444.4	.158	.000	.794	.794	1.372	.206	.0	74.708	145.2	.162	0.000	0.000
	2444.5	.154	.000	.957	.957	1.525	.229	.0	67.220	155.5	.185	0.000	0.000
%	2444.7	.122	.003	1.000	1.000	1.525	.229	.0	26.393	155.5	.185	0.000	0.000
%	2444.8	.124	.000	1.000	1.000	1.525	.229	.0	28.580	155.5	.185	0.000	0.000
%	2445.0	.125	.000	1.000	1.000	1.525	.229	.0	29.896	155.5	.185	0.000	0.000
%	2445.1	.142	.000	1.000	1.000	1.525	.229	.0	49.646	155.5	.185	0.000	0.000
%	2445.3	.128	.001	1.000	1.000	1.525	.229	.0	32.873	155.5	.185	0.000	0.000
%	2445.4	.125	.002	1.000	1.000	1.525	.229	.0	29.532	155.5	.185	0.000	0.000
%	2445.6	.104	.016	1.000	1.000	1.525	.229	.0	.837	155.5	.185	0.000	0.000
%	2445.7	.127	.015	1.000	1.000	1.525	.229	.0	3.747	155.5	.185	0.000	0.000
%	2445.9	.130	.018	1.000	1.000	1.525	.229	.0	2.659	155.5	.185	0.000	0.000
%	2446.0	.137	.016	1.000	1.000	1.525	.229	.0	5.522	155.5	.185	0.000	0.000
%	2446.2	.147	.014	1.000	1.000	1.525	.229	.0	12.458	155.5	.185	0.000	0.000
%	2446.3	.148	.011	1.000	1.000	1.525	.229	.0	23.799	155.5	.185	0.000	0.000
%	2446.5	.144	.009	1.000	1.000	1.525	.229	.0	29.671	155.5	.185	0.000	0.000
%	2446.6	.120	.018	1.000	1.000	1.525	.229	.0	1.456	155.5	.185	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-E

SECTION FROM 2340.0 TO 2486.0

DEPTH	GROSS POROSITY	VC	SW	SECTION FROM SXO	2340.0 SAND COUNT	TO 2486.0 CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 2446.8	.111	.037	1.000	1.000	1.525	.229	.0	.058	155.5	.185	0.000	0.000
% 2446.9	.138	.038	1.000	1.000	1.525	.229	.0	.317	155.5	.185	0.000	0.000
% 2447.1	.161	.032	1.000	1.000	1.525	.229	.0	1.886	155.5	.185	0.000	0.000
% 2447.2	.175	.023	1.000	1.000	1.525	.229	.0	10.445	155.5	.185	0.000	0.000
% 2447.4	.172	.020	1.000	1.000	1.525	.229	.0	13.622	155.5	.185	0.000	0.000
% 2447.6	.164	.033	1.000	1.000	1.525	.229	.0	2.110	155.5	.185	0.000	0.000
% 2447.7	.163	.039	1.000	1.000	1.525	.229	.0	1.115	155.5	.185	0.000	0.000
% 2447.9	.155	.045	1.000	1.000	1.525	.229	.0	.430	155.5	.185	0.000	0.000
% 2448.0	.152	.040	1.000	1.000	1.525	.229	.0	.578	155.5	.185	0.000	0.000
% 2448.2	.143	.041	1.000	1.000	1.525	.229	.0	.309	155.5	.185	0.000	0.000
% 2448.3	.120	.043	1.000	1.000	1.525	.229	.0	.056	155.5	.185	0.000	0.000
% 2448.5	.100	.040	1.000	1.000	1.525	.229	.0	.016	155.5	.185	0.000	0.000
% 2448.6	.098	.034	1.000	1.000	1.525	.229	.0	.030	155.5	.185	0.000	0.000
% 2448.8	.089	.034	1.000	1.000	1.525	.229	.0	.013	155.5	.185	0.000	0.000
% 2448.9	.095	.031	1.000	1.000	1.525	.229	.0	.037	155.5	.185	0.000	0.000
% 2449.1	.079	.032	1.000	1.000	1.525	.229	.0	.005	155.5	.185	0.000	0.000
% 2449.2	.079	.025	1.000	1.000	1.525	.229	.0	.019	155.5	.185	0.000	0.000
% 2449.4	.053	.030	1.000	1.000	1.525	.229	.0	.000	155.5	.185	0.000	0.000
% 2449.5	.022	.021	1.000	1.000	1.525	.229	.0	.000	155.5	.185	0.000	0.000
% 2449.7	.047	.028	1.000	1.000	1.525	.229	.0	.000	155.5	.185	0.000	0.000
% 2449.8	.063	.023	1.000	1.000	1.525	.229	.0	.004	155.5	.185	0.000	0.000
% 2450.0	.073	.023	1.000	1.000	1.525	.229	.0	.014	155.5	.185	0.000	0.000
% 2450.1	.033	.032	1.000	1.000	1.525	.229	.0	.000	155.5	.185	0.000	0.000
% 2450.3	.038	.025	1.000	1.000	1.525	.229	.0	.000	155.5	.185	0.000	0.000
% 2450.4	.048	.014	1.000	1.000	1.525	.229	.0	.004	155.5	.185	0.000	0.000
% 2450.6	.077	.002	1.000	1.000	1.525	.229	.0	4.212	155.5	.185	0.000	0.000
% 2450.8	.073	.003	1.000	1.000	1.525	.229	.0	3.496	155.5	.185	0.000	0.000
% 2450.9	0.000	0.000	1.000	1.000	1.525	.229	.0	-999.999	155.5	.185	0.000	0.000
% 2451.1	0.000	0.000	1.000	1.000	1.525	.229	.0	-999.999	155.5	.185	0.000	0.000
% 2451.2	0.000	0.000	1.000	1.000	1.525	.229	.0	-999.999	155.5	.185	0.000	0.000
% 2451.4	0.000	0.000	1.000	1.000	1.525	.229	.0	-999.999	155.5	.185	0.000	0.000
% 2451.5	0.000	0.000	1.000	1.000	1.525	.229	.0	-999.999	155.5	.185	0.000	0.000
% 2451.7	0.000	0.000	1.000	1.000	1.525	.229	.0	-999.999	155.5	.185	0.000	0.000
% 2451.8	.107	.015	1.000	1.000	1.525	.229	.0	1.210	155.5	.185	0.000	0.000
% 2452.0	.072	.026	1.000	1.000	1.525	.229	.0	.007	155.5	.185	0.000	0.000
% 2452.1	.057	.027	1.000	1.000	1.525	.229	.0	.001	155.5	.185	0.000	0.000
% 2452.3	.055	.023	1.000	1.000	1.525	.229	.0	.001	155.5	.185	0.000	0.000
% 2452.4	.083	.011	1.000	1.000	1.525	.229	.0	.451	155.5	.185	0.000	0.000
% 2452.6	.055	.021	1.000	1.000	1.525	.229	.0	.002	155.5	.185	0.000	0.000
% 2452.7	.030	.028	1.000	1.000	1.525	.229	.0	.000	155.5	.185	0.000	0.000
% 2452.9	.001	0.000	1.000	1.000	1.525	.229	.0	.000	155.5	.185	0.000	0.000
% 2453.0	.033	.028	1.000	1.000	1.525	.229	.0	.000	155.5	.185	0.000	0.000
% 2453.2	.060	.022	1.000	1.000	1.525	.229	.0	.003	155.5	.185	0.000	0.000
% 2453.3	.054	.030	1.000	1.000	1.525	.229	.0	.000	155.5	.185	0.000	0.000
% 2453.5	.053	.039	1.000	1.000	1.525	.229	.0	.000	155.5	.185	0.000	0.000
% 2453.6	.021	.020	1.000	1.000	1.525	.229	.0	.000	155.5	.185	0.000	0.000
% 2453.8	.050	.049	1.000	1.000	1.525	.229	.0	.000	155.5	.185	0.000	0.000
% 2454.0	.086	.074	1.000	1.000	1.525	.229	.0	.000	155.5	.185	0.000	0.000
% 2454.1	.118	.056	1.000	1.000	1.525	.229	.0	.011	155.5	.185	0.000	0.000
% 2454.3	.111	.040	1.000	1.000	1.525	.229	.0	.041	155.5	.185	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-E

SECTION FROM 2340.0 TO 2486.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 2454.4	.086	.046	1.000	1.000	1.525	.229	.0	.001	155.5	.185	0.000	0.000
% 2454.6	.096	.037	1.000	1.000	1.525	.229	.0	.015	155.5	.185	0.000	0.000
% 2454.7	.100	.031	1.000	1.000	1.525	.229	.0	.057	155.5	.185	0.000	0.000
% 2454.9	.101	.022	1.000	1.000	1.525	.229	.0	.222	155.5	.185	0.000	0.000
% 2455.0	.080	.024	1.000	1.000	1.525	.229	.0	.028	155.5	.185	0.000	0.000
% 2455.2	.079	.016	1.000	1.000	1.525	.229	.0	.121	155.5	.185	0.000	0.000
% 2455.3	.062	.013	1.000	1.000	1.525	.229	.0	.040	155.5	.185	0.000	0.000
% 2455.5	.068	.002	1.000	1.000	1.525	.229	.0	2.641	155.5	.185	0.000	0.000
% 2455.6	.066	.001	1.000	1.000	1.525	.229	.0	2.266	155.5	.185	0.000	0.000
% 2455.8	.046	.007	1.000	1.000	1.525	.229	.0	.027	155.5	.185	0.000	0.000
% 2455.9	.028	.016	1.000	1.000	1.525	.229	.0	.000	155.5	.185	0.000	0.000
% 2456.1	.027	.020	1.000	1.000	1.525	.229	.0	.000	155.5	.185	0.000	0.000
% 2456.2	.050	.019	1.000	1.000	1.525	.229	.0	.001	155.5	.185	0.000	0.000
% 2456.4	.054	.016	1.000	1.000	1.525	.229	.0	.006	155.5	.185	0.000	0.000
% 2456.5	.033	.023	1.000	1.000	1.525	.229	.0	.000	155.5	.185	0.000	0.000
% 2456.7	.036	.017	1.000	1.000	1.525	.229	.0	.000	155.5	.185	0.000	0.000
% 2456.8	.039	.021	1.000	1.000	1.525	.229	.0	.000	155.5	.185	0.000	0.000
% 2457.0	.080	.013	1.000	1.000	1.525	.229	.0	.242	155.5	.185	0.000	0.000
% 2457.2	.066	.026	1.000	1.000	1.525	.229	.0	.003	155.5	.185	0.000	0.000
% 2457.3	.057	.032	1.000	1.000	1.525	.229	.0	.000	155.5	.185	0.000	0.000
% 2457.5	.015	.014	1.000	1.000	1.525	.229	.0	.000	155.5	.185	0.000	0.000
% 2457.6	.013	.012	1.000	1.000	1.525	.229	.0	.000	155.5	.185	0.000	0.000
% 2457.8	.026	.025	1.000	1.000	1.525	.229	.0	.000	155.5	.185	0.000	0.000
% 2457.9	.019	.018	1.000	1.000	1.525	.229	.0	.000	155.5	.185	0.000	0.000
% 2458.1	.030	.029	1.000	1.000	1.525	.229	.0	.000	155.5	.185	0.000	0.000
% 2458.2	.016	.015	1.000	1.000	1.525	.229	.0	.000	155.5	.185	0.000	0.000
2458.4	.127	.004	.395	1.000	1.678	.249	.1	30.914	160.2	.192	0.000	0.000
2458.5	.175	.000	.273	1.000	1.830	.275	.1	114.302	177.6	.200	0.000	0.000
2458.7	.191	.000	.275	1.000	1.982	.304	.1	160.020	201.9	.208	0.000	0.000
2458.8	.128	.000	.435	1.000	2.135	.324	.1	31.918	206.8	.216	0.000	0.000
% 2459.0	.050	.009	1.000	1.000	2.135	.324	.1	.026	206.8	.216	0.000	0.000
% 2459.1	.036	.012	1.000	1.000	2.135	.324	.1	.001	206.8	.216	0.000	0.000
% 2459.3	.044	.008	1.000	1.000	2.135	.324	.1	.012	206.8	.216	0.000	0.000
% 2459.4	.034	.013	1.000	1.000	2.135	.324	.1	.000	206.8	.216	0.000	0.000
% 2459.6	.024	.017	1.000	1.000	2.135	.324	.1	.000	206.8	.216	0.000	0.000
% 2459.7	.037	.011	1.000	1.000	2.135	.324	.1	.001	206.8	.216	0.000	0.000
% 2459.9	.048	.008	1.000	1.000	2.135	.324	.1	.027	206.8	.216	0.000	0.000
% 2460.0	.078	.004	1.000	1.000	2.135	.324	.1	4.113	206.8	.216	0.000	0.000
% 2460.2	.084	.021	1.000	1.000	2.135	.324	.1	.061	206.8	.216	0.000	0.000
% 2460.4	.095	.031	1.000	1.000	2.135	.324	.1	.037	206.8	.216	0.000	0.000
% 2460.5	.094	.043	1.000	1.000	2.135	.324	.1	.005	206.8	.216	0.000	0.000
% 2460.7	.087	.059	1.000	1.000	2.135	.324	.1	.000	206.8	.216	0.000	0.000
% 2460.8	.091	.069	1.000	1.000	2.135	.324	.1	.000	206.8	.216	0.000	0.000
% 2461.0	.079	.078	1.000	1.000	2.135	.324	.1	.000	206.8	.216	0.000	0.000
% 2461.1	.100	.059	1.000	1.000	2.135	.324	.1	.001	206.8	.216	0.000	0.000
% 2461.3	.094	.050	1.000	1.000	2.135	.324	.1	.002	206.8	.216	0.000	0.000
% 2461.4	.102	.040	1.000	1.000	2.135	.324	.1	.018	206.8	.216	0.000	0.000
% 2461.6	.101	.043	1.000	1.000	2.135	.324	.1	.011	206.8	.216	0.000	0.000
% 2461.7	.109	.039	1.000	1.000	2.135	.324	.1	.040	206.8	.216	0.000	0.000
% 2461.9	.110	.035	1.000	1.000	2.135	.324	.1	.074	206.8	.216	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-E

SECTION FROM 2340.0 TO 2486.0

DEPTH	GROSS POROSITY	VC	SW	SECTION SXO	2340.0 SAND COUNT	2486.0 CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
% 2462.0	.112	.031	1.0000	1.0000	2.135	.324	.1	.136	206.8	.216	0.000	0.000
% 2462.2	.108	.033	1.0000	1.0000	2.135	.324	.1	.082	206.8	.216	0.000	0.000
% 2462.3	.105	.044	1.0000	1.0000	2.135	.324	.1	.013	206.8	.216	0.000	0.000
% 2462.5	.107	.058	1.0000	1.0000	2.135	.324	.1	.002	206.8	.216	0.000	0.000
% 2462.6	.116	.070	1.0000	1.0000	2.135	.324	.1	.001	206.8	.216	0.000	0.000
% 2462.8	.127	.073	1.0000	1.0000	2.135	.324	.1	.003	206.8	.216	0.000	0.000
% 2462.9	.112	.070	1.0000	1.0000	2.135	.324	.1	.001	206.8	.216	0.000	0.000
% 2463.1	.124	.054	1.0000	1.0000	2.135	.324	.1	.022	206.8	.216	0.000	0.000
% 2463.2	.112	.038	1.0000	1.0000	2.135	.324	.1	.059	206.8	.216	0.000	0.000
% 2463.4	.095	.031	1.0000	1.0000	2.135	.324	.1	.036	206.8	.216	0.000	0.000
% 2463.6	.055	.041	1.0000	1.0000	2.135	.324	.1	.000	206.8	.216	0.000	0.000
% 2463.7	.039	.038	1.0000	1.0000	2.135	.324	.1	.000	206.8	.216	0.000	0.000
% 2463.9	.052	.034	1.0000	1.0000	2.135	.324	.1	.000	206.8	.216	0.000	0.000
% 2464.0	.051	.027	1.0000	1.0000	2.135	.324	.1	.000	206.8	.216	0.000	0.000
% 2464.2	.062	.022	1.0000	1.0000	2.135	.324	.1	.005	206.8	.216	0.000	0.000
% 2464.3	.057	.025	1.0000	1.0000	2.135	.324	.1	.001	206.8	.216	0.000	0.000
% 2464.5	.056	.031	1.0000	1.0000	2.135	.324	.1	.000	206.8	.216	0.000	0.000
% 2464.6	.070	.032	1.0000	1.0000	2.135	.324	.1	.002	206.8	.216	0.000	0.000
% 2464.8	.060	.058	1.0000	1.0000	2.135	.324	.1	.000	206.8	.216	0.000	0.000
% 2464.9	.077	.076	1.0000	1.0000	2.135	.324	.1	.000	206.8	.216	0.000	0.000
% 2465.1	.058	.057	1.0000	1.0000	2.135	.324	.1	.000	206.8	.216	0.000	0.000
% 2465.2	.096	.095	1.0000	1.0000	2.135	.324	.1	.000	206.8	.216	0.000	0.000
% 2465.4	.125	.098	1.0000	1.0000	2.135	.324	.1	.000	206.8	.216	0.000	0.000
% 2465.5	.124	.094	1.0000	1.0000	2.135	.324	.1	.000	206.8	.216	0.000	0.000
% 2465.7	.079	.078	1.0000	1.0000	2.135	.324	.1	.000	206.8	.216	0.000	0.000
% 2465.8	.021	.020	1.0000	1.0000	2.135	.324	.1	.000	206.8	.216	0.000	0.000
% 2466.0	.072	.046	1.0000	1.0000	2.135	.324	.1	.000	206.8	.216	0.000	0.000
% 2466.1	.132	.010	1.0000	1.0000	2.135	.324	.1	12.630	206.8	.216	0.000	0.000
% 2466.3	.174	.000	1.0000	1.0000	2.135	.324	.1	110.205	206.8	.216	0.000	0.000
% 2466.4	.172	.007	1.0000	1.0000	2.135	.324	.1	104.717	206.8	.216	0.000	0.000
% 2466.6	.169	.011	1.0000	1.0000	2.135	.324	.1	47.756	206.8	.216	0.000	0.000
% 2466.8	.150	.010	1.0000	1.0000	2.135	.324	.1	28.058	206.8	.216	0.000	0.000
% 2466.9	.130	.008	1.0000	1.0000	2.135	.324	.1	19.953	206.8	.216	0.000	0.000
% 2467.1	.101	.013	1.0000	1.0000	2.135	.324	.1	1.249	206.8	.216	0.000	0.000
% 2467.2	.117	.010	1.0000	1.0000	2.135	.324	.1	6.553	206.8	.216	0.000	0.000
% 2467.4	.130	.013	1.0000	1.0000	2.135	.324	.1	6.775	206.8	.216	0.000	0.000
% 2467.5	.147	.013	1.0000	1.0000	2.135	.324	.1	15.180	206.8	.216	0.000	0.000
% 2467.7	.150	.013	1.0000	1.0000	2.135	.324	.1	16.689	206.8	.216	0.000	0.000
% 2467.8	.138	.016	1.0000	1.0000	2.135	.324	.1	5.317	206.8	.216	0.000	0.000
% 2468.0	.108	.034	1.0000	1.0000	2.135	.324	.1	.065	206.8	.216	0.000	0.000
% 2468.1	.065	.064	1.0000	1.0000	2.135	.324	.1	.000	206.8	.216	0.000	0.000
% 2468.3	.052	.051	1.0000	1.0000	2.135	.324	.1	.000	206.8	.216	0.000	0.000
% 2468.4	.031	.030	1.0000	1.0000	2.135	.324	.1	.000	206.8	.216	0.000	0.000
% 2468.6	.006	.005	1.0000	1.0000	2.135	.324	.1	.000	206.8	.216	0.000	0.000
% 2468.7	.036	.035	1.0000	1.0000	2.135	.324	.1	.000	206.8	.216	0.000	0.000
% 2468.9	.094	.093	1.0000	1.0000	2.135	.324	.1	.000	206.8	.216	0.000	0.000
% 2469.0	.141	.078	1.0000	1.0000	2.135	.324	.1	.006	206.8	.216	0.000	0.000
% 2469.2	.128	.072	1.0000	1.0000	2.135	.324	.1	.004	206.8	.216	0.000	0.000
% 2469.3	.111	.070	1.0000	1.0000	2.135	.324	.1	.001	206.8	.216	0.000	0.000
% 2469.5	.114	.066	1.0000	1.0000	2.135	.324	.1	.002	206.8	.216	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-E

SECTION FROM 2340.0 TO 2486.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	2469.6	.129	.062	1.000	1.000	2.135	.324	.1	.014	206.8	.216	0.000	0.000
%	2469.8	.125	.072	1.000	1.000	2.135	.324	.1	.003	206.8	.216	0.000	0.000
%	2470.0	.124	.077	1.000	1.000	2.135	.324	.1	.001	206.8	.216	0.000	0.000
%	2470.1	.142	.071	1.000	1.000	2.135	.324	.1	.015	206.8	.216	0.000	0.000
%	2470.3	.161	.058	1.000	1.000	2.135	.324	.1	.187	206.8	.216	0.000	0.000
%	2470.4	.179	.043	1.000	1.000	2.135	.324	.1	1.513	206.8	.216	0.000	0.000
%	2470.6	.167	.046	1.000	1.000	2.135	.324	.1	.731	206.8	.216	0.000	0.000
%	2470.7	.163	.039	1.000	1.000	2.135	.324	.1	1.135	206.8	.216	0.000	0.000
%	2470.9	.147	.037	1.000	1.000	2.135	.324	.1	.594	206.8	.216	0.000	0.000
%	2471.0	.149	.036	1.000	1.000	2.135	.324	.1	.766	206.8	.216	0.000	0.000
%	2471.2	.149	.033	1.000	1.000	2.135	.324	.1	1.024	206.8	.216	0.000	0.000
%	2471.3	.156	.019	1.000	1.000	2.135	.324	.1	7.416	206.8	.216	0.000	0.000
%	2471.5	.112	.024	1.000	1.000	2.135	.324	.1	.367	206.8	.216	0.000	0.000
%	2471.6	.085	.030	1.000	1.000	2.135	.324	.1	.015	206.8	.216	0.000	0.000
%	2471.8	.066	.040	1.000	1.000	2.135	.324	.1	.000	206.8	.216	0.000	0.000
%	2471.9	.110	.027	1.000	1.000	2.135	.324	.1	.221	206.8	.216	0.000	0.000
%	2472.1	.141	.017	1.000	1.000	2.135	.324	.1	5.262	206.8	.216	0.000	0.000
%	2472.2	.155	.013	1.000	1.000	2.135	.324	.1	20.146	206.8	.216	0.000	0.000
%	2472.4	.159	.016	1.000	1.000	2.135	.324	.1	13.436	206.8	.216	0.000	0.000
%	2472.5	.152	.019	1.000	1.000	2.135	.324	.1	6.822	206.8	.216	0.000	0.000
%	2472.7	.138	.023	1.000	1.000	2.135	.324	.1	1.912	206.8	.216	0.000	0.000
%	2472.8	.125	.018	1.000	1.000	2.135	.324	.1	2.148	206.8	.216	0.000	0.000
%	2473.0	.134	.006	1.000	1.000	2.135	.324	.1	39.010	206.8	.216	0.000	0.000
%	2473.2	.132	.000	1.000	1.000	2.135	.324	.1	36.115	206.8	.216	0.000	0.000
%	2473.3	.115	.000	1.000	1.000	2.135	.324	.1	21.161	206.8	.216	0.000	0.000
%	2473.5	.089	.000	1.000	1.000	2.135	.324	.1	7.545	206.8	.216	0.000	0.000
%	2473.6	.063	.006	1.000	1.000	2.135	.324	.1	.374	206.8	.216	0.000	0.000
%	2473.8	.057	.011	1.000	1.000	2.135	.324	.1	.036	206.8	.216	0.000	0.000
%	2473.9	.075	.005	1.000	1.000	2.135	.324	.1	2.107	206.8	.216	0.000	0.000
%	2474.1	.097	.000	1.000	1.000	2.135	.324	.1	10.706	206.8	.216	0.000	0.000
%	2474.2	.094	.000	1.000	1.000	2.135	.324	.1	9.616	206.8	.216	0.000	0.000
%	2474.4	.083	.000	1.000	1.000	2.135	.324	.1	5.787	206.8	.216	0.000	0.000
%	2474.5	.046	.008	1.000	1.000	2.135	.324	.1	.018	206.8	.216	0.000	0.000
%	2474.7	.050	.013	1.000	1.000	2.135	.324	.1	.008	206.8	.216	0.000	0.000
%	2474.8	.054	.034	1.000	1.000	2.135	.324	.1	.000	206.8	.216	0.000	0.000
%	2475.0	.073	.070	1.000	1.000	2.135	.324	.1	.000	206.8	.216	0.000	0.000
%	2475.1	.052	.051	1.000	1.000	2.135	.324	.1	.000	206.8	.216	0.000	0.000
%	2475.3	.052	.051	1.000	1.000	2.135	.324	.1	.000	206.8	.216	0.000	0.000
%	2475.4	.034	.033	1.000	1.000	2.135	.324	.1	.000	206.8	.216	0.000	0.000
%	2475.6	.042	.007	1.000	1.000	2.135	.324	.1	.015	206.8	.216	0.000	0.000
%	2475.7	.038	.007	1.000	1.000	2.135	.324	.1	.009	206.8	.216	0.000	0.000
%	2475.9	.058	.000	1.000	1.000	2.135	.324	.1	1.330	206.8	.216	0.000	0.000
%	2476.0	.047	.008	1.000	1.000	2.135	.324	.1	.024	206.8	.216	0.000	0.000
%	2476.2	.031	.030	1.000	1.000	2.135	.324	.1	.000	206.8	.216	0.000	0.000
%	2476.4	.096	.033	1.000	1.000	2.135	.324	.1	.029	206.8	.216	0.000	0.000
	2476.5	.163	.018	.802	1.000	2.287	.349	.1	11.977	208.6	.236	0.000	0.000
	2476.7	.158	.008	.807	1.000	2.440	.373	.1	70.796	219.5	.255	0.000	0.000
%	2476.8	.081	.029	1.000	1.000	2.440	.373	.1	.012	219.5	.255	0.000	0.000
%	2477.0	.001	0.000	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
%	2477.1	.011	.010	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000

* =RAW DATA CUT OFF

% =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS

& =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-E

SECTION FROM 2340.0 TO 2486.0

	DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
%	2477.3	.038	.037	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
%	2477.4	.093	.092	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
%	2477.6	.096	.095	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
%	2477.7	.105	.104	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
%	2477.9	.098	.097	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
.*	2478.0	.110	.109	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
.*	2478.2	.107	.106	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
.*	2478.3	.090	.089	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
%	2478.5	.100	.099	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
%	2478.6	.104	.103	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
%	2478.8	.155	.089	1.000	1.000	2.440	.373	.1	.007	219.5	.255	0.000	0.000
%	2478.9	.168	.073	1.000	1.000	2.440	.373	.1	.075	219.5	.255	0.000	0.000
%	2479.1	.165	.058	1.000	1.000	2.440	.373	.1	.226	219.5	.255	0.000	0.000
%	2479.2	.129	.055	1.000	1.000	2.440	.373	.1	.028	219.5	.255	0.000	0.000
%	2479.4	.133	.049	1.000	1.000	2.440	.373	.1	.075	219.5	.255	0.000	0.000
%	2479.5	.135	.048	1.000	1.000	2.440	.373	.1	.090	219.5	.255	0.000	0.000
%	2479.7	.141	.040	1.000	1.000	2.440	.373	.1	.330	219.5	.255	0.000	0.000
%	2479.9	.135	.043	1.000	1.000	2.440	.373	.1	.168	219.5	.255	0.000	0.000
%	2480.0	.140	.045	1.000	1.000	2.440	.373	.1	.180	219.5	.255	0.000	0.000
%	2480.2	.132	.055	1.000	1.000	2.440	.373	.1	.038	219.5	.255	0.000	0.000
%	2480.3	.091	.076	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
%	2480.5	.090	.078	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
%	2480.6	.067	.066	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
%	2480.8	.092	.091	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
%	2480.9	.111	.103	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
.*	2481.1	.144	.106	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
.*	2481.2	.158	.105	1.000	1.000	2.440	.373	.1	.002	219.5	.255	0.000	0.000
.*	2481.4	.159	.119	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
.*	2481.5	.175	.122	1.000	1.000	2.440	.373	.1	.001	219.5	.255	0.000	0.000
.*	2481.7	.183	.116	1.000	1.000	2.440	.373	.1	.005	219.5	.255	0.000	0.000
.*	2481.8	.191	.114	1.000	1.000	2.440	.373	.1	.011	219.5	.255	0.000	0.000
.*	2482.0	.194	.109	1.000	1.000	2.440	.373	.1	.021	219.5	.255	0.000	0.000
.*	2482.1	.167	.120	1.000	1.000	2.440	.373	.1	.001	219.5	.255	0.000	0.000
.*	2482.3	.124	.123	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
.*	2482.4	.099	.098	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
.*	2482.6	.102	.101	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
.*	2482.8	.102	.101	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
.*	2482.9	.101	.100	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
.*	2483.1	.106	.105	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
.*	2483.2	.104	.103	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
.*	2483.4	.092	.091	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
.*	2483.5	.079	.078	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
.*	2483.7	.112	.111	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
.*	2483.8	.129	.127	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
.*	2484.0	.158	.121	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
.*	2484.1	.124	.123	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
.*	2484.3	.109	.108	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
.*	2484.4	.089	.088	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
.*	2484.6	.118	.117	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
.*	2484.7	.112	.111	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-E

SECTION FROM 2340.0 TO 2486.0

DEPTH	GROSS POROSITY	VC	SW	SXO	SAND COUNT	CUMUL POROSITY	CUMUL HYDROCARB	PERM INDEX	CUM.PERM INDEX	CUMUL VW	CUMUL VXO	CUMUL VXO -CUMUL VW
*% 2484.9	.120	.119	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
*% 2485.0	.085	.084	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
*% 2485.2	.081	.080	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
*% 2485.3	.055	.054	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
*% 2485.5	.095	.094	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
*% 2485.6	.107	.106	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
*% 2485.8	.102	.101	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000
*% 2486.0	.059	.058	1.000	1.000	2.440	.373	.1	.000	219.5	.255	0.000	0.000

* =RAW DATA CUT OFF % =OUTSIDE POROSITY LIMITS OR SW MAXIMUM OR SPECIFIED CHANNEL LIMITS & =MINIMUM SW SET

WEST SEAHORSE 1
DEEP SECTION ZONE-E

SECTION FROM 2340.0 TO 2486.0

INTERVAL SUMMARY

TOTAL INTERVAL	=	146.0 FT
NET INTERVAL	=	2.4 FT
NET/GROSS RATIO	=	.01671
EQUIVALENT POROSITY COLUMN	=	.373 FT
EQUIVALENT HYDROCARBON COLUMN	=	.117 FT
EQUIVALENT WATER VOL.	=	.255 FT
EQUIVALENT WATER VOL. (FLUSHED ZONE)	=	0.0000 FT

AVERAGES OVER NET INTERVAL

POROSITY	=	.15277
WATER SATURATION	=	.68527
HYDROCARBON SATURATION	=	.31473
HYDROCARBON VOLUME	=	.04808
WATER VOLUME	=	.10469
WATER VOLUME (FLUSHED ZONE)	=	0.00000
(WATER VOL. FLUSHED)-(WATER VOL.)	=	0.00000
PERMEABILITY INDEX	=	99.0
RECOVERY FACTOR	=	-1000.0

HYDROCARBON VOLUME OVER TOTAL INTERVAL = .00000

CUT-OFF VALUES

MINIMUM POROSITY	=	.08	MAXIMUM SW	=	1.00
MAXIMUM POROSITY	=	.35	MINIMUM SW RESET	=	.05
MAXIMUM NEUTRON	=	.38	MAXIMUM DENSITY	=	3.00
MINIMUM GR	=	0.00	MAXIMUM GR	=	200.00
BIT SIZE	=	12.25	MAXIMUM CALIPER	=	14.00

WARNING: THE COMPUTED LOG DATA OF THIS REALOGRUN ARE NOT SAVED !

**** END OF PROGRAM ****