

WOODSIDE (LAKES ENTRANCE) OIL COMPANY N.L.
PROGRESS WELL LOG - LITHOLOGIC DESCRIPTION

WELL: DUTSON DOWNS No. 1

SHEET No.: THREE

INTERVAL FROM 740

TO 1100

ELEV. K. B. 716 FT.

DATE 13/3/66 LOGGED BY D.G.L. A.A.M.

| BIT CHANGES | DIP DATA | TESTS | CASINGS-PERFS PLUGS | SW CORES CORES | GRAPHIC LOG DEPTH SCALE 1:500 | DESCRIPTION OF SHOWS AND MUD LOSSES | | | | | | % LITHOLOGY | | | | | FORMATION | AGE | | | |
|------------------------|----------|-------|------------------------|-------------------|-------------------------------------|--|----------|--------------|-----|-------|---------------|-------------|------------------------|-----------|-------|-----------|-----------|-----|-----------|--|--|
| | | | | | | OIL SHOW RATING | GAS SHOW | FLUORESCENCE | CUT | STAIN | EST. POROSITY | LIMESTONE | DOLOMITE CALC. ORG. | SANDSTONE | SHALE | GRAY MARL | | | ANHYDRITE | | |
| DRILLING RATE (MIN/FT) | | | | | | | | | | | | | | | | | | | | | |
| | | | | | 750 | | | | | | | 100 | | | | | | | | | |
| | | | | | 800 | | | | | | | 100 | | | | | | | | | |
| | | | | | 850 | | | | | | | 100 | | | | | | | | | |
| | | | | | 900 | | | | | | | 80 | 20 | | | | | | | | |
| | | | | | 950 | | | | | | | 60 | 40 | | | | | | | | |
| | | | | | 1000 | | | | | | | 70 | 30 | | | | | | | | |
| | | | | | 1050 | | | | | | | 80 | 20 | | | | | | | | |
| | | | | | 1100 | | | | | | | 60 | 40 | | | | | | | | |

DEPT. NAT. RES & ENV



PE604393

LITHOLOGIC
DESCRIPTION

700 - 910 (Cont.)
Limestone cream,
microcrystalline, made
up mainly of fossil
fragments, dominantly
Bryozoa. Forams Corals
Gastropods and Pelecypods
are also present.
Calcareous as above.

910 - 1060
MARL WITH
MINOR LIMESTONE
marl grey, argillaceous,
calcareous as before
Limestone cream as above

1060 - LIMESTONE
WITH MINOR MARL

GIPPS LAND LIMESTONE