



PE990332

FACIN \_\_\_\_\_ GIPPSLAND \_\_\_\_\_ DATE \_\_\_\_\_  
 WELL NAME \_\_\_\_\_ BONITA -101 \_\_\_\_\_ ELEVATION \_\_\_\_\_ 499 feet

AGE	PALYNOLOGIC ZONES	HIGHEST DATA				LOWEST DATA					
		Preferred Depth	Rtg.	Alternate Depth	Rtg.	2 way time	Preferred Depth	Rtg.	Alternate Depth	Rtg.	2 way time
MIOC.	<u>T. bellus</u>										
	<u>P. tuberculatus</u>										
EOCENE	<u>U. N. asperus</u>										
	<u>L. N. asperus</u>										
	<u>P. asperopolus</u>										
	<u>U. M. diversus</u>										
	<u>L. M. diversus</u>	8022	1			1-642	8146	1			1-660
PALEO-GENE	<u>L. balmei</u>	8278	1			1-652	9502	1			1-875
	<u>T. longus</u>	9612	1			1-892	9986	1			1-900
LATE CRETACEOUS	<u>T. lilliei</u>										
	<u>N. senectus</u>										
	<u>C. trip./T. pach.</u>										
	<u>C. distocarin.</u>										
	<u>T. pannosus</u>										
EARLY CRETACEOUS	<u>C. paradoxa</u>										
	<u>C. striatus</u>										
	<u>U. C. hughesii</u>										
	<u>L. C. hughesii</u>										
	<u>C. stylosus</u>										
Pre-Cretaceous											

COMMENTS: \_\_\_\_\_

T.D. 10431 (2.042)

- RATINGS: 0; SWC or CORE, EXCELLENT CONFIDENCE, assemblage with zone species of spores, pollen and microplankton.  
 1; SWC or CORE, GOOD CONFIDENCE, assemblage with zone species of spores and pollen or microplankton.  
 2; SWC or CORE, POOR CONFIDENCE, assemblage with non-diagnostic spores, pollen and/or microplankton.  
 3; CUTTINGS, FAIR CONFIDENCE, assemblage with zone species of either spores and pollen or microplankton, or both.  
 4; CUTTINGS, NO CONFIDENCE, assemblage with non-diagnostic spores, pollen and/or microplankton.

NOTE: If a sample cannot be assigned to one particular zone, then no entry should be made. Also, if an entry is given a 3 or 4 confidence rating, an alternate depth with a better confidence rating should be entered, if possible.

DATE RECORDED BY: L.E.S./ A.D.P. DATE June 1971  
 DATE REVISSED BY: L.E.S. DATE Dec. 1971