

BASIN

GIPPSLAND

DATE

WELL NAME

TURRUM - 1

ELEVATION

+99 FEET

AGE	PALYNOLOGIC ZONES	HIGHEST DATA					LOWEST DATA				
		Preferred Depth	Rtg.	Alternate Depth	Rtg.	2 way time	Preferred Depth	Rtg.	Alternate Depth	Rtg.	2 way time
Eocene	<u>P. tuberculatus</u>										
	<u>U. N. asperus</u>										
	<u>M. N. asperus</u>	6409	1				6409	1			
	<u>L. N. asperus</u>	6415	1				6680	1			
	<u>P. asperopolus</u>										
	<u>U. M. diversus</u>										
	<u>M. M. diversus</u>										
	<u>L. M. diversus</u>										
PALEOCENE	<u>U. L. balmei</u>										
	<u>L. L. balmei</u>	6900	1				8000	1			
	<u>T. longus</u>	8142	0				9360	1			
CRETACEOUS	<u>T. lilliei</u>	9660	1				10,001	1			
	<u>N. senectus</u>										
	<u>C. trip./T.pach.</u>										
	<u>C. distocarin.</u>										
	<u>T. pannosus</u>										
EARLY CRETACEOUS											
PRE-CRETACEOUS											

COMMENTS:

DINOFLAGELLATE ZONES:Deflandrea heterophylcta Zone 6415 (1) - 6680(1)Eisenackia crassitabulata Zone 6900 (2) - 7116 (1)Deflandrea druggii Zone 8142 (1)

- RATINGS: 0; SWC or CORE, EXCELLENT CONFIDENCE, assemblage with zone species of spores, pollen and microplankton.
- 1; SWC or CORE, GOOD CONFIDENCE, assemblage with zone species of spores and pollen or microplankton.
- 2; SWC or CORE, POOR CONFIDENCE, assemblage with non-diagnostic spores, pollen and/or microplankton.
- 3; CUTTINGS, FAIR CONFIDENCE, assemblage with zone species of either spore and pollen or microplankton, or both.
- 4; CUTTINGS, NO CONFIDENCE, assemblage with non-diagnostic spores, pollen and/or microplankton.

NOTE: If a sample cannot be assigned to one particular zone, then no entry should be made. Also, if an entry is given a 3 or 4 confidence rating, an alternate depth with a better confidence rating should be entered, if possible.

DATA RECORDED BY: LES/ADP; ADPDATE Dec. 1971; Jan. 1973.DATA REVISED BY: ADPDATE Jan. 1975.