



PE990807

BASIN		DATE									
GIPPSLAND		INTERPRETATIVE									
WELL NAME		ELEVATION									
SALMON-1		+31'									
AGE	PALYNOLOGIC ZONES	HIGHEST DATA				LOWEST DATA					
		Preferred Depth	Rtg.	Alternate Depth	Rtg.	2 way time	Preferred Depth	Rtg.	Alternate Depth	Rtg.	2 way time
Eocene	<i>P. tuberculatus</i>										
	<i>U. N. asperus</i>										
	<i>M. N. asperus</i>										
	<i>L. N. asperus</i>	6630	1				6688	2			
	<i>P. asperopolus</i>	6888	1				6888	1			
	<i>U. M. diversus</i>	7040	1				7220	1			
	<i>M. M. diversus</i>										
	<i>L. M. diversus</i>	7310	2				7844	1			
Paleocene	<i>U. L. balmei</i>	8008	1				8152	1			
	<i>L. L. balmei</i>	8820	2				9865	1			
	<i>T. longus</i>										
Cretaceous	<i>T. lilliei</i>										
	<i>N. senectus</i>										
	<i>C. trip./T. pach.</i>										
	<i>C. distocarin.</i>										
	<i>T. pannosus</i>										
EARLY CRETACEOUS											
PRE-CRETACEOUS											

DINOFLAGELLATE ZONES.

COMMENTS: Deflandrea heterophylcta Zone 6630(1) - 6688(2)
Eisenackia crassitabulata Zone 9250(2)

- RATINGS: 0; SWC or CORE, EXCELLENT CONFIDENCE, assemblage with zone species of spores, pollen and microplankton.
 1; SWC or CORE, GOOD CONFIDENCE, assemblage with zone species of spores and pollen or microplankton.
 2; SWC or CORE, POOR CONFIDENCE, assemblage with non-diagnostic spores, pollen and/or microplankton.
 3; CUTTINGS, FAIR CONFIDENCE, assemblage with zone species of either spore and pollen or microplankton, or both.
 4; CUTTINGS, NO CONFIDENCE, assemblage with non-diagnostic spores, pollen and/or microplankton.

NOTE: If a sample cannot be assigned to one particular zone, then no entry should be made. Also, if an entry is given a 3 or 4 confidence rating, an alternate depth with a better confidence rating should be entered, if possible.

DATA RECORDED BY: L.E.S./A.D.P. DATE June 1971; Dec. 1971.

DATA REVISED BY: A.D.P. DATE January 1975.