

WELL NAME

PERCH - 1

ELEVATION

+31 feet



AGE	PALYNOLOGIC ZONES	HIGHEST DATA				LOWEST DATA					
		Preferred Depth	Rtg.	Alternate Depth	Rtg.	2 way time	Preferred Depth	Rtg.	Alternate Depth	Rtg.	2 way time
Eocene	<i>P. tuberculatus</i>										
	<i>U. N. asperus</i>										
	<i>M. N. asperus</i>	3750	0				3808	0			
	<i>L. N. asperus</i>	4074	2				4074	2			
	<i>P. asperopolus</i>										
	<i>U. M. diversus</i>										
	<i>M. M. diversus</i>										
	<i>L. M. diversus</i>										
PALEOCENE	<i>U. L. balmei</i>										
	<i>L. L. balmei</i>	4362	2	4555	1		4720	2			
	<i>T. longus</i>	4790	2				4825	2			
CRETACEOUS	<i>T. lilliei</i>										
	<i>N. senectus</i>										
	<i>C. trip./T. pach.</i>										
	<i>C. distocar.</i>										
	<i>T. pannosus</i>										
EARLY CRETACEOUS		5683	1				8753	2			
PRE-CRETACEOUS											
	T.D.	9417									

COMMENTS:

Deflandrea extensa Dinoflagellate Zone 3750(1) - 3808(1)

EARLY CRETACEOUS ZONES:

C. paradoxa Zone 5683(1) - 6740(1)

C. striatus Zone 6885(1) - 8092(1)

C. hughesii Zone 8254(2) - 8753(2)

- RATINGS: 0; SWC or CORE, EXCELLENT CONFIDENCE, assemblage with zone species of spores, pollen and microplankton.
 1; SWC or CORE, GOOD CONFIDENCE, assemblage with zone species of spores and pollen or microplankton.
 2; SWC or CORE, POOR CONFIDENCE, assemblage with non-diagnostic spores, pollen and/or microplankton.
 3; CUTTINGS, FAIR CONFIDENCE, assemblage with zone species of either spore and pollen or microplankton, or both.
 4; CUTTINGS, NO CONFIDENCE, assemblage with non-diagnostic spores, pollen and/or microplankton.

NOTE: If a sample cannot be assigned to one particular zone, then no entry should be made. Also, if an entry is given a 3 or 4 confidence rating, an alternate depth with a better confidence rating should be entered, if possible.

DATA RECORDED BY: LES/ADP

DATE June 1971; Dec. 1971.

DATA REVISED BY: ADP

DATE Jan. 1975