

SIDEWALL CORE Depth in metres	PLANKTONIC FORAMINIFERA				PLANKTONIC FORAMINIFERAL BIOSTRATIGRAPHY			
	EOCENE	EARLY OLIGOCENE	EARLY MIOCENE	MID to LATE MIOCENE	ZONE	Depth at Base	AGE	
	<i>G'ina primitiva</i> <i>G'ina frontosa</i> <i>G'ina angiporoides minima</i> <i>G'ina linaperta</i> <i>G'ina & Galia</i> indet <.2mm <i>G'alia turgida</i> <i>G'alia centralis</i> <i>G'alia gemma</i> <i>G'alia nana</i> <i>G'ina angiporoides (S.S.)</i> <i>G'ina praebulloides</i> <i>G'ina brevis</i> <i>G'ina euapertura</i> <i>G'alia munda</i> <i>G'ina triparita</i>	<i>G'ina woodi connecta</i> <i>G'ina woodi woodi</i> <i>G'ina bulloides</i> <i>G'quad dehisens (S.L.)</i> <i>G'alia continua</i> <i>G'alia bella</i> <i>Cat. dissimilis</i> <i>G'quad dehisens (S.S.)</i> <i>G'quad altispira</i> <i>G'quad advena</i> <i>G'alia kugleri</i> <i>G'alia zealandica</i> <i>G'ina ciperocensis</i> <i>G'oides parawoodi</i> <i>G'alia praescitula</i> <i>G'oides trilobus</i> <i>G'oides parabulloides</i> <i>Ss. disjuncta</i> <i>G'oides bisphericus</i> <i>G'alia miozea miozea</i> <i>Praeorb. glomerosa</i>	<i>Orb. suturalis</i> <i>G'alia miozea conoidea</i> <i>G'alia conica</i> <i>G'alia siakensis/mayeri</i> <i>G'alia peripheronda</i> <i>G'alia praemenardii</i> <i>Orb. universa</i> <i>G'alia miotumida</i> <i>G'alia lenguaensis</i> <i>G'ina nepenthes</i> <i>G'alia scitula</i> <i>G'alia acostaensis</i>					
1134.1 →			x x			B-2	1134.1	LATE to MID MIOCENE
1282.0 →			x x x			C	1282.0	
1389.0 →			x x x			D-2	1627.0	? ? ?
1554.1 →	indet		x			E-2	1694.9	
1627.0 →			x x				1752.0	EARLY MIOCENE
1694.9 →			x x			F	1867.1	
1752.1 →			x x			G	2020.1	EARLY OLIGOCENE
1790.0 →			x x x			H-1	2108.0	
1836.1 →			x x x				2113.0	LATE EOCENE
1844.0 →			x x x			K	2208.1	
1867.1 →			x x				2220.9	MID to EARLY EOCENE
1916.1 →			x x				2232.5	
1985.0 →			x x x				2237.0	with mid Miocene contamination
2020.1 →			x x x				2241.0	
2060.1 →			x x x				2250.5	N to P
2085.0 →			x x x				2257.0	
2095.0 →			x x x x				2274.0	No planktonics
2105.0 →			x x x x				2314.0	
2108.0 →			x x x x				2411.9	No planktonics
2113.0 →			x x x x				2511.5	
2112.1 →			x x x x				2543.0	
2135.0 →			x x x x x					
2145.0 →			x x x x x					
2160.0 →			x x x x x					
2177.5 →			x x x x x					
2192.1 →			x x x x x					
2208.1 →			x x x x x					
2220.9 →			x x x x x					
2232.5 →			x x x x x					
2237.0 →			x x x x x					
2241.0 →			x x x x x					
2250.5 →			x x x x x					
2257.0 →			x x x x x					
2274.0 →			x x x x x					
2314.0 →			x x x x x					
2411.9 →			x x x x x					
2511.5 →			x x x x x					
2543.0 →			x x x x x					

KEY: ° = <20 specimens indet = indeterminate due to preservation
x = >20 specimens N.F.F. = no foraminifera found
? = determination queried ~~~~~ = definite hiatus
R = recycled Oligocene specimen - ? - = hiatus uncertain

TABLE 3: PLANKTONIC FORAMINIFERAL DISTRIBUTION - TARRA # 1.

David Taylor, 2/6/1983.

DEPT. NAT. RES & ENV



PE906387