

Well Completion Report

ESSO
WIRRAH #2
VSP
PLOT #5
WAVESHAPE FILTER AND
PREDICTIVE DECONVOLUTION
UP AND DOWNGOING EVENTS
NORMAL POLARITY
(14HZ - 50HZ)



STACK USED 0-4-SEC
ALL DATA USED

AFTER WAVESHAPE
FILTER AND PREDICTIVE
DECONVOLUTION APPLIED
DOWNGOING EVENTS
CORRECTED TO SPD
NORMAL POLARITY
TWO WAY TIME

THE DOWNGOING EVENTS HAVE
BEEN ALIGNED AND SHIFTED TO
AN ARBITRARY TIME ORIGIN OF
50MS. THIS PLOT COMPRISES THE
DIRECT ARRIVAL AND DOWNGOING
MULTIPLE EVENTS.

BAND PASS FILTER USED
14HZ-50HZ

AFTER WAVESHAPE
FILTER AND PREDICTIVE
DECONVOLUTION APPLIED
UPGOING EVENTS
IN TWO WAY TIME
NORMAL POLARITY

THIS PLOT COMPRISES
THE UPGOING REFLECTION
AND UPGOING MULTIPLE EVENTS.

BAND PASS FILTER USED
14HZ-50HZ

LEVEL	DEPTH	TIME	PERK/PEAK
0	1574.0	0.000	157.40
1	1574.0	0.000	157.40
2	1574.0	0.000	157.40
3	1574.0	0.000	157.40
4	1574.0	0.000	157.40
5	1574.0	0.000	157.40
6	1574.0	0.000	157.40
7	1574.0	0.000	157.40
8	1574.0	0.000	157.40
9	1574.0	0.000	157.40
10	1574.0	0.000	157.40
11	1574.0	0.000	157.40
12	1574.0	0.000	157.40
13	1574.0	0.000	157.40
14	1574.0	0.000	157.40
15	1574.0	0.000	157.40
16	1574.0	0.000	157.40
17	1574.0	0.000	157.40
18	1574.0	0.000	157.40
19	1574.0	0.000	157.40
20	1574.0	0.000	157.40
21	1574.0	0.000	157.40
22	1574.0	0.000	157.40
23	1574.0	0.000	157.40
24	1574.0	0.000	157.40
25	1574.0	0.000	157.40
26	1574.0	0.000	157.40
27	1574.0	0.000	157.40
28	1574.0	0.000	157.40
29	1574.0	0.000	157.40
30	1574.0	0.000	157.40
31	1574.0	0.000	157.40
32	1574.0	0.000	157.40
33	1574.0	0.000	157.40
34	1574.0	0.000	157.40
35	1574.0	0.000	157.40
36	1574.0	0.000	157.40
37	1574.0	0.000	157.40
38	1574.0	0.000	157.40
39	1574.0	0.000	157.40
40	1574.0	0.000	157.40
41	1574.0	0.000	157.40
42	1574.0	0.000	157.40
43	1574.0	0.000	157.40
44	1574.0	0.000	157.40
45	1574.0	0.000	157.40
46	1574.0	0.000	157.40
47	1574.0	0.000	157.40
48	1574.0	0.000	157.40
49	1574.0	0.000	157.40
50	1574.0	0.000	157.40
51	1574.0	0.000	157.40
52	1574.0	0.000	157.40
53	1574.0	0.000	157.40
54	1574.0	0.000	157.40
55	1574.0	0.000	157.40
56	1574.0	0.000	157.40
57	1574.0	0.000	157.40
58	1574.0	0.000	157.40
59	1574.0	0.000	157.40
60	1574.0	0.000	157.40
61	1574.0	0.000	157.40
62	1574.0	0.000	157.40
63	1574.0	0.000	157.40
64	1574.0	0.000	157.40
65	1574.0	0.000	157.40
66	1574.0	0.000	157.40
67	1574.0	0.000	157.40
68	1574.0	0.000	157.40
69	1574.0	0.000	157.40
70	1574.0	0.000	157.40
71	1574.0	0.000	157.40
72	1574.0	0.000	157.40
73	1574.0	0.000	157.40
74	1574.0	0.000	157.40
75	1574.0	0.000	157.40
76	1574.0	0.000	157.40
77	1574.0	0.000	157.40
78	1574.0	0.000	157.40
79	1574.0	0.000	157.40
80	1574.0	0.000	157.40
81	1574.0	0.000	157.40
82	1574.0	0.000	157.40
83	1574.0	0.000	157.40
84	1574.0	0.000	157.40
85	1574.0	0.000	157.40
86	1574.0	0.000	157.40
87	1574.0	0.000	157.40
88	1574.0	0.000	157.40
89	1574.0	0.000	157.40
90	1574.0	0.000	157.40
91	1574.0	0.000	157.40
92	1574.0	0.000	157.40
93	1574.0	0.000	157.40
94	1574.0	0.000	157.40
95	1574.0	0.000	157.40
96	1574.0	0.000	157.40
97	1574.0	0.000	157.40
98	1574.0	0.000	157.40
99	1574.0	0.000	157.40
100	1574.0	0.000	157.40

