



GAUGE NO: 8818 DEPTH: 2604.0 BLANKED OFF: YES HOUR OF CLOCK: 24

ID	DESCRIPTION	PRESSURE		TIME		TYPE
		REPORTED	CALCULATED	REPORTED	CALCULATED	
A	INITIAL HYDROSTATIC	1262	1241.5			
B	INITIAL FIRST FLOW	425	434.3			
C	FINAL FIRST FLOW	458	436.3	15.0	15.1	F
C	INITIAL FIRST CLOSED-IN	458	436.3			
D	FINAL FIRST CLOSED-IN	1051	1042.7	30.0	28.5	C
E	INITIAL SECOND FLOW	490	489.5			
F	FINAL SECOND FLOW	490	479.2	45.0	46.8	F
F	INITIAL SECOND CLOSED-IN	490	479.2			
G	FINAL SECOND CLOSED-IN	1034	1036.2	45.0	44.6	C
H	FINAL HYDROSTATIC	1230	1240.2			

DEPT. NAT. RES & ENV

 PE906540

EQUIPMENT & HOLE DATA FORMATION TESTED: <u>LA TROBE</u> NET PAY (ft): _____ GROSS TESTED FOOTAGE: <u>60.7</u> ALL DEPTHS MEASURED FROM: <u>KELLY BUSHING</u> CASING PERFS. (ft): _____ HOLE OR CASING SIZE (in): <u>8.500</u> ELEVATION (ft): _____ TOTAL DEPTH (ft): <u>2607.0</u> PACKER DEPTH(S) (ft): <u>2539, 2546</u> FINAL SURFACE CHOKE (in): _____ BOTTOM HOLE CHOKE (in): <u>0.750</u> MUD WEIGHT (lb/gal): <u>8.90</u> MUD VISCOSITY (sec): <u>42</u> ESTIMATED HOLE TEMP. (°F): _____ ACTUAL HOLE TEMP. (°F): <u>152 @ 2603.0 ft</u>		TICKET NUMBER: <u>25093700</u> DATE: <u>10-16-85</u> TEST NO: <u>1</u> TYPE DST: <u>OPEN HOLE</u> HALLIBURTON CAMP: <u>SALE</u> TESTER: <u>R. W. BLANTON</u> <u>B. TAPLIN</u> WITNESS: <u>V. SANTOSTEFANO</u> DRILLING CONTRACTOR: <u>ATCO #3</u>	
FLUID PROPERTIES FOR RECOVERED MUD & WATER SOURCE RESISTIVITY CHLORIDES _____ @ _____ °F _____ ppm _____ @ _____ °F _____ ppm _____ @ _____ °F _____ ppm _____ @ _____ °F _____ ppm _____ @ _____ °F _____ ppm _____ @ _____ °F _____ ppm		SAMPLER DATA Pstg AT SURFACE: _____ cu.ft. OF GAS: _____ cc OF OIL: _____ cc OF WATER: _____ cc OF MUD: _____ TOTAL LIQUID cc: _____	
HYDROCARBON PROPERTIES OIL GRAVITY (°API): _____ @ _____ °F GAS/OIL RATIO (cu.ft. per bbl): _____ GAS GRAVITY: _____		CUSHION DATA TYPE AMOUNT WEIGHT <u>WATER (FEET)</u> <u>1000.0</u> <u>8.40</u>	
RECOVERED: NO REPORTED RECOVERY			MEASURED FROM TESTER VALVE
REMARKS: LEGAL LOCATION: LAT. 37 DEG., 59', 42.8"S; LONG. 147 DEG., 29', 48.1"E. CHARTS INDICATE PLUGGING OF THE ANCHOR PIPE PERFORATIONS DURING BOTH FLOW PERIODS.			