

Input Source: D:\OP_Folder\Clients\ExxonMobil\BMA_A25\GUN\COMP_MPBT_COMP_087.DLIS
Format: DLIS
Storage Set ID: Default Storage Set

Max Record Length: 8192
Storage Unit Sequence: 1

File Header File: **MPBT_068LUP** Sequence: **1**

Defining Origin: 35

File ID: MPBT_068LUP File Type: DEPTH LOG

Producer Name: Schlumberger Product/Version: OP 13C0-300 File Set: 41 File Number: 67 22-DEC-2005 18:48:32

Company Name: Esso Australia Ltd.
Well Name: BMA A-25
Field Name: Bream
Tool String: MPEX-BA, MPSU-CA, CCL-I
Computations: WELLCAD

Error Summary File: **MPBT_068LUP** Sequence: **1**

No errors detected in file.

Well Site Data File: **MPBT_068LUP** Sequence: **1**

Origin: 35

Well Data

Company Name	Esso Australia Ltd.	CN
Well Name	BMA A-25	WN
Field Name	Bream	FN
Rig:	ISDL 453 / Prod 3	CLAB, COUN
State:	Victoria	SLAB, STAT
Nation	Australia	NATI
Field Location	Gippsland	FL
	Basin	FL1
	Bass Strait	FL2
Service Order Number	AUSL05165315	SON
Longitude	147° 46' 20.4071"E	LONG
Latitude	038° 29' 58.9208"S	LATI
Maximum Hole Deviation	70.0 (deg)	MHD
Elevation of Kelly Bushing	33.2 (m)	EKB
Elevation of Ground Level	-59.0 (m)	EGL
Elevation of Derrick Floor	33.2 (m)	EDF
Permanent Datum	Mean Sea Level	PDAT, EPD
Log Measured From	Kelly Bushing	LMF, APD
Drilling Measured From	Kelly Bushing	DMF
	Elevation of Permanent Datum 0.0 (m)	
	Above Permanent Datum 33.2 (m)	

Absent Valued Parameters: CN1, CONT, SECT, TOWN, RANG, APIN

Job Data

Date as Month-Day-Year	22-Dec-2005	DATE
Run Number	2	RUN
Total Depth - Driller	4012.0 (m)	TDD
Total Depth - Logger	4005.0 (m)	TDL
Bottom Log Interval	4005.0 (m)	BLI
Top Log Interval	3880.0 (m)	TLI
Current Casing Size	7.00 (in)	CSIZ
Casing Depth From	3645.5 (m)	CDF
Casing Depth To	4064.0 (m)	CADT
Casing Grade	N-80	CASG
Casing Weight	26.0 (lbm/ft)	CWEI
Bit Size	7.00 (in)	BS
Bit Size Depth From	3645.5 (m)	BSDF
Bit Size Depth To	4064.0 (m)	BSDT
Date Logger At Bottom	22-Dec-2005	DLAB, TLAB
Logging Unit Number	41	LUN, LUL
Engineer's Name	J.Hogan/D.Molokhov	ENGI
Witness's Name	Ross Morris	WITN
Service Order Number	AUSL05165315	SON
	Time Logger At Bottom 18:30	
	Logging Unit Location AUSL	

Mud Data

Mud Data

Drilling Fluid Type
Drilling Fluid Density
Date Logger At Bottom

Production Fluids
1.000 (g/cm3)
22-Dec-2005

Time Logger At Bottom 18:30

DFT
DFD
DLAB, TLAB

Absent Valued Parameters: DfV, DFL, DFPH, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT, MRT1, MRT2, MRT3, DCS, TCS

PVT Data

Absent Valued Parameters: ODen, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR

Cement Data

Cement Job TypePrimaryCJT

Absent Valued Parameters: CTOp, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA

Remarks

Log Correlated to Exxon Mobil Log dated 11-Jan-2005
Purpose of log, to set MPBT plug at 4005mMDKB.
Conducted drift run with dummy plug to ensure access to depth.
Dummy plug was run with PGGT.
GR-CCL was recorded.
CCL-Top Seal of Plug = 7.2 M.
CCL stop depth = 3997.8 M MDKB.
Plug set at 4005 M.
After Plug set, water and 1.1m cement dumped on top of plug.
Crew: Paul Flood, Craig Armstrong (days)
Peter Lawrence, Nathan Simmons (nights)

R1
R3
R4
R5
R6
R7
R8
R9
R10
R12
R13

Other Services

noneOS1

Frame Summary

File: MPBT_068LUP

Sequence: 1

Origin: 35

Index Type	Start	Stop	Spacing	Channels	Index Channel	Frame Name
BOREHOLE-DEPTH	3970.02	3898.54 m	-60.0 (0.1 in) up	7	TDEP	60B
	13025.00	12790.50 ft				
BOREHOLE-DEPTH	3970.02	3898.42 m	-10.0 (0.1 in) up	6	TDEP;1	10B
	13025.00	12790.08 ft				

File Header

File: MPBT_070LUP

Sequence: 2

Defining Origin: 35

File ID: MPBT_070LUP File Type: DEPTH LOG

Producer Name: Schlumberger Product/Version: OP 13C0-300

File Set: 41 File Number: 69 22-DEC-2005 19:07:51

Company Name: Esso Australia Ltd.

Well Name: BMA A-25

Field Name: Bream

Tool String: MPEX-BA, MPSU-CA, CCL-I

Computations: WELLCAD

Error Summary

File: MPBT_070LUP

Sequence: 2

No errors detected in file.

Well Site Data

File: MPBT_070LUP

Sequence: 2

Origin: 35

Well Data

Company Name	Esso Australia Ltd.	CN
Well Name	BMA A-25	WN
Field Name	Bream	FN
Rig:	ISDL 453 / Prod 3	CLAB, COUN
State:	Victoria	SLAB, STAT
Nation	Australia	NATI
Field Location	Gippsland	FL
	Basin	FL1
	Bass Strait	FL2
Service Order Number	AUSL05165315	SON
Longitude	147° 46' 20.4071"E	LONG
Latitude	038° 20' 58.9208"S	LATI

File Header File: B5B5C_0371.UB Sequences: 3

File Header		File: PERFO_077LUP	Sequence: 3
Defining Origin: 35			
File ID: PERFO_077LUP File Type: DEPTH LOG			
Producer Name: Schlumberger		Product/Version: OP 13C0-300	File Set: 41
			File Number: 76
			23-DEC-2005 2:05:05
Company Name:	Esso Australia Ltd.		
Well Name:	BMA A-25		
Field Name:	Bream		
Tool String:	SHM_GUN, CCL-L		
Computations:	WELLCAD		

Error Summary	File: PERFO_077LUP	Sequence: 3
No errors detected in file.		

Well Site Data	File: PERFO_077LUP	Sequence: 3
Origin: 35		
Well Data		
Company Name	Esso Australia Ltd.	CN
Well Name	BMA A-25	WN
Field Name	Bream	FN
Rig:	ISDL 453 / Prod 3	CLAB, COUN
State:	Victoria	SLAB, STAT
Nation	Australia	NATI
Field Location	Gippsland	FL
	Basin	FL1
	Bass Strait	FL2
Service Order Number	AUSL05165315	SON
Longitude	147° 46' 20.4071"E	LONG
Latitude	038° 29' 58.9208"S	LATI
Maximum Hole Deviation	70.0 (deg)	MHD
Elevation of Kelly Bushing	33.2 (m)	EKB
Elevation of Ground Level	-59.0 (m)	EGL
Elevation of Derrick Floor	33.2 (m)	EDF
Permanent Datum	Mean Sea Level	PDAT, EPD
Log Measured From	Kelly Bushing	LMF, APD
Drilling Measured From	Kelly Bushing	DMF
Elevation of Permanent Datum 0.0 (m)		
Above Permanent Datum 33.2 (m)		
Absent Valued Parameters: CN1, CONT, SECT, TOWN, RANG, APIN		

Job Data		
Date as Month-Day-Year	22-Dec-2005	DATE
Run Number	2	RUN
Total Depth - Driller	4012.0 (m)	TDD
Total Depth - Logger	4005.0 (m)	TDL
Bottom Log Interval	4005.0 (m)	BLI
Top Log Interval	3880.0 (m)	TLI
Current Casing Size	7.00 (in)	CSIZ
Casing Depth From	3645.5 (m)	CDF
Casing Depth To	4064.0 (m)	CADT
Casing Grade	N-80	CASG
Casing Weight	26.0 (lbm/ft)	CWEI
Bit Size	7.00 (in)	BS
Bit Size Depth From	3645.5 (m)	BSDF
Bit Size Depth To	4064.0 (m)	BSDT
Date Logger At Bottom	22-Dec-2005	DLAB, TLAB
Logging Unit Number	41	LUN, LUL
Engineer's Name	J.Hogan/D.Molokhov	ENGI
Witness's Name	Ross Morris	WITN
Service Order Number	AUSL05165315	SON
Time Logger At Bottom 18:30		
Logging Unit Location AUSL		

Mud Data		
Drilling Fluid Type	Production Fluids	DFT
Drilling Fluid Density	1.000 (g/cm3)	DFD
Date Logger At Bottom	22-Dec-2005	DLAB, TLAB
Time Logger At Bottom 18:30		
Absent Valued Parameters: DFV, DFL, DFPH, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT, MRT1, MRT2, MRT3, DCS, TCS		

PVT Data		
Absent Valued Parameters: ODEN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR		

Cement Data		
Cement Job Type	Primary	CJT
Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CAPP, TCTY, TCY, TCDE, TCWL, TCA		

Remarks	
Log Correlated to Exxon Mobil Log dated 11-Jan-2005	R1
Purpose of log, to set MPBT plug at 4005mMDKB.	R3
Conducted drift run with dummy plug to ensure access to depth.	R4
Dummy plug was run with PGGT.	R5
GR-CCL was recorded.	R6
CCL-Top Seal of Plug = 7.2 M.	R7
CCL stop depth = 3997.8 M MDKB.	R8
Plug set at 4005 M.	R9
After Plug set, water and 1.1m cement dumped on top of plug.	R10
Crew: Paul Flood, Craig Armstrong (days)	R12
Peter Lawrence, Nathan Simmons (nights)	R13
Other Services	
none	OS1


Frame Summary		File: PERFO_077LUP	Sequence: 3			
Origin: 35						
<u>Index Type</u>	<u>Start</u>	<u>Stop</u>	<u>Spacing</u>	<u>Channels</u>	<u>Index Channel</u>	<u>Frame Name</u>
BOREHOLE-DEPTH	3989.68	3977.64 m	-60.0 (0.1 in) up	7	TDEP	60B
	13089.50	13050.00 ft				
BOREHOLE-DEPTH	3989.68	3977.67 m	-10.0 (0.1 in) up	6	TDEP;1	10B
	13089.50	13050.08 ft				

File Header		File: PERFO_085PUP	Sequence: 4
Defining Origin: 35			
File ID: PERFO_085PUP File Type: PLAYBACK			
Producer Name: Schlumberger		Product/Version: OP 13C0-300	File Set: 41
			File Number: 84
			23-DEC-2005 8:40:08
Company Name: Esso Australia Ltd.			
Well Name: BMA A-25			
Field Name: Bream			
Tool String: SHM_GUN, CCL-L			
Computations: WELLCAD			

Error Summary		File: PERFO_085PUP	Sequence: 4
No errors detected in file.			

Well Site Data		File: PERFO_085PUP	Sequence: 4
Origin: 35			
Well Data			
Company Name	Esso Australia Ltd.		CN
Well Name	BMA A-25		WN
Field Name	Bream		FN
Rig:	ISDL 453 / Prod 3		CLAB, COUN
State:	Victoria		SLAB, STAT
Nation	Australia		NATI
Field Location	Gippsland		FL
	Basin		FL1
	Bass Strait		FL2
Service Order Number	AUSL05165315		SON
Longitude	147° 46' 20.4071"E		LONG
Latitude	038° 29' 58.9208"S		LATI
Maximum Hole Deviation	70.0 (deg)		MHD
Elevation of Kelly Bushing	33.2 (m)		EKB
Elevation of Ground Level	-59.0 (m)		EGL
Elevation of Derrick Floor	33.2 (m)		EDF
Permanent Datum	Mean Sea Level	Elevation of Permanent Datum 0.0 (m)	PDAT, EPD
Log Measured From	Kelly Bushing	Above Permanent Datum 33.2 (m)	LMF, APD
Drilling Measured From	Kelly Bushing		DMF
Absent Valued Parameters: CN1, CONT, SECT, TOWN, RANG, APIN			
Job Data			
Date as Month-Day-Year	22-Dec-2005		DATE
Run Number	2		RUN

Run Number	2				RUN
Total Depth – Driller	4012.0 (m)				TDD
Total Depth – Logger	4005.0 (m)				TDL
Bottom Log Interval	4005.0 (m)				BLI
Top Log Interval	3880.0 (m)				TLI
Current Casing Size	7.00 (in)				CSIZ
Casing Depth From	3645.5 (m)				CDF
Casing Depth To	4064.0 (m)				CADT
Casing Grade	N-80				CASG
Casing Weight	26.0 (lbm/ft)				CWEI
Bit Size	7.00 (in)				BS
Bit Size Depth From	3645.5 (m)				BSDF
Bit Size Depth To	4064.0 (m)				BSDT
Date Logger At Bottom	22-Dec-2005	Time Logger At Bottom	18:30		DLAB, TLAB
Logging Unit Number	41	Logging Unit Location	AUSL		LUN, LUL
Engineer's Name	J.Hogan/D.Molokhov				ENGI
Witness's Name	Ross Morris, Glenn Campbell				WITN
Service Order Number	AUSL05165315				SON
Mud Data					
Drilling Fluid Type	Production Fluids				DFT
Drilling Fluid Density	1.000 (g/cm3)				DFD
Date Logger At Bottom	22-Dec-2005	Time Logger At Bottom	18:30		DLAB, TLAB
Absent Valued Parameters: DfV, DfL, DfPH, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT, MRT1, MRT2, MRT3, DCS, TCS					
PVT Data					
Absent Valued Parameters: ODEN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR					
Cement Data					
Cement Job Type	Primary				CJT
Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA					
Remarks					
Log Correlated to Exxon Mobil Log dated 11-Jan-2005					R1
Purpose of log, to set MPBT plug at 4005mMDKB.					R3
Conducted drift run with dummy plug to ensure access to depth.					R4
Dummy plug was run with PGGT.					R5
GR-CCL was recorded.					R6
CCL-Top Seal of Plug = 7.2 M.					R7
CCL stop depth = 3997.8 M MDKB.					R8
Plug set at 4005 M.					R9
After Plug set, water and 1.1m cement dumped on top of plug.					R10
Crew: Paul Flood, Craig Armstrong (days)					R12
Peter Lawrence, Nathan Simmons (nights)					R13
Other Services					
none					OS1

<div> <div>Frame Summary</div> <div>File: PERFO_085PUP</div> <div>Sequence: 4</div> </div>																																									
<div> <div>Origin: 35</div> <table> <tr> <th>Index Type</th><th>Start</th><th>Stop</th><th>Spacing</th><th>Channels</th><th>Index Channel</th><th>Frame Name</th></tr> <tr> <td>BOREHOLE-DEPTH</td><td>3992.58</td><td>3912.41 m</td><td>-60.0 (0.1 in) up</td><td>7</td><td>TDEP</td><td>60B</td></tr> <tr> <td></td><td>13099.00</td><td>12836.00 ft</td><td></td><td></td><td></td><td></td></tr> <tr> <td>BOREHOLE-DEPTH</td><td>3992.58</td><td>3912.44 m</td><td>-10.0 (0.1 in) up</td><td>6</td><td>TDEP;1</td><td>10B</td></tr> <tr> <td></td><td>13099.00</td><td>12836.08 ft</td><td></td><td></td><td></td><td></td></tr> </table> </div>							Index Type	Start	Stop	Spacing	Channels	Index Channel	Frame Name	BOREHOLE-DEPTH	3992.58	3912.41 m	-60.0 (0.1 in) up	7	TDEP	60B		13099.00	12836.00 ft					BOREHOLE-DEPTH	3992.58	3912.44 m	-10.0 (0.1 in) up	6	TDEP;1	10B		13099.00	12836.08 ft				
Index Type	Start	Stop	Spacing	Channels	Index Channel	Frame Name																																			
BOREHOLE-DEPTH	3992.58	3912.41 m	-60.0 (0.1 in) up	7	TDEP	60B																																			
	13099.00	12836.00 ft																																							
BOREHOLE-DEPTH	3992.58	3912.44 m	-10.0 (0.1 in) up	6	TDEP;1	10B																																			
	13099.00	12836.08 ft																																							
			<div>Verification Listing</div>		<div>Listing Completed: 23-DEC-2005 9:37:04</div>																																				