

Input Source: D:\OP_Folder\Clients\Esoo_Australia_Pty_Ltd\MKA_A22\Correlation_ESSO_DATA\ESSO_MKA_A22_PERFO_039PUP.DLIS
Format: DLIS **Max Record Length:** 8192
Storage Set ID: Default Storage Set **Storage Unit Sequence:** 1

File Header File: **PERFO_039PUP** Sequence: **39****Defining Origin: 35**

File ID: PERFO_039PUP File Type: PLAYBACK

Producer Name: Schlumberger Product/Version: OP 17C0-154 File Set: 41 File Number: 37 8-DEC-2009 12:49:40

Company Name: Esso Australia Pty Ltd
Well Name: MKA A22
Field Name: Mackerel
Tool String: SHM_GUN, UPCT-A
Computations: WELLCAD

Error Summary File: **PERFO_039PUP** Sequence: **39**

No errors detected in file.

Well Site Data File: **PERFO_039PUP** Sequence: **39****Origin: 35****Well Data**

Company Name	Esso Australia Pty Ltd	CN
Well Name	MKA A22	WN
Field Name	Mackerel	FN
Rig:	Rig 22/Prod 2	CLAB, COUN
State:	Victoria	SLAB, STAT
Nation	Australia	NATI
Field Location	Bass Strait	FL
	Gippsland	FL1
	Basin	FL2
Service Order Number	4500596663	SON
Longitude	148° 20' 28.54" E	LONG
Latitude	038° 28'50.13" S	LATI
Maximum Hole Deviation	67.0 (deg)	MHD
Elevation of Kelly Bushing	39.5 (m)	EKB
Elevation of Ground Level	-93.0 (m)	EGL
Elevation of Derrick Floor	39.5 (m)	EDF
Permanent Datum	MSL	PDAT, EPD
Log Measured From	D.F	LMF, APD
Drilling Measured From	K.B	DMF
	Elevation of Permanent Datum 0.0 (m)	
	Above Permanent Datum 39.5 (m)	

Absent Valued Parameters: CN1, CONT, SECT, TOWN, RANG, APIN

Job Data

Date as Month-Day-Year	8-Dec-2009	DATE
Run Number	1	RUN
Total Depth - Driller	1925.0 (m)	TDD
Total Depth - Logger	1915.0 (m)	TDL
Bottom Log Interval	1915.0 (m)	BLI
Top Log Interval	1700.0 (m)	TLI
Current Casing Size	13.4 (in)	CSIZ
Casing Depth From	21.0 (m)	CDF
Casing Depth To	2098.1 (m)	CADT
Casing Grade	K-55	CASG
Casing Weight	54.4 (lbm/ft)	CWEI
Bit Size	16.0 (in)	BS
Bit Size Depth From	21.0 (m)	BSDF
Bit Size Depth To	2098.1 (m)	BSDT
Date Logger At Bottom	8-Dec-2009	DLAB, TLAB
Logging Unit Number	3827	LUN, LUL
Engineer's Name	M.Pratt, S. Gilbert	ENGI
Witness's Name	M Wilson , A Smyth	WITN
Service Order Number	4500596663	SON

Mud Data

Mud Data

Drilling Fluid Type
Drilling Fluid Density
Date Logger At Bottom

Inhibited Sea Water
8.55 (g/cm3)
8-Dec-2009

Time Logger At Bottom 12:42

DFT
DFD
DLAB, TLAB

Absent Valued Parameters: DfV, DfL, DfPH, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT, MRT1, MRT2, MRT3, DCS, TCS

PVT Data

Absent Valued Parameters: ODEN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR

Cement Data

Cement Job Type

Primary

CJT

Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA

Remarks

Log correlated to Tubing Tally / Pipe Tally provided by client.
Objective: Depth Determination / CCL / Gamma-Ray Survey
Maximum Deviation = 67.29deg @ 1760m MDKB
CCL to Bottom of tool = 1.4m
HUD Tagged @ -----m MDK
HUC to 1st Casing Collar = m
Days: D. Watts, A Pratt
Nights: P Battams , G Blandford

R1
R2
R3
R4
R5
R6
R16
R17

Other Services

2.5" Power Cutter

OS1

Frame Summary

File: **PERFO_039PUP** Sequence: **39**

Origin: 35

<u>Index Type</u>	<u>Start</u>	<u>Stop</u>	<u>Spacing</u>	<u>Channels</u>	<u>Index Channel</u>	<u>Frame Name</u>
BOREHOLE-DEPTH	1918.26	1795.58 m	-60.0 (0.1 in) up	11	TDEP	60B
	6293.50	5891.00 ft				
BOREHOLE-DEPTH	1918.26	1795.75 m	-10.0 (0.1 in) up	8	TDEP;1	10B
	6293.50	5891.58 ft				

**Verification Listing**

Listing Completed: 8-DEC-2009 13:07:49