




# FTA A17A PERFORM – DrillMech RT


IDEAL Version: ID12\_OC\_13 <MD> Vertical Scale: 1:500


Graphics File Created: 18-Dec-2007 15:19





















































<div>ROP*5 (ROP5)</div> <div>200 (M/HR)</div> <div>0</div>	<div>Local comp 1 6in (LCOMP1)</div> <div>(PSI)</div> <div>0100000</div>	<div>MWD Lateral Vib (VIBLAT_RT)</div> <div>(G)</div> <div>05</div>	<div>Surface RPM (RPM)</div> <div>(RPM)</div> <div>0200</div>	<div>CONT_INC (INCL_CONT_RT)</div> <div>(DEG)</div> <div>090</div>	<div>Equivalent Circulating Density (ECD_ARC)</div> <div>(LB/G)</div> <div>914</div>
<div>ARC Gamma Ray (GR_ARC)</div> <div>(GAPI)</div> <div>0200</div>	<div>MWD Vib X-Axis (VIBX_RT)</div> <div>(G)</div> <div>05</div>	<div>STOR (TQA)</div> <div>(KFLB)</div> <div>050</div>	<div>MWD Shock Peak (SHKP K_RT)</div> <div>(G)</div> <div>0200</div>	<div>CONT_AZIM (AZIM_CONT_RT)</div> <div>(DEG)</div> <div>-180180</div>	<div>Annulus Temperature (ATMP)</div> <div>(DEGC)</div> <div>0200</div>
	<div>SWOB (SWOB)</div> <div>(KLBF)</div> <div>0100</div>		<div>MWD Collar RPM (CRPM_RT)</div> <div>(RPM)</div> <div>0400</div>	<div>PKPK_RPM (Stick_RT)</div> <div>(RPM)</div> <div>0400</div>	<div>Standpipe Pressure (SPPA)</div> <div>(PSI)</div> <div>05000</div>

	TUR_RPM (TRPM_RT)	
0	(RPM)	5000
	T_FLOW (TFLO)	
0	(GPM)	800