

Input Source: D:\OP_Folder\Clients\Eso2008\WKF_W-21a\PSPT\COMP_WKFW21A_COMP_021.DLIS
Format: DLIS
Storage Set ID: Default Storage Set

Max Record Length: 8192
Storage Unit Sequence: 1

File Header File: **PSP_007LTP** Sequence: **1**

Defining Origin: 39

File ID: PSP_007LTP File Type: STATION
Producer Name: Schlumberger Product/Version: OP 15C0-309 File Set: 41 File Number: 6 7-APR-2008 13:46:15
Company Name: Esso Australia Pty Ltd.
Well Name: W-21a
Field Name: West Kingfish
Tool String: PSPT-A/B
Computations: WELLCAD, BORDYN

Error Summary File: **PSP_007LTP** Sequence: **1**

No errors detected in file.

Well Site Data File: **PSP_007LTP** Sequence: **1**

Origin: 39

Well Data

Company Name	Esso Australia Pty Ltd.	CN
Well Name	W-21a	WN
Field Name	West Kingfish	FN
Rig:	Prod4	CLAB, COUN
State:	Victoria	SLAB, STAT
Nation	Australia	NATI
Field Location	Gippsland	FL
	Basin	FL1
	Bass Strait	FL2
Service Order Number	Ausl08509104	SON
Longitude	148 6'15.1"E	LONG
Latitude	038 35'40.7"S	LATI
Maximum Hole Deviation	43.0 (deg)	MHD
Elevation of Kelly Bushing	33.4 (m)	EKB
Elevation of Ground Level	-74.0 (m)	EGL
Elevation of Derrick Floor	33.4 (m)	EDF
Permanent Datum	M.S.L	PDAT, EPD
Log Measured From	K.B	LMF, APD
Drilling Measured From	K.B	DMF

Absent Valued Parameters: CN1, CONT, SECT, TOWN, RANG, APIN

Job Data

Date as Month-Day-Year	7-Apr-2008	DATE
Run Number	One	RUN
Total Depth - Driller	2420.0 (m)	TDD
Total Depth - Logger	2415.0 (m)	TDL
Bottom Log Interval	2419.0 (m)	BLI
Top Log Interval	500.0 (m)	TLI
Current Casing Size	7.00 (in)	CSIZ
Casing Depth From	13.1 (m)	CDF
Casing Depth To	2557.9 (m)	CADT
Casing Grade	L-80	CASG
Casing Weight	26.0 (lbm/ft)	CWEI
Bit Size	8.50 (in)	BS
Date Logger At Bottom	7-Apr-2008	DLAB, TLAB
Logging Unit Number	889	LUN, LUL
Engineer's Name	G Wright.	ENGI
Witness's Name	B White.	WITN
Service Order Number	Ausl08509104	SON

Absent Valued Parameters: BSDF, BSDT

Mud Data

Drilling Fluid Type	Production Fluids	DFT
Date Logger At Bottom	7-Apr-2008	Time Logger At Bottom 14:00
DLAB, TLAB		
Absent Valued Parameters: DFD, DFV, DFL, DFPF, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT, MRT1, MRT2, MRT3, DCS, TCS		
PVT Data		
Absent Valued Parameters: ODEN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR		
Cement Data		
Cement Job Type	Primary	CJT
Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA		
Remarks		
Log correlated to West Kingfish composite dated 22-Aug-2008.		R1
Maximum well deviation = 43 degree's at 649m MDKB.		R2
Static and flowing bottom hole pressure,temperature data aquired during this survey.		R3
Static stations at the following depths :		R4
500m MDKB:		R5
1000m MDKB:		R6
1500m MDKB:		R7
2000m MDKB:		R8
2419m MDKB:		R9
One flowing station at 2419m MDKB.		R10
Crew: J Annear,P Lawrence,A McLellan.		R11
		R15
Other Services		
None		OS1

Frame Summary							File: PSP_007LTP	Sequence: 1
Origin: 39								
<u>Index Type</u>	<u>Start</u>	<u>Stop</u>	<u>Spacing</u>	<u>Channels</u>	<u>Index Channel</u>	<u>Frame Name</u>		
TIME	1532.95	2741.95 s	2000.0 (0.5 ms)	18	TIME;2	2000T		

File Header						
File: PSP_009LTP		Sequence: 2				
Defining Origin: 39						
File ID: PSP_009LTP File Type: STATION						
Producer Name: Schlumberger		Product/Version: OP 15C0-309		File Set: 41	File Number: 8	7-APR-2008 14:27:57
Company Name:		Esso Australia Pty Ltd.				
Well Name:		W-21a				
Field Name:		West Kingfish				
Tool String:		PSPT-A/B				
Computations:		WELLCAD, BORDYN				

Error Summary		
File: PSP_009LTP		Sequence: 2
No errors detected in file.		

Well Site Data		
File: PSP_009LTP		Sequence: 2
Origin: 39		
Well Data		
Company Name	Esso Australia Pty Ltd.	CN
Well Name	W-21a	WN
Field Name	West Kingfish	FN
Rig:	Prod4	CLAB, COUN
State:	Victoria	SLAB, STAT
Nation	Australia	NATI
Field Location	Gippsland	FL
	Basin	FL1
	Bass Strait	FL2
Service Order Number	Ausl08509104	SON
Longitude	148 6'15.1"E	LONG
Latitude	038 35'40.7"S	LATI

Latitude	030 33 40.7 S				LAT
Maximum Hole Deviation	43.0 (deg)				MHD
Elevation of Kelly Bushing	33.4 (m)				EKB
Elevation of Ground Level	-74.0 (m)				EGL
Elevation of Derrick Floor	33.4 (m)				EDF
Permanent Datum	M.S.L	Elevation of Permanent Datum	0.0 (m)		PDAT, EPD
Log Measured From	K.B	Above Permanent Datum	33.4 (m)		LMF, APD
Drilling Measured From	K.B				DMF
Absent Valued Parameters: CN1, CONT, SECT, TOWN, RANG, APIN					
Job Data					
Date as Month-Day-Year	7-Apr-2008				DATE
Run Number	One				RUN
Total Depth - Driller	2420.0 (m)				TDD
Total Depth - Logger	2415.0 (m)				TDL
Bottom Log Interval	2419.0 (m)				BLI
Top Log Interval	500.0 (m)				TLI
Current Casing Size	7.00 (in)				CSIZ
Casing Depth From	13.1 (m)				CDF
Casing Depth To	2557.9 (m)				CADT
Casing Grade	L-80				CASG
Casing Weight	26.0 (lbm/ft)				CWEI
Bit Size	8.50 (in)				BS
Date Logger At Bottom	7-Apr-2008	Time Logger At Bottom	14:00		DLAB, TLAB
Logging Unit Number	889	Logging Unit Location	Prod4		LUN, LUL
Engineer's Name	G Wright.				ENGI
Witness's Name	B White.				WITN
Service Order Number	Ausl08509104				SON
Absent Valued Parameters: BSDF, BSDT					
Mud Data					
Drilling Fluid Type	Production Fluids				DFT
Date Logger At Bottom	7-Apr-2008	Time Logger At Bottom	14:00		DLAB, TLAB
Absent Valued Parameters: DFD, DFV, DFL, DFPH, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT, MRT1, MRT2, MRT3, DCS, TCS					
PVT Data					
Absent Valued Parameters: ODEN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR					
Cement Data					
Cement Job Type	Primary				CJT
Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA					
Remarks					
Log correlated to West Kingfish composite dated 22-Aug-2008.					R1
Maximum well deviation = 43 degree's at 649m MDKB.					R2
Static and flowing bottom hole pressure,temperature data aquired during this survey.					R3
Static stations at the following depths :					R4
500m MDKB:					R5
1000m MDKB:					R6
1500m MDKB:					R7
2000m MDKB:					R8
2419m MDKB:					R9
One flowing station at 2419m MDKB.					R10
Crew: J Annear,P Lawrence,A McLellan.					R11
					R15
Other Services					
None					OS1

Frame Summary File: PSP_009LTP Sequence: 2						
Origin: 39						
<u>Index Type</u>	<u>Start</u>	<u>Stop</u>	<u>Spacing</u>	<u>Channels</u>	<u>Index Channel</u>	<u>Frame Name</u>
TIME	4034.17	5002.17 s	2000.0 (0.5 ms)	18	TIME;2	2000T

File Header File: PSP_011LTP Sequence: 3		
---	--	--

Defining Origin: 39

File ID: PSP_011LTP	File Type: STATION			
Producer Name: Schlumberger	Product/Version: OP 15C0-309	File Set: 41	File Number: 10	7-APR-2008 15:10:20
Company Name: Esso Australia Pty Ltd.				
Well Name: W-21a				
Field Name: West Kingfish				
Tool String: PSPT-A/B				
Computations: WELLCAD, BORDYN				

Error Summary

File: PSP_011LTP

Sequence: 3

No errors detected in file.

Well Site Data

File: PSP_011LTP

Sequence: 3

Origin: 39

Well Data

Company Name	Esso Australia Pty Ltd.	CN
Well Name	W-21a	WN
Field Name	West Kingfish	FN
Rig:	Prod4	CLAB, COUN
State:	Victoria	SLAB, STAT
Nation	Australia	NATI
Field Location	Gippsland	FL
	Basin	FL1
	Bass Strait	FL2
Service Order Number	Ausl08509104	SON
Longitude	148 6'15.1"E	LONG
Latitude	038 35'40.7"S	LATI
Maximum Hole Deviation	43.0 (deg)	MHD
Elevation of Kelly Bushing	33.4 (m)	EKB
Elevation of Ground Level	-74.0 (m)	EGL
Elevation of Derrick Floor	33.4 (m)	EDF
Permanent Datum	M.S.L	PDAT, EPD
Log Measured From	K.B	LMF, APD
Drilling Measured From	K.B	DMF
	Elevation of Permanent Datum 0.0 (m)	
	Above Permanent Datum 33.4 (m)	

Absent Valued Parameters: CN1, CONT, SECT, TOWN, RANG, APIN

Job Data

Date as Month-Day-Year	7-Apr-2008	DATE
Run Number	One	RUN
Total Depth - Driller	2420.0 (m)	TDD
Total Depth - Logger	2415.0 (m)	TDL
Bottom Log Interval	2419.0 (m)	BLI
Top Log Interval	500.0 (m)	TLI
Current Casing Size	7.00 (in)	CSIZ
Casing Depth From	13.1 (m)	CDF
Casing Depth To	2557.9 (m)	CADT
Casing Grade	L-80	CASG
Casing Weight	26.0 (lbm/ft)	CWEI
Bit Size	8.50 (in)	BS
Date Logger At Bottom	7-Apr-2008	DLAB, TLAB
Logging Unit Number	889	LUN, LUL
Engineer's Name	G Wright.	ENGI
Witness's Name	B White.	WITN
Service Order Number	Ausl08509104	SON
	Time Logger At Bottom 14:00	
	Logging Unit Location Prod4	

Absent Valued Parameters: BSDF, BSDT

Mud Data

Drilling Fluid Type	Production Fluids	DFT
Date Logger At Bottom	7-Apr-2008	DLAB, TLAB
	Time Logger At Bottom 14:00	

Absent Valued Parameters: DFD, DFV, DFL, DFPH, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT, MRT1, MRT2, MRT3, DCS, TCS

PVT Data

Absent Valued Parameters: ODEN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR

Cement Data

Cement Job Type	Primary	CJT
-----------------	---------	-----

Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA

Remarks

Log correlated to West Kingfish composite dated 22-Aug-2008.	R1
Maximum well deviation = 43 degree's at 649m MDKB.	R2
Static and flowing bottom hole pressure temperature data acquired during	R3

this survey.		R4
Static stations at the following depths :		R5
500m MDKB:		R6
1000m MDKB:		R7
1500m MDKB:		R8
2000m MDKB:		R9
2419m MDKB:		R10
One flowing station at 2419m MDKB.		R11
Crew: J Annear,P Lawrence,A McLellan.		R15
Other Services		
None		OS1

Frame Summary		File: PSP_011LTP	Sequence: 3			
Origin: 39						
<u>Index Type</u>	<u>Start</u>	<u>Stop</u>	<u>Spacing</u>	<u>Channels</u>	<u>Index Channel</u>	<u>Frame Name</u>
TIME	6602.98	7657.98 s	2000.0 (0.5 ms)	18	TIME;2	2000T

File Header		File: PSP_012LTP	Sequence: 4			
Defining Origin: 39						
File ID: PSP_012LTP File Type: STATION						
Producer Name: Schlumberger		Product/Version: OP 15C0-309	File Set: 41	File Number: 11	7-APR-2008 15:38:48	
Company Name:	Esso Australia Pty Ltd.					
Well Name:	W-21a					
Field Name:	West Kingfish					
Tool String:	PSPT-A/B					
Computations:	WELLCAD, BORDYN					

Error Summary	File: PSP_012LTP	Sequence: 4
No errors detected in file.		

Well Site Data		File: PSP_012LTP	Sequence: 4
Origin: 39			
Well Data			
Company Name	Esso Australia Pty Ltd.		CN
Well Name	W-21a		WN
Field Name	West Kingfish		FN
Rig:	Prod4		CLAB, COUN
State:	Victoria		SLAB, STAT
Nation	Australia		NATI
Field Location	Gippsland		FL
	Basin		FL1
	Bass Strait		FL2
Service Order Number	Ausl08509104		SON
Longitude	148 6'15.1"E		LONG
Latitude	038 35'40.7"S		LATI
Maximum Hole Deviation	43.0 (deg)		MHD
Elevation of Kelly Bushing	33.4 (m)		EKB
Elevation of Ground Level	-74.0 (m)		EGL
Elevation of Derrick Floor	33.4 (m)		EDF
Permanent Datum	M.S.L	Elevation of Permanent Datum 0.0 (m)	PDAT, EPD
Log Measured From	K.B	Above Permanent Datum 33.4 (m)	LMF, APD
Drilling Measured From	K.B		DMF
Absent Valued Parameters: CN1, CONT, SECT, TOWN, RANG, APIN			
Job Data			
Date as Month-Day-Year	7-Apr-2008		DATE
Run Number	One		RUN

Run Number	One				RUN
Total Depth – Driller	2420.0 (m)				TDD
Total Depth – Logger	2415.0 (m)				TDL
Bottom Log Interval	2419.0 (m)				BLI
Top Log Interval	500.0 (m)				TLI
Current Casing Size	7.00 (in)				CSIZ
Casing Depth From	13.1 (m)				CDF
Casing Depth To	2557.9 (m)				CADT
Casing Grade	L–80				CASG
Casing Weight	26.0 (lbm/ft)				CWEI
Bit Size	8.50 (in)				BS
Date Logger At Bottom	7–Apr–2008	Time Logger At Bottom	14:00		DLAB, TLAB
Logging Unit Number	889	Logging Unit Location	Prod4		LUN, LUL
Engineer's Name	G Wright.				ENGI
Witness's Name	B White.				WITN
Service Order Number	Ausl08509104				SON
Absent Valued Parameters: BSDF, BSDT					
Mud Data					
Drilling Fluid Type	Production Fluids				DFT
Date Logger At Bottom	7–Apr–2008	Time Logger At Bottom	14:00		DLAB, TLAB
Absent Valued Parameters: DFD, DFV, DFL, DFPH, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT, MRT1, MRT2, MRT3, DCS, TCS					
PVT Data					
Absent Valued Parameters: ODEN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR					
Cement Data					
Cement Job Type	Primary				CJT
Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA					
Remarks					
Log correlated to West Kingfish composite dated 22–Aug–2008.					R1
Maximum well deviation = 43 degree's at 649m MDKB.					R2
Static and flowing bottom hole pressure,temperature data aquired during this survey.					R3
Static stations at the following depths :					R4
500m MDKB:					R5
1000m MDKB:					R6
1500m MDKB:					R7
2000m MDKB:					R8
2419m MDKB:					R9
One flowing station at 2419m MDKB.					R10
Crew: J Annear,P Lawrence,A McLellan.					R11
					R15
Other Services					
None					OS1

Frame Summary		File: PSP_012LTP	Sequence: 4
Origin: 39			
<u>Index Type</u> TIME	<u>Start</u> 8373.66	<u>Stop</u> 9177.66 s	<u>Spacing</u> 2000.0 (0.5 ms)
		<u>Channels</u> 18	<u>Index Channel</u> TIME;2
			<u>Frame Name</u> 2000T
File Header			
File: PSP_015LTP		Sequence: 5	
Defining Origin: 39			
File ID: PSP_015LTP	File Type: STATION		
Producer Name: Schlumberger	Product/Version: OP 15C0–309	File Set: 41	File Number: 14
			7–APR–2008 16:11:32
Company Name:	Esso Australia Pty Ltd.		
Well Name:	W–21a		
Field Name:	West Kingfish		
Tool String:	PSPT–A/B		
Computations:	WELLCAD, BORDYN		

Error Summary		File: PSP_015LTP	Sequence: 5
No errors detected in file.			

Origin: 39

Well Data

Company Name	Esso Australia Pty Ltd.		CN
Well Name	W-21a		WN
Field Name	West Kingfish		FN
Rig:	Prod4		CLAB, COUN
State:	Victoria		SLAB, STAT
Nation	Australia		NATI
Field Location	Gippsland		FL
	Basin		FL1
	Bass Strait		FL2
Service Order Number	Ausl08509104		SON
Longitude	148 6'15.1"E		LONG
Latitude	038 35'40.7"S		LATI
Maximum Hole Deviation	43.0 (deg)		MHD
Elevation of Kelly Bushing	33.4 (m)		EKB
Elevation of Ground Level	-74.0 (m)		EGL
Elevation of Derrick Floor	33.4 (m)		EDF
Permanent Datum	M.S.L	Elevation of Permanent Datum	0.0 (m) PDAT, EPD
Log Measured From	K.B	Above Permanent Datum	33.4 (m) LMF, APD
Drilling Measured From	K.B		DMF

Absent Valued Parameters: CN1, CONT, SECT, TOWN, RANG, APIN

Job Data

Date as Month-Day-Year	7-Apr-2008		DATE
Run Number	One		RUN
Total Depth - Driller	2420.0 (m)		TDD
Total Depth - Logger	2415.0 (m)		TDL
Bottom Log Interval	2419.0 (m)		BLI
Top Log Interval	500.0 (m)		TLI
Current Casing Size	7.00 (in)		CSIZ
Casing Depth From	13.1 (m)		CDF
Casing Depth To	2557.9 (m)		CADT
Casing Grade	L-80		CASG
Casing Weight	26.0 (lbm/ft)		CWEI
Bit Size	8.50 (in)		BS
Date Logger At Bottom	7-Apr-2008	Time Logger At Bottom	14:00 DLAB, TLAB
Logging Unit Number	889	Logging Unit Location	Prod4 LUN, LUL
Engineer's Name	G Wright.		ENGI
Witness's Name	B White.		WITN
Service Order Number	Ausl08509104		SON

Absent Valued Parameters: BSDF, BSDT

Mud Data

Drilling Fluid Type	Production Fluids		DFT
Date Logger At Bottom	7-Apr-2008	Time Logger At Bottom	14:00 DLAB, TLAB

Absent Valued Parameters: DFD, DFV, DFL, DFPF, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT, MRT1, MRT2, MRT3, DCS, TCS

PVT Data

Absent Valued Parameters: ODEN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR

Cement Data

Cement Job Type	Primary		CJT
-----------------	---------	--	-----

Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA

Remarks

Log correlated to West Kingfish composite dated 22-Aug-2008.	R1
Maximum well deviation = 43 degree's at 649m MDKB.	R2
Static and flowing bottom hole pressure,temperature data aquired during this survey.	R3
Static stations at the following depths :	R4
500m MDKB:	R5
1000m MDKB:	R6
1500m MDKB:	R7
2000m MDKB:	R8
2419m MDKB:	R9
One flowing station at 2419m MDKB.	R10
Crew: J Annear,P Lawrence,A McLellan.	R11
	R15

Other Services

None	OS1
------	-----

Origin: 39

<u>Index Type</u>	<u>Start</u>	<u>Stop</u>	<u>Spacing</u>	<u>Channels</u>	<u>Index Channel</u>	<u>Frame Name</u>
TIME	10248.41	11233.41 s	2000.0 (0.5 ms)	18	TIME:2	2000T

Defining Origin: 39

File ID: PSP 016LTP File Type: STATION

Producer Name: Schlumberger Product/Version: OP 15C0-309 File Set: 41 File Number: 15 7-APR-2008 16:28:59

Company Name: Esso Australia Pty Ltd.

Well Name: W-21a

Field Name: West Kingfish

Tool String: PSPT-A/B

Computations: WELLCAD, BORDYN

No errors detected in file.

Origin: 39

Well Data

Company Name	Esso Australia Pty Ltd.	CN
Well Name	W-21a	WN
Field Name	West Kingfish	FN
Rig:	Prod4	CLAB, COUN
State:	Victoria	SLAB, STAT
Nation	Australia	NATI
Field Location	Gippsland	FL
	Basin	FL1
	Bass Strait	FL2
Service Order Number	Ausl08509104	SON
Longitude	148 6'15.1"E	LONG
Latitude	038 35'40.7"S	LATI
Maximum Hole Deviation	43.0 (deg)	MHD
Elevation of Kelly Bushing	33.4 (m)	EKB
Elevation of Ground Level	-74.0 (m)	EGL
Elevation of Derrick Floor	33.4 (m)	EDF
Permanent Datum	M.S.L	PDAT, EPD
Log Measured From	K.B	LMF, APD
Drilling Measured From	K.B	DMF

Absent Valued Parameters: CN1, CONT, SECT, TOWN, RANG, APIN

Job Data

Date as Month-Day-Year	7-Apr-2008			DATE
Run Number	One			RUN
Total Depth – Driller	2420.0 (m)			TDD
Total Depth – Logger	2415.0 (m)			TDL
Bottom Log Interval	2419.0 (m)			BLI
Top Log Interval	500.0 (m)			TLI
Current Casing Size	7.00 (in)			CSIZ
Casing Depth From	13.1 (m)			CDF
Casing Depth To	2557.9 (m)			CADT
Casing Grade	L-80			CASG
Casing Weight	26.0 (lbm/ft)			CWEI
Bit Size	8.50 (in)			BS
Date Logger At Bottom	7-Apr-2008	Time Logger At Bottom	14:00	DLAB, TLAB
Logging Unit Number	889	Logging Unit Location	Prod4	LUIN, LUUN

Logging Unit Number:	000	Logging Unit Location:	Prod-4	LOG, LOG
Engineer's Name	G Wright.			ENGI
Witness's Name	B White.			WITN
Service Order Number	Ausl08509104			SON
Absent Valued Parameters: BSDF, BSDT				
Mud Data				
Drilling Fluid Type	Production Fluids			DFT
Date Logger At Bottom	7-Apr-2008	Time Logger At Bottom	14:00	DLAB, TLAB
Absent Valued Parameters: DFD, DFV, DFL, DFPH, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT, MRT1, MRT2, MRT3, DCS, TCS				
PVT Data				
Absent Valued Parameters: ODEN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR				
Cement Data				
Cement Job Type	Primary			CJT
Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA				
Remarks				
Log correlated to West Kingfish composite dated 22-Aug-2008.				R1
Maximum well deviation = 43 degree's at 649m MDKB.				R2
Static and flowing bottom hole pressure,temperature data aquired during this survey.				R3
				R4
Static stations at the following depths :				R5
500m MDKB:				R6
1000m MDKB:				R7
1500m MDKB:				R8
2000m MDKB:				R9
2419m MDKB:				R10
One flowing station at 2419m MDKB.				R11
Crew: J Annear,P Lawrence,A McLellan.				R15
Other Services				
None				OS1

Frame Summary						
File: PSP_016LTP		Sequence: 6				
Origin: 39						
<u>Index Type</u>	<u>Start</u>	<u>Stop</u>	<u>Spacing</u>	<u>Channels</u>	<u>Index Channel</u>	<u>Frame Name</u>
TIME	11306.96	18112.96 s	2000.0 (0.5 ms)	18	TIME;2	2000T

Schlumberger	Verification Listing	Listing Completed: 7-APR-2008 18:45:35
---------------------	-----------------------------	---