





# PERFORM – DrillMech RT Depth



IDEAL Version: ID13\_0C\_05 <MD> Vertical Scale: 1:200


Graphics File Created: 20-Feb-2008 14:15















































































































GR(TM) (GRM1)	SWOB (SWOB)	MWD Lateral Vib (VIB LAT RT)	Surface RPM (RPM)	CONT_INC (INCL_CONT_RT)	MWD Annulus Pressure (APRS_MWD)
---------------	-------------	------------------------------	-------------------	-------------------------	---------------------------------

0	(GAPI)	200	0	(KLBF)	60	5	(VIDEAT_RT)	0	(RPM)	0	(DEG)	90	0	(MWD)	6000		
<div>ROP*5 (ROP5) 100 (M/HR)</div>			<div>Local comp 1 6in (LCOMP1) 0 (---- 1000</div>			<div>STOR (TQA) 0 (KFLB) 50</div>			<div>MWD Shock Peak (SHKP K_RT) (---- 0 200</div>			<div>CONT_AZIM (AZIM_CONT_RT) -180 (DEG) 180</div>			<div>MWD Annular Temperature (ATMP_MWD) (DEGC) 200</div>		
<div>PD GammaRay average (PD_GRAV_BHC) 0 (GAPI) 200</div>			<div>MWD Vib X-Axis (VIBX_RT) (G) 0</div>			<div>MWD Collar RPM (CRPM_RT) (RPM) 0 400</div>			<div>PKPK_RPM (Stick_RT) 0 (RPM) 400</div>			<div>MWD Equivalent Circulating density (ECD_MWD) 5 (LB/G) 15</div>					
												<div>Standpipe Pressure (SPPA) 0 (PSI) 4000</div>					
												<div>TUR_RPM (TRPM_RT) 0 (RPM) 5000</div>					
												<div>T_FLOW (TFLO) 0 (GPM) 1500</div>					