

GCS90 Log Line 1260P1

Page 1/25

3/11/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1260P1	2218.000	8:41:36	2	2500	100	0	0	0	0	0 1.2	0
1260P1	2217.000	8:41:45	1	2500	100	0	0	0	0	0 1.1	0
1260P1	2216.000	8:41:53	2	2500	100	0	0	0	0	0 1.3	0
1260P1	2215.000	8:42:02	1	2500	100	0	0	0	0	0 0.6	0
1260P1	2214.000	8:42:10	2	2500	100	0	0	0	0	0 0.8	0
1260P1	2213.000	8:42:19	1	2500	100	0	0	0	0	0 0.7	0
1260P1	2212.000	8:42:27	2	2500	100	0	0	0	0	0 0.7	0
1260P1	2211.000	8:42:36	1	2500	100	0	0	0	0	0 0.9	0
1260P1	2210.000	8:42:45	2	2500	100	0	0	0	0	0 0.6	0
1260P1	2209.000	8:42:53	1	2500	100	0	0	0	0	0 1.1	0
1260P1	2208.000	8:43:02	2	2500	100	0	0	0	0	0 0.8	0
1260P1	2207.000	8:43:10	1	2500	100	0	0	0	0	0 1.2	0
1260P1	2206.000	8:43:19	2	2500	100	0	0	0	0	0 0.6	0
1260P1	2205.000	8:43:27	1	2500	100	0	0	0	0	0 1.1	0
1260P1	2204.000	8:43:36	2	2500	100	0	0	0	0	0 1.3	0
1260P1	2203.000	8:43:44	1	2500	100	0	0	0	0	0 0.9	0
1260P1	2202.000	8:43:52	2	2500	100	0	0	0	0	0 0.9	0
1260P1	2201.000	8:44:01	1	2500	100	0	0	0	0	0 0.8	0
1260P1	2200.000	8:44:09	2	2500	100	0	0	0	0	0 0.7	0
1260P1	2199.000	8:44:18	1	2500	100	0	0	0	0	0 0.5	0
1260P1	2198.000	8:44:26	2	2500	100	0	0	0	0	0 1.2	0
1260P1	2197.000	8:44:35	1	2500	100	0	0	0	0	0 1.0	0
1260P1	2196.000	8:44:43	2	2500	100	0	0	0	0	0 1.4	0
1260P1	2195.000	8:44:52	1	2500	100	0	0	0	0	0 0.5	0
1260P1	2194.000	8:45:00	2	2500	100	0	0	0	0	0 0.7	0
1260P1	2193.000	8:45:09	1	2500	100	0	0	0	0	0 0.6	0
1260P1	2192.000	8:45:17	2	2500	100	0	0	0	0	0 1.6	0
1260P1	2191.000	8:45:26	1	2500	100	0	0	0	0	0 0.7	0
1260P1	2190.000	8:45:34	2	2500	100	0	0	0	0	0 0.8	0
1260P1	2189.000	8:45:43	1	2500	100	0	0	0	0	0 1.0	0
1260P1	2188.000	8:45:51	2	2500	100	0	0	0	0	0 0.8	0
1260P1	2187.000	8:46:00	1	2500	100	0	0	0	0	0 0.9	0
1260P1	2186.000	8:46:08	2	2500	100	0	0	0	0	0 1.0	0
1260P1	2185.000	8:46:16	1	2500	100	0	0	0	0	0 1.1	0
1260P1	2184.000	8:46:25	2	2500	100	0	0	0	0	0 0.8	0
1260P1	2183.000	8:46:34	1	2500	100	0	0	0	0	0 0.6	0
1260P1	2182.000	8:46:42	2	2500	100	0	0	0	0	0 0.7	0
1260P1	2181.000	8:46:51	1	2500	100	0	0	0	0	0 1.0	0
1260P1	2180.000	8:46:59	2	2500	100	0	0	0	0	0 0.5	0
1260P1	2179.000	8:47:08	1	2500	100	0	0	0	0	0 0.8	0
1260P1	2178.000	8:47:16	2	2500	100	0	0	0	0	0 0.8	0
1260P1	2177.000	8:47:25	1	2500	100	0	0	0	0	0 0.9	0
1260P1	2176.000	8:47:33	2	2500	100	0	0	0	0	0 0.9	0
1260P1	2175.000	8:47:42	1	2500	100	0	0	0	0	0 1.1	0
1260P1	2174.000	8:47:50	2	2500	100	0	0	0	0	0 0.9	0
1260P1	2173.000	8:47:58	1	2500	100	0	0	0	0	0 1.2	0
1260P1	2172.000	8:48:07	2	2500	100	0	0	0	0	0 0.6	0
1260P1	2171.000	8:48:15	1	2500	100	0	0	0	0	0 0.9	0
1260P1	2170.000	8:48:24	2	2500	100	0	0	0	0	0 0.6	0
1260P1	2169.000	8:48:32	1	2500	100	0	0	0	0	0 0.8	0
1260P1	2168.000	8:48:41	2	2500	100	0	0	0	0	0 1.2	0
1260P1	2167.000	8:48:49	1	2500	100	0	0	0	0	0 0.6	0
1260P1	2166.000	8:48:58	2	2500	100	0	0	0	0	0 0.6	0
1260P1	2165.000	8:49:06	1	2500	100	0	0	0	0	0 0.9	0
1260P1	2164.000	8:49:14	2	2500	100	0	0	0	0	0 1.0	0
1260P1	2163.000	8:49:23	1	2500	100	0	0	0	0	0 1.3	0
1260P1	2162.000	8:49:31	2	2500	100	0	0	0	0	0 1.1	0

GCS90 Log Line 1260P1

Page 2/25

3/11/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1260P1	2161.000	8:49:40	1	2500	100	0	0	0	0	0 1.2	0
1260P1	2160.000	8:49:48	2	2500	100	0	0	0	0	0 0.9	0
1260P1	2159.000	8:49:56	1	2500	100	0	0	0	0	0 0.8	0
1260P1	2158.000	8:50:05	2	2500	100	0	0	0	0	0 1.3	0
1260P1	2157.000	8:50:13	1	2500	100	0	0	0	0	0 0.7	0
1260P1	2156.000	8:50:21	2	2500	100	0	0	0	0	0 0.8	0
1260P1	2155.000	8:50:30	1	2500	100	0	0	0	0	0 0.4	0
1260P1	2154.000	8:50:38	2	2500	100	0	0	0	0	0 0.7	0
1260P1	2153.000	8:50:47	1	2500	100	0	0	0	0	0 0.7	0
1260P1	2152.000	8:50:55	2	2500	100	0	0	0	0	0 0.8	0
1260P1	2151.000	8:51:04	1	2500	100	0	0	0	0	0 0.4	0
1260P1	2150.000	8:51:12	2	2500	100	0	0	0	0	0 0.8	0
1260P1	2149.000	8:51:21	1	2500	100	0	0	0	0	0 1.6	0
1260P1	2148.000	8:51:29	2	2500	100	0	0	0	0	0 1.1	0
1260P1	2147.000	8:51:37	1	2500	100	0	0	0	0	0 0.5	0
DEPTH ERR: 1 - S1-11											
1260P1	2146.000	8:51:46	2	2500	100	0	0	0	0	0 1.0	0
1260P1	2145.000	8:51:54	1	2500	100	0	0	0	0	0 0.9	0
1260P1	2144.000	8:52:03	2	2500	100	0	0	0	0	0 0.8	0
1260P1	2143.000	8:52:11	1	2500	100	0	0	0	0	0 0.8	0
1260P1	2142.000	8:52:20	2	2500	100	0	0	0	0	0 1.0	0
1260P1	2141.000	8:52:28	1	2500	100	0	0	0	0	0 0.7	0
1260P1	2140.000	8:52:37	2	2500	100	0	0	0	0	0 0.8	0
1260P1	2139.000	8:52:45	1	2500	100	0	0	0	0	0 1.0	0
DEPTH ERR: 1 - S1-11											
1260P1	2138.000	8:52:54	2	2500	100	0	0	0	0	0 0.9	0
DEPTH ERR: 1 - P4-1											
1260P1	2137.000	8:53:02	1	2500	100	0	0	0	0	0 0.6	0
1260P1	2136.000	8:53:11	2	2500	100	0	0	0	0	0 1.0	0
1260P1	2135.000	8:53:19	1	2500	100	0	0	0	0	0 0.9	0
1260P1	2134.000	8:53:27	2	2500	100	0	0	0	0	0 0.8	0
1260P1	2133.000	8:53:36	1	2500	100	0	0	0	0	0 0.8	0
1260P1	2132.000	8:53:44	2	2500	100	0	0	0	0	0 1.7	0
1260P1	2131.000	8:53:53	1	2500	100	0	0	0	0	0 0.5	0
1260P1	2130.000	8:54:01	2	2500	100	0	0	0	0	0 0.9	0
1260P1	2129.000	8:54:10	1	2500	100	0	0	0	0	0 0.6	0
1260P1	2128.000	8:54:18	2	2500	100	0	0	0	0	0 1.3	0
1260P1	2127.000	8:54:26	1	2500	100	0	0	0	0	0 1.0	0
1260P1	2126.000	8:54:35	2	2500	100	0	0	0	0	0 1.2	0
1260P1	2125.000	8:54:43	1	2500	100	0	0	0	0	0 0.7	0
1260P1	2124.000	8:54:52	2	2500	100	0	0	0	0	0 0.8	0
1260P1	2123.000	8:55:00	1	2500	100	0	0	0	0	0 0.7	0
1260P1	2122.000	8:55:09	2	2500	100	0	0	0	0	0 0.9	0
1260P1	2121.000	8:55:17	1	2500	100	0	0	0	0	0 1.1	0
1260P1	2120.000	8:55:26	2	2500	100	0	0	0	0	0 1.2	0
1260P1	2119.000	8:55:34	1	2500	100	0	0	0	0	0 0.6	0
1260P1	2118.000	8:55:42	2	2500	100	0	0	0	0	0 1.2	0
1260P1	2117.000	8:55:51	1	2500	100	0	0	0	0	0 1.6	0
1260P1	2116.000	8:55:59	2	2500	100	0	0	0	0	0 1.3	0
1260P1	2115.000	8:56:08	1	2500	100	0	0	0	0	0 1.7	0
1260P1	2114.000	8:56:17	2	2500	100	0	0	0	0	0 1.4	0
1260P1	2113.000	8:56:25	1	2500	100	0	0	0	0	0 1.0	0
1260P1	2112.000	8:56:34	2	2500	100	0	0	0	0	0 0.4	0
1260P1	2111.000	8:56:42	1	2500	100	0	0	0	0	0 0.3	0
1260P1	2110.000	8:56:50	2	2500	100	0	0	0	0	0 1.1	0
1260P1	2109.000	8:56:59	1	2500	100	0	0	0	0	0 1.4	0
1260P1	2108.000	8:57:07	2	2500	100	0	0	0	0	0 0.9	0

GCS90 Log Line 1260P1

Page 3/25

3/11/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1260P1	2107.000	8:57:16	1	2500	100	0	0	0	0	0 0.7	0
1260P1	2106.000	8:57:24	2	2500	100	0	0	0	0	0 0.4	0
1260P1	2105.000	8:57:32	1	2500	100	0	0	0	0	0 0.6	0
1260P1	2104.000	8:57:41	2	2500	100	0	0	0	0	0 0.7	0
1260P1	2103.000	8:57:49	1	2500	100	0	0	0	0	0 0.6	0
1260P1	2102.000	8:57:58	2	2500	100	0	0	0	0	0 0.7	0
1260P1	2101.000	8:58:06	1	2500	100	0	0	0	0	0 0.6	0
1260P1	2100.000	8:58:15	2	2500	100	0	0	0	0	0 0.8	0
1260P1	2099.000	8:58:23	1	2500	100	0	0	0	0	0 0.9	0
1260P1	2098.000	8:58:32	2	2500	100	0	0	0	0	0 0.7	0
1260P1	2097.000	8:58:40	1	2500	100	0	0	0	0	0 0.4	0
1260P1	2096.000	8:58:49	2	2500	100	0	0	0	0	0 0.9	0
1260P1	2095.000	8:58:57	1	2500	100	0	0	0	0	0 0.7	0
1260P1	2094.000	8:59:06	2	2500	100	0	0	0	0	0 0.5	0
1260P1	2093.000	8:59:14	1	2500	100	0	0	0	0	0 1.0	0
1260P1	2092.000	8:59:23	2	2500	100	0	0	0	0	0 0.8	0
1260P1	2091.000	8:59:31	1	2500	100	0	0	0	0	0 1.6	0
1260P1	2090.000	8:59:40	2	2500	100	0	0	0	0	0 0.9	0
1260P1	2089.000	8:59:48	1	2500	100	0	0	0	0	0 1.5	0
1260P1	2088.000	8:59:57	2	2500	100	0	0	0	0	0 1.0	0
1260P1	2087.000	9:00:05	1	2500	100	0	0	0	0	0 0.5	0
1260P1	2086.000	9:00:14	2	2500	100	0	0	0	0	0 0.9	0
1260P1	2085.000	9:00:22	1	2500	100	0	0	0	0	0 1.1	0
1260P1	2084.000	9:00:30	2	2500	100	0	0	0	0	0 1.0	0
1260P1	2083.000	9:00:39	1	2500	100	0	0	0	0	0 0.6	0
DEPTH ERR: 1 - S1-11											
1260P1	2082.000	9:00:47	2	2500	100	0	0	0	0	0 0.6	0
1260P1	2081.000	9:00:55	1	2500	100	0	0	0	0	0 0.9	0
1260P1	2080.000	9:01:04	2	2500	100	0	0	0	0	0 1.1	0
1260P1	2079.000	9:01:12	1	2500	100	0	0	0	0	0 0.6	0
1260P1	2078.000	9:01:20	2	2500	100	0	0	0	0	0 0.9	0
1260P1	2077.000	9:01:29	1	2500	100	0	0	0	0	0 1.0	0
1260P1	2076.000	9:01:37	2	2500	100	0	0	0	0	0 1.4	0
1260P1	2075.000	9:01:45	1	2500	100	0	0	0	0	0 1.1	0
1260P1	2074.000	9:01:54	2	2500	100	0	0	0	0	0 1.4	0
1260P1	2073.000	9:02:02	1	2500	100	0	0	0	0	0 1.0	0
1260P1	2072.000	9:02:10	2	2500	100	0	0	0	0	0 0.9	0
1260P1	2071.000	9:02:19	1	2500	100	0	0	0	0	0 0.8	0
1260P1	2070.000	9:02:28	2	2500	100	0	0	0	0	0 0.5	0
1260P1	2069.000	9:02:36	1	2500	100	0	0	0	0	0 0.8	0
1260P1	2068.000	9:02:44	2	2500	100	0	0	0	0	0 0.7	0
1260P1	2067.000	9:02:53	1	2500	100	0	0	0	0	0 0.9	0
1260P1	2066.000	9:03:01	2	2500	100	0	0	0	0	0 1.0	0
1260P1	2065.000	9:03:09	1	2500	100	0	0	0	0	0 0.9	0
1260P1	2064.000	9:03:18	2	2500	100	0	0	0	0	0 0.9	0
1260P1	2063.000	9:03:26	1	2500	100	0	0	0	0	0 0.7	0
1260P1	2062.000	9:03:34	2	2500	100	0	0	0	0	0 0.8	0
1260P1	2061.000	9:03:43	1	2500	100	0	0	0	0	0 1.6	0
1260P1	2060.000	9:03:51	2	2500	100	0	0	0	0	0 0.8	0
1260P1	2059.000	9:04:00	1	2500	100	0	0	0	0	0 1.1	0
1260P1	2058.000	9:04:08	2	2500	100	0	0	0	0	0 0.8	0
1260P1	2057.000	9:04:17	1	2500	100	0	0	0	0	0 1.0	0
1260P1	2056.000	9:04:25	2	2500	100	0	0	0	0	0 0.9	0
1260P1	2055.000	9:04:34	1	2500	100	0	0	0	0	0 0.6	0
1260P1	2054.000	9:04:42	2	2500	100	0	0	0	0	0 1.1	0
1260P1	2053.000	9:04:50	1	2500	100	0	0	0	0	0 1.0	0
1260P1	2052.000	9:04:59	2	2500	100	0	0	0	0	0 0.8	0

GCS90 Log Line 1260P1

Page 4/25

3/11/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1260P1	2051.000	9:05:07	1	2500	100	0	0	0	0	0 0.6	0
1260P1	2050.000	9:05:16	2	2500	100	0	0	0	0	0 0.9	0
1260P1	2049.000	9:05:24	1	2500	100	0	0	0	0	0 1.1	0
1260P1	2048.000	9:05:33	2	2500	100	0	0	0	0	0 1.2	0
1260P1	2047.000	9:05:41	1	2500	100	0	0	0	0	0 0.6	0
1260P1	2046.000	9:05:49	2	2500	100	0	0	0	0	0 0.9	0
1260P1	2045.000	9:05:58	1	2500	100	0	0	0	0	0 1.0	0
1260P1	2044.000	9:06:06	2	2500	100	0	0	0	0	0 0.6	0
1260P1	2043.000	9:06:15	1	2500	100	0	0	0	0	0 1.2	0
1260P1	2042.000	9:06:23	2	2500	100	0	0	0	0	0 0.9	0
1260P1	2041.000	9:06:32	1	2500	100	0	0	0	0	0 0.5	0
1260P1	2040.000	9:06:40	2	2500	100	0	0	0	0	0 0.9	0
1260P1	2039.000	9:06:49	1	2500	100	0	0	0	0	0 1.4	0
1260P1	2038.000	9:06:57	2	2500	100	0	0	0	0	0 0.7	0
1260P1	2037.000	9:07:06	1	2500	100	0	0	0	0	0 0.6	0
1260P1	2036.000	9:07:14	2	2500	100	0	0	0	0	0 1.3	0
1260P1	2035.000	9:07:23	1	2500	100	0	0	0	0	0 0.7	0
1260P1	2034.000	9:07:31	2	2500	100	0	0	0	0	0 0.6	0
1260P1	2033.000	9:07:40	1	2500	100	0	0	0	0	0 0.8	0
1260P1	2032.000	9:07:48	2	2500	100	0	0	0	0	0 1.2	0
1260P1	2031.000	9:07:57	1	2500	100	0	0	0	0	0 0.6	0
1260P1	2030.000	9:08:05	2	2500	100	0	0	0	0	0 1.6	0
1260P1	2029.000	9:08:14	1	2500	100	0	0	0	0	0 1.1	0
1260P1	2028.000	9:08:22	2	2500	100	0	0	0	0	0 1.6	0
1260P1	2027.000	9:08:30	1	2500	100	0	0	0	0	0 0.9	0
1260P1	2026.000	9:08:39	2	2500	100	0	0	0	0	0 0.8	0
1260P1	2025.000	9:08:47	1	2500	100	0	0	0	0	0 0.8	0
1260P1	2024.000	9:08:56	2	2500	100	0	0	0	0	0 0.8	0
1260P1	2023.000	9:09:04	1	2500	100	0	0	0	0	0 1.0	0
1260P1	2022.000	9:09:13	2	2500	100	0	0	0	0	0 0.8	0
1260P1	2021.000	9:09:21	1	2500	100	0	0	0	0	0 0.4	0
1260P1	2020.000	9:09:29	2	2500	100	0	0	0	0	0 0.7	0
1260P1	2019.000	9:09:38	1	2500	100	0	0	0	0	0 0.5	0
1260P1	2018.000	9:09:46	2	2500	100	0	0	0	0	0 0.9	0
1260P1	2017.000	9:09:54	1	2500	100	0	0	0	0	0 1.7	0
1260P1	2016.000	9:10:02	2	2500	100	0	0	0	0	0 0.7	0
1260P1	2015.000	9:10:11	1	2500	100	0	0	0	0	0 1.0	0
1260P1	2014.000	9:10:19	2	2500	100	0	0	0	0	0 1.0	0
1260P1	2013.000	9:10:27	1	2500	100	0	0	0	0	0 1.0	0
1260P1	2012.000	9:10:36	2	2500	100	0	0	0	0	0 1.2	0
1260P1	2011.000	9:10:44	1	2500	100	0	0	0	0	0 0.7	0
1260P1	2010.000	9:10:52	2	2500	100	0	0	0	0	0 1.1	0
1260P1	2009.000	9:11:01	1	2500	100	0	0	0	0	0 0.6	0
1260P1	2008.000	9:11:09	2	2500	100	0	0	0	0	0 0.8	0
1260P1	2007.000	9:11:17	1	2500	100	0	0	0	0	0 0.8	0
1260P1	2006.000	9:11:26	2	2500	100	0	0	0	0	0 0.7	0
1260P1	2005.000	9:11:34	1	2500	100	0	0	0	0	0 1.0	0
1260P1	2004.000	9:11:42	2	2500	100	0	0	0	0	0 0.8	0
1260P1	2003.000	9:11:51	1	2500	100	0	0	0	0	0 1.2	0
1260P1	2002.000	9:11:59	2	2500	100	0	0	0	0	0 0.7	0
1260P1	2001.000	9:12:08	1	2500	100	0	0	0	0	0 0.6	0
1260P1	2000.000	9:12:16	2	2500	100	0	0	0	0	0 0.7	0
1260P1	1999.000	9:12:25	1	2500	100	0	0	0	0	0 0.7	0
1260P1	1998.000	9:12:33	2	2500	100	0	0	0	0	0 1.1	0
1260P1	1997.000	9:12:42	1	2500	100	0	0	0	0	0 1.4	0
1260P1	1996.000	9:12:50	2	2500	100	0	0	0	0	0 1.3	0
1260P1	1995.000	9:12:59	1	2500	100	0	0	0	0	0 1.2	0

GCS90 Log Line 1260P1

Page 5/25

3/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1260P1	1994.000	9:13:07	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1993.000	9:13:16	1	2500	100	0	0	0	0	0 1.4	0
1260P1	1992.000	9:13:24	2	2500	100	0	0	0	0	0 0.6	0
1260P1	1991.000	9:13:33	1	2500	100	0	0	0	0	0 0.5	0
1260P1	1990.000	9:13:41	2	2500	100	0	0	0	0	0 1.0	0
1260P1	1989.000	9:13:50	1	2500	100	0	0	0	0	0 0.6	0
1260P1	1988.000	9:13:58	2	2500	100	0	0	0	0	0 0.7	0
1260P1	1987.000	9:14:07	1	2500	100	0	0	0	0	0 1.1	0
1260P1	1986.000	9:14:15	2	2500	100	0	0	0	0	0 0.5	0
1260P1	1985.000	9:14:24	1	2500	100	0	0	0	0	0 0.9	0
1260P1	1984.000	9:14:32	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1983.000	9:14:40	1	2500	100	0	0	0	0	0 0.9	0
1260P1	1982.000	9:14:49	2	2500	100	0	0	0	0	0 0.6	0
1260P1	1981.000	9:14:57	1	2500	100	0	0	0	0	0 0.7	0
1260P1	1980.000	9:15:06	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1979.000	9:15:14	1	2500	100	0	0	0	0	0 0.9	0
1260P1	1978.000	9:15:23	2	2500	100	0	0	0	0	0 0.7	0
1260P1	1977.000	9:15:31	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1976.000	9:15:40	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1975.000	9:15:48	1	2500	100	0	0	0	0	0 0.9	0
1260P1	1974.000	9:15:57	2	2500	100	0	0	0	0	0 0.7	0
1260P1	1973.000	9:16:05	1	2500	100	0	0	0	0	0 1.1	0
1260P1	1972.000	9:16:13	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1971.000	9:16:22	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1970.000	9:16:30	2	2500	100	0	0	0	0	0 1.0	0
1260P1	1969.000	9:16:39	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1968.000	9:16:47	2	2500	100	0	0	0	0	0 0.7	0
1260P1	1967.000	9:16:56	1	2500	100	0	0	0	0	0 0.7	0
1260P1	1966.000	9:17:04	2	2500	100	0	0	0	0	0 0.7	0
1260P1	1965.000	9:17:12	1	2500	100	0	0	0	0	0 0.3	0
1260P1	1964.000	9:17:21	2	2500	100	0	0	0	0	0 0.7	0
1260P1	1963.000	9:17:29	1	2500	100	0	0	0	0	0 0.7	0
1260P1	1962.000	9:17:38	2	2500	100	0	0	0	0	0 0.6	0
1260P1	1961.000	9:17:47	1	2500	100	0	0	0	0	0 1.2	0
1260P1	1960.000	9:17:55	2	2500	100	0	0	0	0	0 0.5	0
1260P1	1959.000	9:18:04	1	2500	100	0	0	0	0	0 0.7	0
1260P1	1958.000	9:18:13	2	2500	100	0	0	0	0	0 0.6	0
1260P1	1957.000	9:18:22	1	2500	100	0	0	0	0	0 0.9	0
1260P1	1956.000	9:18:31	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1955.000	9:18:39	1	2500	100	0	0	0	0	0 1.2	0
1260P1	1954.000	9:18:48	2	2500	100	0	0	0	0	0 0.4	0
1260P1	1953.000	9:18:57	1	2500	100	0	0	0	0	0 1.0	0
1260P1	1952.000	9:19:06	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1951.000	9:19:14	1	2500	100	0	0	0	0	0 1.0	0
1260P1	1950.000	9:19:23	2	2500	100	0	0	0	0	0 0.6	0
1260P1	1949.000	9:19:32	1	2500	100	0	0	0	0	0 0.5	0
1260P1	1948.000	9:19:40	2	2500	100	0	0	0	0	0 1.0	0
1260P1	1947.000	9:19:49	1	2500	100	0	0	0	0	0 1.4	0
1260P1	1946.000	9:19:58	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1945.000	9:20:07	1	2500	100	0	0	0	0	0 0.9	0
1260P1	1944.000	9:20:16	2	2500	100	0	0	0	0	0 0.7	0
1260P1	1943.000	9:20:25	1	2500	100	0	0	0	0	0 1.0	0
1260P1	1942.000	9:20:34	2	2500	100	0	0	0	0	0 1.1	0
1260P1	1941.000	9:20:42	1	2500	100	0	0	0	0	0 1.0	0
1260P1	1940.000	9:20:51	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1939.000	9:21:00	1	2500	100	0	0	0	0	0 0.6	0
1260P1	1938.000	9:21:09	2	2500	100	0	0	0	0	0 0.9	0

GCS90 Log Line 1260P1

Page 6/25

3/11/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1260P1	1937.000	9:21:18	1	2500	100	0	0	0	0	0 0.6	0
1260P1	1936.000	9:21:27	2	2500	100	0	0	0	0	0 0.7	0
1260P1	1935.000	9:21:36	1	2500	100	0	0	0	0	0 0.6	0
1260P1	1934.000	9:21:45	2	2500	100	0	0	0	0	0 1.2	0
1260P1	1933.000	9:21:54	1	2500	100	0	0	0	0	0 0.9	0
1260P1	1932.000	9:22:03	2	2500	100	0	0	0	0	0 0.7	0
1260P1	1931.000	9:22:11	1	2500	100	0	0	0	0	0 1.1	0
1260P1	1930.000	9:22:20	2	2500	100	0	0	0	0	0 1.2	0
1260P1	1929.000	9:22:29	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1928.000	9:22:38	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1927.000	9:22:47	1	2500	100	0	0	0	0	0 1.0	0
1260P1	1926.000	9:22:56	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1925.000	9:23:05	1	2500	100	0	0	0	0	0 0.3	0
1260P1	1924.000	9:23:14	2	2500	100	0	0	0	0	0 0.6	0
1260P1	1923.000	9:23:23	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1922.000	9:23:32	2	2500	100	0	0	0	0	0 0.6	0
1260P1	1921.000	9:23:41	1	2500	100	0	0	0	0	0 0.7	0
1260P1	1920.000	9:23:49	2	2500	100	0	0	0	0	0 0.6	0
1260P1	1919.000	9:23:58	1	2500	100	0	0	0	0	0 0.6	0
1260P1	1918.000	9:24:07	2	2500	100	0	0	0	0	0 0.7	0
1260P1	1917.000	9:24:16	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1916.000	9:24:25	2	2500	100	0	0	0	0	0 0.7	0
1260P1	1915.000	9:24:34	1	2500	100	0	0	0	0	0 0.5	0
1260P1	1914.000	9:24:43	2	2500	100	0	0	0	0	0 0.6	0
1260P1	1913.000	9:24:52	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1912.000	9:25:01	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1911.000	9:25:10	1	2500	100	0	0	0	0	0 0.5	0
1260P1	1910.000	9:25:19	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1909.000	9:25:27	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1908.000	9:25:36	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1907.000	9:25:45	1	2500	100	0	0	0	0	0 0.4	0
1260P1	1906.000	9:25:54	2	2500	100	0	0	0	0	0 0.6	0
1260P1	1905.000	9:26:03	1	2500	100	0	0	0	0	0 0.7	0
1260P1	1904.000	9:26:12	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1903.000	9:26:21	1	2500	100	0	0	0	0	0 0.9	0
1260P1	1902.000	9:26:29	2	2500	100	0	0	0	0	0 0.5	0
1260P1	1901.000	9:26:38	1	2500	100	0	0	0	0	0 1.0	0
1260P1	1900.000	9:26:47	2	2500	100	0	0	0	0	0 1.0	0
1260P1	1899.000	9:26:56	1	2500	100	0	0	0	0	0 0.6	0
1260P1	1898.000	9:27:04	2	2500	100	0	0	0	0	0 1.4	0
1260P1	1897.000	9:27:13	1	2500	100	0	0	0	0	0 0.7	0
1260P1	1896.000	9:27:22	2	2500	100	0	0	0	0	0 0.7	0
1260P1	1895.000	9:27:31	1	2500	100	0	0	0	0	0 1.1	0
1260P1	1894.000	9:27:40	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1893.000	9:27:49	1	2500	100	0	0	0	0	0 0.5	0
1260P1	1892.000	9:27:58	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1891.000	9:28:07	1	2500	100	0	0	0	0	0 0.4	0
1260P1	1890.000	9:28:16	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1889.000	9:28:25	1	2500	100	0	0	0	0	0 0.9	0
1260P1	1888.000	9:28:34	2	2500	100	0	0	0	0	0 0.5	0
1260P1	1887.000	9:28:42	1	2500	100	0	0	0	0	0 1.4	0
1260P1	1886.000	9:28:51	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1885.000	9:29:00	1	2500	100	0	0	0	0	0 0.6	0
1260P1	1884.000	9:29:09	2	2500	100	0	0	0	0	0 0.6	0
1260P1	1883.000	9:29:18	1	2500	100	0	0	0	0	0 0.4	0
1260P1	1882.000	9:29:27	2	2500	100	0	0	0	0	0 1.0	0
1260P1	1881.000	9:29:36	1	2500	100	0	0	0	0	0 0.7	0

GCS90 Log Line 1260P1

Page 7/25

3/11/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1260P1	1880.000	9:29:44	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1879.000	9:29:53	1	2500	100	0	0	0	0	0 1.1	0
1260P1	1878.000	9:30:02	2	2500	100	0	0	0	0	0 0.7	0
1260P1	1877.000	9:30:11	1	2500	100	0	0	0	0	0 0.7	0
1260P1	1876.000	9:30:20	2	2500	100	0	0	0	0	0 0.7	0
1260P1	1875.000	9:30:29	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1874.000	9:30:37	2	2500	100	0	0	0	0	0 0.5	0
1260P1	1873.000	9:30:46	1	2500	100	0	0	0	0	0 1.4	0
1260P1	1872.000	9:30:55	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1871.000	9:31:04	1	2500	100	0	0	0	0	0 0.6	0
1260P1	1870.000	9:31:13	2	2500	100	0	0	0	0	0 0.6	0
1260P1	1869.000	9:31:22	1	2500	100	0	0	0	0	0 0.9	0
1260P1	1868.000	9:31:30	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1867.000	9:31:39	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1866.000	9:31:48	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1865.000	9:31:57	1	2500	100	0	0	0	0	0 0.5	0
1260P1	1864.000	9:32:05	2	2500	100	0	0	0	0	0 0.6	0
1260P1	1863.000	9:32:14	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1862.000	9:32:23	2	2500	100	0	0	0	0	0 0.7	0
1260P1	1861.000	9:32:31	1	2500	100	0	0	0	0	0 0.5	0
1260P1	1860.000	9:32:40	2	2500	100	0	0	0	0	0 1.4	0
1260P1	1859.000	9:32:49	1	2500	100	0	0	0	0	0 0.4	0
1260P1	1858.000	9:32:58	2	2500	100	0	0	0	0	0 1.1	0
1260P1	1857.000	9:33:07	1	2500	100	0	0	0	0	0 0.4	0
1260P1	1856.000	9:33:16	2	2500	100	0	0	0	0	0 1.4	0
1260P1	1855.000	9:33:25	1	2500	100	0	0	0	0	0 0.5	0
1260P1	1854.000	9:33:34	2	2500	100	0	0	0	0	0 1.2	0
1260P1	1853.000	9:33:43	1	2500	100	0	0	0	0	0 0.7	0
1260P1	1852.000	9:33:52	2	2500	100	0	0	0	0	0 1.1	0
1260P1	1851.000	9:34:01	1	2500	100	0	0	0	0	0 0.7	0
1260P1	1850.000	9:34:09	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1849.000	9:34:18	1	2500	100	0	0	0	0	0 1.4	0
1260P1	1848.000	9:34:27	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1847.000	9:34:36	1	2500	100	0	0	0	0	0 0.4	0
1260P1	1846.000	9:34:45	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1845.000	9:34:54	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1844.000	9:35:03	2	2500	100	0	0	0	0	0 1.3	0
1260P1	1843.000	9:35:11	1	2500	100	0	0	0	0	0 1.4	0
1260P1	1842.000	9:35:20	2	2500	100	0	0	0	0	0 1.8	0
1260P1	1841.000	9:35:29	1	2500	100	0	0	0	0	0 0.7	0
1260P1	1840.000	9:35:38	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1839.000	9:35:47	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1838.000	9:35:56	2	2500	100	0	0	0	0	0 1.1	0
1260P1	1837.000	9:36:04	1	2500	100	0	0	0	0	0 0.4	0
1260P1	1836.000	9:36:13	2	2500	100	0	0	0	0	0 1.1	0
1260P1	1835.000	9:36:22	1	2500	100	0	0	0	0	0 1.1	0
1260P1	1834.000	9:36:31	2	2500	100	0	0	0	0	0 1.1	0
1260P1	1833.000	9:36:40	1	2500	100	0	0	0	0	0 1.2	0
1260P1	1832.000	9:36:49	2	2500	100	0	0	0	0	0 1.0	0
1260P1	1831.000	9:36:57	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1830.000	9:37:06	2	2500	100	0	0	0	0	0 1.1	0
1260P1	1829.000	9:37:15	1	2500	100	0	0	0	0	0 0.9	0
1260P1	1828.000	9:37:24	2	2500	100	0	0	0	0	0 0.6	0
1260P1	1827.000	9:37:33	1	2500	100	0	0	0	0	0 0.4	0
1260P1	1826.000	9:37:41	2	2500	100	0	0	0	0	0 1.2	0
1260P1	1825.000	9:37:50	1	2500	100	0	0	0	0	0 0.6	0
1260P1	1824.000	9:37:59	2	2500	100	0	0	0	0	0 1.0	0

GCS90 Log Line 1260P1

Page 8/25

3/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1260P1	1823.000	9:38:08	1	2500	100	0	0	0	0	0 0.5	0
1260P1	1822.000	9:38:17	2	2500	100	0	0	0	0	0 0.7	0
1260P1	1821.000	9:38:25	1	2500	100	0	0	0	0	0 0.6	0
1260P1	1820.000	9:38:34	2	2500	100	0	0	0	0	0 1.2	0
1260P1	1819.000	9:38:43	1	2500	100	0	0	0	0	0 1.9	0
1260P1	1818.000	9:38:52	2	2500	100	0	0	0	0	0 1.0	0
1260P1	1817.000	9:39:01	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1816.000	9:39:10	2	2500	100	0	0	0	0	0 0.7	0
1260P1	1815.000	9:39:18	1	2500	100	0	0	0	0	0 1.0	0
1260P1	1814.000	9:39:27	2	2500	100	0	0	0	0	0 1.5	0
1260P1	1813.000	9:39:36	1	2500	100	0	0	0	0	0 0.7	0
1260P1	1812.000	9:39:45	2	2500	100	0	0	0	0	0 0.7	0
1260P1	1811.000	9:39:54	1	2500	100	0	0	0	0	0 0.6	0
1260P1	1810.000	9:40:03	2	2500	100	0	0	0	0	0 1.0	0
1260P1	1809.000	9:40:12	1	2500	100	0	0	0	0	0 0.6	0
1260P1	1808.000	9:40:20	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1807.000	9:40:29	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1806.000	9:40:38	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1805.000	9:40:47	1	2500	100	0	0	0	0	0 0.6	0
1260P1	1804.000	9:40:56	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1803.000	9:41:04	1	2500	100	0	0	0	0	0 0.4	0
1260P1	1802.000	9:41:13	2	2500	100	0	0	0	0	0 1.2	0
1260P1	1801.000	9:41:22	1	2500	100	0	0	0	0	0 0.9	0
1260P1	1800.000	9:41:31	2	2500	100	0	0	0	0	0 1.0	0
1260P1	1799.000	9:41:40	1	2500	100	0	0	0	0	0 0.7	0
1260P1	1798.000	9:41:49	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1797.000	9:41:58	1	2500	100	0	0	0	0	0 0.7	0
1260P1	1796.000	9:42:07	2	2500	100	0	0	0	0	0 1.1	0
1260P1	1795.000	9:42:15	1	2500	100	0	0	0	0	0 1.1	0
1260P1	1794.000	9:42:24	2	2500	100	0	0	0	0	0 1.2	0
1260P1	1793.000	9:42:33	1	2500	100	0	0	0	0	0 0.7	0
1260P1	1792.000	9:42:42	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1791.000	9:42:51	1	2500	100	0	0	0	0	0 1.8	0
1260P1	1790.000	9:43:00	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1789.000	9:43:09	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1788.000	9:43:17	2	2500	100	0	0	0	0	0 1.3	0
1260P1	1787.000	9:43:26	1	2500	100	0	0	0	0	0 1.0	0
1260P1	1786.000	9:43:35	2	2500	100	0	0	0	0	0 1.3	0
1260P1	1785.000	9:43:44	1	2500	100	0	0	0	0	0 1.5	0
1260P1	1784.000	9:43:53	2	2500	100	0	0	0	0	0 1.0	0
1260P1	1783.000	9:44:02	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1782.000	9:44:11	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1781.000	9:44:20	1	2500	100	0	0	0	0	1 2.0	0
DELTA ERR: 1 - S2-1											
1260P1	1780.000	9:44:29	2	2500	100	0	0	0	0	0 1.1	0
1260P1	1779.000	9:44:38	1	2500	100	0	0	0	0	0 0.6	0
1260P1	1778.000	9:44:47	2	2500	100	0	0	0	0	0 0.6	0
1260P1	1777.000	9:44:55	1	2500	100	0	0	0	0	0 0.9	0
1260P1	1776.000	9:45:04	2	2500	100	0	0	0	0	0 1.0	0
1260P1	1775.000	9:45:13	1	2500	100	0	0	0	0	0 0.6	0
1260P1	1774.000	9:45:22	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1773.000	9:45:31	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1772.000	9:45:39	2	2500	100	0	0	0	0	0 0.7	0
1260P1	1771.000	9:45:48	1	2500	100	0	0	0	0	0 1.7	0
1260P1	1770.000	9:45:57	2	2500	100	0	0	0	0	0 1.1	0
1260P1	1769.000	9:46:06	1	2500	100	0	0	0	0	0 1.3	0
1260P1	1768.000	9:46:14	2	2500	100	0	0	0	0	0 1.1	0

GCS90 Log Line 1260P1

Page 9/25

3/11/03		VOLUME					AUTOFIRE TIME-ERROR SPREAD				
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT		SHOT	LINE	MISS	DELTA	ERR CNT
1260P1	1767.000	9:46:23	1	2500	100	0	0	0	0	0 1.1	0
1260P1	1766.000	9:46:32	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1765.000	9:46:41	1	2500	100	0	0	0	0	0 0.6	0
1260P1	1764.000	9:46:50	2	2500	100	0	0	0	0	0 0.7	0
1260P1	1763.000	9:46:59	1	2500	100	0	0	0	0	0 1.8	0
1260P1	1762.000	9:47:07	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1761.000	9:47:16	1	2500	100	0	0	0	0	0 0.6	0
1260P1	1760.000	9:47:25	2	2500	100	0	0	0	0	0 1.0	0
1260P1	1759.000	9:47:34	1	2500	100	0	0	0	0	0 0.5	0
1260P1	1758.000	9:47:43	2	2500	100	0	0	0	0	0 0.6	0
1260P1	1757.000	9:47:52	1	2500	100	0	0	0	0	0 1.5	0
1260P1	1756.000	9:48:00	2	2500	100	0	0	0	0	0 1.2	0
1260P1	1755.000	9:48:09	1	2500	100	0	0	0	0	0 0.7	0
1260P1	1754.000	9:48:18	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1753.000	9:48:27	1	2500	100	0	0	0	0	0 1.3	0
1260P1	1752.000	9:48:36	2	2500	100	0	0	0	0	0 1.4	0
1260P1	1751.000	9:48:45	1	2500	100	0	0	0	0	0 0.9	0
1260P1	1750.000	9:48:54	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1749.000	9:49:03	1	2500	100	0	0	0	0	0 1.9	0
1260P1	1748.000	9:49:12	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1747.000	9:49:20	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1746.000	9:49:29	2	2500	100	0	0	0	0	0 0.7	0
1260P1	1745.000	9:49:38	1	2500	100	0	0	0	0	0 0.9	0
1260P1	1744.000	9:49:47	2	2500	100	0	0	0	0	0 1.2	0
1260P1	1743.000	9:49:56	1	2500	100	0	0	0	0	0 1.3	0
1260P1	1742.000	9:50:05	2	2500	100	0	0	0	0	0 1.0	0
1260P1	1741.000	9:50:14	1	2500	100	0	0	0	0	0 1.2	0
1260P1	1740.000	9:50:22	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1739.000	9:50:31	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1738.000	9:50:40	2	2500	100	0	0	0	0	0 1.0	0
1260P1	1737.000	9:50:49	1	2500	100	0	0	0	0	0 1.6	0
1260P1	1736.000	9:50:58	2	2500	100	0	0	0	0	0 1.3	0
1260P1	1735.000	9:51:07	1	2500	100	0	0	0	0	0 0.7	0
1260P1	1734.000	9:51:15	2	2500	100	0	0	0	0	0 0.7	0
1260P1	1733.000	9:51:24	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1732.000	9:51:33	2	2500	100	0	0	0	0	0 1.5	0
1260P1	1731.000	9:51:42	1	2500	100	0	0	0	0	0 1.0	0
1260P1	1730.000	9:51:51	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1729.000	9:52:00	1	2500	100	0	0	0	0	0 0.7	0
1260P1	1728.000	9:52:09	2	2500	100	0	0	0	0	0 1.0	0
1260P1	1727.000	9:52:18	1	2500	100	0	0	0	0	0 1.0	0
1260P1	1726.000	9:52:27	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1725.000	9:52:36	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1724.000	9:52:45	2	2500	100	0	0	0	0	0 1.1	0
1260P1	1723.000	9:52:54	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1722.000	9:53:03	2	2500	100	0	0	0	0	0 1.1	0
1260P1	1721.000	9:53:12	1	2500	100	0	0	0	0	0 0.5	0
1260P1	1720.000	9:53:21	2	2500	100	0	0	0	0	0 1.2	0
1260P1	1719.000	9:53:30	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1718.000	9:53:38	2	2500	100	0	0	0	0	0 0.6	0
1260P1	1717.000	9:53:47	1	2500	100	0	0	0	0	0 0.6	0
1260P1	1716.000	9:53:56	2	2500	100	0	0	0	0	0 1.1	0
1260P1	1715.000	9:54:05	1	2500	100	0	0	0	0	0 0.9	0
1260P1	1714.000	9:54:14	2	2500	100	0	0	0	0	0 1.4	0
1260P1	1713.000	9:54:23	1	2500	100	0	0	0	0	0 0.6	0
1260P1	1712.000	9:54:32	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1711.000	9:54:40	1	2500	100	0	0	0	0	0 0.9	0

GCS90 Log Line 1260P1

Page 10/25

3/11/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1260P1	1710.000	9:54:49	2	2500	100	0	0	0	0	0 1.2	0
1260P1	1709.000	9:54:58	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1708.000	9:55:07	2	2500	100	0	0	0	0	0 1.0	0
1260P1	1707.000	9:55:16	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1706.000	9:55:25	2	2500	100	0	0	0	0	0 0.7	0
1260P1	1705.000	9:55:33	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1704.000	9:55:42	2	2500	100	0	0	0	0	0 1.2	0
1260P1	1703.000	9:55:51	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1702.000	9:56:00	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1701.000	9:56:09	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1700.000	9:56:17	2	2500	100	0	0	0	0	0 1.1	0
1260P1	1699.000	9:56:26	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1698.000	9:56:35	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1697.000	9:56:44	1	2500	100	0	0	0	0	0 0.6	0
1260P1	1696.000	9:56:53	2	2500	100	0	0	0	0	0 0.5	0
1260P1	1695.000	9:57:02	1	2500	100	0	0	0	0	0 1.3	0
1260P1	1694.000	9:57:11	2	2500	100	0	0	0	0	0 1.2	0
1260P1	1693.000	9:57:19	1	2500	100	0	0	0	0	0 0.6	0
1260P1	1692.000	9:57:28	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1691.000	9:57:37	1	2500	100	0	0	0	0	0 1.1	0
1260P1	1690.000	9:57:46	2	2500	100	0	0	0	0	0 0.7	0
1260P1	1689.000	9:57:55	1	2500	100	0	0	0	0	0 0.5	0
1260P1	1688.000	9:58:03	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1687.000	9:58:12	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1686.000	9:58:21	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1685.000	9:58:30	1	2500	100	0	0	0	0	0 0.9	0
1260P1	1684.000	9:58:39	2	2500	100	0	0	0	0	0 1.2	0
1260P1	1683.000	9:58:48	1	2500	100	0	0	0	0	0 0.6	0
1260P1	1682.000	9:58:56	2	2500	100	0	0	0	0	0 1.4	0
1260P1	1681.000	9:59:05	1	2500	100	0	0	0	0	0 0.9	0
1260P1	1680.000	9:59:14	2	2500	100	0	0	0	0	0 0.7	0
1260P1	1679.000	9:59:23	1	2500	100	0	0	0	0	0 0.7	0
1260P1	1678.000	9:59:32	2	2500	100	0	0	0	0	0 1.2	0
1260P1	1677.000	9:59:41	1	2500	100	0	0	0	0	0 1.0	0
1260P1	1676.000	9:59:50	2	2500	100	0	0	0	0	0 0.7	0
1260P1	1675.000	9:59:59	1	2500	100	0	0	0	0	0 0.9	0
1260P1	1674.000	10:00:08	2	2500	100	0	0	0	0	0 1.5	0
1260P1	1673.000	10:00:17	1	2500	100	0	0	0	0	0 1.0	0
1260P1	1672.000	10:00:26	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1671.000	10:00:34	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1670.000	10:00:43	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1669.000	10:00:52	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1668.000	10:01:01	2	2500	100	0	0	0	0	0 1.5	0
1260P1	1667.000	10:01:10	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1666.000	10:01:19	2	2500	100	0	0	0	0	0 0.7	0
1260P1	1665.000	10:01:28	1	2500	100	0	0	0	0	0 1.6	0
1260P1	1664.000	10:01:37	2	2500	100	0	0	0	0	0 1.3	0
1260P1	1663.000	10:01:46	1	2500	100	0	0	0	0	0 1.2	0
1260P1	1662.000	10:01:55	2	2500	100	0	0	0	0	0 0.4	0
1260P1	1661.000	10:02:04	1	2500	100	0	0	0	0	0 0.9	0
1260P1	1660.000	10:02:13	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1659.000	10:02:21	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1658.000	10:02:30	2	2500	100	0	0	0	0	0 1.1	0
1260P1	1657.000	10:02:39	1	2500	100	0	0	0	0	0 0.9	0
1260P1	1656.000	10:02:48	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1655.000	10:02:57	1	2500	100	0	0	0	0	0 0.9	0
1260P1	1654.000	10:03:07	2	2500	100	0	0	0	0	0 0.9	0

GCS90 Log Line 1260P1

Page 11/25

3/11/03			VOLUME				AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT		SHOT	LINE	MISS	DELTA	ERR	CNT
1260P1	1653.000	10:03:15	1	2500	100	0	0	0	0	0	0.8	0
1260P1	1652.000	10:03:24	2	2500	100	0	0	0	0	0	1.5	0
1260P1	1651.000	10:03:33	1	2500	100	0	0	0	0	1	1.6	0
DELTA ERR: 1 - S3-3												
1260P1	1650.000	10:03:42	2	2500	100	0	0	0	0	0	0.8	0
1260P1	1649.000	10:03:51	1	2500	100	0	0	0	0	0	0.5	0
1260P1	1648.000	10:04:00	2	2500	100	0	0	0	0	0	1.4	0
1260P1	1647.000	10:04:09	1	2500	100	0	0	0	0	0	0.7	0
1260P1	1646.000	10:04:18	2	2500	100	0	0	0	0	0	1.1	0
1260P1	1645.000	10:04:27	1	2500	100	0	0	0	0	0	0.6	0
1260P1	1644.000	10:04:35	2	2500	100	0	0	0	0	0	0.8	0
1260P1	1643.000	10:04:44	1	2500	100	0	0	0	0	0	0.8	0
1260P1	1642.000	10:04:53	2	2500	100	0	0	0	0	0	0.8	0
1260P1	1641.000	10:05:02	1	2500	100	0	0	0	0	0	0.8	0
1260P1	1640.000	10:05:11	2	2500	100	0	0	0	0	0	1.3	0
1260P1	1639.000	10:05:20	1	2500	100	0	0	0	0	0	0.7	0
1260P1	1638.000	10:05:28	2	2500	100	0	0	0	0	0	1.2	0
1260P1	1637.000	10:05:37	1	2500	100	0	0	0	0	0	0.7	0
1260P1	1636.000	10:05:46	2	2500	100	0	0	0	0	0	0.8	0
1260P1	1635.000	10:05:55	1	2500	100	0	0	0	0	0	0.5	0
1260P1	1634.000	10:06:04	2	2500	100	0	0	0	0	0	0.5	0
1260P1	1633.000	10:06:13	1	2500	100	0	0	0	0	0	0.6	0
1260P1	1632.000	10:06:22	2	2500	100	0	0	0	0	0	0.8	0
1260P1	1631.000	10:06:31	1	2500	100	0	0	0	0	0	0.8	0
1260P1	1630.000	10:06:40	2	2500	100	0	0	0	0	0	0.9	0
1260P1	1629.000	10:06:49	1	2500	100	0	0	0	0	0	0.8	0
1260P1	1628.000	10:06:57	2	2500	100	0	0	0	0	0	0.8	0
1260P1	1627.000	10:07:06	1	2500	100	0	0	0	0	0	1.3	0
1260P1	1626.000	10:07:15	2	2500	100	0	0	0	0	0	0.8	0
1260P1	1625.000	10:07:24	1	2500	100	0	0	0	0	0	0.7	0
1260P1	1624.000	10:07:33	2	2500	100	0	0	0	0	0	0.7	0
1260P1	1623.000	10:07:42	1	2500	100	0	0	0	0	0	1.2	0
1260P1	1622.000	10:07:51	2	2500	100	0	0	0	0	0	1.5	0
1260P1	1621.000	10:08:00	1	2500	100	0	0	0	0	0	1.3	0
1260P1	1620.000	10:08:08	2	2500	100	0	0	0	0	0	1.1	0
1260P1	1619.000	10:08:17	1	2500	100	0	0	0	0	0	1.1	0
1260P1	1618.000	10:08:26	2	2500	100	0	0	0	0	0	0.6	0
1260P1	1617.000	10:08:35	1	2500	100	0	0	0	0	0	0.8	0
1260P1	1616.000	10:08:44	2	2500	100	0	0	0	0	0	1.0	0
1260P1	1615.000	10:08:53	1	2500	100	0	0	0	0	0	0.9	0
1260P1	1614.000	10:09:02	2	2500	100	0	0	0	0	0	1.1	0
1260P1	1613.000	10:09:11	1	2500	100	0	0	0	0	0	1.0	0
1260P1	1612.000	10:09:20	2	2500	100	0	0	0	0	0	0.5	0
1260P1	1611.000	10:09:29	1	2500	100	0	0	0	0	0	0.8	0
1260P1	1610.000	10:09:37	2	2500	100	0	0	0	0	0	1.0	0
1260P1	1609.000	10:09:46	1	2500	100	0	0	0	0	0	0.7	0
1260P1	1608.000	10:09:55	2	2500	100	0	0	0	0	0	1.1	0
1260P1	1607.000	10:10:04	1	2500	100	0	0	0	0	0	0.7	0
1260P1	1606.000	10:10:13	2	2500	100	0	0	0	0	0	1.0	0
1260P1	1605.000	10:10:22	1	2500	100	0	0	0	0	0	0.7	0
1260P1	1604.000	10:10:31	2	2500	100	0	0	0	0	0	1.2	0
1260P1	1603.000	10:10:40	1	2500	100	0	0	0	0	0	0.8	0
1260P1	1602.000	10:10:48	2	2500	100	0	0	0	0	0	0.5	0
1260P1	1601.000	10:10:57	1	2500	100	0	0	0	0	0	0.8	0
1260P1	1600.000	10:11:06	2	2500	100	0	0	0	0	0	0.6	0
1260P1	1599.000	10:11:15	1	2500	100	0	0	0	0	0	1.2	0
1260P1	1598.000	10:11:23	2	2500	100	0	0	0	0	0	1.0	0

GCS90 Log Line 1260P1

Page 12/25

3/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1260P1	1597.000	10:11:32	1	2500	100	0	0	0	0	0 1.0	0
1260P1	1596.000	10:11:41	2	2500	100	0	0	0	0	0 1.0	0
1260P1	1595.000	10:11:50	1	2500	100	0	0	0	0	0 0.5	0
1260P1	1594.000	10:11:59	2	2500	100	0	0	0	0	0 1.0	0
1260P1	1593.000	10:12:08	1	2500	100	0	0	0	0	0 1.2	0
1260P1	1592.000	10:12:17	2	2500	100	0	0	0	0	0 1.2	0
1260P1	1591.000	10:12:25	1	2500	100	0	0	0	0	0 1.2	0
1260P1	1590.000	10:12:34	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1589.000	10:12:43	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1588.000	10:12:52	2	2500	100	0	0	0	0	0 1.0	0
1260P1	1587.000	10:13:01	1	2500	100	0	0	0	0	0 0.7	0
1260P1	1586.000	10:13:10	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1585.000	10:13:19	1	2500	100	0	0	0	0	0 0.5	0
1260P1	1584.000	10:13:28	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1583.000	10:13:37	1	2500	100	0	0	0	0	0 0.7	0
1260P1	1582.000	10:13:46	2	2500	100	0	0	0	0	0 1.5	0
1260P1	1581.000	10:13:55	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1580.000	10:14:03	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1579.000	10:14:12	1	2500	100	0	0	0	0	0 0.4	0
1260P1	1578.000	10:14:21	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1577.000	10:14:30	1	2500	100	0	0	0	0	0 0.9	0
1260P1	1576.000	10:14:39	2	2500	100	0	0	0	0	0 1.4	0
1260P1	1575.000	10:14:48	1	2500	100	0	0	0	0	0 1.1	0
1260P1	1574.000	10:14:57	2	2500	100	0	0	0	0	0 1.4	0
1260P1	1573.000	10:15:06	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1572.000	10:15:15	2	2500	100	0	0	0	0	0 1.0	0
1260P1	1571.000	10:15:24	1	2500	100	0	0	0	0	0 1.5	0
1260P1	1570.000	10:15:33	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1569.000	10:15:42	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1568.000	10:15:51	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1567.000	10:16:00	1	2500	100	0	0	0	0	0 1.6	0
1260P1	1566.000	10:16:09	2	2500	100	0	0	0	0	0 0.6	0
1260P1	1565.000	10:16:18	1	2500	100	0	0	0	0	0 1.1	0
1260P1	1564.000	10:16:26	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1563.000	10:16:35	1	2500	100	0	0	0	0	0 0.7	0
1260P1	1562.000	10:16:44	2	2500	100	0	0	0	0	0 1.3	0
1260P1	1561.000	10:16:53	1	2500	100	0	0	0	0	0 0.7	0
1260P1	1560.000	10:17:02	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1559.000	10:17:11	1	2500	100	0	0	0	0	0 0.9	0
1260P1	1558.000	10:17:20	2	2500	100	0	0	0	0	0 1.5	0
1260P1	1557.000	10:17:28	1	2500	100	0	0	0	0	0 0.6	0
1260P1	1556.000	10:17:37	2	2500	100	0	0	0	0	0 1.0	0
1260P1	1555.000	10:17:46	1	2500	100	0	0	0	0	0 1.1	0
1260P1	1554.000	10:17:55	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1553.000	10:18:04	1	2500	100	0	0	0	0	0 0.7	0
1260P1	1552.000	10:18:13	2	2500	100	0	0	0	0	0 0.7	0
1260P1	1551.000	10:18:22	1	2500	100	0	0	0	0	0 1.4	0
1260P1	1550.000	10:18:31	2	2500	100	0	0	0	0	0 1.1	0
1260P1	1549.000	10:18:39	1	2500	100	0	0	0	0	0 0.6	0
1260P1	1548.000	10:18:48	2	2500	100	0	0	0	0	0 2.0	0
1260P1	1547.000	10:18:57	1	2500	100	0	0	0	0	0 1.1	0
1260P1	1546.000	10:19:06	2	2500	100	0	0	0	0	0 0.5	0
1260P1	1545.000	10:19:15	1	2500	100	0	0	0	0	0 0.7	0
1260P1	1544.000	10:19:24	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1543.000	10:19:33	1	2500	100	0	0	0	0	0 1.2	0
1260P1	1542.000	10:19:42	2	2500	100	0	0	0	0	0 1.6	0
1260P1	1541.000	10:19:51	1	2500	100	0	0	0	0	0 1.1	0

GCS90 Log Line 1260P1

Page 13/25

3/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1260P1	1540.000	10:19:59	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1539.000	10:20:08	1	2500	100	0	0	0	0	0 1.0	0
1260P1	1538.000	10:20:17	2	2500	100	0	0	0	0	0 1.3	0
1260P1	1537.000	10:20:26	1	2500	100	0	0	0	0	0 1.2	0
1260P1	1536.000	10:20:35	2	2500	100	0	0	0	0	0 0.6	0
1260P1	1535.000	10:20:44	1	2500	100	0	0	0	0	0 1.2	0
1260P1	1534.000	10:20:53	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1533.000	10:21:02	1	2500	100	0	0	0	0	0 1.6	0
1260P1	1532.000	10:21:10	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1531.000	10:21:19	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1530.000	10:21:28	2	2500	100	0	0	0	0	0 1.3	0
1260P1	1529.000	10:21:37	1	2500	100	0	0	0	0	0 1.0	0
1260P1	1528.000	10:21:46	2	2500	100	0	0	0	0	0 1.1	0
1260P1	1527.000	10:21:55	1	2500	100	0	0	0	0	0 0.7	0
1260P1	1526.000	10:22:04	2	2500	100	0	0	0	0	0 0.6	0
1260P1	1525.000	10:22:13	1	2500	100	0	0	0	0	0 1.1	0
1260P1	1524.000	10:22:21	2	2500	100	0	0	0	0	0 0.5	0
1260P1	1523.000	10:22:30	1	2500	100	0	0	0	0	0 0.7	0
1260P1	1522.000	10:22:39	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1521.000	10:22:48	1	2500	100	0	0	0	0	0 0.7	0
1260P1	1520.000	10:22:57	2	2500	100	0	0	0	0	0 1.4	0
1260P1	1519.000	10:23:06	1	2500	100	0	0	0	0	0 0.5	0
1260P1	1518.000	10:23:15	2	2500	100	0	0	0	0	0 0.7	0
1260P1	1517.000	10:23:24	1	2500	100	0	0	0	0	0 1.1	0
1260P1	1516.000	10:23:33	2	2500	100	0	0	0	0	0 0.6	0
1260P1	1515.000	10:23:42	1	2500	100	0	0	0	0	0 0.6	0
1260P1	1514.000	10:23:51	2	2500	100	0	0	0	0	0 1.2	0
1260P1	1513.000	10:24:00	1	2500	100	0	0	0	0	0 0.8	0
1260P1	1512.000	10:24:09	2	2500	100	0	0	0	0	0 0.6	0
1260P1	1511.000	10:24:18	1	2500	100	0	0	0	0	0 0.6	0
1260P1	1510.000	10:24:27	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1509.000	10:24:36	1	2500	100	0	0	0	0	0 1.2	0
1260P1	1508.000	10:24:45	2	2500	100	0	0	0	0	0 1.0	0
1260P1	1507.000	10:24:54	1	2500	100	0	0	0	0	0 0.7	0
1260P1	1506.000	10:25:03	2	2500	100	0	0	0	0	0 0.6	0
1260P1	1505.000	10:25:11	1	2500	100	0	0	0	0	0 1.0	0
1260P1	1504.000	10:25:20	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1503.000	10:25:29	1	2500	100	0	0	0	0	0 0.7	0
1260P1	1502.000	10:25:38	2	2500	100	0	0	0	0	0 0.5	0
1260P1	1501.000	10:25:47	1	2500	100	0	0	0	0	0 1.3	0
1260P1	1500.000	10:25:56	2	2500	100	0	0	0	0	0 0.7	0
1260P1	1499.000	10:26:05	1	2500	100	0	0	0	0	0 0.9	0
1260P1	1498.000	10:26:14	2	2500	100	0	0	0	0	0 1.0	0
1260P1	1497.000	10:26:23	1	2500	100	0	0	0	0	0 1.3	0
1260P1	1496.000	10:26:32	2	2500	100	0	0	0	0	0 1.1	0
1260P1	1495.000	10:26:41	1	2500	100	0	0	0	0	0 1.3	0
1260P1	1494.000	10:26:50	2	2500	100	0	0	0	0	0 0.5	0
1260P1	1493.000	10:26:58	1	2500	100	0	0	0	0	0 0.9	0
1260P1	1492.000	10:27:07	2	2500	100	0	0	0	0	0 0.8	0
1260P1	1491.000	10:27:16	1	2500	100	0	0	0	0	0 1.5	0
1260P1	1490.000	10:27:25	2	2500	100	0	0	0	0	0 1.0	0
1260P1	1489.000	10:27:34	1	2500	100	0	0	0	0	0 0.7	0
1260P1	1488.000	10:27:43	2	2500	100	0	0	0	0	0 0.9	0
1260P1	1487.000	10:27:52	1	2500	100	0	0	0	0	0 1.3	0
1260P1	1486.000	10:28:00	2	2500	100	0	0	0	0	0 1.7	0
1260P1	1485.000	10:28:09	1	2500	100	0	0	0	0	0 0.7	0
1260P1	1484.000	10:28:18	2	2500	100	0	0	0	0	0 1.4	0

GCS90 Log Line 1260P1

Page 14/25

3/11/03				VOLUME			AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT		SHOT	LINE	MISS	DELTA	ERR	CNT
1260P1	1483.000	10:28:27	1	2500	100	0	0	0	0	0	1.0	0
1260P1	1482.000	10:28:36	2	2500	100	0	0	0	0	0	0.7	0
1260P1	1481.000	10:28:45	1	2500	100	0	0	0	0	0	0.3	0
1260P1	1480.000	10:28:54	2	2500	100	0	0	0	0	0	1.2	0
1260P1	1479.000	10:29:02	1	2500	100	0	0	0	0	0	0.9	0
DEPTH ERR: 1 - S1-11												
1260P1	1478.000	10:29:11	2	2500	100	0	0	0	0	0	1.3	0
1260P1	1477.000	10:29:20	1	2500	100	0	0	0	0	0	0.8	0
1260P1	1476.000	10:29:29	2	2500	100	0	0	0	0	0	1.0	0
1260P1	1475.000	10:29:38	1	2500	100	0	0	0	0	0	0.8	0
1260P1	1474.000	10:29:47	2	2500	100	0	0	0	0	0	0.8	0
1260P1	1473.000	10:29:56	1	2500	100	0	0	0	0	0	1.1	0
1260P1	1472.000	10:30:04	2	2500	100	0	0	0	0	0	1.0	0
1260P1	1471.000	10:30:13	1	2500	100	0	0	0	0	0	1.1	0
1260P1	1470.000	10:30:22	2	2500	100	0	0	0	0	0	1.4	0
1260P1	1469.000	10:30:31	1	2500	100	0	0	0	0	0	1.0	0
1260P1	1468.000	10:30:40	2	2500	100	0	0	0	0	0	1.2	0
1260P1	1467.000	10:30:49	1	2500	100	0	0	0	0	0	1.0	0
1260P1	1466.000	10:30:58	2	2500	100	0	0	0	0	0	0.9	0
1260P1	1465.000	10:31:07	1	2500	100	0	0	0	0	0	1.3	0
1260P1	1464.000	10:31:16	2	2500	100	0	0	0	0	0	1.2	0
1260P1	1463.000	10:31:25	1	2500	100	0	0	0	0	0	1.1	0
1260P1	1462.000	10:31:34	2	2500	100	0	0	0	0	0	1.4	0
1260P1	1461.000	10:31:43	1	2500	100	0	0	0	0	0	1.1	0
1260P1	1460.000	10:31:51	2	2500	100	0	0	0	0	0	1.0	0
1260P1	1459.000	10:32:00	1	2500	100	0	0	0	0	0	0.3	0
1260P1	1458.000	10:32:09	2	2500	100	0	0	0	0	0	0.7	0
1260P1	1457.000	10:32:18	1	2500	100	0	0	0	0	0	0.6	0
1260P1	1456.000	10:32:27	2	2500	100	0	0	0	0	0	0.5	0
1260P1	1455.000	10:32:36	1	2500	100	0	0	0	0	0	1.0	0
1260P1	1454.000	10:32:45	2	2500	100	0	0	0	0	0	0.9	0
1260P1	1453.000	10:32:54	1	2500	100	0	0	0	0	0	0.9	0
1260P1	1452.000	10:33:03	2	2500	100	0	0	0	0	0	1.1	0
1260P1	1451.000	10:33:12	1	2500	100	0	0	0	0	0	0.4	0
1260P1	1450.000	10:33:20	2	2500	100	0	0	0	0	0	0.7	0
1260P1	1449.000	10:33:29	1	2500	100	0	0	0	0	0	1.0	0
1260P1	1448.000	10:33:38	2	2500	100	0	0	0	0	0	0.6	0
1260P1	1447.000	10:33:47	1	2500	100	0	0	0	0	0	0.7	0
1260P1	1446.000	10:33:56	2	2500	100	0	0	0	0	0	0.6	0
1260P1	1445.000	10:34:05	1	2500	100	0	0	0	0	0	1.0	0
1260P1	1444.000	10:34:14	2	2500	100	0	0	0	0	0	0.9	0
1260P1	1443.000	10:34:23	1	2500	100	0	0	0	0	0	0.8	0
1260P1	1442.000	10:34:32	2	2500	100	0	0	0	0	0	0.6	0
1260P1	1441.000	10:34:40	1	2500	100	0	0	0	0	0	0.9	0
1260P1	1440.000	10:34:49	2	2500	100	0	0	0	0	0	1.3	0
1260P1	1439.000	10:34:58	1	2500	100	0	0	0	0	0	1.3	0
1260P1	1438.000	10:35:07	2	2500	100	0	0	0	0	0	0.5	0
1260P1	1437.000	10:35:16	1	2500	100	0	0	0	0	0	0.8	0
1260P1	1436.000	10:35:25	2	2500	100	0	0	0	0	0	1.1	0
1260P1	1435.000	10:35:34	1	2500	100	0	0	0	0	0	0.6	0
1260P1	1434.000	10:35:43	2	2500	100	0	0	0	0	0	0.7	0
1260P1	1433.000	10:35:52	1	2500	100	0	0	0	0	0	1.8	0
1260P1	1432.000	10:36:01	2	2500	100	0	0	0	0	0	1.0	0
1260P1	1431.000	10:36:10	1	2500	100	0	0	0	0	0	0.8	0
1260P1	1430.000	10:36:19	2	2500	100	0	0	0	0	0	0.6	0
1260P1	1429.000	10:36:28	1	2500	100	0	0	0	0	0	1.5	0
1260P1	1428.000	10:36:37	2	2500	100	0	0	0	0	0	1.2	0

GCS90 Log Line 1260P1

Page 15/25

3/11/03				VOLUME			AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT		SHOT	LINE	MISS	DELTA	ERR	CNT
1260P1	1427.000	10:36:45	1	2500	100	0	0	0	0	0	1.1	0
1260P1	1426.000	10:36:54	2	2500	100	0	0	0	0	0	1.1	0
1260P1	1425.000	10:37:03	1	2500	100	0	0	0	0	0	0.6	0
1260P1	1424.000	10:37:12	2	2500	100	0	0	0	0	0	0.6	0
1260P1	1423.000	10:37:21	1	2500	100	0	0	0	0	0	1.0	0
1260P1	1422.000	10:37:30	2	2500	100	0	0	0	0	0	1.3	0
1260P1	1421.000	10:37:39	1	2500	100	0	0	0	0	0	0.8	0
1260P1	1420.000	10:37:48	2	2500	100	0	0	0	0	0	0.6	0
1260P1	1419.000	10:37:56	1	2500	100	0	0	0	0	0	1.0	0
1260P1	1418.000	10:38:05	2	2500	100	0	0	0	0	0	0.9	0
1260P1	1417.000	10:38:14	1	2500	100	0	0	0	0	0	1.5	0
1260P1	1416.000	10:38:23	2	2500	100	0	0	0	0	0	0.7	0
1260P1	1415.000	10:38:32	1	2500	100	0	0	0	0	0	0.6	0
1260P1	1414.000	10:38:41	2	2500	100	0	0	0	0	0	1.0	0
1260P1	1413.000	10:38:50	1	2500	100	0	0	0	0	0	1.1	0
1260P1	1412.000	10:38:58	2	2500	100	0	0	0	0	0	1.2	0
1260P1	1411.000	10:39:07	1	2500	100	0	0	0	0	0	0.6	0
1260P1	1410.000	10:39:16	2	2500	100	0	0	0	0	0	1.3	0
1260P1	1409.000	10:39:25	1	2500	100	0	0	0	0	0	1.8	0
1260P1	1408.000	10:39:34	2	2500	100	0	0	0	0	0	0.6	0
1260P1	1407.000	10:39:43	1	2500	100	0	0	0	0	0	0.8	0
1260P1	1406.000	10:39:52	2	2500	100	0	0	0	0	0	1.0	0
1260P1	1405.000	10:40:01	1	2500	100	0	0	0	0	0	0.7	0
1260P1	1404.000	10:40:10	2	2500	100	0	0	0	0	0	1.3	0
1260P1	1403.000	10:40:19	1	2500	100	0	0	0	0	0	0.5	0
1260P1	1402.000	10:40:28	2	2500	100	0	0	0	0	0	1.5	0
1260P1	1401.000	10:40:37	1	2500	100	0	0	0	0	0	0.6	0
1260P1	1400.000	10:40:46	2	2500	100	0	0	0	0	0	0.9	0
1260P1	1399.000	10:40:55	1	2500	100	0	0	0	0	0	0.9	0
1260P1	1398.000	10:41:04	2	2500	100	0	0	0	0	0	0.8	0
1260P1	1397.000	10:41:12	1	2500	100	0	0	0	0	0	0.7	0
1260P1	1396.000	10:41:21	2	2500	100	0	0	0	0	0	0.7	0
1260P1	1395.000	10:41:30	1	2500	100	0	0	0	0	0	0.7	0
1260P1	1394.000	10:41:39	2	2500	100	0	0	0	0	0	1.2	0
1260P1	1393.000	10:41:48	1	2500	100	0	0	0	0	0	0.7	0
1260P1	1392.000	10:41:57	2	2500	100	0	0	0	0	0	1.5	0
1260P1	1391.000	10:42:06	1	2500	100	0	0	0	0	0	1.1	0
1260P1	1390.000	10:42:15	2	2500	100	0	0	0	0	0	1.3	0
1260P1	1389.000	10:42:24	1	2500	100	0	0	0	0	0	0.7	0
1260P1	1388.000	10:42:33	2	2500	100	0	0	0	0	0	0.9	0
1260P1	1387.000	10:42:42	1	2500	100	0	0	0	0	0	1.1	0
1260P1	1386.000	10:42:51	2	2500	100	0	0	0	0	0	0.7	0
1260P1	1385.000	10:43:00	1	2500	100	0	0	0	0	0	0.6	0
1260P1	1384.000	10:43:09	2	2500	100	0	0	0	0	0	1.0	0
1260P1	1383.000	10:43:18	1	2500	100	0	0	0	0	0	0.9	0
1260P1	1382.000	10:43:27	2	2500	100	0	0	0	0	0	1.1	0
1260P1	1381.000	10:43:36	1	2500	100	0	0	0	0	0	0.6	0
1260P1	1380.000	10:43:44	2	2500	100	0	0	0	0	0	1.4	0
1260P1	1379.000	10:43:53	1	2500	100	0	0	0	0	0	0.8	0
1260P1	1378.000	10:44:02	2	2500	100	0	0	0	0	0	1.4	0
1260P1	1377.000	10:44:11	1	2500	100	0	0	0	0	0	0.5	0
1260P1	1376.000	10:44:20	2	2500	100	0	0	0	0	0	1.0	0
1260P1	1375.000	10:44:29	1	2500	100	0	0	0	0	0	1.1	0
1260P1	1374.000	10:44:38	2	2500	100	0	0	0	0	0	0.8	0
1260P1	1373.000	10:44:47	1	2500	100	0	0	0	0	0	1.1	0
1260P1	1372.000	10:44:56	2	2500	100	0	0	0	0	0	0.8	0
1260P1	1371.000	10:45:05	1	2500	100	0	0	0	0	0	0.9	0

GCS90 Log Line 1260P1

Page 16/25

3/11/03			VOLUME				AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT		SHOT	LINE	MISS	DELTA	ERR	CNT
1260P1	1370.000	10:45:14	2	2500	100	0	0	0	0	0	0.8	0
1260P1	1369.000	10:45:23	1	2500	100	0	0	0	0	0	0.5	0
1260P1	1368.000	10:45:32	2	2500	100	0	0	0	0	0	1.0	0
1260P1	1367.000	10:45:41	1	2500	100	0	0	0	0	0	1.3	0
1260P1	1366.000	10:45:50	2	2500	100	0	0	0	0	0	1.1	0
1260P1	1365.000	10:45:59	1	2500	100	0	0	0	0	0	0.7	0
1260P1	1364.000	10:46:08	2	2500	100	0	0	0	0	0	1.4	0
1260P1	1363.000	10:46:17	1	2500	100	0	0	0	0	0	0.8	0
DEPTH ERR: 1 - S3-11												
1260P1	1362.000	10:46:26	2	2500	100	0	0	0	0	0	1.5	0
1260P1	1361.000	10:46:35	1	2500	100	0	0	0	0	0	1.1	0
1260P1	1360.000	10:46:44	2	2500	100	0	0	0	0	0	1.6	0
1260P1	1359.000	10:46:53	1	2500	100	0	0	0	0	0	1.2	0
1260P1	1358.000	10:47:02	2	2500	100	0	0	0	0	0	1.4	0
1260P1	1357.000	10:47:11	1	2500	100	0	0	0	0	0	0.5	0
1260P1	1356.000	10:47:20	2	2500	100	0	0	0	0	0	1.2	0
1260P1	1355.000	10:47:29	1	2500	100	0	0	0	0	0	0.7	0
1260P1	1354.000	10:47:38	2	2500	100	0	0	0	0	0	1.1	0
1260P1	1353.000	10:47:47	1	2500	100	0	0	0	0	0	0.8	0
1260P1	1352.000	10:47:56	2	2500	100	0	0	0	0	0	0.8	0
1260P1	1351.000	10:48:05	1	2500	100	0	0	0	0	0	1.0	0
1260P1	1350.000	10:48:14	2	2500	100	0	0	0	0	0	1.7	0
1260P1	1349.000	10:48:23	1	2500	100	0	0	0	0	0	0.7	0
1260P1	1348.000	10:48:32	2	2500	100	0	0	0	0	0	1.2	0
1260P1	1347.000	10:48:41	1	2500	100	0	0	0	0	0	1.0	0
1260P1	1346.000	10:48:50	2	2500	100	0	0	0	0	1	2.2E	1
DELTA ERR: 1 - P6-1												
1260P1	1345.000	10:48:59	1	2500	100	0	0	0	0	0	0.8	1
1260P1	1344.000	10:49:08	2	2500	100	0	0	0	0	0	0.7	1
1260P1	1343.000	10:49:17	1	2500	100	0	0	0	0	0	0.5	1
1260P1	1342.000	10:49:26	2	2500	100	0	0	0	0	0	1.3	1
1260P1	1341.000	10:49:35	1	2500	100	0	0	0	0	0	0.8	1
1260P1	1340.000	10:49:43	2	2500	100	0	0	0	0	0	1.0	1
1260P1	1339.000	10:49:52	1	2500	100	0	0	0	0	0	0.8	1
1260P1	1338.000	10:50:01	2	2500	100	0	0	0	0	0	1.1	1
1260P1	1337.000	10:50:10	1	2500	100	0	0	0	0	0	1.3	1
1260P1	1336.000	10:50:19	2	2500	100	0	0	0	0	0	1.4	1
1260P1	1335.000	10:50:28	1	2500	100	0	0	0	0	0	0.9	1
1260P1	1334.000	10:50:37	2	2500	100	0	0	0	0	0	1.5	1
1260P1	1333.000	10:50:46	1	2500	100	0	0	0	0	0	1.4	1
1260P1	1332.000	10:50:55	2	2500	100	0	0	0	0	0	1.4	1
1260P1	1331.000	10:51:04	1	2500	100	0	0	0	0	0	0.7	1
1260P1	1330.000	10:51:13	2	2500	100	0	0	0	0	0	1.3	1
1260P1	1329.000	10:51:22	1	2500	100	0	0	0	0	0	0.9	1
1260P1	1328.000	10:51:31	2	2500	100	0	0	0	0	0	1.0	1
1260P1	1327.000	10:51:40	1	2500	100	0	0	0	0	0	0.4	1
1260P1	1326.000	10:51:49	2	2500	100	0	0	0	0	0	1.3	1
1260P1	1325.000	10:51:58	1	2500	100	0	0	0	0	0	0.9	1
1260P1	1324.000	10:52:07	2	2500	100	0	0	0	0	0	1.2	1
1260P1	1323.000	10:52:16	1	2500	100	0	0	0	0	0	0.8	1
1260P1	1322.000	10:52:26	2	2500	100	0	0	0	0	0	1.1	1
1260P1	1321.000	10:52:34	1	2500	100	0	0	0	0	0	1.1	1
1260P1	1320.000	10:52:43	2	2500	100	0	0	0	0	0	0.7	1
1260P1	1319.000	10:52:53	1	2500	100	0	0	0	0	0	0.6	1
1260P1	1318.000	10:53:02	2	2500	100	0	0	0	0	0	1.5	1
1260P1	1317.000	10:53:11	1	2500	100	0	0	0	0	0	0.9	1
1260P1	1316.000	10:53:20	2	2500	100	0	0	0	0	0	0.7	1

GCS90 Log Line 1260P1

Page 17/25

3/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1260P1	1315.000	10:53:29	1	2500	100	0	0	0	0	0 0.8	1
1260P1	1314.000	10:53:38	2	2500	100	0	0	0	0	1 1.8	1
DELTA ERR: 1 - P6-1											
1260P1	1313.000	10:53:47	1	2500	100	0	0	0	0	0 0.4	1
1260P1	1312.000	10:53:55	2	2500	100	0	0	0	0	0 1.5	1
1260P1	1311.000	10:54:04	1	2500	100	0	0	0	0	0 1.2	1
1260P1	1310.000	10:54:13	2	2500	100	0	0	0	0	0 0.7	1
1260P1	1309.000	10:54:22	1	2500	100	0	0	0	0	0 0.5	1
1260P1	1308.000	10:54:31	2	2500	100	0	0	0	0	0 1.6	1
1260P1	1307.000	10:54:40	1	2500	100	0	0	0	0	0 0.8	1
1260P1	1306.000	10:54:49	2	2500	100	0	0	0	0	0 1.5	1
1260P1	1305.000	10:54:58	1	2500	100	0	0	0	0	0 1.2	1
1260P1	1304.000	10:55:07	2	2500	100	0	0	0	0	0 0.9	1
1260P1	1303.000	10:55:16	1	2500	100	0	0	0	0	0 1.1	1
1260P1	1302.000	10:55:25	2	2500	100	0	0	0	0	0 1.0	1
1260P1	1301.000	10:55:34	1	2500	100	0	0	0	0	0 0.9	1
1260P1	1300.000	10:55:43	2	2500	100	0	0	0	0	0 1.3	1
1260P1	1299.000	10:55:52	1	2500	100	0	0	0	0	0 1.2	1
1260P1	1298.000	10:56:01	2	2500	100	0	0	0	0	0 1.8	1
1260P1	1297.000	10:56:09	1	2500	100	0	0	0	0	0 0.9	1
1260P1	1296.000	10:56:18	2	2500	100	0	0	0	0	0 1.0	1
1260P1	1295.000	10:56:27	1	2500	100	0	0	0	0	0 0.8	1
1260P1	1294.000	10:56:36	2	2500	100	0	0	0	0	0 1.3	1
1260P1	1293.000	10:56:45	1	2500	100	0	0	0	0	0 0.6	1
1260P1	1292.000	10:56:54	2	2500	100	0	0	0	0	0 1.0	1
1260P1	1291.000	10:57:03	1	2500	100	0	0	0	0	0 0.5	1
1260P1	1290.000	10:57:12	2	2500	100	0	0	0	0	0 1.1	1
1260P1	1289.000	10:57:21	1	2500	100	0	0	0	0	0 1.4	1
1260P1	1288.000	10:57:30	2	2500	100	0	0	0	0	0 1.0	1
1260P1	1287.000	10:57:39	1	2500	100	0	0	0	0	0 1.0	1
1260P1	1286.000	10:57:48	2	2500	100	0	0	0	0	0 1.1	1
1260P1	1285.000	10:57:57	1	2500	100	0	0	0	0	0 1.0	1
1260P1	1284.000	10:58:06	2	2500	100	0	0	0	0	0 1.1	1
1260P1	1283.000	10:58:15	1	2500	100	0	0	0	0	0 0.4	1
1260P1	1282.000	10:58:24	2	2500	100	0	0	0	0	0 0.9	1
1260P1	1281.000	10:58:32	1	2500	100	0	0	0	0	0 0.8	1
1260P1	1280.000	10:58:41	2	2500	100	0	0	0	0	0 0.9	1
1260P1	1279.000	10:58:50	1	2500	100	0	0	0	0	0 0.8	1
1260P1	1278.000	10:58:59	2	2500	100	0	0	0	0	0 0.8	1
1260P1	1277.000	10:59:08	1	2500	100	0	0	0	0	0 0.8	1
1260P1	1276.000	10:59:17	2	2500	100	0	0	0	0	0 0.6	1
1260P1	1275.000	10:59:26	1	2500	100	0	0	0	0	0 0.8	1
1260P1	1274.000	10:59:35	2	2500	100	0	0	0	0	0 1.1	1
1260P1	1273.000	10:59:44	1	2500	100	0	0	0	0	0 1.2	1
1260P1	1272.000	10:59:53	2	2500	100	0	0	0	0	0 1.9	1
1260P1	1271.000	11:00:02	1	2500	100	0	0	0	0	0 0.8	1
1260P1	1270.000	11:00:11	2	2500	100	0	0	0	0	0 0.9	1
1260P1	1269.000	11:00:20	1	2500	100	0	0	0	0	0 0.9	1
1260P1	1268.000	11:00:29	2	2500	100	0	0	0	0	0 1.0	1
1260P1	1267.000	11:00:38	1	2500	100	0	0	0	0	0 0.8	1
1260P1	1266.000	11:00:47	2	2500	100	0	0	0	0	0 1.0	1
1260P1	1265.000	11:00:56	1	2500	100	0	0	0	0	0 0.9	1
1260P1	1264.000	11:01:05	2	2500	100	0	0	0	0	0 1.1	1
1260P1	1263.000	11:01:14	1	2500	100	0	0	0	0	0 0.7	1
1260P1	1262.000	11:01:22	2	2500	100	0	0	0	0	0 0.8	1
1260P1	1261.000	11:01:31	1	2500	100	0	0	0	0	0 0.8	1
1260P1	1260.000	11:01:40	2	2500	100	0	0	0	0	0 0.8	1

GCS90 Log Line 1260P1

Page 18/25

3/11/03				VOLUME			AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT		SHOT	LINE	MISS	DELTA	ERR	CNT
1260P1	1259.000	11:01:49	1	2500	100	0	0	0	0	0	1.0	1
1260P1	1258.000	11:01:58	2	2500	100	0	0	0	0	0	0.8	1
1260P1	1257.000	11:02:07	1	2500	100	0	0	0	0	0	1.1	1
1260P1	1256.000	11:02:16	2	2500	100	0	0	0	0	0	1.6	1
1260P1	1255.000	11:02:25	1	2500	100	0	0	0	0	0	0.6	1
1260P1	1254.000	11:02:34	2	2500	100	0	0	0	0	0	1.9	1
1260P1	1253.000	11:02:43	1	2500	100	0	0	0	0	0	0.9	1
1260P1	1252.000	11:02:52	2	2500	100	0	0	0	0	0	1.4	1
1260P1	1251.000	11:03:01	1	2500	100	0	0	0	0	0	1.0	1
1260P1	1250.000	11:03:10	2	2500	100	0	0	0	0	0	1.4	1
1260P1	1249.000	11:03:19	1	2500	100	0	0	0	0	0	0.4	1
1260P1	1248.000	11:03:28	2	2500	100	0	0	0	0	1	2.1E	2
DELTA ERR: 1 - P4-3												
1260P1	1247.000	11:03:37	1	2500	100	0	0	0	0	0	0.5	2
1260P1	1246.000	11:03:46	2	2500	100	0	0	0	0	0	0.7	2
1260P1	1245.000	11:03:54	1	2500	100	0	0	0	0	0	0.8	2
1260P1	1244.000	11:04:03	2	2500	100	0	0	0	0	0	1.0	2
1260P1	1243.000	11:04:12	1	2500	100	0	0	0	0	0	0.6	2
1260P1	1242.000	11:04:21	2	2500	100	0	0	0	0	0	0.9	2
1260P1	1241.000	11:04:30	1	2500	100	0	0	0	0	0	0.5	2
1260P1	1240.000	11:04:39	2	2500	100	0	0	0	0	0	1.8	2
1260P1	1239.000	11:04:48	1	2500	100	0	0	0	0	0	1.1	2
1260P1	1238.000	11:04:57	2	2500	100	0	0	0	0	0	0.8	2
1260P1	1237.000	11:05:06	1	2500	100	0	0	0	0	0	1.2	2
1260P1	1236.000	11:05:15	2	2500	100	0	0	0	0	0	1.0	2
1260P1	1235.000	11:05:24	1	2500	100	0	0	0	0	0	0.5	2
1260P1	1234.000	11:05:33	2	2500	100	0	0	0	0	0	1.2	2
1260P1	1233.000	11:05:42	1	2500	100	0	0	0	0	0	1.0	2
1260P1	1232.000	11:05:51	2	2500	100	0	0	0	0	0	1.0	2
1260P1	1231.000	11:06:00	1	2500	100	0	0	0	0	0	1.2	2
DEPTH ERR: 1 - S3-11												
1260P1	1230.000	11:06:08	2	2500	100	0	0	0	0	0	0.7	2
1260P1	1229.000	11:06:17	1	2500	100	0	0	0	0	0	1.0	2
1260P1	1228.000	11:06:26	2	2500	100	0	0	0	0	0	1.0	2
1260P1	1227.000	11:06:35	1	2500	100	0	0	0	0	0	1.2	2
1260P1	1226.000	11:06:44	2	2500	100	0	0	0	0	0	0.9	2
1260P1	1225.000	11:06:53	1	2500	100	0	0	0	0	0	0.6	2
1260P1	1224.000	11:07:02	2	2500	100	0	0	0	0	0	1.0	2
1260P1	1223.000	11:07:11	1	2500	100	0	0	0	0	0	1.3	2
1260P1	1222.000	11:07:20	2	2500	100	0	0	0	0	0	1.0	2
1260P1	1221.000	11:07:28	1	2500	100	0	0	0	0	0	0.6	2
1260P1	1220.000	11:07:37	2	2500	100	0	0	0	0	0	1.2	2
1260P1	1219.000	11:07:46	1	2500	100	0	0	0	0	0	0.7	2
1260P1	1218.000	11:07:55	2	2500	100	0	0	0	0	0	0.9	2
1260P1	1217.000	11:08:04	1	2500	100	0	0	0	0	0	1.2	2
1260P1	1216.000	11:08:13	2	2500	100	0	0	0	0	0	1.3	2
1260P1	1215.000	11:08:22	1	2500	100	0	0	0	0	0	1.1	2
1260P1	1214.000	11:08:31	2	2500	100	0	0	0	0	0	1.1	2
1260P1	1213.000	11:08:39	1	2500	100	0	0	0	0	0	0.9	2
1260P1	1212.000	11:08:48	2	2500	100	0	0	0	0	0	1.0	2
1260P1	1211.000	11:08:57	1	2500	100	0	0	0	0	0	1.1	2
1260P1	1210.000	11:09:06	2	2500	100	0	0	0	0	0	0.8	2
1260P1	1209.000	11:09:15	1	2500	100	0	0	0	0	0	0.8	2
1260P1	1208.000	11:09:24	2	2500	100	0	0	0	0	0	0.9	2
1260P1	1207.000	11:09:33	1	2500	100	0	0	0	0	0	1.0	2
1260P1	1206.000	11:09:42	2	2500	100	0	0	0	0	0	0.9	2
1260P1	1205.000	11:09:51	1	2500	100	0	0	0	0	0	1.0	2

GCS90 Log Line 1260P1

Page 19/25

3/11/03			VOLUME			AUTOFIRE TIME-ERROR SPREAD						
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT		SHOT	LINE	MISS	DELTA	ERR	CNT
1260P1	1204.000	11:10:00	2	2500	100	0	0	0	0	1	1.7	2
DELTA ERR: 1 - P6-1												
1260P1	1203.000	11:10:09	1	2500	100	0	0	0	0	0	0.8	2
1260P1	1202.000	11:10:18	2	2500	100	0	0	0	0	0	1.0	2
1260P1	1201.000	11:10:27	1	2500	100	0	0	0	0	0	1.0	2
1260P1	1200.000	11:10:36	2	2500	100	0	0	0	0	0	0.8	2
1260P1	1199.000	11:10:45	1	2500	100	0	0	0	0	0	1.4	2
1260P1	1198.000	11:10:53	2	2500	100	0	0	0	0	0	0.9	2
1260P1	1197.000	11:11:02	1	2500	100	0	0	0	0	0	0.8	2
1260P1	1196.000	11:11:11	2	2500	100	0	0	0	0	0	0.9	2
1260P1	1195.000	11:11:20	1	2500	100	0	0	0	0	0	0.9	2
1260P1	1194.000	11:11:29	2	2500	100	0	0	0	0	0	1.6	2
1260P1	1193.000	11:11:38	1	2500	100	0	0	0	0	0	1.2	2
1260P1	1192.000	11:11:47	2	2500	100	0	0	0	0	0	0.7	2
1260P1	1191.000	11:11:56	1	2500	100	0	0	0	0	0	0.6	2
DEPTH ERR: 1 - S3-11												
1260P1	1190.000	11:12:05	2	2500	100	0	0	0	0	0	0.8	2
1260P1	1189.000	11:12:14	1	2500	100	0	0	0	0	0	0.9	2
1260P1	1188.000	11:12:23	2	2500	100	0	0	0	0	0	0.7	2
1260P1	1187.000	11:12:32	1	2500	100	0	0	0	0	0	0.9	2
1260P1	1186.000	11:12:41	2	2500	100	0	0	0	0	0	1.4	2
1260P1	1185.000	11:12:50	1	2500	100	0	0	0	0	0	0.7	2
1260P1	1184.000	11:12:59	2	2500	100	0	0	0	0	0	0.7	2
1260P1	1183.000	11:13:08	1	2500	100	0	0	0	0	0	0.6	2
1260P1	1182.000	11:13:16	2	2500	100	0	0	0	0	0	0.8	2
1260P1	1181.000	11:13:25	1	2500	100	0	0	0	0	0	0.5	2
1260P1	1180.000	11:13:34	2	2500	100	0	0	0	0	0	0.8	2
1260P1	1179.000	11:13:43	1	2500	100	0	0	0	0	0	0.6	2
1260P1	1178.000	11:13:52	2	2500	100	0	0	0	0	0	1.2	2
1260P1	1177.000	11:14:02	1	2500	100	0	0	0	0	0	0.4	2
1260P1	1176.000	11:14:11	2	2500	100	0	0	0	0	0	0.9	2
1260P1	1175.000	11:14:20	1	2500	100	0	0	0	0	0	0.7	2
1260P1	1174.000	11:14:29	2	2500	100	0	0	0	0	0	0.9	2
1260P1	1173.000	11:14:38	1	2500	100	0	0	0	0	0	0.7	2
1260P1	1172.000	11:14:46	2	2500	100	0	0	0	0	0	0.6	2
1260P1	1171.000	11:14:55	1	2500	100	0	0	0	0	0	1.0	2
1260P1	1170.000	11:15:04	2	2500	100	0	0	0	0	0	0.9	2
1260P1	1169.000	11:15:13	1	2500	100	0	0	0	0	0	0.8	2
1260P1	1168.000	11:15:22	2	2500	100	0	0	0	0	0	1.0	2
1260P1	1167.000	11:15:31	1	2500	100	0	0	0	0	0	0.7	2
1260P1	1166.000	11:15:40	2	2500	100	0	0	0	0	0	1.0	2
1260P1	1165.000	11:15:49	1	2500	100	0	0	0	0	0	1.0	2
1260P1	1164.000	11:15:58	2	2500	100	0	0	0	0	0	0.7	2
1260P1	1163.000	11:16:07	1	2500	100	0	0	0	0	0	0.9	2
1260P1	1162.000	11:16:16	2	2500	100	0	0	0	0	0	1.1	2
1260P1	1161.000	11:16:25	1	2500	100	0	0	0	0	0	0.8	2
1260P1	1160.000	11:16:34	2	2500	100	0	0	0	0	0	1.5	2
1260P1	1159.000	11:16:43	1	2500	100	0	0	0	0	0	0.8	2
1260P1	1158.000	11:16:51	2	2500	100	0	0	0	0	0	1.2	2
1260P1	1157.000	11:17:00	1	2500	100	0	0	0	0	0	1.2	2
1260P1	1156.000	11:17:09	2	2500	100	0	0	0	0	0	1.2	2
1260P1	1155.000	11:17:18	1	2500	100	0	0	0	0	0	1.2	2
1260P1	1154.000	11:17:27	2	2500	100	0	0	0	0	0	1.2	2
1260P1	1153.000	11:17:36	1	2500	100	0	0	0	0	0	0.6	2
1260P1	1152.000	11:17:45	2	2500	100	0	0	0	0	1	1.7	2
DELTA ERR: 1 - P4-3												
1260P1	1151.000	11:17:54	1	2500	100	0	0	0	0	0	0.8	2

GCS90 Log Line 1260P1

Page 20/25

3/11/03			VOLUME				AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT		SHOT	LINE	MISS	DELTA	ERR	CNT
1260P1	1150.000	11:18:03	2	2500	100	0	0	0	0	0	1.6	2
1260P1	1149.000	11:18:12	1	2500	100	0	0	0	0	0	0.5	2
1260P1	1148.000	11:18:21	2	2500	100	0	0	0	0	0	0.8	2
1260P1	1147.000	11:18:30	1	2500	100	0	0	0	0	0	0.4	2
1260P1	1146.000	11:18:39	2	2500	100	0	0	0	0	0	0.6	2
1260P1	1145.000	11:18:48	1	2500	100	0	0	0	0	0	0.7	2
1260P1	1144.000	11:18:57	2	2500	100	0	0	0	0	0	1.3	2
1260P1	1143.000	11:19:06	1	2500	100	0	0	0	0	0	0.9	2
1260P1	1142.000	11:19:15	2	2500	100	0	0	0	0	0	1.2	2
1260P1	1141.000	11:19:24	1	2500	100	0	0	0	0	0	1.0	2
1260P1	1140.000	11:19:33	2	2500	100	0	0	0	0	0	1.4	2
1260P1	1139.000	11:19:42	1	2500	100	0	0	0	0	0	1.1	2
1260P1	1138.000	11:19:51	2	2500	100	0	0	0	0	0	0.8	2
1260P1	1137.000	11:20:00	1	2500	100	0	0	0	0	0	0.6	2
1260P1	1136.000	11:20:09	2	2500	100	0	0	0	0	0	1.0	2
1260P1	1135.000	11:20:17	1	2500	100	0	0	0	0	0	1.0	2
1260P1	1134.000	11:20:26	2	2500	100	0	0	0	0	0	1.6	2
1260P1	1133.000	11:20:35	1	2500	100	0	0	0	0	0	0.5	2
1260P1	1132.000	11:20:44	2	2500	100	0	0	0	0	0	1.0	2
1260P1	1131.000	11:20:53	1	2500	100	0	0	0	0	0	0.8	2
1260P1	1130.000	11:21:02	2	2500	100	0	0	0	0	0	1.7	2
1260P1	1129.000	11:21:11	1	2500	100	0	0	0	0	0	0.9	2
1260P1	1128.000	11:21:20	2	2500	100	0	0	0	0	0	1.6	2
1260P1	1127.000	11:21:29	1	2500	100	0	0	0	0	0	0.8	2
1260P1	1126.000	11:21:38	2	2500	100	0	0	0	0	0	1.5	2
1260P1	1125.000	11:21:47	1	2500	100	0	0	0	0	0	1.3	2
1260P1	1124.000	11:21:56	2	2500	100	0	0	0	0	0	1.0	2
1260P1	1123.000	11:22:04	1	2500	100	0	0	0	0	0	0.8	2
1260P1	1122.000	11:22:13	2	2500	100	0	0	0	0	1	2.5E	3
DELTA ERR: 1 - P4-3												
1260P1	1121.000	11:22:22	1	2500	100	0	0	0	0	0	0.6	3
1260P1	1120.000	11:22:31	2	2500	100	0	0	0	0	1	2.7E	4
DELTA ERR: 1 - P4-3												
1260P1	1119.000	11:22:40	1	2500	100	0	0	0	0	0	1.4	4
1260P1	1118.000	11:22:49	2	2500	100	0	0	0	0	1	2.3E	5
DELTA ERR: 1 - P4-3												
1260P1	1117.000	11:22:58	1	2500	100	0	0	0	0	0	0.7	5
1260P1	1116.000	11:23:07	2	2500	100	0	0	0	0	1	2.2E	6
DELTA ERR: 1 - P4-3												
1260P1	1115.000	11:23:16	1	2500	100	0	0	0	0	0	1.8	6
1260P1	1114.000	11:23:25	2	2500	100	0	0	0	0	1	2.1E	7
DELTA ERR: 1 - P4-3												
1260P1	1113.000	11:23:34	1	2500	100	0	0	0	0	0	0.8	7
1260P1	1112.000	11:23:42	2	2500	100	0	0	0	0	0	0.9	7
1260P1	1111.000	11:23:51	1	2500	100	0	0	0	0	0	0.9	7
1260P1	1110.000	11:24:00	2	2500	100	0	0	0	0	0	1.2	7
1260P1	1109.000	11:24:09	1	2500	100	0	0	0	0	0	0.7	7
1260P1	1108.000	11:24:18	2	2500	100	0	0	0	0	0	1.7	7
1260P1	1107.000	11:24:27	1	2500	100	0	0	0	0	0	0.7	7
1260P1	1106.000	11:24:36	2	2500	100	0	0	0	0	0	1.4	7
1260P1	1105.000	11:24:45	1	2500	100	0	0	0	0	0	0.9	7
1260P1	1104.000	11:24:54	2	2500	100	0	0	0	0	0	1.2	7
1260P1	1103.000	11:25:03	1	2500	100	0	0	0	0	0	0.7	7
1260P1	1102.000	11:25:12	2	2500	100	0	0	0	0	0	1.1	7
1260P1	1101.000	11:25:21	1	2500	100	0	0	0	0	0	1.1	7
1260P1	1100.000	11:25:29	2	2500	100	0	0	0	0	0	0.6	7
1260P1	1099.000	11:25:38	1	2500	100	0	0	0	0	0	0.5	7

GCS90 Log Line 1260P1

Page 21/25

3/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1260P1	1098.000	11:25:47	2	2500	100	0	0	0	0	0 1.1	7
1260P1	1097.000	11:25:56	1	2500	100	0	0	0	0	0 0.7	7
1260P1	1096.000	11:26:05	2	2500	100	0	0	0	0	0 0.7	7
1260P1	1095.000	11:26:14	1	2500	100	0	0	0	0	0 1.1	7
1260P1	1094.000	11:26:23	2	2500	100	0	0	0	0	0 0.6	7
1260P1	1093.000	11:26:32	1	2500	100	0	0	0	0	0 1.0	7
1260P1	1092.000	11:26:41	2	2500	100	0	0	0	0	0 1.2	7
1260P1	1091.000	11:26:50	1	2500	100	0	0	0	0	0 0.7	7
1260P1	1090.000	11:26:59	2	2500	100	0	0	0	0	0 0.6	7
1260P1	1089.000	11:27:08	1	2500	100	0	0	0	0	0 0.9	7
1260P1	1088.000	11:27:17	2	2500	100	0	0	0	0	0 1.0	7
1260P1	1087.000	11:27:26	1	2500	100	0	0	0	0	0 0.9	7
1260P1	1086.000	11:27:35	2	2500	100	0	0	0	0	0 1.1	7
1260P1	1085.000	11:27:44	1	2500	100	0	0	0	0	0 1.0	7
1260P1	1084.000	11:27:53	2	2500	100	0	0	0	0	0 0.7	7
1260P1	1083.000	11:28:02	1	2500	100	0	0	0	0	0 1.2	7
1260P1	1082.000	11:28:11	2	2500	100	0	0	0	0	0 1.3	7
1260P1	1081.000	11:28:20	1	2500	100	0	0	0	0	0 0.6	7
1260P1	1080.000	11:28:29	2	2500	100	0	0	0	0	0 1.6	7
1260P1	1079.000	11:28:38	1	2500	100	0	0	0	0	0 0.7	7
1260P1	1078.000	11:28:47	2	2500	100	0	0	0	0	0 1.6	7
1260P1	1077.000	11:28:56	1	2500	100	0	0	0	0	0 1.1	7
1260P1	1076.000	11:29:05	2	2500	100	0	0	0	0	0 1.3	7
1260P1	1075.000	11:29:14	1	2500	100	0	0	0	0	0 1.6	7
1260P1	1074.000	11:29:23	2	2500	100	0	0	0	0	0 1.6	7
1260P1	1073.000	11:29:31	1	2500	100	0	0	0	0	0 0.7	7
1260P1	1072.000	11:29:40	2	2500	100	0	0	0	0	0 1.6	7
1260P1	1071.000	11:29:49	1	2500	100	0	0	0	0	0 1.3	7
1260P1	1070.000	11:29:58	2	2500	100	0	0	0	0	0 1.1	7
1260P1	1069.000	11:30:07	1	2500	100	0	0	0	0	0 0.5	7
1260P1	1068.000	11:30:16	2	2500	100	0	0	0	0	0 1.2	7
1260P1	1067.000	11:30:25	1	2500	100	0	0	0	0	0 1.1	7
1260P1	1066.000	11:30:34	2	2500	100	0	0	0	0	0 1.1	7
1260P1	1065.000	11:30:43	1	2500	100	0	0	0	0	0 0.9	7
1260P1	1064.000	11:30:52	2	2500	100	0	0	0	0	1 2.4E	8
DELTA ERR: 1 - P4-3											
1260P1	1063.000	11:31:01	1	2500	100	0	0	0	0	0 0.9	8
1260P1	1062.000	11:31:10	2	2500	100	0	0	0	0	0 1.4	8
1260P1	1061.000	11:31:18	1	2500	100	0	0	0	0	0 1.1	8
1260P1	1060.000	11:31:27	2	2500	100	0	0	0	0	0 1.2	8
1260P1	1059.000	11:31:36	1	2500	100	0	0	0	0	0 0.9	8
1260P1	1058.000	11:31:45	2	2500	100	0	0	0	0	0 1.1	8
1260P1	1057.000	11:31:54	1	2500	100	0	0	0	0	0 0.8	8
1260P1	1056.000	11:32:03	2	2500	100	0	0	0	0	0 0.8	8
1260P1	1055.000	11:32:12	1	2500	100	0	0	0	0	0 0.9	8
1260P1	1054.000	11:32:21	2	2500	100	0	0	0	0	0 0.7	8
1260P1	1053.000	11:32:29	1	2500	100	0	0	0	0	0 1.8	8
1260P1	1052.000	11:32:38	2	2500	100	0	0	0	0	0 1.3	8
1260P1	1051.000	11:32:47	1	2500	100	0	0	0	0	0 0.8	8
1260P1	1050.000	11:32:56	2	2500	100	0	0	0	0	0 1.2	8
1260P1	1049.000	11:33:05	1	2500	100	0	0	0	0	0 0.8	8
1260P1	1048.000	11:33:14	2	2500	100	0	0	0	0	0 1.0	8
1260P1	1047.000	11:33:23	1	2500	100	0	0	0	0	0 0.9	8
1260P1	1046.000	11:33:32	2	2500	100	0	0	0	0	0 1.0	8
1260P1	1045.000	11:33:41	1	2500	100	0	0	0	0	0 0.5	8
1260P1	1044.000	11:33:49	2	2500	100	0	0	0	0	0 0.9	8
1260P1	1043.000	11:33:58	1	2500	100	0	0	0	0	0 0.9	8

GCS90 Log Line 1260P1

Page 22/25

3/11/03			VOLUME				AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT		SHOT	LINE	MISS	DELTA	ERR	CNT
1260P1	1042.000	11:34:07	2	2500	100	0	0	0	0	0	1.3	8
1260P1	1041.000	11:34:16	1	2500	100	0	0	0	0	0	0.9	8
1260P1	1040.000	11:34:25	2	2500	100	0	0	0	0	0	0.6	8
1260P1	1039.000	11:34:34	1	2500	100	0	0	0	0	0	0.4	8
1260P1	1038.000	11:34:43	2	2500	100	0	0	0	0	0	0.8	8
1260P1	1037.000	11:34:52	1	2500	100	0	0	0	0	0	0.6	8
1260P1	1036.000	11:35:00	2	2500	100	0	0	0	0	0	1.6	8
1260P1	1035.000	11:35:09	1	2500	100	0	0	0	0	0	0.6	8
1260P1	1034.000	11:35:18	2	2500	100	0	0	0	0	0	0.7	8
1260P1	1033.000	11:35:27	1	2500	100	0	0	0	0	0	0.5	8
1260P1	1032.000	11:35:36	2	2500	100	0	0	0	0	0	0.6	8
1260P1	1031.000	11:35:45	1	2500	100	0	0	0	0	0	0.9	8
1260P1	1030.000	11:35:54	2	2500	100	0	0	0	0	0	1.1	8
1260P1	1029.000	11:36:03	1	2500	100	0	0	0	0	0	0.7	8
1260P1	1028.000	11:36:11	2	2500	100	0	0	0	0	0	1.0	8
1260P1	1027.000	11:36:20	1	2500	100	0	0	0	0	0	1.5	8
1260P1	1026.000	11:36:30	2	2500	100	0	0	0	0	0	1.5	8
1260P1	1025.000	11:36:39	1	2500	100	0	0	0	0	0	0.6	8
1260P1	1024.000	11:36:48	2	2500	100	0	0	0	0	0	0.7	8
1260P1	1023.000	11:36:57	1	2500	100	0	0	0	0	0	0.6	8
1260P1	1022.000	11:37:06	2	2500	100	0	0	0	0	0	1.0	8
1260P1	1021.000	11:37:15	1	2500	100	0	0	0	0	0	1.4	8
1260P1	1020.000	11:37:24	2	2500	100	0	0	0	0	0	0.8	8
1260P1	1019.000	11:37:33	1	2500	100	0	0	0	0	0	1.1	8
1260P1	1018.000	11:37:42	2	2500	100	0	0	0	0	0	1.5	8
1260P1	1017.000	11:37:51	1	2500	100	0	0	0	0	0	1.4	8
1260P1	1016.000	11:38:00	2	2500	100	0	0	0	0	0	1.1	8
1260P1	1015.000	11:38:09	1	2500	100	0	0	0	0	0	0.7	8
1260P1	1014.000	11:38:18	2	2500	100	0	0	0	0	0	0.7	8
1260P1	1013.000	11:38:26	1	2500	100	0	0	0	0	0	0.9	8
1260P1	1012.000	11:38:35	2	2500	100	0	0	0	0	0	0.8	8
1260P1	1011.000	11:38:44	1	2500	100	0	0	0	0	0	1.2	8
1260P1	1010.000	11:38:53	2	2500	100	0	0	0	0	0	0.9	8
1260P1	1009.000	11:39:02	1	2500	100	0	0	0	0	0	1.4	8
1260P1	1008.000	11:39:11	2	2500	100	0	0	0	0	0	0.9	8
1260P1	1007.000	11:39:20	1	2500	100	0	0	0	0	0	1.2	8
1260P1	1006.000	11:39:29	2	2500	100	0	0	0	0	0	1.0	8
1260P1	1005.000	11:39:38	1	2500	100	0	0	0	0	0	0.9	8
1260P1	1004.000	11:39:46	2	2500	100	0	0	0	0	0	0.9	8
1260P1	1003.000	11:39:55	1	2500	100	0	0	0	0	0	0.7	8
1260P1	1002.000	11:40:04	2	2500	100	0	0	0	0	0	1.3	8
1260P1	1001.000	11:40:13	1	2500	100	0	0	0	0	0	1.0	8
1260P1	1000.000	11:40:22	2	2500	100	0	0	0	0	0	0.9	8
1260P1	999.000	11:40:31	1	2500	100	0	0	0	0	0	0.8	8
1260P1	998.000	11:40:40	2	2500	100	0	0	0	0	0	1.1	8
1260P1	997.000	11:40:49	1	2500	100	0	0	0	0	0	1.1	8
1260P1	996.000	11:40:58	2	2500	100	0	0	0	0	0	1.2	8
1260P1	995.000	11:41:07	1	2500	100	0	0	0	0	0	1.3	8
1260P1	994.000	11:41:16	2	2500	100	0	0	0	0	0	0.8	8
1260P1	993.000	11:41:25	1	2500	100	0	0	0	0	0	0.8	8
1260P1	992.000	11:41:33	2	2500	100	0	0	0	0	0	1.1	8
1260P1	991.000	11:41:42	1	2500	100	0	0	0	0	0	0.6	8
1260P1	990.000	11:41:51	2	2500	100	0	0	0	0	0	0.9	8
1260P1	989.000	11:42:00	1	2500	100	0	0	0	0	0	0.5	8
1260P1	988.000	11:42:09	2	2500	100	0	0	0	0	0	0.9	8
1260P1	987.000	11:42:18	1	2500	100	0	0	0	0	0	0.6	8
1260P1	986.000	11:42:27	2	2500	100	0	0	0	0	1	2.4E	9

DELTA ERR: 1 - P6-1

GCS90 Log Line 1260P1

Page 23/25

3/11/03			VOLUME				AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT		SHOT	LINE	MISS	DELTA	ERR	CNT
1260P1	985.000	11:42:36	1	2500	100	0	0	0	0	0	0.7	9
1260P1	984.000	11:42:45	2	2500	100	0	0	0	0	0	1.6	9
1260P1	983.000	11:42:54	1	2500	100	0	0	0	0	0	0.6	9
1260P1	982.000	11:43:03	2	2500	100	0	0	0	0	0	0.8	9
1260P1	981.000	11:43:12	1	2500	100	0	0	0	0	0	0.9	9
1260P1	980.000	11:43:21	2	2500	100	0	0	0	0	0	0.7	9
1260P1	979.000	11:43:30	1	2500	100	0	0	0	0	0	0.8	9
1260P1	978.000	11:43:39	2	2500	100	0	0	0	0	0	0.8	9
1260P1	977.000	11:43:48	1	2500	100	0	0	0	0	0	0.7	9
1260P1	976.000	11:43:57	2	2500	100	0	0	0	0	0	0.8	9
1260P1	975.000	11:44:06	1	2500	100	0	0	0	0	0	1.0	9
1260P1	974.000	11:44:15	2	2500	100	0	0	0	0	0	1.5	9
1260P1	973.000	11:44:24	1	2500	100	0	0	0	0	0	1.4	9
1260P1	972.000	11:44:33	2	2500	100	0	0	0	0	0	0.9	9
1260P1	971.000	11:44:42	1	2500	100	0	0	0	0	0	1.0	9
1260P1	970.000	11:44:51	2	2500	100	0	0	0	0	0	0.8	9
1260P1	969.000	11:44:59	1	2500	100	0	0	0	0	0	0.9	9
1260P1	968.000	11:45:08	2	2500	100	0	0	0	0	0	1.3	9
1260P1	967.000	11:45:17	1	2500	100	0	0	0	0	0	0.9	9
1260P1	966.000	11:45:26	2	2500	100	0	0	0	0	0	0.9	9
1260P1	965.000	11:45:35	1	2500	100	0	0	0	0	0	0.9	9
1260P1	964.000	11:45:44	2	2500	100	0	0	0	0	0	0.9	9
1260P1	963.000	11:45:53	1	2500	100	0	0	0	0	0	1.0	9
1260P1	962.000	11:46:02	2	2500	100	0	0	0	0	0	1.4	9
1260P1	961.000	11:46:11	1	2500	100	0	0	0	0	0	1.3	9
1260P1	960.000	11:46:20	2	2500	100	0	0	0	0	0	1.2	9
1260P1	959.000	11:46:29	1	2500	100	0	0	0	0	0	0.5	9
1260P1	958.000	11:46:38	2	2500	100	0	0	0	0	0	1.0	9
1260P1	957.000	11:46:47	1	2500	100	0	0	0	0	0	1.1	9
1260P1	956.000	11:46:56	2	2500	100	0	0	0	0	0	1.2	9
1260P1	955.000	11:47:05	1	2500	100	0	0	0	0	0	0.8	9
1260P1	954.000	11:47:14	2	2500	100	0	0	0	0	0	1.3	9
1260P1	953.000	11:47:23	1	2500	100	0	0	0	0	0	1.3	9
1260P1	952.000	11:47:32	2	2500	100	0	0	0	0	0	1.1	9
1260P1	951.000	11:47:42	1	2500	100	0	0	0	0	0	1.4	9
1260P1	950.000	11:47:51	2	2500	100	0	0	0	0	0	1.0	9
1260P1	949.000	11:48:00	1	2500	100	0	0	0	0	0	0.9	9
1260P1	948.000	11:48:09	2	2500	100	0	0	0	0	0	1.1	9
1260P1	947.000	11:48:18	1	2500	100	0	0	0	0	0	1.4	9
1260P1	946.000	11:48:27	2	2500	100	0	0	0	0	0	0.7	9
1260P1	945.000	11:48:36	1	2500	100	0	0	0	0	0	0.6	9
1260P1	944.000	11:48:45	2	2500	100	0	0	0	0	0	0.9	9
1260P1	943.000	11:48:54	1	2500	100	0	0	0	0	0	1.0	9
1260P1	942.000	11:49:03	2	2500	100	0	0	0	0	0	1.5	9
1260P1	941.000	11:49:12	1	2500	100	0	0	0	0	0	0.8	9
1260P1	940.000	11:49:21	2	2500	100	0	0	0	0	0	1.3	9
1260P1	939.000	11:49:30	1	2500	100	0	0	0	0	0	0.9	9
1260P1	938.000	11:49:39	2	2500	100	0	0	0	0	0	1.2	9
1260P1	937.000	11:49:48	1	2500	100	0	0	0	0	0	1.4	9
1260P1	936.000	11:49:57	2	2500	100	0	0	0	0	0	1.1	9
1260P1	935.000	11:50:06	1	2500	100	0	0	0	0	0	0.7	9
1260P1	934.000	11:50:15	2	2500	100	0	0	0	0	0	1.1	9
1260P1	933.000	11:50:24	1	2500	100	0	0	0	0	0	0.6	9
1260P1	932.000	11:50:33	2	2500	100	0	0	0	0	0	1.7	9
1260P1	931.000	11:50:42	1	2500	100	0	0	0	0	0	1.1	9
1260P1	930.000	11:50:51	2	2500	100	0	0	0	0	0	1.2	9
1260P1	929.000	11:51:00	1	2500	100	0	0	0	0	0	0.8	9

GCS90 Log Line 1260P1

Page 24/25

3/11/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD						
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT	
1260P1	928.000	11:51:08	2	2500	100	0	0	0	0	0 0.8	9	
1260P1	927.000	11:51:17	1	2500	100	0	0	0	0	0 0.8	9	
1260P1	926.000	11:51:26	2	2500	100	0	0	0	0	0 1.0	9	
1260P1	925.000	11:51:36	1	2500	100	0	0	0	0	0 1.1	9	
1260P1	924.000	11:51:45	2	2500	100	0	0	0	0	0 0.9	9	
1260P1	923.000	11:51:53	1	2500	100	0	0	0	0	0 0.8	9	
1260P1	922.000	11:52:02	2	2500	100	0	0	0	0	0 1.1	9	
1260P1	921.000	11:52:11	1	2500	100	0	0	0	0	0 0.8	9	
1260P1	920.000	11:52:20	2	2500	100	0	0	0	0	0 0.5	9	
1260P1	919.000	11:52:29	1	2500	100	0	0	0	0	0 0.9	9	
1260P1	918.000	11:52:38	2	2500	100	0	0	0	0	0 0.6	9	
1260P1	917.000	11:52:47	1	2500	100	0	0	0	0	0 0.9	9	
1260P1	916.000	11:52:56	2	2500	100	0	0	0	0	0 1.0	9	
1260P1	915.000	11:53:05	1	2500	100	0	0	0	0	0 0.7	9	
1260P1	914.000	11:53:14	2	2500	100	0	0	0	0	0 0.9	9	
1260P1	913.000	11:53:23	1	2500	100	0	0	0	0	0 1.1	9	
1260P1	912.000	11:53:32	2	2500	100	0	0	0	0	0 1.6	9	
1260P1	911.000	11:53:40	1	2500	100	0	0	0	0	0 0.4	9	
1260P1	910.000	11:53:49	2	2500	100	0	0	0	0	0 1.1	9	
1260P1	909.000	11:53:58	1	2500	100	0	0	0	0	0 1.1	9	
1260P1	908.000	11:54:07	2	2500	100	0	0	0	0	0 0.5	9	
1260P1	907.000	11:54:16	1	2500	100	0	0	0	0	0 1.1	9	
1260P1	906.000	11:54:25	2	2500	100	0	0	0	0	0 1.5	9	
1260P1	905.000	11:54:34	1	2500	100	0	0	0	0	0 1.5	9	
1260P1	904.000	11:54:43	2	2500	100	0	0	0	0	0 0.9	9	
1260P1	903.000	11:54:52	1	2500	100	0	0	0	0	0 0.8	9	
1260P1	902.000	11:55:01	2	2500	100	0	0	0	0	0 1.1	9	
1260P1	901.000	11:55:10	1	2500	100	0	0	0	0	0 0.5	9	
1260P1	900.000	11:55:19	2	2500	100	0	0	0	0	0 1.0	9	
1260P1	899.000	11:55:28	1	2500	100	0	0	0	0	0 1.0	9	
1260P1	898.000	11:55:37	2	2500	100	0	0	0	0	0 2.0	9	
1260P1	897.000	11:55:46	1	2500	100	0	0	0	0	0 0.6	9	
1260P1	896.000	11:55:55	2	2500	100	0	0	0	0	0 1.3	9	
1260P1	895.000	11:56:04	1	2500	100	0	0	0	0	0 1.1	9	
1260P1	894.000	11:56:13	2	2500	100	0	0	0	0	0 0.8	9	
1260P1	893.000	11:56:22	1	2500	100	0	0	0	0	0 0.8	9	
1260P1	892.000	11:56:31	2	2500	100	0	0	0	0	0 0.9	9	
1260P1	891.000	11:56:40	1	2500	100	0	0	0	0	0 0.8	9	
1260P1	890.000	11:56:49	2	2500	100	0	0	0	0	0 1.2	9	
1260P1	889.000	11:56:58	1	2500	100	0	0	0	0	0 0.3	9	

GCS90 Log Line 1260P1

Page 25/25

STATISTICS SUMMARY LINE:1260P1 SHOT: 888.000 11:56:58 3/11/03

ARRAY	SUB	GUN	TOTAL	DELT	MISS	AUTO	BAD	HCOUNT	2*QC	DELTA VARIATION				DEPTH	
										QC	OK	>QC	>2*QC	LOW	HIGH
Port	6	1	665	4	0	0	0.6	446510	0	4	661	0	0	0	0
Port	6	2	665	0	0	0	0.0	442284	0	0	665	0	0	0	0
Port	6	3	665	0	0	0	0.0	447158	0	0	665	0	0	0	0
Port	6	4	0	0	0	0	0.0	9033	0	0	0	0	0	0	0
Port	6	5	0	0	0	0	0.0	280547	0	0	0	0	0	0	0
Port	6	6	665	0	0	0	0.0	447401	0	0	665	0	0	0	0
Port	6	7	665	0	0	0	0.0	447224	0	0	665	0	0	0	0
Port	6	8	0	0	0	0	0.0	282484	0	0	0	0	0	0	0
Port	6	9	665	0	0	0	0.0	444438	0	0	665	0	0	0	0
Port	6	10	665	0	0	0	0.0	445277	0	0	665	0	0	0	0
Port	6	11	665	0	0	0	0.0	445032	0	0	665	0	0	0	0
Port	5	1	665	0	0	0	0.0	446535	0	0	665	0	0	0	0
Port	5	2	665	0	0	0	0.0	446906	0	0	665	0	0	0	0
Port	5	3	0	0	0	0	0.0	279644	0	0	0	0	0	0	0
Port	5	4	665	0	0	0	0.0	81406	0	0	665	0	0	0	0
Port	5	5	665	0	0	0	0.0	447086	0	0	665	0	0	0	0
Port	5	6	665	0	0	0	0.0	448315	0	0	665	0	0	0	0
Port	5	8	665	0	0	0	0.0	447211	0	0	665	0	0	0	0
Port	5	9	0	0	0	0	0.0	677	0	0	0	0	0	0	0
Port	5	10	0	0	0	0	0.0	279486	0	0	0	0	0	0	0
Port	5	11	0	0	0	0	0.0	6986	0	0	0	0	0	0	0
Port	4	1	665	0	0	0	0.0	444102	0	0	665	0	0	1	0
Port	4	2	0	0	0	0	0.0	283971	0	0	0	0	0	0	0
Port	4	3	665	8	0	0	1.2	443248	0	6	657	2	0	0	0
Port	4	4	665	0	0	0	0.0	446717	0	0	665	0	0	0	0
Port	4	5	665	0	0	0	0.0	446742	0	0	665	0	0	0	0
Port	4	6	665	0	0	0	0.0	443427	0	0	665	0	0	0	0
Port	4	7	0	0	0	0	0.0	280514	0	0	0	0	0	0	0
Port	4	8	0	0	0	0	0.0	257312	0	0	0	0	0	0	0
Port	4	9	665	0	0	0	0.0	191512	0	0	665	0	0	0	0
Port	4	10	665	0	0	0	0.0	447143	0	0	665	0	0	0	0
Port	4	11	665	0	0	0	0.0	445612	0	0	665	0	0	0	0
Starboard	3	1	665	0	0	0	0.0	247664	0	0	665	0	0	0	0
Starboard	3	2	665	0	0	0	0.0	248752	0	0	665	0	0	0	0
Starboard	3	3	665	1	0	0	0.2	249215	0	1	664	0	0	0	0
Starboard	3	4	0	0	0	0	0.0	3566	0	0	0	0	0	0	0
Starboard	3	5	0	0	0	0	0.0	213558	0	0	0	0	0	0	0
Starboard	3	6	665	0	0	0	0.0	249286	0	0	665	0	0	0	0
Starboard	3	7	665	0	0	0	0.0	247903	0	0	665	0	0	0	0
Starboard	3	8	0	0	0	0	0.0	213670	0	0	0	0	0	0	0
Starboard	3	9	665	0	0	0	0.0	249258	0	0	665	0	0	0	0
Starboard	3	10	665	0	0	0	0.0	248469	0	0	665	0	0	0	0
Starboard	3	11	665	0	0	0	0.0	248828	0	0	665	0	0	3	0
Starboard	2	1	665	1	0	0	0.2	257531	0	1	664	0	0	0	0
Starboard	2	2	665	0	0	0	0.0	258073	0	0	665	0	0	0	0
Starboard	2	3	0	0	0	0	0.0	222256	0	0	0	0	0	0	0
Starboard	2	4	0	0	0	0	0.0	9576	0	0	0	0	0	0	0
Starboard	2	5	665	0	0	0	0.0	257961	0	0	665	0	0	0	0
Starboard	2	6	665	0	0	0	0.0	258681	0	0	665	0	0	0	0
Starboard	2	7	665	0	0	0	0.0	258126	0	0	665	0	0	0	0
Starboard	2	8	665	0	0	0	0.0	257798	0	0	665	0	0	0	0
Starboard	2	9	0	0	0	0	0.0	9706	0	0	0	0	0	0	0
Starboard	2	10	0	0	0	0	0.0	221379	0	0	0	0	0	0	0
Starboard	2	11	0	0	0	0	0.0	12539	0	0	0	0	0	0	0
Starboard	1	1	665	0	0	0	0.0	274238	0	0	665	0	0	0	0
Starboard	1	2	0	0	0	0	0.0	237704	0	0	0	0	0	0	0
Starboard	1	3	665	0	0	0	0.0	274091	0	0	665	0	0	0	0
Starboard	1	4	665	0	0	0	0.0	88150	0	0	665	0	0	0	0
Starboard	1	5	665	0	0	0	0.0	274378	0	0	665	0	0	0	0
Starboard	1	6	665	0	0	0	0.0	274568	0	0	665	0	0	0	0
Starboard	1	7	0	0	0	0	0.0	238657	0	0	0	0	0	0	0
Starboard	1	8	0	0	0	0	0.0	242517	0	0	0	0	0	0	0
Starboard	1	9	665	0	0	0	0.0	56022	0	0	665	0	0	0	0
Starboard	1	10	665	0	0	0	0.0	270140	0	0	665	0	0	0	0
Starboard	1	11	665	0	0	0	0.0	267935	0	0	665	0	0	0	0

SOURCE STATISTICS

SOURCE	SHOTS	DELTA	VOL	AUTO	BAD
1	665	0	0	0	0.0
2	665	0	0	0	0.0