

> Q/C PARAMETERS

Spread Error Q/C	: 2.0 /- msec	Error Count Q/C	: 3
Max Delta Error/Shot	: 1	Total Volume Q/C	: 90
Array Display Mode	: TRACE	Detail Disp Mode	: DELTA
Graphic Look Window	: 5 /- msec	Print Interval	: 1 shots
Trace Start	: 25 msec	Trace Length	: 50 msec
Graphic Scale	: 10 /- volts	Print Errors	: ON
Auto Cursor Select	: YES		
Company:	PGS Exploration	Vessel:	Orient Explorer

> TIMING PARAMETERS

Peak Look Window	: 5.0 /- msec	Peak Detection Method	: PEAK
Peak Threshold	: 3.5 volts	Auto/Fire Threshold	: 4.0 volts
Ext Trigger Delay	: 0.0 msec	Firing Cycle Time	: 15 sec
Fire Pulse Width	: 40.0 msec	Tuning Average	: 2
Aimng Point	: 50.0 msec	Scope Trigger	: 10.0 msec
Lead-In Length	: 0 shots	S.P. Interval	: 1.000

Min Cycle Time	: 5.0 sec		
Depth Scan Delay	: 5 sec	Xducer Power Delay	: 2.0 sec

> GUN PARAMETERS

GCS90 Log Line 1060P1_1

Page 2/39

ARRAY	SUB	GUN	PORT	MODE	DELAY	OFFSET	VOLUME	GAIN	SOURCE	INVERT	FIX-GAIN
Port	6	1	81	AUTO	19.0	0.0	250	2.9	2	INVERT	1.0
Port	6	2	82	AUTO	18.6	0.0	250	1.4	2	INVERT	1.0
Port	6	3	83	AUTO	20.0	0.0	150	3.4	2	INVERT	1.0
Port	6	4	84	SPARE	18.0	0.0	150	2.0	2	INVERT	1.0
Port	6	5	85	SPARE	17.7	0.0	70	2.7	2	INVERT	1.0
Port	6	6	86	AUTO	11.4	0.0	40	2.5	2	INVERT	1.0
Port	6	7	87	AUTO	17.9	0.0	60	3.0	2	INVERT	1.0
Port	6	8	88	SPARE	16.6	0.0	100	2.7	2	INVERT	1.0
Port	6	9	89	AUTO	17.4	0.0	100	2.4	2	INVERT	1.0
Port	6	10	90	AUTO	17.2	0.0	100	3.5	2	INVERT	1.0
Port	6	11	91	AUTO	18.2	0.0	100	3.1	2	INVERT	1.0
Port	5	1	65	AUTO	17.2	0.0	150	2.6	2	INVERT	1.0
Port	5	2	66	AUTO	16.5	0.0	150	2.5	2	INVERT	1.0
Port	5	3	67	OFF	20.7	0.0	0	2.3	2	INVERT	1.0
Port	5	4	68	AUTO	18.7	0.0	60	3.7	2	INVERT	1.0
Port	5	5	69	AUTO	9.9	0.0	20	4.4	2	INVERT	1.0
Port	5	6	70	AUTO	9.8	0.0	40	5.6	2	INVERT	1.0
Port	5	7	76	OFF	10.0	0.0	0	1.0	2	NORMAL	1.0
Port	5	8	72	AUTO	16.7	0.0	70	3.6	2	INVERT	1.0
Port	5	9	73	OFF	20.0	0.0	0	3.8	2	INVERT	1.0
Port	5	10	74	SPARE	19.3	0.0	100	2.3	2	INVERT	1.0
Port	5	11	75	SPARE	16.9	0.0	100	4.4	2	INVERT	1.0
Port	4	1	49	AUTO	15.3	0.0	250	1.6	2	INVERT	1.0
Port	4	2	50	SPARE	16.2	0.0	250	2.4	2	INVERT	1.0
Port	4	3	51	AUTO	17.6	0.0	150	2.9	2	INVERT	1.0
Port	4	4	52	AUTO	16.8	0.0	150	2.9	2	INVERT	1.0
Port	4	5	53	AUTO	15.0	0.0	70	4.0	2	INVERT	1.0
Port	4	6	54	AUTO	8.5	0.0	40	5.1	2	INVERT	1.0
Port	4	7	55	SPARE	16.7	0.0	60	2.5	2	INVERT	1.0
Port	4	8	56	SPARE	16.4	0.0	100	2.3	2	INVERT	1.0
Port	4	9	57	AUTO	17.3	0.0	100	2.1	2	INVERT	1.0
Port	4	10	58	AUTO	20.1	0.0	100	2.8	2	INVERT	1.0
Port	4	11	59	AUTO	16.0	0.0	100	2.3	2	INVERT	1.0
Starboard	3	1	33	AUTO	19.9	0.0	250	2.5	1	INVERT	1.0
Starboard	3	2	34	AUTO	19.4	0.0	250	2.5	1	INVERT	1.0
Starboard	3	3	35	AUTO	20.9	0.0	150	3.1	1	INVERT	1.0
Starboard	3	4	36	SPARE	19.4	0.0	150	2.0	1	INVERT	1.0
Starboard	3	5	37	SPARE	18.6	0.0	70	2.7	1	INVERT	1.0
Starboard	3	6	38	AUTO	9.9	0.0	40	3.6	1	INVERT	1.0
Starboard	3	7	39	AUTO	17.5	0.0	60	4.4	1	INVERT	1.0
Starboard	3	8	40	SPARE	18.9	0.0	100	4.0	1	INVERT	1.0
Starboard	3	9	41	AUTO	17.5	0.0	100	3.5	1	INVERT	1.0
Starboard	3	10	42	AUTO	18.6	0.0	100	2.8	1	INVERT	1.0
Starboard	3	11	43	AUTO	18.3	0.0	100	3.1	1	INVERT	1.0
Starboard	2	1	17	AUTO	19.2	0.0	150	3.2	1	INVERT	1.0
Starboard	2	2	18	AUTO	18.1	0.0	150	3.0	1	INVERT	1.0
Starboard	2	3	19	OFF	16.6	0.0	0	2.0	1	INVERT	1.0
Starboard	2	4	20	OFF	20.0	0.0	0	2.0	1	INVERT	1.0
Starboard	2	5	21	AUTO	17.9	0.0	60	5.0	1	INVERT	1.0
Starboard	2	6	22	AUTO	10.0	0.0	20	5.8	1	INVERT	1.0
Starboard	2	7	23	AUTO	10.6	0.0	40	3.3	1	INVERT	1.0
Starboard	2	8	24	AUTO	19.3	0.0	70	4.0	1	INVERT	1.0
Starboard	2	9	25	OFF	20.0	0.0	0	2.0	1	INVERT	1.0
Starboard	2	10	26	SPARE	19.1	0.0	100	3.1	1	INVERT	1.0
Starboard	2	11	27	SPARE	17.3	0.0	100	2.9	1	INVERT	1.0
Starboard	1	1	1	AUTO	16.6	0.0	250	2.4	1	INVERT	1.0
Starboard	1	2	2	SPARE	16.3	0.0	250	2.1	1	INVERT	1.0
Starboard	1	3	3	AUTO	16.6	0.0	150	3.0	1	INVERT	1.0
Starboard	1	4	4	AUTO	18.7	0.0	150	2.4	1	INVERT	1.0
Starboard	1	5	5	AUTO	17.0	0.0	70	4.0	1	INVERT	1.0
Starboard	1	6	6	AUTO	9.9	0.0	40	4.0	1	INVERT	1.0
Starboard	1	7	7	SPARE	21.6	0.0	60	4.0	1	INVERT	1.0
Starboard	1	8	8	SPARE	19.5	0.0	100	2.5	1	INVERT	1.0
Starboard	1	9	9	AUTO	18.1	0.0	100	2.5	1	INVERT	1.0
Starboard	1	10	10	AUTO	21.0	0.0	100	2.0	1	INVERT	1.0
Starboard	1	11	11	AUTO	17.5	0.0	100	2.5	1	INVERT	1.0

GCS90 Log Line 1060P1_1

Page 3/39

6/11/03				VOLUME			AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT		SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	951.000	17:37:27	2	2500	100	0	0	0	0	0	1.1	0
1060P1	952.000	17:37:36	2	2500	100	0	0	0	0	0	1.1	0
DEPTH ERR: 6 - P6-1P6-11P5-1P5-11P4-1P4-11												
1060P1	953.000	17:37:45	1	2500	100	0	0	0	0	0	0.6	0
1060P1	954.000	17:37:53	2	2500	100	0	0	0	0	0	0.8	0
1060P1	955.000	17:38:02	1	2500	100	0	0	0	0	0	1.2	0
1060P1	956.000	17:38:11	2	2500	100	0	0	0	0	0	1.5	0
1060P1	957.000	17:38:19	1	2500	100	0	0	0	0	0	2.0	0
1060P1	958.000	17:38:28	2	2500	100	0	0	0	0	0	1.8	0
1060P1	959.000	17:38:37	1	2500	100	0	0	0	0	0	1.7	0
1060P1	960.000	17:38:45	2	2500	100	0	0	0	0	0	0.9	0
1060P1	961.000	17:38:54	1	2500	100	0	0	0	0	0	1.6	0
1060P1	962.000	17:39:03	2	2500	100	0	0	0	0	0	1.0	0
1060P1	963.000	17:39:12	1	2500	100	0	0	0	0	0	1.0	0
1060P1	964.000	17:39:21	2	2500	100	0	0	0	0	0	0.9	0
1060P1	965.000	17:39:29	1	2500	100	0	0	0	0	0	0.9	0
1060P1	966.000	17:39:38	2	2500	100	0	0	0	0	0	0.9	0
1060P1	967.000	17:39:47	1	2500	100	0	0	0	0	0	1.0	0
1060P1	968.000	17:39:56	2	2500	100	0	0	0	0	0	1.5	0
1060P1	969.000	17:40:04	1	2500	100	0	0	0	0	0	1.6	0
1060P1	970.000	17:40:13	2	2500	100	0	0	0	0	0	1.1	0
1060P1	971.000	17:40:22	1	2500	100	0	0	0	0	1	2.8E	1
DELTA ERR: 1 - S2-2												
1060P1	972.000	17:40:31	2	2500	100	0	0	0	0	0	1.4	1
1060P1	973.000	17:40:39	1	2500	100	0	0	0	0	0	1.4	1
1060P1	974.000	17:40:48	2	2500	100	0	0	0	0	0	0.7	1
1060P1	975.000	17:40:57	1	2500	100	0	0	0	0	0	0.8	1
1060P1	976.000	17:41:06	2	2500	100	0	0	0	0	0	1.1	1
1060P1	977.000	17:41:15	1	2500	100	0	0	0	0	0	0.7	1
1060P1	978.000	17:41:23	2	2500	100	0	0	0	0	0	1.1	1
1060P1	979.000	17:41:32	1	2500	100	0	0	0	0	0	0.8	1
1060P1	980.000	17:41:41	2	2500	100	0	0	0	0	0	0.9	1
1060P1	981.000	17:41:50	1	2500	100	0	0	0	0	0	0.8	1
1060P1	982.000	17:41:58	2	2500	100	0	0	0	0	0	0.6	1
1060P1	983.000	17:42:07	1	2500	100	0	0	0	0	0	1.5	1
1060P1	984.000	17:42:16	2	2500	100	0	0	0	0	0	1.0	1
1060P1	985.000	17:42:25	1	2500	100	0	0	0	0	0	0.7	1
1060P1	986.000	17:42:33	2	2500	100	0	0	0	0	0	0.7	1
1060P1	987.000	17:42:42	1	2500	100	0	0	0	0	0	1.8	1
1060P1	988.000	17:42:51	2	2500	100	0	0	0	0	0	1.4	1
1060P1	989.000	17:43:00	1	2500	100	0	0	0	0	0	1.2	1
1060P1	990.000	17:43:09	2	2500	100	0	0	0	0	0	0.7	1
1060P1	991.000	17:43:17	1	2500	100	0	0	0	0	0	0.7	1
1060P1	992.000	17:43:26	2	2500	100	0	0	0	0	0	1.1	1
1060P1	993.000	17:43:35	1	2500	100	0	0	0	0	0	0.8	1
1060P1	994.000	17:43:44	2	2500	100	0	0	0	0	0	0.7	1
1060P1	995.000	17:43:53	1	2500	100	0	0	0	0	0	0.7	1
DEPTH ERR: 1 - S3-11												
1060P1	996.000	17:44:01	2	2500	100	0	0	0	0	0	0.8	1
1060P1	997.000	17:44:10	1	2500	100	0	0	0	0	0	1.0	1
1060P1	998.000	17:44:19	2	2500	100	0	0	0	0	0	0.8	1
1060P1	999.000	17:44:28	1	2500	100	0	0	0	0	0	0.8	1
1060P1	1000.000	17:44:37	2	2500	100	0	0	0	0	0	0.7	1
1060P1	1001.000	17:44:45	1	2500	100	0	0	0	0	0	0.4	1
1060P1	1002.000	17:44:54	2	2500	100	0	0	0	0	0	1.7	1
1060P1	1003.000	17:45:03	1	2500	100	0	0	0	0	0	0.7	1
1060P1	1004.000	17:45:12	2	2500	100	0	0	0	0	0	1.0	1

GCS90 Log Line 1060P1_1

Page 4/39

6/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	1005.000	17:45:21	1	2500	100	0	0	0	0	1.0	1
1060P1	1006.000	17:45:30	2	2500	100	0	0	0	0	1.5	1
1060P1	1007.000	17:45:38	1	2500	100	0	0	0	0	0.6	1
1060P1	1008.000	17:45:47	2	2500	100	0	0	0	0	0.6	1
1060P1	1009.000	17:45:56	1	2500	100	0	0	0	0	1.0	1
1060P1	1010.000	17:46:05	2	2500	100	0	0	0	0	1.1	1
1060P1	1011.000	17:46:13	1	2500	100	0	0	0	0	0.6	1
1060P1	1012.000	17:46:22	2	2500	100	0	0	0	0	0.7	1
1060P1	1013.000	17:46:31	1	2500	100	0	0	0	0	1.0	1
1060P1	1014.000	17:46:40	2	2500	100	0	0	0	0	1.8	1
1060P1	1015.000	17:46:49	1	2500	100	0	0	0	0	0.7	1
1060P1	1016.000	17:46:58	2	2500	100	0	0	0	0	0.9	1
1060P1	1017.000	17:47:06	1	2500	100	0	0	0	0	0.9	1
1060P1	1018.000	17:47:15	2	2500	100	0	0	0	0	0.9	1
1060P1	1019.000	17:47:24	1	2500	100	0	0	0	0	1.9	1
1060P1	1020.000	17:47:33	2	2500	100	0	0	0	0	0.6	1
1060P1	1021.000	17:47:42	1	2500	100	0	0	0	0	0.7	1
1060P1	1022.000	17:47:51	2	2500	100	0	0	0	0	0.6	1
1060P1	1023.000	17:47:59	1	2500	100	0	0	0	0	0.8	1
1060P1	1024.000	17:48:08	2	2500	100	0	0	0	0	1.6	1
DELTA ERR: 1 - P6-1											
1060P1	1025.000	17:48:17	1	2500	100	0	0	0	0	1.1	1
1060P1	1026.000	17:48:26	2	2500	100	0	0	0	0	0.9	1
1060P1	1027.000	17:48:35	1	2500	100	0	0	0	0	0.6	1
1060P1	1028.000	17:48:44	2	2500	100	0	0	0	0	1.2	1
1060P1	1029.000	17:48:52	1	2500	100	0	0	0	0	0.5	1
1060P1	1030.000	17:49:01	2	2500	100	0	0	0	0	0.7	1
1060P1	1031.000	17:49:10	1	2500	100	0	0	0	0	0.9	1
1060P1	1032.000	17:49:19	2	2500	100	0	0	0	0	0.8	1
1060P1	1033.000	17:49:28	1	2500	100	0	0	0	0	0.8	1
1060P1	1034.000	17:49:37	2	2500	100	0	0	0	0	1.6	1
1060P1	1035.000	17:49:45	1	2500	100	0	0	0	0	0.8	1
1060P1	1036.000	17:49:54	2	2500	100	0	0	0	0	0.9	1
1060P1	1037.000	17:50:03	1	2500	100	0	0	0	0	0.6	1
1060P1	1038.000	17:50:12	2	2500	100	0	0	0	0	2.7E	2
DELTA ERR: 1 - P6-1											
1060P1	1039.000	17:50:21	1	2500	100	0	0	0	0	1.3	2
1060P1	1040.000	17:50:29	2	2500	100	0	0	0	0	1.0	2
1060P1	1041.000	17:50:38	1	2500	100	0	0	0	0	0.8	2
1060P1	1042.000	17:50:47	2	2500	100	0	0	0	0	1.0	2
1060P1	1043.000	17:50:56	1	2500	100	0	0	0	0	0.7	2
1060P1	1044.000	17:51:04	2	2500	100	0	0	0	0	1.1	2
1060P1	1045.000	17:51:13	1	2500	100	0	0	0	0	0.9	2
1060P1	1046.000	17:51:22	2	2500	100	0	0	0	0	1.1	2
1060P1	1047.000	17:51:31	1	2500	100	0	0	0	0	1.5	2
1060P1	1048.000	17:51:40	2	2500	100	0	0	0	0	1.1	2
1060P1	1049.000	17:51:49	1	2500	100	0	0	0	0	0.8	2
1060P1	1050.000	17:51:57	2	2500	100	0	0	0	0	1.1	2
1060P1	1051.000	17:52:06	1	2500	100	0	0	0	0	0.6	2
1060P1	1052.000	17:52:15	2	2500	100	0	0	0	0	0.9	2
1060P1	1053.000	17:52:24	1	2500	100	0	0	0	0	0.9	2
1060P1	1054.000	17:52:33	2	2500	100	0	0	0	0	0.7	2
1060P1	1055.000	17:52:42	1	2500	100	0	0	0	0	1.0	2
1060P1	1056.000	17:52:51	2	2500	100	0	0	0	0	0.9	2
1060P1	1057.000	17:53:00	1	2500	100	0	0	0	0	0.8	2
1060P1	1058.000	17:53:08	2	2500	100	0	0	0	0	1.1	2
1060P1	1059.000	17:53:17	1	2500	100	0	0	0	0	1.0	2

GCS90 Log Line 1060P1_1

Page 5/39

6/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	1060.000	17:53:26	2	2500	100	0	0	0	0	0 0.8	2
1060P1	1061.000	17:53:35	1	2500	100	0	0	0	0	0 0.7	2
1060P1	1062.000	17:53:44	2	2500	100	0	0	0	0	0 1.0	2
1060P1	1063.000	17:53:53	1	2500	100	0	0	0	0	0 0.9	2
1060P1	1064.000	17:54:02	2	2500	100	0	0	0	0	0 0.8	2
1060P1	1065.000	17:54:11	1	2500	100	0	0	0	0	0 1.5	2
1060P1	1066.000	17:54:19	2	2500	100	0	0	0	0	0 0.9	2
1060P1	1067.000	17:54:28	1	2500	100	0	0	0	0	0 1.1	2
1060P1	1068.000	17:54:37	2	2500	100	0	0	0	0	0 1.2	2
1060P1	1069.000	17:54:46	1	2500	100	0	0	0	0	0 1.1	2
1060P1	1070.000	17:54:54	2	2500	100	0	0	0	0	0 1.0	2
1060P1	1071.000	17:55:03	1	2500	100	0	0	0	0	0 0.5	2
1060P1	1072.000	17:55:12	2	2500	100	0	0	0	0	0 0.4	2
1060P1	1073.000	17:55:21	1	2500	100	0	0	0	0	0 1.0	2
1060P1	1074.000	17:55:30	2	2500	100	0	0	0	0	0 1.5	2
1060P1	1075.000	17:55:39	1	2500	100	0	0	0	0	0 0.8	2
1060P1	1076.000	17:55:48	2	2500	100	0	0	0	0	0 1.9	2
1060P1	1077.000	17:55:56	1	2500	100	0	0	0	0	0 0.8	2
1060P1	1078.000	17:56:05	2	2500	100	0	0	0	0	0 1.1	2
1060P1	1079.000	17:56:14	1	2500	100	0	0	0	0	0 0.9	2
1060P1	1080.000	17:56:22	2	2500	100	0	0	0	0	0 1.2	2
1060P1	1081.000	17:56:31	1	2500	100	0	0	0	0	0 1.5	2
1060P1	1082.000	17:56:40	2	2500	100	0	0	0	0	0 0.6	2
1060P1	1083.000	17:56:49	1	2500	100	0	0	0	0	0 1.2	2
1060P1	1084.000	17:56:58	2	2500	100	0	0	0	0	0 1.0	2
1060P1	1085.000	17:57:07	1	2500	100	0	0	0	0	0 0.9	2
1060P1	1086.000	17:57:15	2	2500	100	0	0	0	0	0 0.7	2
1060P1	1087.000	17:57:24	1	2500	100	0	0	0	0	0 0.9	2
1060P1	1088.000	17:57:33	2	2500	100	0	0	0	0	0 0.7	2
1060P1	1089.000	17:57:42	1	2500	100	0	0	0	0	0 1.0	2
1060P1	1090.000	17:57:51	2	2500	100	0	0	0	0	0 1.1	2
1060P1	1091.000	17:57:59	1	2500	100	0	0	0	0	0 0.5	2
1060P1	1092.000	17:58:08	2	2500	100	0	0	0	0	0 1.0	2
1060P1	1093.000	17:58:17	1	2500	100	0	0	0	0	0 0.5	2
1060P1	1094.000	17:58:26	2	2500	100	0	0	0	0	0 1.0	2
1060P1	1095.000	17:58:34	1	2500	100	0	0	0	0	0 0.6	2
1060P1	1096.000	17:58:43	2	2500	100	0	0	0	0	0 1.3	2
1060P1	1097.000	17:58:52	1	2500	100	0	0	0	0	0 1.0	2
1060P1	1098.000	17:59:01	2	2500	100	0	0	0	0	0 0.8	2
1060P1	1099.000	17:59:09	1	2500	100	0	0	0	0	0 1.0	2
1060P1	1100.000	17:59:18	2	2500	100	0	0	0	0	0 1.1	2
1060P1	1101.000	17:59:27	1	2500	100	0	0	0	0	0 1.1	2
1060P1	1102.000	17:59:36	2	2500	100	0	0	0	0	0 1.5	2
1060P1	1103.000	17:59:45	1	2500	100	0	0	0	0	0 1.1	2
1060P1	1104.000	17:59:53	2	2500	100	0	0	0	0	0 1.3	2
1060P1	1105.000	18:00:02	1	2500	100	0	0	0	0	0 0.8	2
1060P1	1106.000	18:00:11	2	2500	100	0	0	0	0	0 1.4	2
1060P1	1107.000	18:00:19	1	2500	100	0	0	0	0	0 0.8	2
1060P1	1108.000	18:00:28	2	2500	100	0	0	0	0	0 0.6	2
1060P1	1109.000	18:00:37	1	2500	100	0	0	0	0	0 0.8	2
1060P1	1110.000	18:00:45	2	2500	100	0	0	0	0	0 0.8	2
1060P1	1111.000	18:00:54	1	2500	100	0	0	0	0	0 1.0	2
1060P1	1112.000	18:01:03	2	2500	100	0	0	0	0	0 1.0	2
1060P1	1113.000	18:01:12	1	2500	100	0	0	0	0	0 0.6	2
1060P1	1114.000	18:01:21	2	2500	100	0	0	0	0	0 0.9	2
1060P1	1115.000	18:01:29	1	2500	100	0	0	0	0	0 0.7	2
1060P1	1116.000	18:01:38	2	2500	100	0	0	0	0	0 1.3	2

GCS90 Log Line 1060P1_1

Page 6/39

6/11/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	1117.000	18:01:47	1	2500	100	0	0	0	0	0 1.5	2
1060P1	1118.000	18:01:56	2	2500	100	0	0	0	0	0 0.7	2
1060P1	1119.000	18:02:05	1	2500	100	0	0	0	0	0 0.9	2
1060P1	1120.000	18:02:13	2	2500	100	0	0	0	0	0 0.6	2
1060P1	1121.000	18:02:22	1	2500	100	0	0	0	0	0 0.7	2
1060P1	1122.000	18:02:31	2	2500	100	0	0	0	0	0 1.0	2
1060P1	1123.000	18:02:39	1	2500	100	0	0	0	0	0 1.0	2
1060P1	1124.000	18:02:48	2	2500	100	0	0	0	0	0 1.2	2
1060P1	1125.000	18:02:57	1	2500	100	0	0	0	0	0 1.2	2
1060P1	1126.000	18:03:06	2	2500	100	0	0	0	0	0 0.8	2
1060P1	1127.000	18:03:14	1	2500	100	0	0	0	0	0 1.1	2
1060P1	1128.000	18:03:23	2	2500	100	0	0	0	0	0 0.7	2
1060P1	1129.000	18:03:32	1	2500	100	0	0	0	0	0 0.5	2
1060P1	1130.000	18:03:40	2	2500	100	0	0	0	0	0 0.8	2
1060P1	1131.000	18:03:49	1	2750	110	0	0	0	0	0 1.2	2
1060P1	1132.000	18:03:58	2	2500	100	0	0	0	0	0 1.3	2
1060P1	1133.000	18:04:07	1	2500	100	0	0	0	0	0 0.8	2
1060P1	1134.000	18:04:16	2	2500	100	0	0	0	0	0 0.7	2
1060P1	1135.000	18:04:25	1	2500	100	0	0	0	0	0 0.5	2
1060P1	1136.000	18:04:34	2	2500	100	0	0	0	0	0 1.3	2
DEPTH ERR: 1 - P6-1											
1060P1	1137.000	18:04:42	1	2500	100	0	0	0	0	0 1.0	2
1060P1	1138.000	18:04:51	2	2500	100	0	0	0	0	0 1.1	2
1060P1	1139.000	18:05:00	1	2500	100	0	0	0	0	0 0.8	2
1060P1	1140.000	18:05:09	2	2500	100	0	0	0	0	0 1.5	2
1060P1	1141.000	18:05:17	1	2500	100	0	0	0	0	0 0.5	2
1060P1	1142.000	18:05:26	2	2500	100	0	0	0	0	0 1.2	2
1060P1	1143.000	18:05:35	1	2500	100	0	0	0	0	0 0.8	2
1060P1	1144.000	18:05:43	2	2500	100	0	0	0	0	0 1.6	2
1060P1	1145.000	18:05:52	1	2500	100	0	0	0	0	0 0.7	2
1060P1	1146.000	18:06:01	2	2500	100	0	0	0	0	0 1.1	2
1060P1	1147.000	18:06:09	1	2500	100	0	0	0	0	0 0.6	2
1060P1	1148.000	18:06:18	2	2500	100	0	0	0	0	0 1.1	2
1060P1	1149.000	18:06:27	1	2500	100	0	0	0	0	0 0.7	2
1060P1	1150.000	18:06:36	2	2500	100	0	0	0	0	0 0.8	2
1060P1	1151.000	18:06:44	1	2500	100	0	0	0	0	0 0.7	2
1060P1	1152.000	18:06:53	2	2500	100	0	0	0	0	0 1.4	2
1060P1	1153.000	18:07:02	1	2500	100	0	0	0	0	0 0.8	2
1060P1	1154.000	18:07:10	2	2500	100	0	0	0	0	0 0.4	2
1060P1	1155.000	18:07:19	1	2500	100	0	0	0	0	0 0.6	2
1060P1	1156.000	18:07:28	2	2500	100	0	0	0	0	0 0.7	2
1060P1	1157.000	18:07:37	1	2500	100	0	0	0	0	0 0.8	2
1060P1	1158.000	18:07:45	2	2500	100	0	0	0	0	0 0.7	2
1060P1	1159.000	18:07:54	1	2500	100	0	0	0	0	0 0.6	2
1060P1	1160.000	18:08:02	2	2500	100	0	0	0	0	0 1.4	2
1060P1	1161.000	18:08:11	1	2500	100	0	0	0	0	0 0.5	2
1060P1	1162.000	18:08:20	2	2500	100	0	0	0	0	0 0.8	2
1060P1	1163.000	18:08:28	1	2500	100	0	0	0	0	0 1.3	2
1060P1	1164.000	18:08:37	2	2500	100	0	0	0	0	0 1.2	2
1060P1	1165.000	18:08:46	1	2500	100	0	0	0	0	0 0.6	2
1060P1	1166.000	18:08:55	2	2500	100	0	0	0	0	0 1.0	2
1060P1	1167.000	18:09:03	1	2500	100	0	0	0	0	0 0.8	2
1060P1	1168.000	18:09:12	2	2500	100	0	0	0	0	0 1.2	2
1060P1	1169.000	18:09:21	1	2500	100	0	0	0	0	0 0.6	2
1060P1	1170.000	18:09:30	2	2500	100	0	0	0	0	0 1.2	2
1060P1	1171.000	18:09:39	1	2500	100	0	0	0	0	0 0.5	2
1060P1	1172.000	18:09:47	2	2500	100	0	0	0	0	0 1.0	2

GCS90 Log Line 1060P1_1

Page 7/39

6/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	1173.000	18:09:56	1	2500	100	0	0	0	0	0 0.7	2
1060P1	1174.000	18:10:05	2	2500	100	0	0	0	0	0 1.3	2
1060P1	1175.000	18:10:13	1	2500	100	0	0	0	0	0 1.4	2
1060P1	1176.000	18:10:22	2	2500	100	0	0	0	0	0 0.7	2
1060P1	1177.000	18:10:31	1	2500	100	0	0	0	0	0 0.7	2
1060P1	1178.000	18:10:39	2	2500	100	0	0	0	0	0 1.1	2
1060P1	1179.000	18:10:48	1	2500	100	0	0	0	0	0 0.7	2
1060P1	1180.000	18:10:57	2	2500	100	0	0	0	0	0 1.1	2
1060P1	1181.000	18:11:06	1	2500	100	0	0	0	0	0 0.8	2
1060P1	1182.000	18:11:15	2	2500	100	0	0	0	0	0 1.0	2
1060P1	1183.000	18:11:23	1	2500	100	0	0	0	0	0 0.6	2
1060P1	1184.000	18:11:32	2	2500	100	0	0	0	0	0 0.3	2
1060P1	1185.000	18:11:41	1	2500	100	0	0	0	0	0 0.7	2
1060P1	1186.000	18:11:49	2	2500	100	0	0	0	0	0 0.8	2
1060P1	1187.000	18:11:58	1	2500	100	0	0	0	0	0 0.8	2
1060P1	1188.000	18:12:06	2	2500	100	0	0	0	0	0 1.6	2
1060P1	1189.000	18:12:15	1	2500	100	0	0	0	0	0 0.8	2
1060P1	1190.000	18:12:23	2	2500	100	0	0	0	0	0 0.6	2
1060P1	1191.000	18:12:32	1	2500	100	0	0	0	0	0 0.7	2
1060P1	1192.000	18:12:41	2	2500	100	0	0	0	0	0 0.6	2
1060P1	1193.000	18:12:50	1	2500	100	0	0	0	0	0 0.8	2
1060P1	1194.000	18:12:58	2	2500	100	0	0	0	0	0 0.9	2
1060P1	1195.000	18:13:07	1	2500	100	0	0	0	0	0 0.6	2
1060P1	1196.000	18:13:15	2	2500	100	0	0	0	0	0 1.0	2
1060P1	1197.000	18:13:24	1	2500	100	0	0	0	0	0 0.8	2
1060P1	1198.000	18:13:33	2	2500	100	0	0	0	0	0 0.7	2
1060P1	1199.000	18:13:42	1	2500	100	0	0	0	0	0 0.7	2
1060P1	1200.000	18:13:50	2	2500	100	0	0	0	0	0 1.4	2
1060P1	1201.000	18:13:59	1	2500	100	0	0	0	0	0 0.8	2
1060P1	1202.000	18:14:08	2	2500	100	0	0	0	0	0 0.6	2
1060P1	1203.000	18:14:17	1	2500	100	0	0	0	0	0 1.1	2
1060P1	1204.000	18:14:25	2	2500	100	0	0	0	0	0 0.7	2
1060P1	1205.000	18:14:34	1	2500	100	0	0	0	0	0 0.9	2
1060P1	1206.000	18:14:43	2	2500	100	0	0	0	0	0 1.5	2
1060P1	1207.000	18:14:51	1	2500	100	0	0	0	0	0 0.8	2
DEPTH ERR: 1 - S3-11											
1060P1	1208.000	18:15:00	2	2500	100	0	0	0	0	0 0.9	2
1060P1	1209.000	18:15:09	1	2500	100	0	0	0	0	0 0.6	2
1060P1	1210.000	18:15:17	2	2500	100	0	0	0	0	0 1.5	2
1060P1	1211.000	18:15:26	1	2500	100	0	0	0	0	0 0.5	2
1060P1	1212.000	18:15:34	2	2500	100	0	0	0	0	0 0.8	2
1060P1	1213.000	18:15:43	1	2500	100	0	0	0	0	0 0.8	2
1060P1	1214.000	18:15:52	2	2500	100	0	0	0	0	0 1.2	2
1060P1	1215.000	18:16:00	1	2500	100	0	0	0	0	0 1.0	2
1060P1	1216.000	18:16:09	2	2500	100	0	0	0	0	0 1.0	2
1060P1	1217.000	18:16:17	1	2500	100	0	0	0	0	0 0.6	2
1060P1	1218.000	18:16:26	2	2500	100	0	0	0	0	0 0.9	2
1060P1	1219.000	18:16:35	1	2500	100	0	0	0	0	0 1.1	2
1060P1	1220.000	18:16:43	2	2500	100	0	0	0	0	0 1.7	2
1060P1	1221.000	18:16:52	1	2500	100	0	0	0	0	0 0.8	2
1060P1	1222.000	18:17:01	2	2500	100	0	0	0	0	0 0.6	2
1060P1	1223.000	18:17:09	1	2500	100	0	0	0	0	0 0.8	2
1060P1	1224.000	18:17:18	2	2500	100	0	0	0	0	0 0.9	2
1060P1	1225.000	18:17:27	1	2500	100	0	0	0	0	0 0.6	2
1060P1	1226.000	18:17:35	2	2500	100	0	0	0	0	0 1.0	2
1060P1	1227.000	18:17:44	1	2500	100	0	0	0	0	0 1.1	2
1060P1	1228.000	18:17:53	2	2500	100	0	0	0	0	0 0.8	2

GCS90 Log Line 1060P1_1

Page 8/39

6/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	1229.000	18:18:02	1	2500	100	0	0	0	0	0 0.7	2
1060P1	1230.000	18:18:10	2	2500	100	0	0	0	0	0 0.7	2
1060P1	1231.000	18:18:19	1	2500	100	0	0	0	0	0 1.2	2
1060P1	1232.000	18:18:28	2	2500	100	0	0	0	0	0 1.0	2
1060P1	1233.000	18:18:36	1	2500	100	0	0	0	0	0 0.8	2
1060P1	1234.000	18:18:45	2	2500	100	0	0	0	0	0 1.2	2
1060P1	1235.000	18:18:54	1	2500	100	0	0	0	0	0 1.3	2
1060P1	1236.000	18:19:02	2	2500	100	0	0	0	0	0 1.4	2
1060P1	1237.000	18:19:11	1	2500	100	0	0	0	0	0 0.8	2
1060P1	1238.000	18:19:19	2	2500	100	0	0	0	0	0 0.9	2
1060P1	1239.000	18:19:28	1	2500	100	0	0	0	0	0 1.2	2
1060P1	1240.000	18:19:36	2	2500	100	0	0	0	0	0 0.7	2
1060P1	1241.000	18:19:45	1	2500	100	0	0	0	0	0 1.3	2
1060P1	1242.000	18:19:54	2	2500	100	0	0	0	0	0 0.9	2
1060P1	1243.000	18:20:02	1	2500	100	0	0	0	0	0 0.8	2
1060P1	1244.000	18:20:11	2	2500	100	0	0	0	0	0 1.7	2
1060P1	1245.000	18:20:19	1	2500	100	0	0	0	0	0 1.2	2
1060P1	1246.000	18:20:28	2	2500	100	0	0	0	0	0 0.7	2
1060P1	1247.000	18:20:37	1	2500	100	0	0	0	0	0 0.7	2
1060P1	1248.000	18:20:45	2	2500	100	0	0	0	0	0 1.6	2
1060P1	1249.000	18:20:54	1	2500	100	0	0	0	0	0 0.9	2
1060P1	1250.000	18:21:02	2	2500	100	0	0	0	0	0 0.9	2
1060P1	1251.000	18:21:11	1	2500	100	0	0	0	0	0 0.7	2
1060P1	1252.000	18:21:20	2	2500	100	0	0	0	0	0 0.7	2
1060P1	1253.000	18:21:28	1	2500	100	0	0	0	0	0 0.8	2
1060P1	1254.000	18:21:37	2	2500	100	0	0	0	0	0 1.9	2
1060P1	1255.000	18:21:46	1	2500	100	0	0	0	0	0 1.0	2
1060P1	1256.000	18:21:54	2	2500	100	0	0	0	0	0 0.5	2
1060P1	1257.000	18:22:03	1	2500	100	0	0	0	0	0 0.6	2
1060P1	1258.000	18:22:11	2	2500	100	0	0	0	0	0 1.0	2
1060P1	1259.000	18:22:20	1	2500	100	0	0	0	0	0 0.7	2
1060P1	1260.000	18:22:29	2	2500	100	0	0	0	0	0 1.4	2
1060P1	1261.000	18:22:38	1	2500	100	0	0	0	0	0 1.0	2
1060P1	1262.000	18:22:46	2	2500	100	0	0	0	0	0 0.9	2
1060P1	1263.000	18:22:55	1	2500	100	0	0	0	0	0 0.5	2
1060P1	1264.000	18:23:04	2	2500	100	0	0	0	0	0 0.6	2
1060P1	1265.000	18:23:12	1	2500	100	0	0	0	0	0 1.2	2
1060P1	1266.000	18:23:21	2	2500	100	0	0	0	0	0 1.2	2
1060P1	1267.000	18:23:29	1	2500	100	0	0	0	0	0 1.1	2
1060P1	1268.000	18:23:38	2	2500	100	0	0	0	0	0 1.5	2
1060P1	1269.000	18:23:47	1	2500	100	0	0	0	0	0 0.7	2
1060P1	1270.000	18:23:56	2	2500	100	0	0	0	0	0 1.0	2
1060P1	1271.000	18:24:04	1	2500	100	0	0	0	0	0 0.9	2
1060P1	1272.000	18:24:13	2	2500	100	0	0	0	0	0 0.9	2
1060P1	1273.000	18:24:22	1	2500	100	0	0	0	0	0 0.8	2
1060P1	1274.000	18:24:30	2	2500	100	0	0	0	0	0 1.1	2
1060P1	1275.000	18:24:39	1	2500	100	0	0	0	0	0 1.2	2
1060P1	1276.000	18:24:47	2	2500	100	0	0	0	0	0 1.1	2
1060P1	1277.000	18:24:56	1	2500	100	0	0	0	0	0 0.7	2
1060P1	1278.000	18:25:05	2	2500	100	0	0	0	0	0 0.8	2
1060P1	1279.000	18:25:13	1	2500	100	0	0	0	0	0 0.5	2
1060P1	1280.000	18:25:22	2	2500	100	0	0	0	0	0 1.3	2
1060P1	1281.000	18:25:31	1	2500	100	0	0	0	0	0 1.2	2
1060P1	1282.000	18:25:39	2	2500	100	0	0	0	0	0 0.9	2
1060P1	1283.000	18:25:48	1	2500	100	0	0	0	0	0 0.9	2
1060P1	1284.000	18:25:57	2	2500	100	0	0	0	0	0 1.4	2
1060P1	1285.000	18:26:06	1	2500	100	0	0	0	0	0 0.8	2

GCS90 Log Line 1060P1_1

Page 9/39

6/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	1286.000	18:26:14	2	2500	100	0	0	0	0	0 1.2	2
1060P1	1287.000	18:26:23	1	2500	100	0	0	0	0	0 0.8	2
1060P1	1288.000	18:26:32	2	2500	100	0	0	0	0	0 1.3	2
1060P1	1289.000	18:26:41	1	2500	100	0	0	0	0	0 0.8	2
1060P1	1290.000	18:26:49	2	2500	100	0	0	0	0	0 0.6	2
1060P1	1291.000	18:26:58	1	2500	100	0	0	0	0	0 1.2	2
1060P1	1292.000	18:27:07	2	2500	100	0	0	0	0	0 1.1	2
1060P1	1293.000	18:27:15	1	2500	100	0	0	0	0	0 1.0	2
1060P1	1294.000	18:27:24	2	2500	100	0	0	0	0	0 0.8	2
1060P1	1295.000	18:27:32	1	2500	100	0	0	0	0	0 0.7	2
1060P1	1296.000	18:27:41	2	2500	100	0	0	0	0	0 1.1	2
1060P1	1297.000	18:27:50	1	2500	100	0	0	0	0	0 0.8	2
1060P1	1298.000	18:27:59	2	2500	100	0	0	0	0	0 0.8	2
1060P1	1299.000	18:28:07	1	2500	100	0	0	0	0	0 0.9	2
1060P1	1300.000	18:28:16	2	2500	100	0	0	0	0	0 1.4	2
1060P1	1301.000	18:28:25	1	2500	100	0	0	0	0	0 1.1	2
1060P1	1302.000	18:28:33	2	2500	100	0	0	0	0	0 1.2	2
1060P1	1303.000	18:28:42	1	2500	100	0	0	0	0	0 0.9	2
1060P1	1304.000	18:28:51	2	2500	100	0	0	0	0	0 1.1	2
1060P1	1305.000	18:28:59	1	2500	100	0	0	0	0	0 1.0	2
1060P1	1306.000	18:29:08	2	2500	100	0	0	0	0	0 1.0	2
1060P1	1307.000	18:29:16	1	2500	100	0	0	0	0	0 0.7	2
1060P1	1308.000	18:29:25	2	2500	100	0	0	0	0	0 0.9	2
1060P1	1309.000	18:29:33	1	2500	100	0	0	0	0	0 0.8	2
1060P1	1310.000	18:29:42	2	2500	100	0	0	0	0	0 0.9	2
1060P1	1311.000	18:29:51	1	2500	100	0	0	0	0	0 0.6	2
1060P1	1312.000	18:29:59	2	2500	100	0	0	0	0	0 0.9	2
1060P1	1313.000	18:30:08	1	2500	100	0	0	0	0	0 0.9	2
1060P1	1314.000	18:30:16	2	2500	100	0	0	0	0	0 1.0	2
1060P1	1315.000	18:30:25	1	2500	100	0	0	0	0	0 1.1	2
1060P1	1316.000	18:30:34	2	2500	100	0	0	0	0	0 1.3	2
1060P1	1317.000	18:30:42	1	2500	100	0	0	0	0	0 0.7	2
1060P1	1318.000	18:30:51	2	2500	100	0	0	0	0	0 0.9	2
1060P1	1319.000	18:31:00	1	2500	100	0	0	0	0	0 1.1	2
1060P1	1320.000	18:31:09	2	2500	100	0	0	0	0	0 0.5	2
1060P1	1321.000	18:31:17	1	2500	100	0	0	0	0	0 0.9	2
1060P1	1322.000	18:31:26	2	2500	100	0	0	0	0	0 1.7	2
1060P1	1323.000	18:31:35	1	2500	100	0	0	0	0	0 1.4	2
1060P1	1324.000	18:31:43	2	2500	100	0	0	0	0	0 1.1	2
1060P1	1325.000	18:31:52	1	2500	100	0	0	0	0	0 1.3	2
1060P1	1326.000	18:32:00	2	2500	100	0	0	0	0	0 1.0	2
1060P1	1327.000	18:32:09	1	2500	100	0	0	0	0	0 1.1	2
1060P1	1328.000	18:32:18	2	2500	100	0	0	0	0	0 1.3	2
1060P1	1329.000	18:32:27	1	2500	100	0	0	0	0	0 0.6	2
1060P1	1330.000	18:32:35	2	2500	100	0	0	0	0	0 0.8	2
1060P1	1331.000	18:32:44	1	2500	100	0	0	0	0	0 0.9	2
1060P1	1332.000	18:32:53	2	2500	100	0	0	0	0	0 0.8	2
1060P1	1333.000	18:33:01	1	2500	100	0	0	0	0	0 0.7	2
1060P1	1334.000	18:33:10	2	2500	100	0	0	0	0	0 1.3	2
1060P1	1335.000	18:33:19	1	2500	100	0	0	0	0	0 0.6	2
1060P1	1336.000	18:33:27	2	2500	100	0	0	0	0	0 0.8	2
1060P1	1337.000	18:33:36	1	2500	100	0	0	0	0	0 0.4	2
1060P1	1338.000	18:33:44	2	2500	100	0	0	0	0	0 0.9	2
1060P1	1339.000	18:33:53	1	2500	100	0	0	0	0	0 1.4	2
1060P1	1340.000	18:34:01	2	2500	100	0	0	0	0	0 0.8	2
1060P1	1341.000	18:34:10	1	2500	100	0	0	0	0	0 0.6	2
1060P1	1342.000	18:34:19	2	2500	100	0	0	0	0	0 0.6	2

GCS90 Log Line 1060P1_1

Page 10/39

6/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	1343.000	18:34:27	1	2500	100	0	0	0	0	0 0.7	2
1060P1	1344.000	18:34:36	2	2500	100	0	0	0	0	0 0.5	2
1060P1	1345.000	18:34:45	1	2500	100	0	0	0	0	0 0.8	2
1060P1	1346.000	18:34:53	2	2500	100	0	0	0	0	0 1.6	2
1060P1	1347.000	18:35:02	1	2500	100	0	0	0	0	0 0.5	2
1060P1	1348.000	18:35:11	2	2500	100	0	0	0	0	0 0.5	2
1060P1	1349.000	18:35:19	1	2500	100	0	0	0	0	0 0.6	2
1060P1	1350.000	18:35:28	2	2500	100	0	0	0	0	0 1.0	2
1060P1	1351.000	18:35:36	1	2500	100	0	0	0	0	0 0.8	2
1060P1	1352.000	18:35:45	2	2500	100	0	0	0	0	0 1.4	2
1060P1	1353.000	18:35:54	1	2500	100	0	0	0	0	0 1.1	2
1060P1	1354.000	18:36:03	2	2500	100	0	0	0	0	0 1.2	2
1060P1	1355.000	18:36:11	1	2500	100	0	0	0	0	0 1.0	2
1060P1	1356.000	18:36:20	2	2500	100	0	0	0	0	0 1.1	2
1060P1	1357.000	18:36:29	1	2500	100	0	0	0	0	0 0.6	2
1060P1	1358.000	18:36:37	2	2500	100	0	0	0	0	0 1.2	2
1060P1	1359.000	18:36:46	1	2500	100	0	0	0	0	0 1.0	2
1060P1	1360.000	18:36:54	2	2500	100	0	0	0	0	0 0.6	2
1060P1	1361.000	18:37:03	1	2500	100	0	0	0	0	0 1.0	2
1060P1	1362.000	18:37:11	2	2500	100	0	0	0	0	0 0.7	2
1060P1	1363.000	18:37:20	1	2500	100	0	0	0	0	0 0.9	2
1060P1	1364.000	18:37:29	2	2500	100	0	0	0	0	0 1.0	2
1060P1	1365.000	18:37:37	1	2500	100	0	0	0	0	0 0.4	2
1060P1	1366.000	18:37:46	2	2500	100	0	0	0	0	0 1.4	2
1060P1	1367.000	18:37:54	1	2500	100	0	0	0	0	0 0.7	2
1060P1	1368.000	18:38:03	2	2500	100	0	0	0	0	0 0.7	2
1060P1	1369.000	18:38:11	1	2500	100	0	0	0	0	0 0.9	2
1060P1	1370.000	18:38:20	2	2500	100	0	0	0	0	0 0.9	2
1060P1	1371.000	18:38:29	1	2500	100	0	0	0	0	0 0.9	2
1060P1	1372.000	18:38:37	2	2500	100	0	0	0	0	0 1.2	2
1060P1	1373.000	18:38:46	1	2500	100	0	0	0	0	0 0.6	2
1060P1	1374.000	18:38:55	2	2500	100	0	0	0	0	1 2.4E	3
DELTA ERR: 1 - P6-1											
1060P1	1375.000	18:39:03	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1376.000	18:39:12	2	2500	100	0	0	0	0	0 1.0	3
1060P1	1377.000	18:39:20	1	2500	100	0	0	0	0	0 0.5	3
1060P1	1378.000	18:39:29	2	2500	100	0	0	0	0	0 1.6	3
1060P1	1379.000	18:39:37	1	2500	100	0	0	0	0	0 0.4	3
1060P1	1380.000	18:39:45	2	2500	100	0	0	0	0	0 1.5	3
1060P1	1381.000	18:39:54	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1382.000	18:40:03	2	2500	100	0	0	0	0	0 1.1	3
1060P1	1383.000	18:40:11	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1384.000	18:40:20	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1385.000	18:40:28	1	2500	100	0	0	0	0	0 1.0	3
1060P1	1386.000	18:40:37	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1387.000	18:40:46	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1388.000	18:40:54	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1389.000	18:41:03	1	2500	100	0	0	0	0	0 0.3	3
1060P1	1390.000	18:41:11	2	2500	100	0	0	0	0	0 1.4	3
1060P1	1391.000	18:41:20	1	2500	100	0	0	0	0	0 1.3	3
1060P1	1392.000	18:41:28	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1393.000	18:41:37	1	2500	100	0	0	0	0	0 1.0	3
1060P1	1394.000	18:41:46	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1395.000	18:41:54	1	2500	100	0	0	0	0	0 1.1	3
1060P1	1396.000	18:42:03	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1397.000	18:42:11	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1398.000	18:42:20	2	2500	100	0	0	0	0	0 0.9	3

GCS90 Log Line 1060P1_1

Page 11/39

6/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	1399.000	18:42:29	1	2500	100	0	0	0	0	0 0.5	3
1060P1	1400.000	18:42:37	2	2500	100	0	0	0	0	0 0.5	3
1060P1	1401.000	18:42:46	1	2500	100	0	0	0	0	0 1.0	3
1060P1	1402.000	18:42:54	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1403.000	18:43:03	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1404.000	18:43:12	2	2500	100	0	0	0	0	0 1.3	3
1060P1	1405.000	18:43:20	1	2500	100	0	0	0	0	0 1.5	3
1060P1	1406.000	18:43:29	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1407.000	18:43:37	1	2500	100	0	0	0	0	0 0.9	3
1060P1	1408.000	18:43:46	2	2500	100	0	0	0	0	0 1.3	3
1060P1	1409.000	18:43:54	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1410.000	18:44:03	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1411.000	18:44:11	1	2500	100	0	0	0	0	0 1.2	3
1060P1	1412.000	18:44:20	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1413.000	18:44:28	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1414.000	18:44:37	2	2500	100	0	0	0	0	0 1.4	3
1060P1	1415.000	18:44:46	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1416.000	18:44:54	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1417.000	18:45:02	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1418.000	18:45:11	2	2500	100	0	0	0	0	0 1.2	3
1060P1	1419.000	18:45:20	1	2500	100	0	0	0	0	0 0.9	3
1060P1	1420.000	18:45:28	2	2500	100	0	0	0	0	0 1.1	3
1060P1	1421.000	18:45:37	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1422.000	18:45:45	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1423.000	18:45:54	1	2500	100	0	0	0	0	0 0.5	3
1060P1	1424.000	18:46:03	2	2500	100	0	0	0	0	0 1.5	3
1060P1	1425.000	18:46:11	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1426.000	18:46:20	2	2500	100	0	0	0	0	0 1.5	3
1060P1	1427.000	18:46:29	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1428.000	18:46:37	2	2500	100	0	0	0	0	0 1.5	3
1060P1	1429.000	18:46:46	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1430.000	18:46:54	2	2500	100	0	0	0	0	0 1.2	3
1060P1	1431.000	18:47:03	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1432.000	18:47:11	2	2500	100	0	0	0	0	0 1.2	3
1060P1	1433.000	18:47:20	1	2500	100	0	0	0	0	0 0.4	3
1060P1	1434.000	18:47:28	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1435.000	18:47:37	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1436.000	18:47:46	2	2500	100	0	0	0	0	0 1.1	3
1060P1	1437.000	18:47:54	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1438.000	18:48:03	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1439.000	18:48:11	1	2500	100	0	0	0	0	0 0.4	3
1060P1	1440.000	18:48:19	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1441.000	18:48:28	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1442.000	18:48:37	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1443.000	18:48:45	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1444.000	18:48:54	2	2500	100	0	0	0	0	0 1.4	3
1060P1	1445.000	18:49:02	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1446.000	18:49:11	2	2500	100	0	0	0	0	0 0.6	3
1060P1	1447.000	18:49:20	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1448.000	18:49:28	2	2500	100	0	0	0	0	0 0.6	3
1060P1	1449.000	18:49:37	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1450.000	18:49:45	2	2500	100	0	0	0	0	0 1.0	3
1060P1	1451.000	18:49:54	1	2500	100	0	0	0	0	0 1.2	3
1060P1	1452.000	18:50:02	2	2500	100	0	0	0	0	0 1.4	3
1060P1	1453.000	18:50:11	1	2500	100	0	0	0	0	0 0.5	3
1060P1	1454.000	18:50:19	2	2500	100	0	0	0	0	0 2.0	3
1060P1	1455.000	18:50:28	1	2500	100	0	0	0	0	0 1.0	3

GCS90 Log Line 1060P1_1

Page 12/39

6/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	1456.000	18:50:36	2	2500	100	0	0	0	0	0 0.5	3
1060P1	1457.000	18:50:45	1	2500	100	0	0	0	0	0 1.2	3
1060P1	1458.000	18:50:53	2	2500	100	0	0	0	0	0 0.6	3
1060P1	1459.000	18:51:02	1	2500	100	0	0	0	0	0 0.9	3
1060P1	1460.000	18:51:11	2	2500	100	0	0	0	0	0 1.0	3
1060P1	1461.000	18:51:19	1	2500	100	0	0	0	0	0 1.1	3
1060P1	1462.000	18:51:28	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1463.000	18:51:36	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1464.000	18:51:45	2	2500	100	0	0	0	0	0 1.5	3
1060P1	1465.000	18:51:53	1	2500	100	0	0	0	0	0 1.0	3
1060P1	1466.000	18:52:02	2	2500	100	0	0	0	0	0 1.7	3
1060P1	1467.000	18:52:11	1	2500	100	0	0	0	0	0 0.9	3
1060P1	1468.000	18:52:19	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1469.000	18:52:28	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1470.000	18:52:37	2	2500	100	0	0	0	0	0 1.4	3
1060P1	1471.000	18:52:45	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1472.000	18:52:54	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1473.000	18:53:02	1	2500	100	0	0	0	0	0 1.0	3
1060P1	1474.000	18:53:11	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1475.000	18:53:19	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1476.000	18:53:28	2	2500	100	0	0	0	0	0 0.5	3
1060P1	1477.000	18:53:36	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1478.000	18:53:45	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1479.000	18:53:53	1	2500	100	0	0	0	0	0 0.9	3
1060P1	1480.000	18:54:02	2	2500	100	0	0	0	0	0 0.5	3
1060P1	1481.000	18:54:10	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1482.000	18:54:19	2	2500	100	0	0	0	0	0 1.2	3
1060P1	1483.000	18:54:28	1	2500	100	0	0	0	0	0 0.5	3
1060P1	1484.000	18:54:36	2	2500	100	0	0	0	0	0 1.4	3
1060P1	1485.000	18:54:45	1	2500	100	0	0	0	0	0 1.0	3
1060P1	1486.000	18:54:53	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1487.000	18:55:02	1	2500	100	0	0	0	0	0 0.9	3
1060P1	1488.000	18:55:11	2	2500	100	0	0	0	0	0 0.5	3
1060P1	1489.000	18:55:19	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1490.000	18:55:28	2	2500	100	0	0	0	0	0 1.6	3
1060P1	1491.000	18:55:36	1	2500	100	0	0	0	0	0 1.1	3
1060P1	1492.000	18:55:45	2	2500	100	0	0	0	0	0 1.2	3
1060P1	1493.000	18:55:53	1	2500	100	0	0	0	0	0 1.3	3
1060P1	1494.000	18:56:02	2	2500	100	0	0	0	0	0 1.3	3
1060P1	1495.000	18:56:10	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1496.000	18:56:19	2	2500	100	0	0	0	0	0 0.6	3
1060P1	1497.000	18:56:28	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1498.000	18:56:36	2	2500	100	0	0	0	0	0 1.1	3
1060P1	1499.000	18:56:45	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1500.000	18:56:54	2	2500	100	0	0	0	0	0 1.0	3
1060P1	1501.000	18:57:02	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1502.000	18:57:11	2	2500	100	0	0	0	0	0 1.1	3
1060P1	1503.000	18:57:19	1	2500	100	0	0	0	0	0 1.3	3
1060P1	1504.000	18:57:28	2	2500	100	0	0	0	0	0 1.3	3
1060P1	1505.000	18:57:36	1	2500	100	0	0	0	0	0 0.9	3
1060P1	1506.000	18:57:45	2	2500	100	0	0	0	0	1 2.0	3
DELTA ERR: 1 - P6-1											
1060P1	1507.000	18:57:54	1	2500	100	0	0	0	0	0 0.9	3
1060P1	1508.000	18:58:02	2	2500	100	0	0	0	0	0 1.2	3
1060P1	1509.000	18:58:11	1	2500	100	0	0	0	0	0 1.0	3
1060P1	1510.000	18:58:19	2	2500	100	0	0	0	0	0 1.2	3
1060P1	1511.000	18:58:28	1	2500	100	0	0	0	0	0 0.9	3

GCS90 Log Line 1060P1_1

Page 13/39

6/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	1512.000	18:58:37	2	2500	100	0	0	0	0	1.1	3
1060P1	1513.000	18:58:45	1	2500	100	0	0	0	0	0.6	3
1060P1	1514.000	18:58:54	2	2500	100	0	0	0	0	0.8	3
1060P1	1515.000	18:59:02	1	2500	100	0	0	0	0	1.1	3
1060P1	1516.000	18:59:11	2	2500	100	0	0	0	0	0.9	3
1060P1	1517.000	18:59:20	1	2500	100	0	0	0	0	1.2	3
1060P1	1518.000	18:59:28	2	2500	100	0	0	0	0	1.2	3
1060P1	1519.000	18:59:37	1	2500	100	0	0	0	0	0.6	3
1060P1	1520.000	18:59:45	2	2500	100	0	0	0	0	1.1	3
1060P1	1521.000	18:59:54	1	2500	100	0	0	0	0	0.6	3
1060P1	1522.000	19:00:03	2	2500	100	0	0	0	0	1.5	3
DELTA ERR: 1 - P6-11											
1060P1	1523.000	19:00:11	1	2500	100	0	0	0	0	0.6	3
1060P1	1524.000	19:00:20	2	2500	100	0	0	0	0	1.1	3
1060P1	1525.000	19:00:28	1	2500	100	0	0	0	0	1.1	3
1060P1	1526.000	19:00:36	2	2500	100	0	0	0	0	0.5	3
1060P1	1527.000	19:00:45	1	2500	100	0	0	0	0	0.5	3
1060P1	1528.000	19:00:54	2	2500	100	0	0	0	0	1.6	3
1060P1	1529.000	19:01:02	1	2500	100	0	0	0	0	0.5	3
1060P1	1530.000	19:01:11	2	2500	100	0	0	0	0	0.9	3
1060P1	1531.000	19:01:20	1	2500	100	0	0	0	0	0.7	3
1060P1	1532.000	19:01:28	2	2500	100	0	0	0	0	0.9	3
1060P1	1533.000	19:01:37	1	2500	100	0	0	0	0	0.8	3
1060P1	1534.000	19:01:45	2	2500	100	0	0	0	0	1.1	3
1060P1	1535.000	19:01:54	1	2500	100	0	0	0	0	0.7	3
1060P1	1536.000	19:02:03	2	2500	100	0	0	0	0	0.5	3
1060P1	1537.000	19:02:11	1	2500	100	0	0	0	0	0.7	3
1060P1	1538.000	19:02:20	2	2500	100	0	0	0	0	1.3	3
1060P1	1539.000	19:02:28	1	2500	100	0	0	0	0	0.7	3
1060P1	1540.000	19:02:37	2	2500	100	0	0	0	0	0.5	3
1060P1	1541.000	19:02:45	1	2500	100	0	0	0	0	0.8	3
1060P1	1542.000	19:02:54	2	2500	100	0	0	0	0	1.2	3
1060P1	1543.000	19:03:02	1	2500	100	0	0	0	0	0.5	3
1060P1	1544.000	19:03:11	2	2500	100	0	0	0	0	1.0	3
1060P1	1545.000	19:03:20	1	2500	100	0	0	0	0	1.0	3
1060P1	1546.000	19:03:28	2	2500	100	0	0	0	0	0.8	3
1060P1	1547.000	19:03:37	1	2500	100	0	0	0	0	0.6	3
1060P1	1548.000	19:03:46	2	2500	100	0	0	0	0	0.7	3
1060P1	1549.000	19:03:54	1	2500	100	0	0	0	0	0.8	3
1060P1	1550.000	19:04:03	2	2500	100	0	0	0	0	1.2	3
1060P1	1551.000	19:04:12	1	2500	100	0	0	0	0	0.7	3
1060P1	1552.000	19:04:20	2	2500	100	0	0	0	0	1.1	3
1060P1	1553.000	19:04:29	1	2500	100	0	0	0	0	1.6	3
1060P1	1554.000	19:04:37	2	2500	100	0	0	0	0	1.3	3
1060P1	1555.000	19:04:46	1	2500	100	0	0	0	0	0.5	3
1060P1	1556.000	19:04:54	2	2500	100	0	0	0	0	0.9	3
1060P1	1557.000	19:05:03	1	2500	100	0	0	0	0	0.6	3
1060P1	1558.000	19:05:12	2	2500	100	0	0	0	0	1.2	3
1060P1	1559.000	19:05:20	1	2500	100	0	0	0	0	0.8	3
1060P1	1560.000	19:05:29	2	2500	100	0	0	0	0	1.0	3
1060P1	1561.000	19:05:38	1	2500	100	0	0	0	0	0.4	3
1060P1	1562.000	19:05:46	2	2500	100	0	0	0	0	1.4	3
1060P1	1563.000	19:05:55	1	2500	100	0	0	0	0	1.1	3
1060P1	1564.000	19:06:03	2	2500	100	0	0	0	0	0.8	3
1060P1	1565.000	19:06:12	1	2500	100	0	0	0	0	1.2	3
1060P1	1566.000	19:06:21	2	2500	100	0	0	0	0	0.9	3
1060P1	1567.000	19:06:29	1	2500	100	0	0	0	0	1.4	3

GCS90 Log Line 1060P1_1

Page 14/39

6/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	1568.000	19:06:38	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1569.000	19:06:47	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1570.000	19:06:56	2	2500	100	0	0	0	0	0 1.5	3
1060P1	1571.000	19:07:04	1	2500	100	0	0	0	0	0 1.3	3
1060P1	1572.000	19:07:13	2	2500	100	0	0	0	0	0 1.7	3
1060P1	1573.000	19:07:22	1	2500	100	0	0	0	0	0 1.1	3
1060P1	1574.000	19:07:30	2	2500	100	0	0	0	0	0 1.0	3
1060P1	1575.000	19:07:39	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1576.000	19:07:48	2	2500	100	0	0	0	0	0 1.6	3
1060P1	1577.000	19:07:56	1	2500	100	0	0	0	0	0 1.1	3
1060P1	1578.000	19:08:05	2	2500	100	0	0	0	0	0 0.5	3
1060P1	1579.000	19:08:14	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1580.000	19:08:22	2	2500	100	0	0	0	0	1 1.8	3
DELTA ERR: 1 - P6-1											
1060P1	1581.000	19:08:31	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1582.000	19:08:39	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1583.000	19:08:48	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1584.000	19:08:56	2	2500	100	0	0	0	0	0 1.6	3
1060P1	1585.000	19:09:05	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1586.000	19:09:14	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1587.000	19:09:22	1	2500	100	0	0	0	0	0 0.5	3
1060P1	1588.000	19:09:31	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1589.000	19:09:39	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1590.000	19:09:48	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1591.000	19:09:56	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1592.000	19:10:05	2	2500	100	0	0	0	0	0 1.2	3
1060P1	1593.000	19:10:14	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1594.000	19:10:22	2	2500	100	0	0	0	0	0 0.6	3
1060P1	1595.000	19:10:31	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1596.000	19:10:39	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1597.000	19:10:48	1	2500	100	0	0	0	0	0 1.0	3
1060P1	1598.000	19:10:57	2	2500	100	0	0	0	0	0 1.2	3
1060P1	1599.000	19:11:05	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1600.000	19:11:14	2	2500	100	0	0	0	0	0 1.4	3
1060P1	1601.000	19:11:23	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1602.000	19:11:31	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1603.000	19:11:40	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1604.000	19:11:48	2	2500	100	0	0	0	0	0 1.0	3
1060P1	1605.000	19:11:57	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1606.000	19:12:05	2	2500	100	0	0	0	0	0 1.8	3
1060P1	1607.000	19:12:14	1	2500	100	0	0	0	0	0 1.0	3
1060P1	1608.000	19:12:22	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1609.000	19:12:31	1	2500	100	0	0	0	0	0 1.5	3
1060P1	1610.000	19:12:40	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1611.000	19:12:48	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1612.000	19:12:57	2	2500	100	0	0	0	0	0 1.4	3
1060P1	1613.000	19:13:06	1	2500	100	0	0	0	0	0 0.9	3
1060P1	1614.000	19:13:14	2	2500	100	0	0	0	0	0 1.2	3
1060P1	1615.000	19:13:23	1	2500	100	0	0	0	0	0 1.1	3
1060P1	1616.000	19:13:31	2	2500	100	0	0	0	0	0 1.3	3
1060P1	1617.000	19:13:40	1	2500	100	0	0	0	0	0 1.4	3
1060P1	1618.000	19:13:49	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1619.000	19:13:57	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1620.000	19:14:06	2	2500	100	0	0	0	0	0 1.5	3
1060P1	1621.000	19:14:14	1	2500	100	0	0	0	0	0 0.9	3
1060P1	1622.000	19:14:23	2	2500	100	0	0	0	0	0 1.3	3
1060P1	1623.000	19:14:31	1	2500	100	0	0	0	0	0 1.0	3

GCS90 Log Line 1060P1_1

Page 15/39

6/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	1624.000	19:14:40	2	2500	100	0	0	0	0	0 1.1	3
1060P1	1625.000	19:14:48	1	2500	100	0	0	0	0	0 1.3	3
1060P1	1626.000	19:14:57	2	2500	100	0	0	0	0	0 1.2	3
1060P1	1627.000	19:15:06	1	2500	100	0	0	0	0	0 0.9	3
1060P1	1628.000	19:15:14	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1629.000	19:15:23	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1630.000	19:15:31	2	2500	100	0	0	0	0	0 1.1	3
1060P1	1631.000	19:15:40	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1632.000	19:15:49	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1633.000	19:15:57	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1634.000	19:16:06	2	2500	100	0	0	0	0	0 1.6	3
1060P1	1635.000	19:16:14	1	2500	100	0	0	0	0	0 1.2	3
1060P1	1636.000	19:16:23	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1637.000	19:16:31	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1638.000	19:16:40	2	2500	100	0	0	0	0	0 1.0	3
1060P1	1639.000	19:16:49	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1640.000	19:16:57	2	2500	100	0	0	0	0	0 1.4	3
1060P1	1641.000	19:17:06	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1642.000	19:17:14	2	2500	100	0	0	0	0	0 1.0	3
1060P1	1643.000	19:17:23	1	2500	100	0	0	0	0	0 0.5	3
1060P1	1644.000	19:17:32	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1645.000	19:17:40	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1646.000	19:17:49	2	2500	100	0	0	0	0	0 1.2	3
1060P1	1647.000	19:17:58	1	2500	100	0	0	0	0	0 0.4	3
1060P1	1648.000	19:18:06	2	2500	100	0	0	0	0	0 1.1	3
1060P1	1649.000	19:18:15	1	2500	100	0	0	0	0	0 0.9	3
1060P1	1650.000	19:18:24	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1651.000	19:18:32	1	2500	100	0	0	0	0	0 0.9	3
1060P1	1652.000	19:18:41	2	2500	100	0	0	0	0	0 1.0	3
1060P1	1653.000	19:18:49	1	2500	100	0	0	0	0	0 0.4	3
1060P1	1654.000	19:18:58	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1655.000	19:19:07	1	2500	100	0	0	0	0	0 0.9	3
1060P1	1656.000	19:19:15	2	2500	100	0	0	0	0	0 1.0	3
1060P1	1657.000	19:19:24	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1658.000	19:19:33	2	2500	100	0	0	0	0	0 1.1	3
1060P1	1659.000	19:19:41	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1660.000	19:19:50	2	2500	100	0	0	0	0	0 0.5	3
1060P1	1661.000	19:19:59	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1662.000	19:20:08	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1663.000	19:20:16	1	2500	100	0	0	0	0	0 1.3	3
1060P1	1664.000	19:20:25	2	2500	100	0	0	0	0	0 1.7	3
1060P1	1665.000	19:20:34	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1666.000	19:20:42	2	2500	100	0	0	0	0	0 1.2	3
1060P1	1667.000	19:20:51	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1668.000	19:20:59	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1669.000	19:21:08	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1670.000	19:21:17	2	2500	100	0	0	0	0	0 1.2	3
1060P1	1671.000	19:21:25	1	2500	100	0	0	0	0	0 0.5	3
1060P1	1672.000	19:21:34	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1673.000	19:21:42	1	2500	100	0	0	0	0	0 1.3	3
1060P1	1674.000	19:21:51	2	2500	100	0	0	0	0	0 1.1	3
1060P1	1675.000	19:22:00	1	2500	100	0	0	0	0	0 1.2	3
1060P1	1676.000	19:22:09	2	2500	100	0	0	0	0	0 0.6	3
1060P1	1677.000	19:22:17	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1678.000	19:22:26	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1679.000	19:22:34	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1680.000	19:22:43	2	2500	100	0	0	0	0	0 0.3	3

GCS90 Log Line 1060P1_1

Page 16/39

6/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	1681.000	19:22:52	1	2500	100	0	0	0	0	0 0.9	3
1060P1	1682.000	19:23:01	2	2500	100	0	0	0	0	0 1.2	3
1060P1	1683.000	19:23:09	1	2500	100	0	0	0	0	0 1.2	3
1060P1	1684.000	19:23:18	2	2500	100	0	0	0	0	0 1.2	3
1060P1	1685.000	19:23:27	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1686.000	19:23:35	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1687.000	19:23:44	1	2500	100	0	0	0	0	0 1.2	3
1060P1	1688.000	19:23:52	2	2500	100	0	0	0	0	0 1.0	3
1060P1	1689.000	19:24:01	1	2500	100	0	0	0	0	0 0.5	3
1060P1	1690.000	19:24:09	2	2500	100	0	0	0	0	0 0.5	3
1060P1	1691.000	19:24:18	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1692.000	19:24:27	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1693.000	19:24:35	1	2500	100	0	0	0	0	0 0.5	3
1060P1	1694.000	19:24:44	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1695.000	19:24:52	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1696.000	19:25:01	2	2500	100	0	0	0	0	0 1.1	3
1060P1	1697.000	19:25:10	1	2500	100	0	0	0	0	0 0.9	3
1060P1	1698.000	19:25:18	2	2500	100	0	0	0	0	0 1.0	3
1060P1	1699.000	19:25:27	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1700.000	19:25:36	2	2500	100	0	0	0	0	0 0.6	3
1060P1	1701.000	19:25:44	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1702.000	19:25:53	2	2500	100	0	0	0	0	0 1.2	3
1060P1	1703.000	19:26:01	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1704.000	19:26:10	2	2500	100	0	0	0	0	0 1.4	3
1060P1	1705.000	19:26:19	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1706.000	19:26:27	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1707.000	19:26:36	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1708.000	19:26:45	2	2500	100	0	0	0	0	0 0.6	3
1060P1	1709.000	19:26:53	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1710.000	19:27:02	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1711.000	19:27:11	1	2500	100	0	0	0	0	0 1.0	3
1060P1	1712.000	19:27:20	2	2500	100	0	0	0	0	0 1.1	3
1060P1	1713.000	19:27:28	1	2500	100	0	0	0	0	0 1.3	3
1060P1	1714.000	19:27:37	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1715.000	19:27:45	1	2500	100	0	0	0	0	0 0.9	3
1060P1	1716.000	19:27:54	2	2500	100	0	0	0	0	0 0.4	3
1060P1	1717.000	19:28:03	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1718.000	19:28:11	2	2500	100	0	0	0	0	0 1.8	3
1060P1	1719.000	19:28:19	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1720.000	19:28:28	2	2500	100	0	0	0	0	0 1.2	3
1060P1	1721.000	19:28:37	1	2500	100	0	0	0	0	0 1.0	3
1060P1	1722.000	19:28:46	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1723.000	19:28:54	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1724.000	19:29:03	2	2500	100	0	0	0	0	0 1.0	3
1060P1	1725.000	19:29:11	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1726.000	19:29:20	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1727.000	19:29:29	1	2500	100	0	0	0	0	0 0.4	3
1060P1	1728.000	19:29:38	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1729.000	19:29:47	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1730.000	19:29:55	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1731.000	19:30:04	1	2500	100	0	0	0	0	0 0.9	3
1060P1	1732.000	19:30:13	2	2500	100	0	0	0	0	0 1.0	3
1060P1	1733.000	19:30:21	1	2500	100	0	0	0	0	0 0.5	3
1060P1	1734.000	19:30:30	2	2500	100	0	0	0	0	0 1.4	3
1060P1	1735.000	19:30:39	1	2500	100	0	0	0	0	0 1.2	3
1060P1	1736.000	19:30:48	2	2500	100	0	0	0	0	0 1.0	3
1060P1	1737.000	19:30:56	1	2500	100	0	0	0	0	0 0.6	3

GCS90 Log Line 1060P1_1

Page 17/39

6/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	1738.000	19:31:05	2	2500	100	0	0	0	0	0 1.0	3
1060P1	1739.000	19:31:13	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1740.000	19:31:22	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1741.000	19:31:31	1	2500	100	0	0	0	0	0 1.8	3
1060P1	1742.000	19:31:39	2	2500	100	0	0	0	0	0 1.4	3
1060P1	1743.000	19:31:48	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1744.000	19:31:57	2	2500	100	0	0	0	0	0 1.0	3
1060P1	1745.000	19:32:05	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1746.000	19:32:14	2	2500	100	0	0	0	0	0 1.7	3
1060P1	1747.000	19:32:22	1	2500	100	0	0	0	0	0 0.9	3
1060P1	1748.000	19:32:31	2	2500	100	0	0	0	0	0 1.3	3
1060P1	1749.000	19:32:39	1	2500	100	0	0	0	0	0 0.5	3
1060P1	1750.000	19:32:48	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1751.000	19:32:57	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1752.000	19:33:05	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1753.000	19:33:14	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1754.000	19:33:22	2	2500	100	0	0	0	0	0 1.3	3
1060P1	1755.000	19:33:31	1	2500	100	0	0	0	0	0 0.5	3
1060P1	1756.000	19:33:40	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1757.000	19:33:48	1	2500	100	0	0	0	0	0 1.7	3
1060P1	1758.000	19:33:57	2	2500	100	0	0	0	0	0 1.0	3
1060P1	1759.000	19:34:06	1	2500	100	0	0	0	0	0 0.5	3
1060P1	1760.000	19:34:14	2	2500	100	0	0	0	0	0 0.6	3
1060P1	1761.000	19:34:23	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1762.000	19:34:32	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1763.000	19:34:40	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1764.000	19:34:49	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1765.000	19:34:57	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1766.000	19:35:06	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1767.000	19:35:15	1	2500	100	0	0	0	0	0 0.9	3
1060P1	1768.000	19:35:23	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1769.000	19:35:32	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1770.000	19:35:41	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1771.000	19:35:49	1	2500	100	0	0	0	0	0 1.0	3
1060P1	1772.000	19:35:58	2	2500	100	0	0	0	0	0 0.4	3
1060P1	1773.000	19:36:07	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1774.000	19:36:15	2	2500	100	0	0	0	0	0 1.3	3
1060P1	1775.000	19:36:24	1	2500	100	0	0	0	0	0 1.4	3
1060P1	1776.000	19:36:32	2	2500	100	0	0	0	0	0 1.1	3
1060P1	1777.000	19:36:41	1	2500	100	0	0	0	0	0 0.2	3
1060P1	1778.000	19:36:50	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1779.000	19:36:59	1	2500	100	0	0	0	0	0 1.0	3
1060P1	1780.000	19:37:07	2	2500	100	0	0	0	0	0 1.3	3
1060P1	1781.000	19:37:16	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1782.000	19:37:24	2	2500	100	0	0	0	0	0 1.5	3
1060P1	1783.000	19:37:33	1	2500	100	0	0	0	0	0 1.0	3
1060P1	1784.000	19:37:42	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1785.000	19:37:51	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1786.000	19:37:59	2	2500	100	0	0	0	0	0 0.6	3
1060P1	1787.000	19:38:08	1	2500	100	0	0	0	0	0 0.9	3
1060P1	1788.000	19:38:17	2	2500	100	0	0	0	0	0 1.6	3
1060P1	1789.000	19:38:26	1	2500	100	0	0	0	0	0 0.4	3
1060P1	1790.000	19:38:34	2	2500	100	0	0	0	0	0 1.6	3
1060P1	1791.000	19:38:43	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1792.000	19:38:52	2	2500	100	0	0	0	0	0 1.1	3
1060P1	1793.000	19:39:01	1	2500	100	0	0	0	0	0 0.3	3
1060P1	1794.000	19:39:09	2	2500	100	0	0	0	0	0 0.8	3

GCS90 Log Line 1060P1_1

Page 18/39

6/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	1795.000	19:39:18	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1796.000	19:39:27	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1797.000	19:39:36	1	2500	100	0	0	0	0	0 1.0	3
1060P1	1798.000	19:39:44	2	2500	100	0	0	0	0	0 1.2	3
1060P1	1799.000	19:39:53	1	2500	100	0	0	0	0	0 0.9	3
1060P1	1800.000	19:40:02	2	2500	100	0	0	0	0	0 1.6	3
1060P1	1801.000	19:40:11	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1802.000	19:40:20	2	2500	100	0	0	0	0	0 1.0	3
1060P1	1803.000	19:40:29	1	2500	100	0	0	0	0	0 0.9	3
1060P1	1804.000	19:40:38	2	2500	100	0	0	0	0	0 1.1	3
1060P1	1805.000	19:40:47	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1806.000	19:40:56	2	2500	100	0	0	0	0	0 1.4	3
1060P1	1807.000	19:41:05	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1808.000	19:41:14	2	2500	100	0	0	0	0	0 0.5	3
1060P1	1809.000	19:41:23	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1810.000	19:41:32	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1811.000	19:41:40	1	2500	100	0	0	0	0	0 1.4	3
1060P1	1812.000	19:41:49	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1813.000	19:41:58	1	2500	100	0	0	0	0	0 0.4	3
1060P1	1814.000	19:42:06	2	2500	100	0	0	0	0	0 1.0	3
1060P1	1815.000	19:42:15	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1816.000	19:42:24	2	2500	100	0	0	0	0	0 1.3	3
1060P1	1817.000	19:42:33	1	2500	100	0	0	0	0	0 1.6	3
1060P1	1818.000	19:42:41	2	2500	100	0	0	0	0	0 1.4	3
1060P1	1819.000	19:42:50	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1820.000	19:42:59	2	2500	100	0	0	0	0	0 1.2	3
1060P1	1821.000	19:43:08	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1822.000	19:43:16	2	2500	100	0	0	0	0	0 1.1	3
1060P1	1823.000	19:43:25	1	2500	100	0	0	0	0	0 1.0	3
1060P1	1824.000	19:43:34	2	2500	100	0	0	0	0	0 1.2	3
1060P1	1825.000	19:43:43	1	2500	100	0	0	0	0	0 1.2	3
1060P1	1826.000	19:43:51	2	2500	100	0	0	0	0	0 1.0	3
1060P1	1827.000	19:44:00	1	2500	100	0	0	0	0	0 0.9	3
1060P1	1828.000	19:44:09	2	2500	100	0	0	0	0	0 1.0	3
1060P1	1829.000	19:44:18	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1830.000	19:44:27	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1831.000	19:44:36	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1832.000	19:44:45	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1833.000	19:44:53	1	2500	100	0	0	0	0	0 1.0	3
1060P1	1834.000	19:45:02	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1835.000	19:45:11	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1836.000	19:45:20	2	2500	100	0	0	0	0	0 0.5	3
1060P1	1837.000	19:45:28	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1838.000	19:45:37	2	2500	100	0	0	0	0	0 2.0	3
1060P1	1839.000	19:45:46	1	2500	100	0	0	0	0	0 1.4	3
1060P1	1840.000	19:45:54	2	2500	100	0	0	0	0	0 0.6	3
1060P1	1841.000	19:46:03	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1842.000	19:46:12	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1843.000	19:46:21	1	2500	100	0	0	0	0	0 1.4	3
1060P1	1844.000	19:46:30	2	2500	100	0	0	0	0	0 1.6	3
1060P1	1845.000	19:46:39	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1846.000	19:46:48	2	2500	100	0	0	0	0	0 1.0	3
1060P1	1847.000	19:46:56	1	2500	100	0	0	0	0	0 0.9	3
1060P1	1848.000	19:47:05	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1849.000	19:47:14	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1850.000	19:47:22	2	2500	100	0	0	0	0	0 1.5	3
1060P1	1851.000	19:47:31	1	2500	100	0	0	0	0	0 1.1	3

GCS90 Log Line 1060P1_1

Page 19/39

6/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	1852.000	19:47:40	2	2500	100	0	0	0	0	0 0.6	3
1060P1	1853.000	19:47:48	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1854.000	19:47:57	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1855.000	19:48:06	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1856.000	19:48:15	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1857.000	19:48:24	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1858.000	19:48:33	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1859.000	19:48:42	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1860.000	19:48:51	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1861.000	19:48:59	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1862.000	19:49:08	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1863.000	19:49:17	1	2500	100	0	0	0	0	0 1.0	3
1060P1	1864.000	19:49:25	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1865.000	19:49:34	1	2500	100	0	0	0	0	0 1.5	3
1060P1	1866.000	19:49:43	2	2500	100	0	0	0	0	0 1.5	3
1060P1	1867.000	19:49:51	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1868.000	19:50:00	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1869.000	19:50:09	1	2500	100	0	0	0	0	0 1.1	3
1060P1	1870.000	19:50:18	2	2500	100	0	0	0	0	0 0.6	3
1060P1	1871.000	19:50:26	1	2500	100	0	0	0	0	0 0.5	3
1060P1	1872.000	19:50:35	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1873.000	19:50:44	1	2500	100	0	0	0	0	0 0.9	3
1060P1	1874.000	19:50:53	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1875.000	19:51:01	1	2500	100	0	0	0	0	0 0.9	3
1060P1	1876.000	19:51:10	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1877.000	19:51:19	1	2500	100	0	0	0	0	0 1.0	3
1060P1	1878.000	19:51:28	2	2500	100	0	0	0	0	0 0.6	3
1060P1	1879.000	19:51:36	1	2500	100	0	0	0	0	0 1.6	3
1060P1	1880.000	19:51:45	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1881.000	19:51:54	1	2500	100	0	0	0	0	0 0.9	3
1060P1	1882.000	19:52:03	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1883.000	19:52:12	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1884.000	19:52:20	2	2500	100	0	0	0	0	0 1.0	3
1060P1	1885.000	19:52:29	1	2500	100	0	0	0	0	0 1.5	3
1060P1	1886.000	19:52:38	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1887.000	19:52:46	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1888.000	19:52:55	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1889.000	19:53:04	1	2500	100	0	0	0	0	0 0.4	3
1060P1	1890.000	19:53:12	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1891.000	19:53:21	1	2500	100	0	0	0	0	0 1.1	3
1060P1	1892.000	19:53:30	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1893.000	19:53:38	1	2500	100	0	0	0	0	0 0.5	3
1060P1	1894.000	19:53:47	2	2500	100	0	0	0	0	0 1.5	3
1060P1	1895.000	19:53:56	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1896.000	19:54:05	2	2500	100	0	0	0	0	0 1.0	3
1060P1	1897.000	19:54:13	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1898.000	19:54:22	2	2500	100	0	0	0	0	0 0.6	3
1060P1	1899.000	19:54:31	1	2500	100	0	0	0	0	0 0.9	3
1060P1	1900.000	19:54:39	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1901.000	19:54:48	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1902.000	19:54:57	2	2500	100	0	0	0	0	0 1.4	3
1060P1	1903.000	19:55:06	1	2500	100	0	0	0	0	0 1.2	3
1060P1	1904.000	19:55:14	2	2500	100	0	0	0	0	0 0.5	3
1060P1	1905.000	19:55:23	1	2500	100	0	0	0	0	0 0.9	3
1060P1	1906.000	19:55:32	2	2500	100	0	0	0	0	0 1.0	3
1060P1	1907.000	19:55:40	1	2500	100	0	0	0	0	0 1.3	3
1060P1	1908.000	19:55:49	2	2500	100	0	0	0	0	0 1.4	3

GCS90 Log Line 1060P1_1

Page 20/39

6/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	1909.000	19:55:58	1	2500	100	0	0	0	0	0 1.0	3
1060P1	1910.000	19:56:07	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1911.000	19:56:16	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1912.000	19:56:24	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1913.000	19:56:33	1	2500	100	0	0	0	0	0 0.9	3
1060P1	1914.000	19:56:42	2	2500	100	0	0	0	0	0 1.3	3
1060P1	1915.000	19:56:50	1	2500	100	0	0	0	0	0 1.0	3
1060P1	1916.000	19:56:59	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1917.000	19:57:08	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1918.000	19:57:16	2	2500	100	0	0	0	0	0 0.6	3
1060P1	1919.000	19:57:25	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1920.000	19:57:34	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1921.000	19:57:42	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1922.000	19:57:51	2	2500	100	0	0	0	0	0 1.1	3
1060P1	1923.000	19:58:00	1	2500	100	0	0	0	0	0 1.1	3
1060P1	1924.000	19:58:09	2	2500	100	0	0	0	0	0 0.6	3
1060P1	1925.000	19:58:17	1	2500	100	0	0	0	0	0 0.9	3
1060P1	1926.000	19:58:26	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1927.000	19:58:35	1	2500	100	0	0	0	0	0 1.0	3
1060P1	1928.000	19:58:43	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1929.000	19:58:52	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1930.000	19:59:01	2	2500	100	0	0	0	0	0 0.6	3
1060P1	1931.000	19:59:10	1	2500	100	0	0	0	0	0 1.1	3
1060P1	1932.000	19:59:18	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1933.000	19:59:27	1	2500	100	0	0	0	0	0 1.3	3
1060P1	1934.000	19:59:36	2	2500	100	0	0	0	0	0 1.2	3
1060P1	1935.000	19:59:44	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1936.000	19:59:53	2	2500	100	0	0	0	0	0 0.5	3
1060P1	1937.000	20:00:02	1	2500	100	0	0	0	0	0 1.1	3
1060P1	1938.000	20:00:11	2	2500	100	0	0	0	0	0 0.6	3
1060P1	1939.000	20:00:20	1	2500	100	0	0	0	0	0 0.9	3
1060P1	1940.000	20:00:28	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1941.000	20:00:37	1	2500	100	0	0	0	0	0 1.2	3
1060P1	1942.000	20:00:46	2	2500	100	0	0	0	0	0 1.6	3
1060P1	1943.000	20:00:55	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1944.000	20:01:04	2	2500	100	0	0	0	0	0 1.2	3
1060P1	1945.000	20:01:12	1	2500	100	0	0	0	0	0 1.2	3
1060P1	1946.000	20:01:21	2	2500	100	0	0	0	0	0 1.1	3
1060P1	1947.000	20:01:30	1	2500	100	0	0	0	0	0 1.1	3
1060P1	1948.000	20:01:39	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1949.000	20:01:47	1	2500	100	0	0	0	0	0 0.5	3
1060P1	1950.000	20:01:56	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1951.000	20:02:05	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1952.000	20:02:13	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1953.000	20:02:22	1	2500	100	0	0	0	0	0 1.3	3
1060P1	1954.000	20:02:31	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1955.000	20:02:40	1	2500	100	0	0	0	0	0 1.1	3
1060P1	1956.000	20:02:48	2	2500	100	0	0	0	0	0 1.3	3
1060P1	1957.000	20:02:57	1	2500	100	0	0	0	0	0 1.0	3
1060P1	1958.000	20:03:06	2	2500	100	0	0	0	0	0 1.2	3
1060P1	1959.000	20:03:15	1	2500	100	0	0	0	0	0 1.2	3
1060P1	1960.000	20:03:24	2	2500	100	0	0	0	0	0 0.6	3
1060P1	1961.000	20:03:32	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1962.000	20:03:41	2	2500	100	0	0	0	0	0 1.3	3
1060P1	1963.000	20:03:50	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1964.000	20:03:59	2	2500	100	0	0	0	0	0 1.3	3
1060P1	1965.000	20:04:07	1	2500	100	0	0	0	0	0 1.2	3

GCS90 Log Line 1060P1_1

Page 21/39

6/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	1966.000	20:04:16	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1967.000	20:04:25	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1968.000	20:04:34	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1969.000	20:04:43	1	2500	100	0	0	0	0	0 0.8	3
1060P1	1970.000	20:04:52	2	2500	100	0	0	0	0	0 1.0	3
1060P1	1971.000	20:05:00	1	2500	100	0	0	0	0	0 0.5	3
1060P1	1972.000	20:05:09	2	2500	100	0	0	0	0	0 1.0	3
1060P1	1973.000	20:05:18	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1974.000	20:05:27	2	2500	100	0	0	0	0	0 0.6	3
1060P1	1975.000	20:05:35	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1976.000	20:05:44	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1977.000	20:05:53	1	2500	100	0	0	0	0	0 1.1	3
1060P1	1978.000	20:06:01	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1979.000	20:06:10	1	2500	100	0	0	0	0	0 0.5	3
1060P1	1980.000	20:06:19	2	2500	100	0	0	0	0	0 1.0	3
1060P1	1981.000	20:06:28	1	2500	100	0	0	0	0	0 1.0	3
1060P1	1982.000	20:06:36	2	2500	100	0	0	0	0	0 1.3	3
1060P1	1983.000	20:06:45	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1984.000	20:06:54	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1985.000	20:07:03	1	2500	100	0	0	0	0	0 1.1	3
1060P1	1986.000	20:07:11	2	2500	100	0	0	0	0	0 0.9	3
1060P1	1987.000	20:07:20	1	2500	100	0	0	0	0	0 1.2	3
1060P1	1988.000	20:07:29	2	2500	100	0	0	0	0	0 1.5	3
1060P1	1989.000	20:07:38	1	2500	100	0	0	0	0	0 0.7	3
1060P1	1990.000	20:07:46	2	2500	100	0	0	0	0	0 0.5	3
1060P1	1991.000	20:07:55	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1992.000	20:08:04	2	2500	100	0	0	0	0	0 0.6	3
1060P1	1993.000	20:08:13	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1994.000	20:08:21	2	2500	100	0	0	0	0	0 0.7	3
1060P1	1995.000	20:08:30	1	2500	100	0	0	0	0	0 0.4	3
1060P1	1996.000	20:08:39	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1997.000	20:08:47	1	2500	100	0	0	0	0	0 0.6	3
1060P1	1998.000	20:08:56	2	2500	100	0	0	0	0	0 0.8	3
1060P1	1999.000	20:09:05	1	2500	100	0	0	0	0	0 0.6	3
1060P1	2000.000	20:09:14	2	2500	100	0	0	0	0	0 0.9	3
1060P1	2001.000	20:09:23	1	2500	100	0	0	0	0	0 0.6	3
1060P1	2002.000	20:09:32	2	2500	100	0	0	0	0	0 0.8	3
1060P1	2003.000	20:09:41	1	2500	100	0	0	0	0	0 0.7	3
1060P1	2004.000	20:09:49	2	2500	100	0	0	0	0	0 0.9	3
1060P1	2005.000	20:09:58	1	2500	100	0	0	0	0	0 1.4	3
1060P1	2006.000	20:10:07	2	2500	100	0	0	0	0	0 0.8	3
1060P1	2007.000	20:10:16	1	2500	100	0	0	0	0	0 1.2	3
1060P1	2008.000	20:10:25	2	2500	100	0	0	0	0	0 0.5	3
1060P1	2009.000	20:10:33	1	2500	100	0	0	0	0	0 1.7	3
1060P1	2010.000	20:10:42	2	2500	100	0	0	0	0	0 0.7	3
1060P1	2011.000	20:10:51	1	2500	100	0	0	0	0	0 0.7	3
1060P1	2012.000	20:10:59	2	2500	100	0	0	0	0	0 1.1	3
1060P1	2013.000	20:11:08	1	2500	100	0	0	0	0	0 0.7	3
1060P1	2014.000	20:11:16	2	2500	100	0	0	0	0	0 0.7	3
1060P1	2015.000	20:11:25	1	2500	100	0	0	0	0	0 1.0	3
1060P1	2016.000	20:11:34	2	2500	100	0	0	0	0	0 0.6	3
1060P1	2017.000	20:11:42	1	2500	100	0	0	0	0	0 1.2	3
1060P1	2018.000	20:11:51	2	2500	100	0	0	0	0	0 1.0	3
1060P1	2019.000	20:12:00	1	2500	100	0	0	0	0	0 1.4	3
1060P1	2020.000	20:12:08	2	2500	100	0	0	0	0	0 1.1	3
1060P1	2021.000	20:12:17	1	2500	100	0	0	0	0	0 0.8	3
1060P1	2022.000	20:12:26	2	2500	100	0	0	0	0	0 0.6	3

GCS90 Log Line 1060P1_1

Page 22/39

6/11/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	2023.000	20:12:35	1	2500	100	0	0	0	0	0 0.7	3
1060P1	2024.000	20:12:43	2	2500	100	0	0	0	0	0 1.3	3
1060P1	2025.000	20:12:52	1	2500	100	0	0	0	0	0 0.8	3
1060P1	2026.000	20:13:01	2	2500	100	0	0	0	0	0 0.7	3
1060P1	2027.000	20:13:09	1	2500	100	0	0	0	0	0 1.1	3
1060P1	2028.000	20:13:18	2	2500	100	0	0	0	0	0 0.7	3
1060P1	2029.000	20:13:27	1	2500	100	0	0	0	0	0 0.7	3
1060P1	2030.000	20:13:36	2	2500	100	0	0	0	0	0 1.1	3
1060P1	2031.000	20:13:45	1	2500	100	0	0	0	0	0 1.1	3
1060P1	2032.000	20:13:53	2	2500	100	0	0	0	0	0 1.1	3
1060P1	2033.000	20:14:02	1	2500	100	0	0	0	0	0 1.3	3
1060P1	2034.000	20:14:11	2	2500	100	0	0	0	0	0 0.9	3
1060P1	2035.000	20:14:19	1	2500	100	0	0	0	0	0 0.7	3
1060P1	2036.000	20:14:28	2	2500	100	0	0	0	0	0 0.6	3
1060P1	2037.000	20:14:37	1	2500	100	0	0	0	0	0 0.8	3
1060P1	2038.000	20:14:46	2	2500	100	0	0	0	0	0 0.8	3
1060P1	2039.000	20:14:54	1	2500	100	0	0	0	0	0 0.7	3
1060P1	2040.000	20:15:03	2	2500	100	0	0	0	0	0 0.4	3
1060P1	2041.000	20:15:11	1	2500	100	0	0	0	0	0 1.2	3
1060P1	2042.000	20:15:20	2	2500	100	0	0	0	0	0 0.7	3
1060P1	2043.000	20:15:28	1	2500	100	0	0	0	0	0 1.1	3
1060P1	2044.000	20:15:37	2	2500	100	0	0	0	0	0 1.6	3
1060P1	2045.000	20:15:46	1	2500	100	0	0	0	0	0 1.2	3
1060P1	2046.000	20:15:55	2	2500	100	0	0	0	0	0 1.1	3
1060P1	2047.000	20:16:03	1	2500	100	0	0	0	0	0 1.0	3
1060P1	2048.000	20:16:12	2	2500	100	0	0	0	0	0 1.0	3
1060P1	2049.000	20:16:20	1	2500	100	0	0	0	0	0 1.0	3
1060P1	2050.000	20:16:29	2	2500	100	0	0	0	0	0 1.2	3
1060P1	2051.000	20:16:38	1	2500	100	0	0	0	0	0 0.7	3
1060P1	2052.000	20:16:46	2	2500	100	0	0	0	0	0 1.5	3
1060P1	2053.000	20:16:55	1	2500	100	0	0	0	0	0 0.7	3
1060P1	2054.000	20:17:04	2	2500	100	0	0	0	0	0 0.9	3
1060P1	2055.000	20:17:12	1	2500	100	0	0	0	0	0 1.4	3
1060P1	2056.000	20:17:21	2	2500	100	0	0	0	0	0 0.9	3
1060P1	2057.000	20:17:30	1	2500	100	0	0	0	0	0 0.7	3
1060P1	2058.000	20:17:38	2	2500	100	0	0	0	0	0 0.6	3
1060P1	2059.000	20:17:47	1	2500	100	0	0	0	0	0 1.0	3
1060P1	2060.000	20:17:56	2	2500	100	0	0	0	0	0 0.9	3
1060P1	2061.000	20:18:04	1	2500	100	0	0	0	0	0 0.6	3
1060P1	2062.000	20:18:13	2	2500	100	0	0	0	0	0 1.1	3
1060P1	2063.000	20:18:21	1	2500	100	0	0	0	0	1 1.8	3
DELTA ERR: 1 - S3-3											
1060P1	2064.000	20:18:30	2	2500	100	0	0	0	0	0 0.7	3
1060P1	2065.000	20:18:39	1	2500	100	0	0	0	0	0 0.6	3
1060P1	2066.000	20:18:47	2	2500	100	0	0	0	0	0 1.7	3
1060P1	2067.000	20:18:56	1	2500	100	0	0	0	0	0 0.6	3
1060P1	2068.000	20:19:05	2	2500	100	0	0	0	0	0 1.0	3
1060P1	2069.000	20:19:13	1	2500	100	0	0	0	0	0 0.5	3
1060P1	2070.000	20:19:22	2	2500	100	0	0	0	0	0 0.7	3
1060P1	2071.000	20:19:31	1	2500	100	0	0	0	0	0 1.6	3
1060P1	2072.000	20:19:39	2	2500	100	0	0	0	0	0 0.7	3
1060P1	2073.000	20:19:48	1	2500	100	0	0	0	0	0 0.7	3
1060P1	2074.000	20:19:57	2	2500	100	0	0	0	0	0 1.1	3
1060P1	2075.000	20:20:05	1	2500	100	0	0	0	0	0 0.7	3
1060P1	2076.000	20:20:14	2	2500	100	0	0	0	0	0 2.1E	4
1060P1	2077.000	20:20:23	1	2500	100	0	0	0	0	0 0.8	4
1060P1	2078.000	20:20:31	2	2500	100	0	0	0	0	0 0.8	4

GCS90 Log Line 1060P1_1

Page 23/39

6/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	2079.000	20:20:40	1	2500	100	0	0	0	0	1.1	4
1060P1	2080.000	20:20:48	2	2500	100	0	0	0	0	1.1	4
1060P1	2081.000	20:20:57	1	2500	100	0	0	0	0	0.6	4
1060P1	2082.000	20:21:06	2	2500	100	0	0	0	0	1.2	4
1060P1	2083.000	20:21:14	1	2500	100	0	0	0	0	0.4	4
1060P1	2084.000	20:21:23	2	2500	100	0	0	0	0	0.9	4
1060P1	2085.000	20:21:32	1	2500	100	0	0	0	0	0.4	4
1060P1	2086.000	20:21:40	2	2500	100	0	0	0	0	0.7	4
1060P1	2087.000	20:21:49	1	2500	100	0	0	0	0	1.2	4
1060P1	2088.000	20:21:57	2	2500	100	0	0	0	0	0.9	4
1060P1	2089.000	20:22:06	1	2500	100	0	0	0	0	0.6	4
1060P1	2090.000	20:22:14	2	2500	100	0	0	0	0	0.5	4
1060P1	2091.000	20:22:23	1	2500	100	0	0	0	0	0.9	4
1060P1	2092.000	20:22:32	2	2500	100	0	0	0	0	1.2	4
1060P1	2093.000	20:22:40	1	2500	100	0	0	0	0	0.7	4
1060P1	2094.000	20:22:49	2	2500	100	0	0	0	0	0.7	4
1060P1	2095.000	20:22:57	1	2500	100	0	0	0	0	0.9	4
1060P1	2096.000	20:23:06	2	2500	100	0	0	0	0	0.6	4
1060P1	2097.000	20:23:15	1	2500	100	0	0	0	0	0.9	4
1060P1	2098.000	20:23:23	2	2500	100	0	0	0	0	0.9	4
1060P1	2099.000	20:23:32	1	2500	100	0	0	0	0	0.8	4
1060P1	2100.000	20:23:40	2	2500	100	0	0	0	0	1.4	4
1060P1	2101.000	20:23:49	1	2500	100	0	0	0	0	1.4	4
1060P1	2102.000	20:23:58	2	2500	100	0	0	0	0	0.7	4
1060P1	2103.000	20:24:06	1	2500	100	0	0	0	0	0.5	4
1060P1	2104.000	20:24:15	2	2500	100	0	0	0	0	0.9	4
1060P1	2105.000	20:24:23	1	2500	100	0	0	0	0	0.5	4
1060P1	2106.000	20:24:32	2	2500	100	0	0	0	0	1.1	4
1060P1	2107.000	20:24:40	1	2500	100	0	0	0	0	1.0	4
1060P1	2108.000	20:24:49	2	2500	100	0	0	0	0	1.4	4
1060P1	2109.000	20:24:58	1	2500	100	0	0	0	0	0.5	4
1060P1	2110.000	20:25:06	2	2500	100	0	0	0	0	1.0	4
1060P1	2111.000	20:25:15	1	2500	100	0	0	0	0	0.6	4
1060P1	2112.000	20:25:23	2	2500	100	0	0	0	0	1.0	4
1060P1	2113.000	20:25:32	1	2500	100	0	0	0	0	0.6	4
1060P1	2114.000	20:25:41	2	2500	100	0	0	0	0	0.7	4
1060P1	2115.000	20:25:49	1	2500	100	0	0	0	0	1.0	4
1060P1	2116.000	20:25:58	2	2500	100	0	0	0	0	1.0	4
1060P1	2117.000	20:26:06	1	2500	100	0	0	0	0	0.6	4
1060P1	2118.000	20:26:15	2	2500	100	0	0	0	0	0.7	4
1060P1	2119.000	20:26:23	1	2500	100	0	0	0	0	0.4	4
1060P1	2120.000	20:26:32	2	2500	100	0	0	0	0	1.1	4
1060P1	2121.000	20:26:40	1	2500	100	0	0	0	0	0.7	4
1060P1	2122.000	20:26:49	2	2500	100	0	0	0	0	0.6	4
1060P1	2123.000	20:26:57	1	2500	100	0	0	0	0	0.7	4
1060P1	2124.000	20:27:06	2	2500	100	0	0	0	0	1.0	4
1060P1	2125.000	20:27:14	1	2500	100	0	0	0	0	0.9	4
1060P1	2126.000	20:27:23	2	2500	100	0	0	0	0	0.8	4
1060P1	2127.000	20:27:32	1	2500	100	0	0	0	0	0.8	4
1060P1	2128.000	20:27:40	2	2500	100	0	0	0	0	0.8	4
1060P1	2129.000	20:27:49	1	2500	100	0	0	0	0	0.8	4
1060P1	2130.000	20:27:58	2	2500	100	0	0	0	0	0.9	4
1060P1	2131.000	20:28:06	1	2500	100	0	0	0	0	0.8	4
1060P1	2132.000	20:28:15	2	2500	100	0	0	0	0	0.7	4
1060P1	2133.000	20:28:23	1	2500	100	0	0	0	0	0.5	4
1060P1	2134.000	20:28:32	2	2500	100	0	0	0	0	1.3	4
1060P1	2135.000	20:28:40	1	2500	100	0	0	0	0	1.0	4

GCS90 Log Line 1060P1_1

Page 24/39

6/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	2136.000	20:28:49	2	2500	100	0	0	0	0	0 0.4	4
1060P1	2137.000	20:28:58	1	2500	100	0	0	0	0	0 0.6	4
1060P1	2138.000	20:29:06	2	2500	100	0	0	0	0	1 1.8	4
DELTA ERR: 1 - P6-11											
1060P1	2139.000	20:29:15	1	2500	100	0	0	0	0	0 1.4	4
1060P1	2140.000	20:29:24	2	2500	100	0	0	0	0	0 1.0	4
1060P1	2141.000	20:29:32	1	2500	100	0	0	0	0	0 0.9	4
1060P1	2142.000	20:29:41	2	2500	100	0	0	0	0	0 1.6	4
1060P1	2143.000	20:29:49	1	2500	100	0	0	0	0	0 0.9	4
1060P1	2144.000	20:29:58	2	2500	100	0	0	0	0	0 1.3	4
1060P1	2145.000	20:30:07	1	2500	100	0	0	0	0	0 0.6	4
1060P1	2146.000	20:30:15	2	2500	100	0	0	0	0	0 0.7	4
1060P1	2147.000	20:30:24	1	2500	100	0	0	0	0	0 1.3	4
1060P1	2148.000	20:30:32	2	2500	100	0	0	0	0	0 0.6	4
1060P1	2149.000	20:30:41	1	2500	100	0	0	0	0	0 0.6	4
1060P1	2150.000	20:30:50	2	2500	100	0	0	0	0	0 0.9	4
1060P1	2151.000	20:30:58	1	2500	100	0	0	0	0	0 0.9	4
1060P1	2152.000	20:31:07	2	2500	100	0	0	0	0	0 0.7	4
1060P1	2153.000	20:31:15	1	2500	100	0	0	0	0	0 1.1	4
1060P1	2154.000	20:31:24	2	2500	100	0	0	0	0	0 0.6	4
1060P1	2155.000	20:31:33	1	2500	100	0	0	0	0	0 0.4	4
1060P1	2156.000	20:31:41	2	2500	100	0	0	0	0	0 0.8	4
1060P1	2157.000	20:31:50	1	2500	100	0	0	0	0	0 0.7	4
1060P1	2158.000	20:31:58	2	2500	100	0	0	0	0	0 0.9	4
1060P1	2159.000	20:32:07	1	2500	100	0	0	0	0	0 0.7	4
1060P1	2160.000	20:32:16	2	2500	100	0	0	0	0	0 0.5	4
1060P1	2161.000	20:32:24	1	2500	100	0	0	0	0	0 1.7	4
1060P1	2162.000	20:32:33	2	2500	100	0	0	0	0	0 1.9	4
1060P1	2163.000	20:32:42	1	2500	100	0	0	0	0	0 1.7	4
1060P1	2164.000	20:32:51	2	2500	100	0	0	0	0	0 0.9	4
1060P1	2165.000	20:32:59	1	2500	100	0	0	0	0	0 1.1	4
1060P1	2166.000	20:33:08	2	2500	100	0	0	0	0	0 1.3	4
1060P1	2167.000	20:33:17	1	2500	100	0	0	0	0	0 0.7	4
1060P1	2168.000	20:33:25	2	2500	100	0	0	0	0	0 0.7	4
1060P1	2169.000	20:33:34	1	2500	100	0	0	0	0	0 1.0	4
1060P1	2170.000	20:33:43	2	2500	100	0	0	0	0	0 0.8	4
1060P1	2171.000	20:33:51	1	2500	100	0	0	0	0	0 0.8	4
1060P1	2172.000	20:34:00	2	2500	100	0	0	0	0	0 0.9	4
1060P1	2173.000	20:34:09	1	2500	100	0	0	0	0	0 0.9	4
1060P1	2174.000	20:34:17	2	2500	100	0	0	0	0	0 1.0	4
1060P1	2175.000	20:34:26	1	2500	100	0	0	0	0	0 0.8	4
1060P1	2176.000	20:34:35	2	2500	100	0	0	0	0	0 1.0	4
1060P1	2177.000	20:34:43	1	2500	100	0	0	0	0	0 1.1	4
1060P1	2178.000	20:34:52	2	2500	100	0	0	0	0	0 1.4	4
1060P1	2179.000	20:35:01	1	2500	100	0	0	0	0	0 0.9	4
1060P1	2180.000	20:35:09	2	2500	100	0	0	0	0	0 1.1	4
1060P1	2181.000	20:35:18	1	2500	100	0	0	0	0	0 0.4	4
1060P1	2182.000	20:35:26	2	2500	100	0	0	0	0	0 2.2E	5
1060P1	2183.000	20:35:35	1	2500	100	0	0	0	0	0 0.6	5
1060P1	2184.000	20:35:44	2	2500	100	0	0	0	0	0 1.1	5
1060P1	2185.000	20:35:52	1	2500	100	0	0	0	0	0 0.9	5
1060P1	2186.000	20:36:01	2	2500	100	0	0	0	0	0 0.7	5
1060P1	2187.000	20:36:09	1	2500	100	0	0	0	0	0 0.8	5
1060P1	2188.000	20:36:18	2	2500	100	0	0	0	0	0 0.8	5
1060P1	2189.000	20:36:26	1	2500	100	0	0	0	0	0 0.7	5
1060P1	2190.000	20:36:35	2	2500	100	0	0	0	0	0 0.7	5
1060P1	2191.000	20:36:43	1	2500	100	0	0	0	0	0 1.0	5

GCS90 Log Line 1060P1_1

Page 25/39

6/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	2192.000	20:36:52	2	2500	100	0	0	0	0	0 0.9	5
1060P1	2193.000	20:37:01	1	2500	100	0	0	0	0	0 1.0	5
1060P1	2194.000	20:37:09	2	2500	100	0	0	0	0	0 0.6	5
1060P1	2195.000	20:37:18	1	2500	100	0	0	0	0	0 1.0	5
1060P1	2196.000	20:37:26	2	2500	100	0	0	0	0	0 0.7	5
1060P1	2197.000	20:37:35	1	2500	100	0	0	0	0	0 0.9	5
1060P1	2198.000	20:37:43	2	2500	100	0	0	0	0	0 0.9	5
1060P1	2199.000	20:37:52	1	2500	100	0	0	0	0	0 0.9	5
1060P1	2200.000	20:38:00	2	2500	100	0	0	0	0	0 0.7	5
1060P1	2201.000	20:38:09	1	2500	100	0	0	0	0	0 1.3	5
1060P1	2202.000	20:38:17	2	2500	100	0	0	0	0	0 1.1	5
1060P1	2203.000	20:38:26	1	2500	100	0	0	0	0	0 1.1	5
1060P1	2204.000	20:38:34	2	2500	100	0	0	0	0	0 1.0	5
1060P1	2205.000	20:38:43	1	2500	100	0	0	0	0	0 0.9	5
1060P1	2206.000	20:38:51	2	2500	100	0	0	0	0	0 0.8	5
1060P1	2207.000	20:39:00	1	2500	100	0	0	0	0	0 0.9	5
1060P1	2208.000	20:39:08	2	2500	100	0	0	0	0	0 1.1	5
1060P1	2209.000	20:39:16	1	2500	100	0	0	0	0	0 1.4	5
1060P1	2210.000	20:39:25	2	2500	100	0	0	0	0	0 1.1	5
1060P1	2211.000	20:39:33	1	2500	100	0	0	0	0	0 1.0	5
1060P1	2212.000	20:39:42	2	2500	100	0	0	0	0	0 0.6	5
1060P1	2213.000	20:39:50	1	2500	100	0	0	0	0	0 1.0	5
1060P1	2214.000	20:39:58	2	2500	100	0	0	0	0	0 1.1	5
1060P1	2215.000	20:40:07	1	2500	100	0	0	0	0	0 0.9	5
1060P1	2216.000	20:40:16	2	2500	100	0	0	0	0	0 1.2	5
1060P1	2217.000	20:40:24	1	2500	100	0	0	0	0	0 0.7	5
1060P1	2218.000	20:40:33	2	2500	100	0	0	0	0	0 0.8	5
1060P1	2219.000	20:40:41	1	2500	100	0	0	0	0	0 0.5	5
1060P1	2220.000	20:40:50	2	2500	100	0	0	0	0	0 0.8	5
1060P1	2221.000	20:40:59	1	2500	100	0	0	0	0	0 0.8	5
1060P1	2222.000	20:41:07	2	2500	100	0	0	0	0	0 1.1	5
1060P1	2223.000	20:41:16	1	2500	100	0	0	0	0	0 0.7	5
1060P1	2224.000	20:41:24	2	2500	100	0	0	0	0	0 1.0	5
1060P1	2225.000	20:41:33	1	2500	100	0	0	0	0	0 1.0	5
1060P1	2226.000	20:41:41	2	2500	100	0	0	0	0	0 0.9	5
1060P1	2227.000	20:41:50	1	2500	100	0	0	0	0	0 0.9	5
1060P1	2228.000	20:41:58	2	2500	100	0	0	0	0	0 0.9	5
1060P1	2229.000	20:42:06	1	2500	100	0	0	0	0	0 1.0	5
1060P1	2230.000	20:42:15	2	2500	100	0	0	0	0	0 0.5	5
1060P1	2231.000	20:42:23	1	2500	100	0	0	0	0	0 0.9	5
1060P1	2232.000	20:42:32	2	2500	100	0	0	0	0	0 1.4	5
1060P1	2233.000	20:42:40	1	2500	100	0	0	0	0	0 1.1	5
1060P1	2234.000	20:42:48	2	2500	100	0	0	0	0	0 1.0	5
1060P1	2235.000	20:42:57	1	2500	100	0	0	0	0	0 0.7	5
1060P1	2236.000	20:43:05	2	2500	100	0	0	0	0	0 0.7	5
1060P1	2237.000	20:43:14	1	2500	100	0	0	0	0	0 0.7	5
1060P1	2238.000	20:43:22	2	2500	100	0	0	0	0	0 1.0	5
1060P1	2239.000	20:43:31	1	2500	100	0	0	0	0	0 0.7	5
1060P1	2240.000	20:43:39	2	2500	100	0	0	0	0	0 0.7	5
1060P1	2241.000	20:43:48	1	2500	100	0	0	0	0	0 0.8	5
1060P1	2242.000	20:43:56	2	2500	100	0	0	0	0	0 0.7	5
1060P1	2243.000	20:44:05	1	2500	100	0	0	0	0	0 0.7	5
1060P1	2244.000	20:44:13	2	2500	100	0	0	0	0	0 1.5	5
1060P1	2245.000	20:44:22	1	2500	100	0	0	0	0	0 1.1	5
1060P1	2246.000	20:44:30	2	2500	100	0	0	0	0	0 1.3	5
1060P1	2247.000	20:44:38	1	2500	100	0	0	0	0	0 0.9	5
1060P1	2248.000	20:44:47	2	2500	100	0	0	0	0	0 1.0	5

GCS90 Log Line 1060P1_1

Page 26/39

6/11/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	2249.000	20:44:55	1	2500	100	0	0	0	0	1.3	5
1060P1	2250.000	20:45:04	2	2500	100	0	0	0	0	0.9	5
1060P1	2251.000	20:45:12	1	2500	100	0	0	0	0	1.1	5
1060P1	2252.000	20:45:21	2	2500	100	0	0	0	0	1.1	5
1060P1	2253.000	20:45:29	1	2500	100	0	0	0	0	1.2	5
1060P1	2254.000	20:45:38	2	2500	100	0	0	0	0	0.8	5
1060P1	2255.000	20:45:46	1	2500	100	0	0	0	0	0.9	5
1060P1	2256.000	20:45:54	2	2500	100	0	0	0	0	1.4	5
1060P1	2257.000	20:46:03	1	2500	100	0	0	0	0	0.7	5
1060P1	2258.000	20:46:11	2	2500	100	0	0	0	0	0.6	5
1060P1	2259.000	20:46:19	1	2500	100	0	0	0	0	0.9	5
1060P1	2260.000	20:46:28	2	2500	100	0	0	0	0	1.0	5
1060P1	2261.000	20:46:36	1	2500	100	0	0	0	0	0.6	5
1060P1	2262.000	20:46:45	2	2500	100	0	0	0	0	1.6	5
1060P1	2263.000	20:46:53	1	2500	100	0	0	0	0	0.8	5
1060P1	2264.000	20:47:02	2	2500	100	0	0	0	0	0.7	5
1060P1	2265.000	20:47:10	1	2500	100	0	0	0	0	0.9	5
1060P1	2266.000	20:47:19	2	2500	100	0	0	0	0	0.6	5
1060P1	2267.000	20:47:27	1	2500	100	0	0	0	0	1.5	5
1060P1	2268.000	20:47:36	2	2500	100	0	0	0	0	0.5	5
1060P1	2269.000	20:47:44	1	2500	100	0	0	0	0	1.1	5
DEPTH ERR: 1 - S3-1											
1060P1	2270.000	20:47:53	2	2500	100	0	0	0	0	1.2	5
1060P1	2271.000	20:48:01	1	2500	100	0	0	0	0	0.5	5
1060P1	2272.000	20:48:10	2	2500	100	0	0	0	0	1.5	5
1060P1	2273.000	20:48:18	1	2500	100	0	0	0	0	1.3	5
1060P1	2274.000	20:48:26	2	2500	100	0	0	0	0	0.7	5
1060P1	2275.000	20:48:35	1	2500	100	0	0	0	0	0.7	5
1060P1	2276.000	20:48:43	2	2500	100	0	0	0	0	0.7	5
1060P1	2277.000	20:48:52	1	2500	100	0	0	0	0	1.0	5
1060P1	2278.000	20:49:00	2	2500	100	0	0	0	0	1.1	5
1060P1	2279.000	20:49:09	1	2500	100	0	0	0	0	1.5	5
1060P1	2280.000	20:49:17	2	2500	100	0	0	0	0	0.6	5
1060P1	2281.000	20:49:26	1	2500	100	0	0	0	0	0.9	5
1060P1	2282.000	20:49:34	2	2500	100	0	0	0	0	1.3	5
1060P1	2283.000	20:49:42	1	2500	100	0	0	0	0	0.7	5
1060P1	2284.000	20:49:52	2	2500	100	0	0	0	0	0.6	5
1060P1	2285.000	20:50:01	1	2500	100	0	0	0	0	0.9	5
1060P1	2286.000	20:50:09	2	2500	100	0	0	0	0	0.8	5
1060P1	2287.000	20:50:18	1	2500	100	0	0	0	0	1.1	5
1060P1	2288.000	20:50:26	2	2500	100	0	0	0	0	1.1	5
1060P1	2289.000	20:50:35	1	2500	100	0	0	0	0	0.9	5
1060P1	2290.000	20:50:43	2	2500	100	0	0	0	0	0.6	5
1060P1	2291.000	20:50:52	1	2500	100	0	0	0	0	1.4	5
1060P1	2292.000	20:51:00	2	2500	100	0	0	0	0	1.2	5
1060P1	2293.000	20:51:09	1	2500	100	0	0	0	0	1.0	5
1060P1	2294.000	20:51:17	2	2500	100	0	0	0	0	0.9	5
1060P1	2295.000	20:51:26	1	2500	100	0	0	0	0	1.1	5
1060P1	2296.000	20:51:34	2	2500	100	0	0	0	0	0.8	5
1060P1	2297.000	20:51:43	1	2500	100	0	0	0	0	1.1	5
1060P1	2298.000	20:51:51	2	2500	100	0	0	0	0	0.9	5
1060P1	2299.000	20:52:00	1	2500	100	0	0	0	0	0.6	5
1060P1	2300.000	20:52:09	2	2500	100	0	0	0	0	0.8	5
1060P1	2301.000	20:52:17	1	2500	100	0	0	0	0	1.3	5
1060P1	2302.000	20:52:25	2	2500	100	0	0	0	0	1.0	5
1060P1	2303.000	20:52:34	1	2500	100	0	0	0	0	0.6	5
1060P1	2304.000	20:52:43	2	2500	100	0	0	0	0	0.9	5

GCS90 Log Line 1060P1_1

Page 27/39

6/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	2305.000	20:52:51	1	2500	100	0	0	0	0	0 0.9	5
1060P1	2306.000	20:53:00	2	2500	100	0	0	0	0	0 1.8	5
1060P1	2307.000	20:53:09	1	2500	100	0	0	0	0	0 1.4	5
1060P1	2308.000	20:53:17	2	2500	100	0	0	0	0	0 0.6	5
1060P1	2309.000	20:53:26	1	2500	100	0	0	0	0	0 1.0	5
1060P1	2310.000	20:53:34	2	2500	100	0	0	0	0	0 1.1	5
1060P1	2311.000	20:53:42	1	2500	100	0	0	0	0	0 1.0	5
1060P1	2312.000	20:53:51	2	2500	100	0	0	0	0	0 0.9	5
1060P1	2313.000	20:53:59	1	2500	100	0	0	0	0	0 1.5	5
1060P1	2314.000	20:54:08	2	2500	100	0	0	0	0	0 0.7	5
1060P1	2315.000	20:54:16	1	2500	100	0	0	0	0	0 0.8	5
1060P1	2316.000	20:54:25	2	2500	100	0	0	0	0	0 1.1	5
1060P1	2317.000	20:54:34	1	2500	100	0	0	0	0	0 0.8	5
1060P1	2318.000	20:54:42	2	2500	100	0	0	0	0	0 0.4	5
1060P1	2319.000	20:54:51	1	2500	100	0	0	0	0	0 0.7	5
1060P1	2320.000	20:55:00	2	2500	100	0	0	0	0	0 0.9	5
1060P1	2321.000	20:55:08	1	2500	100	0	0	0	0	0 0.7	5
1060P1	2322.000	20:55:17	2	2500	100	0	0	0	0	0 0.6	5
1060P1	2323.000	20:55:26	1	2500	100	0	0	0	0	0 1.2	5
1060P1	2324.000	20:55:34	2	2500	100	0	0	0	0	0 1.0	5
1060P1	2325.000	20:55:43	1	2500	100	0	0	0	0	0 0.8	5
1060P1	2326.000	20:55:52	2	2500	100	0	0	0	0	0 0.9	5
1060P1	2327.000	20:56:00	1	2500	100	0	0	0	0	0 0.7	5
1060P1	2328.000	20:56:09	2	2500	100	0	0	0	0	0 0.8	5
1060P1	2329.000	20:56:17	1	2500	100	0	0	0	0	0 0.8	5
1060P1	2330.000	20:56:26	2	2500	100	0	0	0	0	0 1.0	5
1060P1	2331.000	20:56:35	1	2500	100	0	0	0	0	0 1.0	5
1060P1	2332.000	20:56:43	2	2500	100	0	0	0	0	0 0.6	5
1060P1	2333.000	20:56:52	1	2500	100	0	0	0	0	0 0.7	5
1060P1	2334.000	20:57:00	2	2500	100	0	0	0	0	0 1.1	5
1060P1	2335.000	20:57:09	1	2500	100	0	0	0	0	0 0.6	5
1060P1	2336.000	20:57:18	2	2500	100	0	0	0	0	0 1.0	5
1060P1	2337.000	20:57:26	1	2500	100	0	0	0	0	0 0.6	5
1060P1	2338.000	20:57:35	2	2500	100	0	0	0	0	0 1.1	5
1060P1	2339.000	20:57:43	1	2500	100	0	0	0	0	0 0.6	5
1060P1	2340.000	20:57:52	2	2500	100	0	0	0	0	0 0.7	5
1060P1	2341.000	20:58:00	1	2500	100	0	0	0	0	0 0.4	5
1060P1	2342.000	20:58:09	2	2500	100	0	0	0	0	0 1.0	5
1060P1	2343.000	20:58:18	1	2500	100	0	0	0	0	0 0.6	5
1060P1	2344.000	20:58:26	2	2500	100	0	0	0	0	0 0.8	5
1060P1	2345.000	20:58:35	1	2500	100	0	0	0	0	0 0.8	5
1060P1	2346.000	20:58:44	2	2500	100	0	0	0	0	1 2.2E	6
DELTA ERR: 1 - P6-1											
1060P1	2347.000	20:58:52	1	2500	100	0	0	0	0	0 1.2	6
1060P1	2348.000	20:59:01	2	2500	100	0	0	0	0	0 1.0	6
1060P1	2349.000	20:59:10	1	2500	100	0	0	0	0	0 0.8	6
1060P1	2350.000	20:59:18	2	2500	100	0	0	0	0	0 1.4	6
1060P1	2351.000	20:59:27	1	2500	100	0	0	0	0	0 0.9	6
1060P1	2352.000	20:59:36	2	2500	100	0	0	0	0	0 1.4	6
1060P1	2353.000	20:59:44	1	2500	100	0	0	0	0	0 0.7	6
1060P1	2354.000	20:59:53	2	2500	100	0	0	0	0	0 1.2	6
1060P1	2355.000	21:00:02	1	2500	100	0	0	0	0	0 0.8	6
1060P1	2356.000	21:00:10	2	2500	100	0	0	0	0	0 0.6	6
1060P1	2357.000	21:00:19	1	2500	100	0	0	0	0	0 0.5	6
1060P1	2358.000	21:00:28	2	2500	100	0	0	0	0	0 1.4	6
1060P1	2359.000	21:00:36	1	2500	100	0	0	0	0	0 1.1	6
1060P1	2360.000	21:00:45	2	2500	100	0	0	0	0	0 0.8	6

GCS90 Log Line 1060P1_1

Page 28/39

6/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	2361.000	21:00:54	1	2500	100	0	0	0	0	1 1.9	6
DELTA ERR: 1 - S3-3											
1060P1	2362.000	21:01:02	2	2500	100	0	0	0	0	0 1.3	6
1060P1	2363.000	21:01:11	1	2500	100	0	0	0	0	0 0.5	6
1060P1	2364.000	21:01:20	2	2500	100	0	0	0	0	0 1.0	6
1060P1	2365.000	21:01:29	1	2500	100	0	0	0	0	0 0.6	6
1060P1	2366.000	21:01:37	2	2500	100	0	0	0	0	0 1.0	6
1060P1	2367.000	21:01:46	1	2500	100	0	0	0	0	0 0.6	6
1060P1	2368.000	21:01:55	2	2500	100	0	0	0	0	0 0.8	6
1060P1	2369.000	21:02:03	1	2500	100	0	0	0	0	0 0.5	6
1060P1	2370.000	21:02:11	2	2500	100	0	0	0	0	0 1.4	6
1060P1	2371.000	21:02:21	1	2500	100	0	0	0	0	0 0.8	6
1060P1	2372.000	21:02:29	2	2500	100	0	0	0	0	0 1.2	6
1060P1	2373.000	21:02:38	1	2500	100	0	0	0	0	0 1.1	6
1060P1	2374.000	21:02:47	2	2500	100	0	0	0	0	0 1.4	6
1060P1	2375.000	21:02:56	1	2500	100	0	0	0	0	0 0.6	6
1060P1	2376.000	21:03:04	2	2500	100	0	0	0	0	0 0.8	6
1060P1	2377.000	21:03:13	1	2500	100	0	0	0	0	0 0.8	6
1060P1	2378.000	21:03:22	2	2500	100	0	0	0	0	0 1.7	6
1060P1	2379.000	21:03:30	1	2500	100	0	0	0	0	0 0.4	6
1060P1	2380.000	21:03:39	2	2500	100	0	0	0	0	0 1.0	6
1060P1	2381.000	21:03:48	1	2500	100	0	0	0	0	0 0.9	6
1060P1	2382.000	21:03:57	2	2500	100	0	0	0	0	0 1.0	6
1060P1	2383.000	21:04:05	1	2500	100	0	0	0	0	0 0.5	6
1060P1	2384.000	21:04:14	2	2500	100	0	0	0	0	0 0.6	6
1060P1	2385.000	21:04:23	1	2500	100	0	0	0	0	0 0.5	6
1060P1	2386.000	21:04:31	2	2500	100	0	0	0	0	0 0.6	6
1060P1	2387.000	21:04:40	1	2500	100	0	0	0	0	0 0.9	6
1060P1	2388.000	21:04:49	2	2500	100	0	0	0	0	0 1.0	6
1060P1	2389.000	21:04:57	1	2500	100	0	0	0	0	0 0.8	6
1060P1	2390.000	21:05:06	2	2500	100	0	0	0	0	0 1.0	6
1060P1	2391.000	21:05:14	1	2500	100	0	0	0	0	0 0.9	6
1060P1	2392.000	21:05:23	2	2500	100	0	0	0	0	0 1.3	6
1060P1	2393.000	21:05:32	1	2500	100	0	0	0	0	0 0.5	6
1060P1	2394.000	21:05:41	2	2500	100	0	0	0	0	0 1.1	6
1060P1	2395.000	21:05:49	1	2500	100	0	0	0	0	0 0.7	6
1060P1	2396.000	21:05:58	2	2500	100	0	0	0	0	0 1.1	6
1060P1	2397.000	21:06:07	1	2500	100	0	0	0	0	0 1.3	6
1060P1	2398.000	21:06:15	2	2500	100	0	0	0	0	0 1.3	6
1060P1	2399.000	21:06:24	1	2500	100	0	0	0	0	0 0.8	6
1060P1	2400.000	21:06:33	2	2500	100	0	0	0	0	0 1.2	6
1060P1	2401.000	21:06:41	1	2500	100	0	0	0	0	0 1.1	6
1060P1	2402.000	21:06:50	2	2500	100	0	0	0	0	0 0.7	6
1060P1	2403.000	21:06:59	1	2500	100	0	0	0	0	0 0.8	6
1060P1	2404.000	21:07:08	2	2500	100	0	0	0	0	0 0.5	6
1060P1	2405.000	21:07:16	1	2500	100	0	0	0	0	0 0.7	6
1060P1	2406.000	21:07:24	2	2500	100	0	0	0	0	0 0.9	6
1060P1	2407.000	21:07:33	1	2500	100	0	0	0	0	0 0.8	6
1060P1	2408.000	21:07:42	2	2500	100	0	0	0	0	0 0.4	6
1060P1	2409.000	21:07:50	1	2500	100	0	0	0	0	0 0.7	6
1060P1	2410.000	21:07:59	2	2500	100	0	0	0	0	0 0.9	6
1060P1	2411.000	21:08:08	1	2500	100	0	0	0	0	0 0.9	6
1060P1	2412.000	21:08:17	2	2500	100	0	0	0	0	0 1.5	6
1060P1	2413.000	21:08:25	1	2500	100	0	0	0	0	0 1.0	6
1060P1	2414.000	21:08:34	2	2500	100	0	0	0	0	0 0.7	6
1060P1	2415.000	21:08:43	1	2500	100	0	0	0	0	0 0.8	6
1060P1	2416.000	21:08:52	2	2500	100	0	0	0	0	0 0.9	6

GCS90 Log Line 1060P1_1

Page 29/39

6/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	2417.000	21:09:01	1	2500	100	0	0	0	0	0 1.0	6
1060P1	2418.000	21:09:10	2	2500	100	0	0	0	0	0 2.1E	7
1060P1	2419.000	21:09:18	1	2500	100	0	0	0	0	0 0.8	7
1060P1	2420.000	21:09:27	2	2500	100	0	0	0	0	0 1.0	7
1060P1	2421.000	21:09:35	1	2500	100	0	0	0	0	0 1.0	7
1060P1	2422.000	21:09:44	2	2500	100	0	0	0	0	0 0.8	7
1060P1	2423.000	21:09:53	1	2500	100	0	0	0	0	0 0.8	7
1060P1	2424.000	21:10:01	2	2500	100	0	0	0	0	0 1.0	7
1060P1	2425.000	21:10:10	1	2500	100	0	0	0	0	0 0.7	7
1060P1	2426.000	21:10:19	2	2500	100	0	0	0	0	0 0.9	7
1060P1	2427.000	21:10:27	1	2500	100	0	0	0	0	0 0.7	7
1060P1	2428.000	21:10:36	2	2500	100	0	0	0	0	0 0.9	7
1060P1	2429.000	21:10:44	1	2500	100	0	0	0	0	0 0.5	7
1060P1	2430.000	21:10:53	2	2500	100	0	0	0	0	0 1.2	7
1060P1	2431.000	21:11:02	1	2500	100	0	0	0	0	0 0.9	7
1060P1	2432.000	21:11:10	2	2500	100	0	0	0	0	0 1.3	7
1060P1	2433.000	21:11:19	1	2500	100	0	0	0	0	0 0.9	7
1060P1	2434.000	21:11:27	2	2500	100	0	0	0	0	0 0.9	7
1060P1	2435.000	21:11:36	1	2500	100	0	0	0	0	0 0.8	7
1060P1	2436.000	21:11:44	2	2500	100	0	0	0	0	0 1.0	7
1060P1	2437.000	21:11:53	1	2500	100	0	0	0	0	0 0.6	7
1060P1	2438.000	21:12:02	2	2500	100	0	0	0	0	0 1.3	7
1060P1	2439.000	21:12:10	1	2500	100	0	0	0	0	0 0.4	7
1060P1	2440.000	21:12:19	2	2500	100	0	0	0	0	0 0.9	7
1060P1	2441.000	21:12:27	1	2500	100	0	0	0	0	0 0.6	7
1060P1	2442.000	21:12:36	2	2500	100	0	0	0	0	0 1.2	7
1060P1	2443.000	21:12:45	1	2500	100	0	0	0	0	0 0.7	7
1060P1	2444.000	21:12:53	2	2500	100	0	0	0	0	0 0.9	7
1060P1	2445.000	21:13:02	1	2500	100	0	0	0	0	0 0.6	7
1060P1	2446.000	21:13:10	2	2500	100	0	0	0	0	0 0.8	7
1060P1	2447.000	21:13:19	1	2500	100	0	0	0	0	0 0.6	7
1060P1	2448.000	21:13:28	2	2500	100	0	0	0	0	0 0.8	7
1060P1	2449.000	21:13:36	1	2500	100	0	0	0	0	0 1.0	7
1060P1	2450.000	21:13:45	2	2500	100	0	0	0	0	0 0.6	7
1060P1	2451.000	21:13:53	1	2500	100	0	0	0	0	0 0.9	7
1060P1	2452.000	21:14:01	2	2500	100	0	0	0	0	0 1.4	7
1060P1	2453.000	21:14:10	1	2500	100	0	0	0	0	0 0.6	7
1060P1	2454.000	21:14:18	2	2500	100	0	0	0	0	0 0.9	7
1060P1	2455.000	21:14:27	1	2500	100	0	0	0	0	0 1.1	7
1060P1	2456.000	21:14:36	2	2500	100	0	0	0	0	0 0.7	7
1060P1	2457.000	21:14:44	1	2500	100	0	0	0	0	0 0.6	7
1060P1	2458.000	21:14:53	2	2500	100	0	0	0	0	0 1.4	7
1060P1	2459.000	21:15:01	1	2500	100	0	0	0	0	0 1.0	7
1060P1	2460.000	21:15:10	2	2500	100	0	0	0	0	0 0.4	7
1060P1	2461.000	21:15:19	1	2500	100	0	0	0	0	0 0.6	7
1060P1	2462.000	21:15:27	2	2500	100	0	0	0	0	0 1.1	7
1060P1	2463.000	21:15:36	1	2500	100	0	0	0	0	0 0.9	7
1060P1	2464.000	21:15:45	2	2500	100	0	0	0	0	0 1.6	7
1060P1	2465.000	21:15:53	1	2500	100	0	0	0	0	0 0.6	7
1060P1	2466.000	21:16:02	2	2500	100	0	0	0	0	0 0.8	7
1060P1	2467.000	21:16:10	1	2500	100	0	0	0	0	0 0.4	7
1060P1	2468.000	21:16:19	2	2500	100	0	0	0	0	0 1.3	7
1060P1	2469.000	21:16:27	1	2500	100	0	0	0	0	0 0.8	7
1060P1	2470.000	21:16:36	2	2500	100	0	0	0	0	0 1.7	7
1060P1	2471.000	21:16:45	1	2500	100	0	0	0	0	0 0.5	7
1060P1	2472.000	21:16:53	2	2500	100	0	0	0	0	0 1.3	7
1060P1	2473.000	21:17:02	1	2500	100	0	0	0	0	0 0.7	7

GCS90 Log Line 1060P1_1

Page 30/39

6/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	2474.000	21:17:11	2	2500	100	0	0	0	0	0 0.5	7
1060P1	2475.000	21:17:19	1	2500	100	0	0	0	0	0 0.4	7
1060P1	2476.000	21:17:28	2	2500	100	0	0	0	0	0 1.3	7
1060P1	2477.000	21:17:36	1	2500	100	0	0	0	0	0 0.7	7
1060P1	2478.000	21:17:45	2	2500	100	0	0	0	0	0 1.5	7
1060P1	2479.000	21:17:53	1	2500	100	0	0	0	0	0 0.8	7
1060P1	2480.000	21:18:02	2	2500	100	0	0	0	0	0 0.8	7
1060P1	2481.000	21:18:11	1	2500	100	0	0	0	0	0 0.6	7
1060P1	2482.000	21:18:19	2	2500	100	0	0	0	0	0 1.5	7
1060P1	2483.000	21:18:28	1	2500	100	0	0	0	0	0 0.8	7
1060P1	2484.000	21:18:36	2	2500	100	0	0	0	0	0 0.8	7
1060P1	2485.000	21:18:45	1	2500	100	0	0	0	0	0 0.6	7
1060P1	2486.000	21:18:53	2	2500	100	0	0	0	0	0 0.9	7
1060P1	2487.000	21:19:02	1	2500	100	0	0	0	0	0 1.5	7
1060P1	2488.000	21:19:10	2	2500	100	0	0	0	0	0 0.7	7
1060P1	2489.000	21:19:19	1	2500	100	0	0	0	0	0 0.7	7
1060P1	2490.000	21:19:27	2	2500	100	0	0	0	0	0 0.7	7
1060P1	2491.000	21:19:36	1	2500	100	0	0	0	0	0 1.3	7
1060P1	2492.000	21:19:44	2	2500	100	0	0	0	0	0 1.1	7
1060P1	2493.000	21:19:53	1	2500	100	0	0	0	0	0 1.2	7
1060P1	2494.000	21:20:02	2	2500	100	0	0	0	0	0 0.7	7
1060P1	2495.000	21:20:10	1	2500	100	0	0	0	0	0 1.1	7
1060P1	2496.000	21:20:19	2	2500	100	0	0	0	0	0 1.5	7
1060P1	2497.000	21:20:27	1	2500	100	0	0	0	0	0 0.7	7
1060P1	2498.000	21:20:36	2	2500	100	0	0	0	0	0 1.5	7
1060P1	2499.000	21:20:44	1	2500	100	0	0	0	0	0 0.7	7
1060P1	2500.000	21:20:53	2	2500	100	0	0	0	0	0 1.2	7
1060P1	2501.000	21:21:02	1	2500	100	0	0	0	0	0 1.8	7
1060P1	2502.000	21:21:10	2	2500	100	0	0	0	0	0 0.6	7
1060P1	2503.000	21:21:19	1	2500	100	0	0	0	0	0 0.9	7
1060P1	2504.000	21:21:27	2	2500	100	0	0	0	0	0 0.9	7
1060P1	2505.000	21:21:36	1	2500	100	0	0	0	0	0 0.6	7
1060P1	2506.000	21:21:45	2	2500	100	0	0	0	0	0 1.0	7
1060P1	2507.000	21:21:53	1	2500	100	0	0	0	0	0 0.4	7
1060P1	2508.000	21:22:02	2	2500	100	0	0	0	0	0 1.1	7
1060P1	2509.000	21:22:10	1	2500	100	0	0	0	0	0 0.6	7
1060P1	2510.000	21:22:19	2	2500	100	0	0	0	0	0 0.5	7
1060P1	2511.000	21:22:27	1	2500	100	0	0	0	0	0 1.3	7
1060P1	2512.000	21:22:36	2	2500	100	0	0	0	0	0 0.8	7
1060P1	2513.000	21:22:44	1	2500	100	0	0	0	0	0 1.0	7
1060P1	2514.000	21:22:53	2	2500	100	0	0	0	0	0 0.5	7
1060P1	2515.000	21:23:01	1	2500	100	0	0	0	0	0 0.9	7
1060P1	2516.000	21:23:10	2	2500	100	0	0	0	0	0 1.2	7
1060P1	2517.000	21:23:19	1	2500	100	0	0	0	0	0 1.4	7
1060P1	2518.000	21:23:27	2	2500	100	0	0	0	0	0 1.1	7
1060P1	2519.000	21:23:36	1	2500	100	0	0	0	0	0 0.6	7
1060P1	2520.000	21:23:44	2	2500	100	0	0	0	0	0 0.9	7
1060P1	2521.000	21:23:53	1	2500	100	0	0	0	0	0 0.8	7
1060P1	2522.000	21:24:02	2	2500	100	0	0	0	0	0 0.9	7
1060P1	2523.000	21:24:10	1	2500	100	0	0	0	0	0 0.6	7
1060P1	2524.000	21:24:19	2	2500	100	0	0	0	0	0 0.5	7
1060P1	2525.000	21:24:27	1	2500	100	0	0	0	0	0 0.8	7
1060P1	2526.000	21:24:36	2	2500	100	0	0	0	0	0 0.9	7
1060P1	2527.000	21:24:45	1	2500	100	0	0	0	0	0 0.8	7
1060P1	2528.000	21:24:53	2	2500	100	0	0	0	0	0 0.9	7
1060P1	2529.000	21:25:02	1	2500	100	0	0	0	0	0 0.3	7
1060P1	2530.000	21:25:11	2	2500	100	0	0	0	0	0 1.0	7

GCS90 Log Line 1060P1_1

Page 31/39

6/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	2531.000	21:25:19	1	2500	100	0	0	0	0	0 1.3	7
1060P1	2532.000	21:25:28	2	2500	100	0	0	0	0	0 0.9	7
1060P1	2533.000	21:25:36	1	2500	100	0	0	0	0	0 0.9	7
1060P1	2534.000	21:25:45	2	2500	100	0	0	0	0	0 0.7	7
1060P1	2535.000	21:25:54	1	2500	100	0	0	0	0	0 0.9	7
1060P1	2536.000	21:26:02	2	2500	100	0	0	0	0	0 1.3	7
1060P1	2537.000	21:26:11	1	2500	100	0	0	0	0	0 0.4	7
1060P1	2538.000	21:26:20	2	2500	100	0	0	0	0	0 0.8	7
1060P1	2539.000	21:26:28	1	2500	100	0	0	0	0	0 1.0	7
1060P1	2540.000	21:26:37	2	2500	100	0	0	0	0	0 1.1	7
1060P1	2541.000	21:26:46	1	2500	100	0	0	0	0	0 1.6	7
1060P1	2542.000	21:26:54	2	2500	100	0	0	0	0	0 1.4	7
1060P1	2543.000	21:27:02	1	2500	100	0	0	0	0	0 0.5	7
1060P1	2544.000	21:27:11	2	2500	100	0	0	0	0	0 1.0	7
1060P1	2545.000	21:27:20	1	2500	100	0	0	0	0	0 0.3	7
1060P1	2546.000	21:27:28	2	2500	100	0	0	0	0	0 1.0	7
1060P1	2547.000	21:27:37	1	2500	100	0	0	0	0	0 0.9	7
1060P1	2548.000	21:27:45	2	2500	100	0	0	0	0	0 1.2	7
1060P1	2549.000	21:27:54	1	2500	100	0	0	0	0	0 0.8	7
1060P1	2550.000	21:28:03	2	2500	100	0	0	0	0	0 1.1	7
1060P1	2551.000	21:28:12	1	2500	100	0	0	0	0	0 1.0	7
1060P1	2552.000	21:28:20	2	2500	100	0	0	0	0	0 1.1	7
1060P1	2553.000	21:28:29	1	2500	100	0	0	0	0	0 1.0	7
1060P1	2554.000	21:28:38	2	2500	100	0	0	0	0	0 0.7	7
1060P1	2555.000	21:28:47	1	2500	100	0	0	0	0	0 0.9	7
1060P1	2556.000	21:28:55	2	2500	100	0	0	0	0	0 1.2	7
1060P1	2557.000	21:29:04	1	2500	100	0	0	0	0	0 0.7	7
1060P1	2558.000	21:29:13	2	2500	100	0	0	0	0	0 1.1	7
1060P1	2559.000	21:29:22	1	2500	100	0	0	0	0	0 0.7	7
DEPTH ERR: 1 - S3-1											
1060P1	2560.000	21:29:30	2	2500	100	0	0	0	0	0 0.6	7
1060P1	2561.000	21:29:39	1	2500	100	0	0	0	0	0 0.7	7
1060P1	2562.000	21:29:47	2	2500	100	0	0	0	0	0 0.6	7
1060P1	2563.000	21:29:56	1	2500	100	0	0	0	0	0 1.0	7
1060P1	2564.000	21:30:05	2	2500	100	0	0	0	0	0 0.9	7
1060P1	2565.000	21:30:13	1	2500	100	0	0	0	0	0 1.1	7
1060P1	2566.000	21:30:22	2	2500	100	0	0	0	0	0 0.6	7
1060P1	2567.000	21:30:31	1	2500	100	0	0	0	0	0 0.7	7
1060P1	2568.000	21:30:39	2	2500	100	0	0	0	0	0 1.1	7
1060P1	2569.000	21:30:48	1	2500	100	0	0	0	0	0 0.7	7
1060P1	2570.000	21:30:57	2	2500	100	0	0	0	0	0 0.4	7
1060P1	2571.000	21:31:05	1	2500	100	0	0	0	0	0 0.6	7
1060P1	2572.000	21:31:14	2	2500	100	0	0	0	0	0 0.9	7
1060P1	2573.000	21:31:23	1	2500	100	0	0	0	0	0 0.6	7
1060P1	2574.000	21:31:32	2	2500	100	0	0	0	0	0 0.9	7
1060P1	2575.000	21:31:40	1	2500	100	0	0	0	0	0 0.7	7
1060P1	2576.000	21:31:49	2	2500	100	0	0	0	0	0 0.8	7
1060P1	2577.000	21:31:57	1	2500	100	0	0	0	0	0 0.6	7
1060P1	2578.000	21:32:06	2	2500	100	0	0	0	0	0 0.5	7
1060P1	2579.000	21:32:14	1	2500	100	0	0	0	0	0 0.8	7
1060P1	2580.000	21:32:23	2	2500	100	0	0	0	0	0 0.7	7
1060P1	2581.000	21:32:31	1	2500	100	0	0	0	0	0 1.3	7
1060P1	2582.000	21:32:40	2	2500	100	0	0	0	0	0 0.9	7
1060P1	2583.000	21:32:49	1	2500	100	0	0	0	0	0 0.8	7
1060P1	2584.000	21:32:57	2	2500	100	0	0	0	0	0 1.7	7
1060P1	2585.000	21:33:06	1	2500	100	0	0	0	0	0 0.6	7
1060P1	2586.000	21:33:15	2	2500	100	0	0	0	0	0 0.4	7

GCS90 Log Line 1060P1_1

Page 32/39

6/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	2587.000	21:33:23	1	2500	100	0	0	0	0	0 0.5	7
1060P1	2588.000	21:33:32	2	2500	100	0	0	0	0	0 0.8	7
1060P1	2589.000	21:33:41	1	2500	100	0	0	0	0	0 0.7	7
1060P1	2590.000	21:33:49	2	2500	100	0	0	0	0	0 0.3	7
1060P1	2591.000	21:33:58	1	2500	100	0	0	0	0	0 1.0	7
1060P1	2592.000	21:34:06	2	2500	100	0	0	0	0	0 1.6	7
1060P1	2593.000	21:34:15	1	2500	100	0	0	0	0	0 0.6	7
1060P1	2594.000	21:34:24	2	2500	100	0	0	0	0	0 1.4	7
1060P1	2595.000	21:34:32	1	2500	100	0	0	0	0	0 0.8	7
1060P1	2596.000	21:34:41	2	2500	100	0	0	0	0	0 1.6	7
1060P1	2597.000	21:34:50	1	2500	100	0	0	0	0	0 1.6	7
1060P1	2598.000	21:34:58	2	2500	100	0	0	0	0	0 0.9	7
1060P1	2599.000	21:35:07	1	2500	100	0	0	0	0	0 1.1	7
1060P1	2600.000	21:35:15	2	2500	100	0	0	0	0	0 0.9	7
1060P1	2601.000	21:35:24	1	2500	100	0	0	0	0	0 1.2	7
1060P1	2602.000	21:35:33	2	2500	100	0	0	0	0	0 0.8	7
1060P1	2603.000	21:35:41	1	2500	100	0	0	0	0	0 0.8	7
1060P1	2604.000	21:35:50	2	2500	100	0	0	0	0	0 1.1	7
1060P1	2605.000	21:35:58	1	2500	100	0	0	0	0	0 0.7	7
1060P1	2606.000	21:36:07	2	2500	100	0	0	0	0	0 0.8	7
1060P1	2607.000	21:36:15	1	2500	100	0	0	0	0	0 0.5	7
1060P1	2608.000	21:36:24	2	2500	100	0	0	0	0	0 0.8	7
1060P1	2609.000	21:36:33	1	2500	100	0	0	0	0	0 0.9	7
1060P1	2610.000	21:36:41	2	2500	100	0	0	0	0	0 0.7	7
1060P1	2611.000	21:36:50	1	2500	100	0	0	0	0	0 1.3	7
1060P1	2612.000	21:36:59	2	2500	100	0	0	0	0	0 0.7	7
1060P1	2613.000	21:37:07	1	2500	100	0	0	0	0	0 1.5	7
1060P1	2614.000	21:37:16	2	2500	100	0	0	0	0	0 1.3	7
1060P1	2615.000	21:37:25	1	2500	100	0	0	0	0	0 0.9	7
1060P1	2616.000	21:37:33	2	2500	100	0	0	0	0	0 0.7	7
1060P1	2617.000	21:37:42	1	2500	100	0	0	0	0	0 1.3	7
1060P1	2618.000	21:37:50	2	2500	100	0	0	0	0	0 0.9	7
1060P1	2619.000	21:37:59	1	2500	100	0	0	0	0	0 2.0E	8
1060P1	2620.000	21:38:08	2	2500	100	0	0	0	0	0 0.7	8
1060P1	2621.000	21:38:16	1	2500	100	0	0	0	0	0 0.8	8
1060P1	2622.000	21:38:25	2	2500	100	0	0	0	0	0 0.5	8
1060P1	2623.000	21:38:34	1	2500	100	0	0	0	0	0 1.1	8
1060P1	2624.000	21:38:43	2	2500	100	0	0	0	0	0 1.0	8
1060P1	2625.000	21:38:51	1	2500	100	0	0	0	0	0 0.8	8
1060P1	2626.000	21:39:00	2	2500	100	0	0	0	0	0 1.1	8
1060P1	2627.000	21:39:08	1	2500	100	0	0	0	0	0 0.6	8
1060P1	2628.000	21:39:17	2	2500	100	0	0	0	0	0 0.6	8
1060P1	2629.000	21:39:26	1	2500	100	0	0	0	0	0 1.3	8
1060P1	2630.000	21:39:35	2	2500	100	0	0	0	0	0 1.1	8
1060P1	2631.000	21:39:44	1	2500	100	0	0	0	0	0 0.4	8
1060P1	2632.000	21:39:53	2	2500	100	0	0	0	0	0 1.0	8
1060P1	2633.000	21:40:01	1	2500	100	0	0	0	0	0 0.6	8
1060P1	2634.000	21:40:10	2	2500	100	0	0	0	0	0 0.7	8
1060P1	2635.000	21:40:19	1	2500	100	0	0	0	0	0 0.5	8
1060P1	2636.000	21:40:27	2	2500	100	0	0	0	0	0 0.7	8
1060P1	2637.000	21:40:36	1	2500	100	0	0	0	0	0 0.5	8
1060P1	2638.000	21:40:45	2	2500	100	0	0	0	0	0 1.0	8
1060P1	2639.000	21:40:54	1	2500	100	0	0	0	0	0 0.7	8
1060P1	2640.000	21:41:02	2	2500	100	0	0	0	0	0 0.8	8
1060P1	2641.000	21:41:11	1	2500	100	0	0	0	0	0 0.6	8
1060P1	2642.000	21:41:20	2	2500	100	0	0	0	0	0 1.3	8
1060P1	2643.000	21:41:29	1	2500	100	0	0	0	0	0 0.8	8

GCS90 Log Line 1060P1_1

Page 33/39

6/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	2644.000	21:41:37	2	2500	100	0	0	0	0	0 1.5	8
1060P1	2645.000	21:41:46	1	2500	100	0	0	0	0	0 0.5	8
1060P1	2646.000	21:41:55	2	2500	100	0	0	0	0	0 0.9	8
1060P1	2647.000	21:42:03	1	2500	100	0	0	0	0	0 1.2	8
1060P1	2648.000	21:42:12	2	2500	100	0	0	0	0	0 1.4	8
1060P1	2649.000	21:42:21	1	2500	100	0	0	0	0	0 0.7	8
1060P1	2650.000	21:42:29	2	2500	100	0	0	0	0	0 0.9	8
1060P1	2651.000	21:42:38	1	2500	100	0	0	0	0	0 1.1	8
1060P1	2652.000	21:42:47	2	2500	100	0	0	0	0	0 0.8	8
1060P1	2653.000	21:42:56	1	2500	100	0	0	0	0	0 0.7	8
1060P1	2654.000	21:43:04	2	2500	100	0	0	0	0	0 0.7	8
1060P1	2655.000	21:43:13	1	2500	100	0	0	0	0	0 0.6	8
1060P1	2656.000	21:43:22	2	2500	100	0	0	0	0	0 0.7	8
1060P1	2657.000	21:43:31	1	2500	100	0	0	0	0	0 0.5	8
1060P1	2658.000	21:43:39	2	2500	100	0	0	0	0	0 0.8	8
1060P1	2659.000	21:43:48	1	2500	100	0	0	0	0	0 0.4	8
1060P1	2660.000	21:43:57	2	2500	100	0	0	0	0	0 0.6	8
1060P1	2661.000	21:44:06	1	2500	100	0	0	0	0	0 0.9	8
1060P1	2662.000	21:44:14	2	2500	100	0	0	0	0	0 0.9	8
1060P1	2663.000	21:44:23	1	2500	100	0	0	0	0	0 0.6	8
1060P1	2664.000	21:44:32	2	2500	100	0	0	0	0	0 1.0	8
1060P1	2665.000	21:44:41	1	2500	100	0	0	0	0	0 0.7	8
1060P1	2666.000	21:44:49	2	2500	100	0	0	0	0	0 1.3	8
1060P1	2667.000	21:44:58	1	2500	100	0	0	0	0	0 0.5	8
1060P1	2668.000	21:45:07	2	2500	100	0	0	0	0	0 0.8	8
1060P1	2669.000	21:45:15	1	2500	100	0	0	0	0	0 0.6	8
1060P1	2670.000	21:45:24	2	2500	100	0	0	0	0	0 1.1	8
1060P1	2671.000	21:45:32	1	2500	100	0	0	0	0	0 0.5	8
1060P1	2672.000	21:45:41	2	2500	100	0	0	0	0	0 1.1	8
1060P1	2673.000	21:45:50	1	2500	100	0	0	0	0	0 0.6	8
1060P1	2674.000	21:45:59	2	2500	100	0	0	0	0	0 0.9	8
1060P1	2675.000	21:46:08	1	2500	100	0	0	0	0	0 1.8	8
1060P1	2676.000	21:46:16	2	2500	100	0	0	0	0	0 1.1	8
1060P1	2677.000	21:46:25	1	2500	100	0	0	0	0	0 1.3	8
1060P1	2678.000	21:46:34	2	2500	100	0	0	0	0	0 1.3	8
1060P1	2679.000	21:46:43	1	2500	100	0	0	0	0	0 1.3	8
1060P1	2680.000	21:46:52	2	2500	100	0	0	0	0	0 1.1	8
1060P1	2681.000	21:47:00	1	2500	100	0	0	0	0	0 1.0	8
1060P1	2682.000	21:47:09	2	2500	100	0	0	0	0	0 0.8	8
1060P1	2683.000	21:47:18	1	2500	100	0	0	0	0	0 0.8	8
1060P1	2684.000	21:47:27	2	2500	100	0	0	0	0	0 0.8	8
1060P1	2685.000	21:47:36	1	2500	100	0	0	0	0	0 1.2	8
1060P1	2686.000	21:47:45	2	2500	100	0	0	0	0	0 1.2	8
1060P1	2687.000	21:47:53	1	2500	100	0	0	0	0	0 1.0	8
1060P1	2688.000	21:48:02	2	2500	100	0	0	0	0	0 1.1	8
1060P1	2689.000	21:48:11	1	2500	100	0	0	0	0	0 0.8	8
1060P1	2690.000	21:48:20	2	2500	100	0	0	0	0	0 0.6	8
1060P1	2691.000	21:48:28	1	2500	100	0	0	0	0	0 0.9	8
1060P1	2692.000	21:48:37	2	2500	100	0	0	0	0	0 0.8	8
1060P1	2693.000	21:48:46	1	2500	100	0	0	0	0	0 2.0	8
1060P1	2694.000	21:48:55	2	2500	100	0	0	0	0	0 0.8	8
1060P1	2695.000	21:49:04	1	2500	100	0	0	0	0	0 0.9	8
1060P1	2696.000	21:49:13	2	2500	100	0	0	0	0	0 0.5	8
1060P1	2697.000	21:49:22	1	2500	100	0	0	0	0	0 0.7	8
1060P1	2698.000	21:49:30	2	2500	100	0	0	0	0	0 0.9	8
1060P1	2699.000	21:49:39	1	2500	100	0	0	0	0	0 1.5	8
1060P1	2700.000	21:49:48	2	2500	100	0	0	0	0	0 1.2	8

GCS90 Log Line 1060P1_1

Page 34/39

6/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	2701.000	21:49:57	1	2500	100	0	0	0	0	1.1	8
1060P1	2702.000	21:50:05	2	2500	100	0	0	0	0	0.7	8
1060P1	2703.000	21:50:14	1	2500	100	0	0	0	0	0.3	8
1060P1	2704.000	21:50:23	2	2500	100	0	0	0	0	0.8	8
1060P1	2705.000	21:50:31	1	2500	100	0	0	0	0	0.6	8
1060P1	2706.000	21:50:40	2	2500	100	0	0	0	0	1.4	8
1060P1	2707.000	21:50:49	1	2500	100	0	0	0	0	0.6	8
1060P1	2708.000	21:50:57	2	2500	100	0	0	0	0	1.0	8
1060P1	2709.000	21:51:06	1	2500	100	0	0	0	0	1.2	8
1060P1	2710.000	21:51:15	2	2500	100	0	0	0	0	1.0	8
1060P1	2711.000	21:51:23	1	2500	100	0	0	0	0	0.5	8
1060P1	2712.000	21:51:32	2	2500	100	0	0	0	0	1.3	8
1060P1	2713.000	21:51:41	1	2500	100	0	0	0	0	0.7	8
1060P1	2714.000	21:51:50	2	2500	100	0	0	0	0	0.9	8
1060P1	2715.000	21:51:58	1	2500	100	0	0	0	0	0.4	8
1060P1	2716.000	21:52:07	2	2500	100	0	0	0	0	1.2	8
1060P1	2717.000	21:52:16	1	2500	100	0	0	0	0	0.6	8
1060P1	2718.000	21:52:24	2	2500	100	0	0	0	0	1.8	8
1060P1	2719.000	21:52:33	1	2500	100	0	0	0	0	0.9	8
1060P1	2720.000	21:52:41	2	2500	100	0	0	0	0	1.2	8
1060P1	2721.000	21:52:50	1	2500	100	0	0	0	0	1.1	8
1060P1	2722.000	21:52:59	2	2500	100	0	0	0	0	1.2	8
1060P1	2723.000	21:53:07	1	2500	100	0	0	0	0	1.4	8
1060P1	2724.000	21:53:16	2	2500	100	0	0	0	0	1.5	8
1060P1	2725.000	21:53:25	1	2500	100	0	0	0	0	1.6	8
1060P1	2726.000	21:53:33	2	2500	100	0	0	0	0	0.8	8
1060P1	2727.000	21:53:42	1	2500	100	0	0	0	0	1.2	8
1060P1	2728.000	21:53:51	2	2500	100	0	0	0	0	1.2	8
1060P1	2729.000	21:53:59	1	2500	100	0	0	0	0	0.4	8
1060P1	2730.000	21:54:08	2	2500	100	0	0	0	0	0.9	8
1060P1	2731.000	21:54:17	1	2500	100	0	0	0	0	0.7	8
1060P1	2732.000	21:54:25	2	2500	100	0	0	0	0	0.8	8
1060P1	2733.000	21:54:34	1	2500	100	0	0	0	0	1.3	8
1060P1	2734.000	21:54:42	2	2500	100	0	0	0	0	1.3	8
1060P1	2735.000	21:54:51	1	2500	100	0	0	0	0	1.1	8
1060P1	2736.000	21:54:59	2	2500	100	0	0	0	0	0.8	8
1060P1	2737.000	21:55:08	1	2500	100	0	0	0	0	0.7	8
1060P1	2738.000	21:55:17	2	2500	100	0	0	0	0	0.7	8
1060P1	2739.000	21:55:26	1	2500	100	0	0	0	0	1.2	8
1060P1	2740.000	21:55:34	2	2500	100	0	0	0	0	0.7	8
1060P1	2741.000	21:55:43	1	2500	100	0	0	0	0	0.9	8
1060P1	2742.000	21:55:52	2	2500	100	0	0	0	0	0.7	8
1060P1	2743.000	21:56:00	1	2500	100	0	0	0	0	0.8	8
1060P1	2744.000	21:56:09	2	2500	100	0	0	0	0	1.5	8
1060P1	2745.000	21:56:18	1	2500	100	0	0	0	0	0.7	8
1060P1	2746.000	21:56:26	2	2500	100	0	0	0	0	0.9	8
1060P1	2747.000	21:56:35	1	2500	100	0	0	0	0	0.7	8
1060P1	2748.000	21:56:43	2	2500	100	0	0	0	0	0.7	8
1060P1	2749.000	21:56:52	1	2500	100	0	0	0	0	0.8	8
1060P1	2750.000	21:57:01	2	2500	100	0	0	0	0	0.4	8
1060P1	2751.000	21:57:09	1	2500	100	0	0	0	0	0.8	8
1060P1	2752.000	21:57:18	2	2500	100	0	0	0	0	0.8	8
1060P1	2753.000	21:57:26	1	2500	100	0	0	0	0	0.8	8
1060P1	2754.000	21:57:35	2	2500	100	0	0	0	0	0.6	8
1060P1	2755.000	21:57:44	1	2500	100	0	0	0	0	0.6	8
1060P1	2756.000	21:57:52	2	2500	100	0	0	0	0	1.0	8
1060P1	2757.000	21:58:01	1	2500	100	0	0	0	0	0.8	8

GCS90 Log Line 1060P1_1

Page 35/39

6/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	2758.000	21:58:09	2	2500	100	0	0	0	0	0 0.7	8
1060P1	2759.000	21:58:18	1	2500	100	0	0	0	0	0 0.7	8
1060P1	2760.000	21:58:26	2	2500	100	0	0	0	0	0 0.8	8
1060P1	2761.000	21:58:35	1	2500	100	0	0	0	0	0 0.9	8
1060P1	2762.000	21:58:44	2	2500	100	0	0	0	0	0 1.1	8
1060P1	2763.000	21:58:52	1	2500	100	0	0	0	0	0 0.4	8
1060P1	2764.000	21:59:01	2	2500	100	0	0	0	0	0 0.7	8
1060P1	2765.000	21:59:09	1	2500	100	0	0	0	0	0 0.5	8
1060P1	2766.000	21:59:18	2	2500	100	0	0	0	0	0 0.9	8
1060P1	2767.000	21:59:26	1	2500	100	0	0	0	0	0 0.5	8
1060P1	2768.000	21:59:35	2	2500	100	0	0	0	0	0 0.9	8
1060P1	2769.000	21:59:43	1	2500	100	0	0	0	0	0 0.7	8
1060P1	2770.000	21:59:52	2	2500	100	0	0	0	0	0 0.7	8
1060P1	2771.000	22:00:00	1	2500	100	0	0	0	0	0 0.7	8
1060P1	2772.000	22:00:09	2	2500	100	0	0	0	0	0 0.3	8
1060P1	2773.000	22:00:18	1	2500	100	0	0	0	0	0 0.5	8
1060P1	2774.000	22:00:26	2	2500	100	0	0	0	0	0 0.9	8
1060P1	2775.000	22:00:35	1	2500	100	0	0	0	0	0 1.2	8
1060P1	2776.000	22:00:43	2	2500	100	0	0	0	0	0 0.7	8
1060P1	2777.000	22:00:52	1	2500	100	0	0	0	0	0 0.6	8
1060P1	2778.000	22:01:00	2	2500	100	0	0	0	0	0 0.7	8
1060P1	2779.000	22:01:09	1	2500	100	0	0	0	0	0 0.7	8
1060P1	2780.000	22:01:17	2	2500	100	0	0	0	0	0 1.9	8
1060P1	2781.000	22:01:25	1	2500	100	0	0	0	0	0 0.9	8
1060P1	2782.000	22:01:34	2	2500	100	0	0	0	0	0 0.5	8
1060P1	2783.000	22:01:42	1	2500	100	0	0	0	0	0 0.8	8
1060P1	2784.000	22:01:51	2	2500	100	0	0	0	0	0 0.8	8
1060P1	2785.000	22:01:59	1	2500	100	0	0	0	0	0 0.9	8
1060P1	2786.000	22:02:08	2	2500	100	0	0	0	0	0 0.6	8
1060P1	2787.000	22:02:16	1	2500	100	0	0	0	0	0 1.0	8
1060P1	2788.000	22:02:25	2	2500	100	0	0	0	0	0 0.7	8
1060P1	2789.000	22:02:33	1	2500	100	0	0	0	0	0 0.8	8
1060P1	2790.000	22:02:42	2	2500	100	0	0	0	0	0 1.2	8
1060P1	2791.000	22:02:51	1	2500	100	0	0	0	0	0 1.5	8
1060P1	2792.000	22:02:59	2	2500	100	0	0	0	0	0 0.8	8
1060P1	2793.000	22:03:08	1	2500	100	0	0	0	0	0 0.4	8
1060P1	2794.000	22:03:16	2	2500	100	0	0	0	0	0 0.8	8
1060P1	2795.000	22:03:25	1	2500	100	0	0	0	0	0 0.4	8
1060P1	2796.000	22:03:33	2	2500	100	0	0	0	0	0 0.8	8
1060P1	2797.000	22:03:42	1	2500	100	0	0	0	0	0 0.8	8
1060P1	2798.000	22:03:50	2	2500	100	0	0	0	0	1 1.9	8
DELTA ERR: 1 - P4-3											
1060P1	2799.000	22:03:59	1	2500	100	0	0	0	0	0 1.0	8
1060P1	2800.000	22:04:08	2	2500	100	0	0	0	0	0 1.2	8
1060P1	2801.000	22:04:16	1	2500	100	0	0	0	0	0 0.6	8
1060P1	2802.000	22:04:25	2	2500	100	0	0	0	0	0 0.6	8
1060P1	2803.000	22:04:33	1	2500	100	0	0	0	0	0 1.0	8
1060P1	2804.000	22:04:42	2	2500	100	0	0	0	0	0 1.2	8
1060P1	2805.000	22:04:50	1	2500	100	0	0	0	0	0 1.0	8
1060P1	2806.000	22:04:59	2	2500	100	0	0	0	0	0 0.9	8
1060P1	2807.000	22:05:08	1	2500	100	0	0	0	0	0 0.8	8
1060P1	2808.000	22:05:16	2	2500	100	0	0	0	0	0 0.6	8
1060P1	2809.000	22:05:25	1	2500	100	0	0	0	0	0 0.8	8
1060P1	2810.000	22:05:33	2	2500	100	0	0	0	0	0 1.1	8
1060P1	2811.000	22:05:42	1	2500	100	0	0	0	0	0 0.6	8
1060P1	2812.000	22:05:51	2	2500	100	0	0	0	0	0 0.9	8
1060P1	2813.000	22:05:59	1	2500	100	0	0	0	0	0 0.6	8

GCS90 Log Line 1060P1_1

Page 36/39

6/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	2814.000	22:06:08	2	2500	100	0	0	0	0	1.2	8
1060P1	2815.000	22:06:16	1	2500	100	0	0	0	0	1.6	8
DELTA ERR: 1 - S3-3											
1060P1	2816.000	22:06:25	2	2500	100	0	0	0	0	1.1	8
1060P1	2817.000	22:06:34	1	2500	100	0	0	0	0	1.0	8
1060P1	2818.000	22:06:42	2	2500	100	0	0	0	0	0.8	8
1060P1	2819.000	22:06:51	1	2500	100	0	0	0	0	0.7	8
1060P1	2820.000	22:06:59	2	2500	100	0	0	0	0	0.8	8
1060P1	2821.000	22:07:08	1	2500	100	0	0	0	0	0.6	8
1060P1	2822.000	22:07:17	2	2500	100	0	0	0	0	1.4	8
1060P1	2823.000	22:07:25	1	2500	100	0	0	0	0	1.0	8
1060P1	2824.000	22:07:34	2	2500	100	0	0	0	0	0.8	8
1060P1	2825.000	22:07:43	1	2500	100	0	0	0	0	0.7	8
1060P1	2826.000	22:07:51	2	2500	100	0	0	0	0	1.0	8
1060P1	2827.000	22:08:00	1	2500	100	0	0	0	0	1.0	8
1060P1	2828.000	22:08:08	2	2500	100	0	0	0	0	0.7	8
1060P1	2829.000	22:08:17	1	2500	100	0	0	0	0	1.0	8
1060P1	2830.000	22:08:25	2	2500	100	0	0	0	0	1.4	8
1060P1	2831.000	22:08:34	1	2500	100	0	0	0	0	0.6	8
1060P1	2832.000	22:08:43	2	2500	100	0	0	0	0	1.7	8
1060P1	2833.000	22:08:51	1	2500	100	0	0	0	0	0.8	8
1060P1	2834.000	22:09:00	2	2500	100	0	0	0	0	0.9	8
1060P1	2835.000	22:09:08	1	2500	100	0	0	0	0	0.8	8
1060P1	2836.000	22:09:17	2	2500	100	0	0	0	0	0.7	8
1060P1	2837.000	22:09:26	1	2500	100	0	0	0	0	0.9	8
1060P1	2838.000	22:09:34	2	2500	100	0	0	0	0	0.8	8
1060P1	2839.000	22:09:43	1	2500	100	0	0	0	0	1.1	8
1060P1	2840.000	22:09:51	2	2500	100	0	0	0	0	0.9	8
1060P1	2841.000	22:10:00	1	2500	100	0	0	0	0	0.7	8
1060P1	2842.000	22:10:08	2	2500	100	0	0	0	0	0.9	8
1060P1	2843.000	22:10:17	1	2500	100	0	0	0	0	0.5	8
1060P1	2844.000	22:10:25	2	2500	100	0	0	0	0	0.7	8
1060P1	2845.000	22:10:34	1	2500	100	0	0	0	0	1.1	8
1060P1	2846.000	22:10:43	2	2500	100	0	0	0	0	1.4	8
1060P1	2847.000	22:10:51	1	2500	100	0	0	0	0	0.5	8
1060P1	2848.000	22:11:00	2	2500	100	0	0	0	0	0.8	8
1060P1	2849.000	22:11:09	1	2500	100	0	0	0	0	1.4	8
1060P1	2850.000	22:11:17	2	2500	100	0	0	0	0	0.6	8
1060P1	2851.000	22:11:26	1	2500	100	0	0	0	0	0.8	8
1060P1	2852.000	22:11:35	2	2500	100	0	0	0	0	0.8	8
1060P1	2853.000	22:11:43	1	2500	100	0	0	0	0	0.6	8
1060P1	2854.000	22:11:52	2	2500	100	0	0	0	0	1.3	8
1060P1	2855.000	22:12:01	1	2500	100	0	0	0	0	0.9	8
1060P1	2856.000	22:12:09	2	2500	100	0	0	0	0	1.0	8
1060P1	2857.000	22:12:18	1	2500	100	0	0	0	0	0.7	8
1060P1	2858.000	22:12:26	2	2500	100	0	0	0	0	1.2	8
1060P1	2859.000	22:12:35	1	2500	100	0	0	0	0	1.2	8
1060P1	2860.000	22:12:44	2	2500	100	0	0	0	0	1.2	8
1060P1	2861.000	22:12:52	1	2500	100	0	0	0	0	0.8	8
1060P1	2862.000	22:13:01	2	2500	100	0	0	0	0	1.1	8
1060P1	2863.000	22:13:10	1	2500	100	0	0	0	0	0.5	8
1060P1	2864.000	22:13:18	2	2500	100	0	0	0	0	1.1	8
1060P1	2865.000	22:13:27	1	2500	100	0	0	0	0	1.1	8
1060P1	2866.000	22:13:36	2	2500	100	0	0	0	0	0.7	8
1060P1	2867.000	22:13:44	1	2500	100	0	0	0	0	0.9	8
1060P1	2868.000	22:13:53	2	2500	100	0	0	0	0	0.7	8
1060P1	2869.000	22:14:01	1	2500	100	0	0	0	0	0.4	8

GCS90 Log Line 1060P1_1

Page 37/39

6/11/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	2870.000	22:14:10	2	2500	100	0	0	0	0	1.3	8
1060P1	2871.000	22:14:19	1	2500	100	0	0	0	0	0.8	8
1060P1	2872.000	22:14:27	2	2500	100	0	0	0	0	1.5	8
1060P1	2873.000	22:14:36	1	2500	100	0	0	0	0	0.8	8
1060P1	2874.000	22:14:44	2	2500	100	0	0	0	0	0.7	8
1060P1	2875.000	22:14:53	1	2500	100	0	0	0	0	0.6	8
1060P1	2876.000	22:15:02	2	2500	100	0	0	0	0	1.1	8
1060P1	2877.000	22:15:10	1	2500	100	0	0	0	0	0.7	8
1060P1	2878.000	22:15:19	2	2500	100	0	0	0	0	0.9	8
1060P1	2879.000	22:15:27	1	2500	100	0	0	0	0	0.9	8
1060P1	2880.000	22:15:36	2	2500	100	0	0	0	0	1.0	8
1060P1	2881.000	22:15:44	1	2500	100	0	0	0	0	1.2	8
1060P1	2882.000	22:15:53	2	2500	100	0	0	0	0	0.5	8
1060P1	2883.000	22:16:01	1	2500	100	0	0	0	0	1.0	8
1060P1	2884.000	22:16:10	2	2500	100	0	0	0	0	1.4	8
1060P1	2885.000	22:16:19	1	2500	100	0	0	0	0	0.9	8
1060P1	2886.000	22:16:27	2	2500	100	0	0	0	0	0.7	8
1060P1	2887.000	22:16:36	1	2500	100	0	0	0	0	0.7	8
1060P1	2888.000	22:16:44	2	2500	100	0	0	0	0	0.6	8
1060P1	2889.000	22:16:53	1	2500	100	0	0	0	0	1.0	8
1060P1	2890.000	22:17:01	2	2500	100	0	0	0	0	1.3	8
1060P1	2891.000	22:17:10	1	2500	100	0	0	0	0	1.5	8
1060P1	2892.000	22:17:18	2	2500	100	0	0	0	0	1.2	8
1060P1	2893.000	22:17:27	1	2500	100	0	0	0	0	0.7	8
1060P1	2894.000	22:17:35	2	2500	100	0	0	0	0	0.7	8
1060P1	2895.000	22:17:44	1	2500	100	0	0	0	0	0.5	8
1060P1	2896.000	22:17:52	2	2500	100	0	0	0	0	0.6	8
1060P1	2897.000	22:18:01	1	2500	100	0	0	0	0	0.7	8
1060P1	2898.000	22:18:09	2	2500	100	0	0	0	0	0.8	8
1060P1	2899.000	22:18:18	1	2500	100	0	0	0	0	1.7	8
DELTA ERR: 1 - S1-3											
1060P1	2900.000	22:18:27	2	2500	100	0	0	0	0	1.0	8
1060P1	2901.000	22:18:35	1	2500	100	0	0	0	0	0.5	8
1060P1	2902.000	22:18:44	2	2500	100	0	0	0	0	1.1	8
1060P1	2903.000	22:18:53	1	2500	100	0	0	0	0	1.1	8
1060P1	2904.000	22:19:01	2	2500	100	0	0	0	0	1.2	8
1060P1	2905.000	22:19:10	1	2500	100	0	0	0	0	1.0	8
1060P1	2906.000	22:19:19	2	2500	100	0	0	0	0	0.9	8
1060P1	2907.000	22:19:28	1	2500	100	0	0	0	0	1.4	8
1060P1	2908.000	22:19:36	2	2500	100	0	0	0	0	0.9	8
1060P1	2909.000	22:19:45	1	2500	100	0	0	0	0	0.9	8
1060P1	2910.000	22:19:53	2	2500	100	0	0	0	0	1.7	8
1060P1	2911.000	22:20:02	1	2500	100	0	0	0	0	1.0	8
1060P1	2912.000	22:20:11	2	2500	100	0	0	0	0	1.1	8
1060P1	2913.000	22:20:19	1	2500	100	0	0	0	0	0.9	8
1060P1	2914.000	22:20:28	2	2500	100	0	0	0	0	1.1	8
1060P1	2915.000	22:20:37	1	2500	100	0	0	0	0	1.0	8
1060P1	2916.000	22:20:46	2	2500	100	0	0	0	0	0.5	8
1060P1	2917.000	22:20:54	1	2500	100	0	0	0	0	0.8	8
1060P1	2918.000	22:21:03	2	2500	100	0	0	0	0	0.9	8
1060P1	2919.000	22:21:12	1	2500	100	0	0	0	0	1.2	8
1060P1	2920.000	22:21:20	2	2500	100	0	0	0	0	0.8	8
1060P1	2921.000	22:21:29	1	2500	100	0	0	0	0	1.4	8
1060P1	2922.000	22:21:38	2	2500	100	0	0	0	0	0.5	8
1060P1	2923.000	22:21:47	1	2500	100	0	0	0	0	1.0	8
1060P1	2924.000	22:21:55	2	2500	100	0	0	0	0	0.8	8
1060P1	2925.000	22:22:04	1	2500	100	0	0	0	0	0.5	8

GCS90 Log Line 1060P1_1

Page 38/39

6/11/03					VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT		SHOT	LINE	MISS	DELTA	ERR	CNT
1060P1	2926.000	22:22:13	2	2500	100	0	0	0	0	0	0.8	8
1060P1	2927.000	22:22:21	1	2500	100	0	0	0	0	0	0.5	8
1060P1	2928.000	22:22:30	2	2500	100	0	0	0	0	0	1.2	8
1060P1	2929.000	22:22:39	1	2500	100	0	0	0	0	0	0.9	8
1060P1	2930.000	22:22:47	2	2500	100	0	0	0	0	0	0.5	8
1060P1	2931.000	22:22:56	1	2500	100	0	0	0	0	0	0.7	8
1060P1	2932.000	22:23:04	2	2500	100	0	0	0	0	0	1.0	8
1060P1	2933.000	22:23:13	1	2500	100	0	0	0	0	0	0.9	8
1060P1	2934.000	22:23:22	2	2500	100	0	0	0	0	0	0.8	8
1060P1	2935.000	22:23:31	1	2500	100	0	0	0	0	0	1.1	8
1060P1	2936.000	22:23:40	2	2500	100	0	0	0	0	0	1.6	8
1060P1	2937.000	22:23:48	1	2500	100	0	0	0	0	0	0.7	8
1060P1	2938.000	22:23:57	2	2500	100	0	0	0	0	0	0.6	8
1060P1	2939.000	22:24:06	1	2500	100	0	0	0	0	0	1.1	8
1060P1	2940.000	22:24:15	2	2500	100	0	0	0	0	0	0.8	8
1060P1	2941.000	22:24:24	1	2500	100	0	0	0	0	0	1.2	8
1060P1	2942.000	22:24:32	2	2500	100	0	0	0	0	0	1.0	8
1060P1	2943.000	22:24:41	1	2500	100	0	0	0	0	0	0.8	8
1060P1	2944.000	22:24:50	2	2500	100	0	0	0	0	0	1.1	8
1060P1	2945.000	22:24:59	1	2500	100	0	0	0	0	0	0.9	8
1060P1	2946.000	22:25:07	2	2500	100	0	0	0	0	0	0.4	8
1060P1	2947.000	22:25:16	1	2500	100	0	0	0	0	0	0.8	8
1060P1	2948.000	22:25:25	2	2500	100	0	0	0	0	0	1.0	8

GCS90 Log Line 1060P1_1

Page 39/39

STATISTICS SUMMARY LINE:1060P1 SHOT: 2949.000 22:25:25 6/11/03

ARRAY	SUB	GUN	TOTAL	DELT	MISS	AUTO	BAD	HCOUNT	2*QC	DELTA VARIATION				DEPTH	
										QC	OK	>QC	>2*QC	LOW	HIGH
Port	6	1	1000	6	0	0	0.6	457164	0	6	994	0	0	1	1
Port	6	2	1000	0	0	0	0.0	452938	0	0	1000	0	0	0	0
Port	6	3	1000	0	0	0	0.0	457812	0	0	1000	0	0	0	0
Port	6	4	0	0	0	0	0.0	10032	0	0	0	0	0	0	0
Port	6	5	0	0	0	0	0.0	280547	0	0	0	0	0	0	0
Port	6	6	1000	0	0	0	0.0	458055	0	0	1000	0	0	0	0
Port	6	7	1000	0	0	0	0.0	457878	0	0	1000	0	0	0	0
Port	6	8	0	0	0	0	0.0	282484	0	0	0	0	0	0	0
Port	6	9	1000	0	0	0	0.0	455092	0	0	1000	0	0	0	0
Port	6	10	1000	0	0	0	0.0	455931	0	0	1000	0	0	0	0
Port	6	11	1000	2	0	0	0.2	455686	0	0	998	2	0	1	0
Port	5	1	1000	0	0	0	0.0	457189	0	0	1000	0	0	0	1
Port	5	2	1000	0	0	0	0.0	457560	0	0	1000	0	0	0	0
Port	5	3	0	0	0	0	0.0	279644	0	0	0	0	0	0	0
Port	5	4	1000	0	0	0	0.0	92060	0	0	1000	0	0	0	0
Port	5	5	1000	0	0	0	0.0	457740	0	0	1000	0	0	0	0
Port	5	6	1000	0	0	0	0.0	458969	0	0	1000	0	0	0	0
Port	5	8	1000	0	0	0	0.0	457865	0	0	1000	0	0	0	0
Port	5	9	0	0	0	0	0.0	677	0	0	0	0	0	0	0
Port	5	10	0	0	0	0	0.0	279486	0	0	0	0	0	0	0
Port	5	11	0	0	0	0	0.0	6986	0	0	0	0	0	1	0
Port	4	1	1000	0	0	0	0.0	454756	0	0	1000	0	0	0	1
Port	4	2	0	0	0	0	0.0	283971	0	0	0	0	0	0	0
Port	4	3	1000	1	0	0	0.1	452903	0	1	999	0	0	0	0
Port	4	4	1000	0	0	0	0.0	457371	0	0	1000	0	0	0	0
Port	4	5	1000	0	0	0	0.0	457396	0	0	1000	0	0	0	0
Port	4	6	1000	0	0	0	0.0	454081	0	0	1000	0	0	0	0
Port	4	7	0	0	0	0	0.0	280514	0	0	0	0	0	0	0
Port	4	8	0	0	0	0	0.0	257312	0	0	0	0	0	0	0
Port	4	9	1000	0	0	0	0.0	202166	0	0	1000	0	0	0	0
Port	4	10	1000	0	0	0	0.0	457797	0	0	1000	0	0	0	0
Port	4	11	1000	0	0	0	0.0	456266	0	0	1000	0	0	0	1
Starboard	3	1	998	0	0	0	0.0	258318	0	0	998	0	0	2	0
Starboard	3	2	998	0	0	0	0.0	259406	0	0	998	0	0	0	0
Starboard	3	3	998	3	0	0	0.3	259869	0	3	995	0	0	0	0
Starboard	3	4	0	0	0	0	0.0	3566	0	0	0	0	0	0	0
Starboard	3	5	0	0	0	0	0.0	213558	0	0	0	0	0	0	0
Starboard	3	6	998	0	0	0	0.0	259940	0	0	998	0	0	0	0
Starboard	3	7	998	0	0	0	0.0	258557	0	0	998	0	0	0	0
Starboard	3	8	0	0	0	0	0.0	213670	0	0	0	0	0	0	0
Starboard	3	9	998	0	0	0	0.0	259912	0	0	998	0	0	0	0
Starboard	3	10	998	0	0	0	0.0	259123	0	0	998	0	0	0	0
Starboard	3	11	998	0	0	0	0.0	259482	0	0	998	0	0	2	0
Starboard	2	1	998	0	0	0	0.0	268185	0	0	998	0	0	0	0
Starboard	2	2	998	1	0	0	0.1	268727	0	0	997	1	0	0	0
Starboard	2	3	0	0	0	0	0.0	222256	0	0	0	0	0	0	0
Starboard	2	4	0	0	0	0	0.0	9576	0	0	0	0	0	0	0
Starboard	2	5	998	0	0	0	0.0	268615	0	0	998	0	0	0	0
Starboard	2	6	998	0	0	0	0.0	269335	0	0	998	0	0	0	0
Starboard	2	7	998	0	0	0	0.0	268780	0	0	998	0	0	0	0
Starboard	2	8	998	0	0	0	0.0	268452	0	0	998	0	0	0	0
Starboard	2	9	0	0	0	0	0.0	9706	0	0	0	0	0	0	0
Starboard	2	10	0	0	0	0	0.0	221379	0	0	0	0	0	0	0
Starboard	2	11	0	0	0	0	0.0	12539	0	0	0	0	0	0	0
Starboard	1	1	998	0	0	0	0.0	284892	0	0	998	0	0	0	0
Starboard	1	2	0	0	0	0	0.0	237704	0	0	0	0	0	0	0
Starboard	1	3	998	1	0	0	0.1	284745	0	0	997	1	0	0	0
Starboard	1	4	998	0	0	0	0.0	98804	0	0	998	0	0	0	0
Starboard	1	5	998	0	0	0	0.0	285032	0	0	998	0	0	0	0
Starboard	1	6	998	0	0	0	0.0	285222	0	0	998	0	0	0	0
Starboard	1	7	0	0	0	0	0.0	238657	0	0	0	0	0	0	0
Starboard	1	8	0	0	0	0	0.0	242517	0	0	0	0	0	0	0
Starboard	1	9	998	0	0	0	0.0	66676	0	0	998	0	0	0	0
Starboard	1	10	998	0	0	0	0.0	280794	0	0	998	0	0	0	0
Starboard	1	11	998	0	0	0	0.0	278589	0	0	998	0	0	0	0

SOURCE STATISTICS

SOURCE	SHOTS	DELTA	VOL	AUTO	BAD
1	998	0	0	0	0.0
2	1000	0	0	0	0.0