

Guardian Data SEISMIC

Guardian Data Seismic
38 Ord Street
WEST PERTH WA 6005
Telephone: (08) 9214-6212
Facsimile: (08) 9214-6260
Email: gdsperth@gds.com.au

TRANSCRIPTION REPORT

DATA TYPE: Seismic Field Data

J O B D E T A I L S

CLIENT :	Dept of Nat. Res. & Env - Vic	NO. OF COPIES:	1
YOUR REF NO:	OB84B	NO. REELS TRANSCRIBED:	274
OUR REF NO. :	AU32501	NO. REELS NOT TRANSCRIBED:	4
	Dept of Nat. Res. & Env - Vic	NO. OUTPUT MEDIA:	1
REFER. DOC. :		TRANSCRIPTION DATE:	March, 2003
JOB TYPE:	Reformatting/Demultiplexing		

PRINTED: 24/03/2003 10:03:03

S U R V E Y D E T A I L S

SURVEY :	Timboon OB84B
SURVEY YEAR :	1984
SURVEY TYPE :	2D Survey / Land
PERMIT/BLOCK:	PEP-108
ACQUISITION COMPANY :	Geosystems Pty Ltd

M E D I A D E T A I L S

INPUT TYPE :	9 Track ½" open reel tape, 1600 BPI PE
INPUT LEN/CAP :	2400 feet
INPUT FORMAT :	GEOSYSTEMS GEOCOR
OUTPUT TYPE :	128 Track 3590 cartridge
OUTPUT LEN/CAP :	10.0 GByte
OUTPUT FORMAT :	SEG Y

TRANSCRIPTION DETAILS

Output Media ID	Output File No.	Input File No	Line Number	Reel ID	Shotpoint Range	Record Range	Records Read Count	Records Dropped Count	Hard Error Count	Soft Error Count
		1	OB84B-12	B_BPTB112A	1370 - 1300	-				
Remarks : [OTH-DO NOT USE]										
		1	OB84B-310	B_BPTB265A	565 - 625	-				
Remarks : [OTH-DO NOT USE]										
		1	OB84B-316	B_BPTB272	1400 - 1315	-				
Remarks : [OTH-FT COPY USED]										
		1	OB84B-55	B_BPTB213A	810 - 850	-				
Remarks : [OTH-DO NOT USE]										
AU32501-001A	1	1	OB84B-12	B_BPTB100	2310 - 2240	1 - 15	15	0	0	0
	1	1		B_BPTB101	2235 - 2160	16 - 31	16	0	3	0
	1	1		B_BPTB102	2155 - 2075	32 - 47	16	0	1	0
	1	1		B_BPTB103	2070 - 1990	48 - 62	15	0	7	0
	1	1		B_BPTB104	1985 - 1910	63 - 77	15	0	6	0
	1	1		B_BPTB105	1905 - 1835	78 - 92	15	0	1	0
	1	1		B_BPTB106	1800 - 1760	93 - 107	15	0	0	0
	1	1		B_BPTB107	1755 - 1680	108 - 122	15	0	6	0
	1	1		B_BPTB108	1675 - 1605	123 - 134	12	0	3	0
	1	1		B_BPTB109	1600 - 1525	135 - 150	16	0	0	0
	1	1		B_BPTB110	1520 - 1450	151 - 165	15	0	0	0
	1	1		B_BPTB111	1445 - 1375	166 - 180	14	0	0	0
	1	1		B_BPTB112	1370 - 1300	181 - 195	15	0	0	0
	1	1		B_BPTB113	1295 - 1275	196 - 210	15	0	0	0
	1	1		B_BPTB114	1220 - 1140	211 - 225	15	0	0	0
	1	1		B_BPTB115	1135 - 1065	226 - 240	15	0	0	0
	1	1		B_BPTB116	1060 - 985	241 - 256	16	0	4	0
	1	1		B_BPTB117	980 - 885	257 - 273	17	0	6	0
	1	1		B_BPTB118	885 - 835	274 - 286	13	0	0	0
	1	1		B_BPTB119	830 - 760	287 - 301	15	0	0	0
	1	1		B_BPTB120	755 - 685	302 - 316	15	0	0	0
	1	1		B_BPTB121	680 - 605	317 - 331	15	0	0	0
	1	1		B_BPTB122	600 - 495	332 - 347	16	0	0	0
	1	1		B_BPTB123	490 - 420	348 - 362	15	0	0	0
	1	1		B_BPTB124	415 - 345	363 - 377	15	0	0	0
	1	1		B_BPTB125	340 - 265	378 - 392	15	0	5	0
	1	1		B_BPTB126	260 - 170	393 - 407	15	0	7	0
	1	1		B_BPTB127	170 - 110	408 - 422	15	0	7	0
	1	1		B_BPTB128	105 - 35	423 - 436	14	0	0	0
	1	1		B_BPTB129	30 - 15	437 - 440	4	0	1	0
	1	1		B_BPTB180	2415 - 2345	441 - 455	15	0	0	0
	1	1		B_BPTB181	2340 - 2260	456 - 470	15	0	0	0
	1	1		B_BPTB182	2225 - 2160	471 - 485	15	0	1	0
	1	1		B_BPTB183	2160 - 2105	486 - 501	16	0	0	0
	1	1		B_BPTB184	2095 - 2050	502 - 507	6	0	0	0
	2	1	OB84B-301	B_BPTB185	1675 - 1605	1 - 15	15	0	0	0
	2	1		B_BPTB186	1600 - 1530	16 - 30	15	0	0	0
	2	1		B_BPTB187	1525 - 1450	31 - 45	15	0	0	0
	2	1		B_BPTB188	1445 - 1370	46 - 61	16	0	0	0

TRANSCRIPTION DETAILS

Output Media ID	Output File No.	Input File No	Line Number	Reel ID	Shotpoint Range	Record Range	Records Read Count	Records Dropped Count	Hard Error Count	Soft Error Count
AU32501-001A	2	1	OB84B-301	B_BPTB189	1365 - 1295	62 - 75	14	0	1	0
	2	1		B_BPTB190	1290 - 1205	76 - 91	16	0	0	0
	2	1		B_BPTB191	1200 - 1115	92 - 104	13	0	0	0
	2	1		B_BPTB192	1070 - 1040	105 - 119	15	0	0	0
	2	1		B_BPTB193	1035 - 965	120 - 134	15	0	0	0
	2	1		B_BPTB194	960 - 850	135 - 149	15	0	0	0
	2	1		B_BPTB195	850 - 815	150 - 164	15	0	0	0
	2	1		B_BPTB196	810 - 740	165 - 179	15	0	0	0
	2	1		B_BPTB197	735 - 660	180 - 195	16	0	0	0
	2	1		B_BPTB198	655 - 525	196 - 211	16	0	0	0
	2	1		B_BPTB199	525 - 510	212 - 225	14	0	0	0
	2	1		B_BPTB200	475 - 420	226 - 241	16	0	0	0
	2	1		B_BPTB201	425 - 345	242 - 257	16	0	0	0
	2	1		B_BPTB202	340 - 265	258 - 273	16	0	0	0
	2	1		B_BPTB203_1	260 - 170	274 - 289	16	0	0	0
	2	1		B_BPTB203_2	170 - 110	290 - 304	15	0	0	0
	2	1		B_BPTB204	105 - 75	305 - 311	7	0	0	0
	3	1	OB84B-302	B_BPTB035	2115 - 2045	1 - 15	15	0	2	0
	3	1		B_BPTB036	2040 - 1970	16 - 30	15	0	1	0
	3	1		B_BPTB037	1965 - 1895	31 - 45	15	0	1	0
	3	1		B_BPTB038	1890 - 1820	46 - 60	15	0	2	0
	3	1		B_BPTB039	1815 - 1760	61 - 72	12	0	2	0
	3	1		B_BPTB040	1755 - 1685	73 - 87	15	0	0	0
	3	1		B_BPTB041	1680 - 1610	88 - 102	15	0	3	0
	3	1		B_BPTB042	1605 - 1515	103 - 117	15	0	1	0
	3	1		B_BPTB043	1510 - 1440	118 - 132	19	0	7	0
	3	1		B_BPTB044	1435 - 1365	133 - 147	15	0	0	0
	3	1		B_BPTB045	1360 - 1290	148 - 162	15	0	4	0
	3	1		B_BPTB046	1285 - 1215	163 - 177	15	0	0	0
	3	1		B_BPTB047	1210 - 1140	178 - 192	15	0	3	0
	3	1		B_BPTB048	1135 - 1060	193 - 207	15	0	1	0
	3	1		B_BPTB049	1055 - 975	208 - 222	15	0	3	0
	3	1		B_BPTB050	970 - 900	223 - 237	15	0	0	0
	3	1		B_BPTB051	895 - 835	238 - 249	12	0	0	0
	3	1		B_BPTB052	830 - 760	250 - 264	15	0	1	0
	3	1		B_BPTB053	755 - 685	265 - 279	15	0	8	0
	3	1		B_BPTB054	680 - 595	280 - 294	15	0	1	0
	3	1		B_BPTB055	590 - 520	295 - 309	15	0	1	0
	3	1		B_BPTB056	515 - 430	310 - 324	15	0	1	0
	3	1		B_BPTB057	425 - 355	325 - 339	15	0	2	0
	3	1		B_BPTB058	350 - 280	340 - 354	15	0	0	0
	3	1		B_BPTB059	275 - 210	355 - 368	14	0	0	0
	4	1	OB84B-304	B_BPTB060	100 - 170	1 - 15	15	0	0	0
	4	1		B_BPTB061	175 - 245	16 - 30	15	0	1	0
	4	1		B_BPTB062	250 - 320	31 - 45	15	0	0	0
	4	1		B_BPTB063	325 - 400	46 - 61	16	0	1	0

TRANSCRIPTION DETAILS

Output Media ID	Output File No.	Input File No	Line Number	Reel ID	Shotpoint Range	Record Range	Records Read Count	Records Dropped Count	Hard Error Count	Soft Error Count
AU32501-001A	4	1	OB84B-304	B_BPTB064	405 - 475	62 - 76	15	0	0	0
	4	1		B_BPTB065	480 - 550	77 - 91	15	0	0	0
	4	1		B_BPTB066	555 - 650	92 - 106	15	0	0	0
	4	1		B_BPTB067	655 - 720	107 - 120	14	0	0	0
	4	1		B_BPTB068	725 - 795	121 - 135	15	0	2	0
	4	1		B_BPTB069	840 - 880	136 - 150	15	0	0	0
	4	1		B_BPTB070	880 - 930	151 - 162	12	0	0	0
	4	1		B_BPTB071	935 - 1010	163 - 177	15	0	0	0
	4	1		B_BPTB072	1015 - 1090	178 - 192	15	0	0	0
	4	1		B_BPTB073	1095 - 1135	193 - 198	6	0	0	0
	4	1		B_BPTB074	1140 - 1210	198 - 212	15	0	0	0
	4	1		B_BPTB075	1215 - 1285	213 - 227	15	0	1	0
	4	1		B_BPTB076	1290 - 1360	228 - 242	15	0	0	0
	4	1		B_BPTB077	1365 - 1420	243 - 254	12	0	0	0
	4	1		B_BPTB078	1425 - 1445	255 - 259	5	0	0	0
	5	1	OB84B-306	B_BPTB079	100 - 180	1 - 16	16	0	0	0
	5	1		B_BPTB080	185 - 255	17 - 31	15	0	0	0
	5	1		B_BPTB081	260 - 330	32 - 46	15	0	0	0
	5	1		B_BPTB082	335 - 415	47 - 61	15	0	0	0
	5	1		B_BPTB083	420 - 490	62 - 76	15	0	0	0
	5	1		B_BPTB084	495 - 570	77 - 92	16	0	0	0
	5	1		B_BPTB085	575 - 685	93 - 107	15	0	1	0
	5	1		B_BPTB086	690 - 765	108 - 122	15	0	0	0
	5	1		B_BPTB087	770 - 840	123 - 137	15	0	0	0
	5	1		B_BPTB088	845 - 940	138 - 152	15	0	2	0
	5	1		B_BPTB089	945 - 1015	153 - 167	15	0	0	0
	5	1		B_BPTB090	1020 - 1065	168 - 177	10	0	0	0
	5	1		B_BPTB091	1110 - 1145	178 - 191	14	0	0	0
	5	1		B_BPTB092	1160 - 1225	192 - 205	14	0	1	0
	5	1		B_BPTB093	1245 - 1315	206 - 220	15	0	0	0
	5	1		B_BPTB094	1320 - 1370	221 - 231	11	0	0	0
	5	1		B_BPTB095	1405 - 1445	232 - 246	15	0	1	0
	5	1		B_BPTB096	1450 - 1520	247 - 261	15	0	0	0
	5	1		B_BPTB097	1565 - 1595	262 - 276	15	0	0	0
	5	1		B_BPTB098	1600 - 1670	277 - 291	15	0	5	0
	5	1		B_BPTB099	1675 - 1780	292 - 308	17	0	1	0
	6	1	OB84B-310	B_BPTB259	100 - 170	1 - 15	15	0	0	0
	6	1		B_BPTB260	175 - 270	16 - 32	17	0	0	0
	6	1		B_BPTB261	270 - 330	33 - 46	14	0	2	0
	6	1		B_BPTB262	330 - 400	47 - 61	15	0	0	0
	6	1		B_BPTB263	405 - 475	62 - 76	15	0	1	0
	6	1		B_BPTB264	480 - 550	77 - 91	15	0	0	0
	6	1		B_BPTB265	565 - 625	92 - 106	15	0	0	0
	6	1		B_BPTB266	630 - 700	107 - 121	15	0	0	0
	6	1		B_BPTB267	705 - 775	122 - 130	9	0	0	0
	6	1		B_BPTB268	775 - 825	131 - 145	15	0	2	0

TRANSCRIPTION DETAILS

Output Media ID	Output File No.	Input File No	Line Number	Reel ID	Shotpoint Range	Record Range	Records Read Count	Records Dropped Count	Hard Error Count	Soft Error Count
AU32501-001A	6	1	OB84B-310	B_BPTB269	835 - 905	146 - 160	15	0	0	0
	6	1		B_BPTB270	910 - 980	161 - 175	15	0	1	0
	6	1		B_BPTB271	985 - 1025	176 - 184	9	0	0	0
	7	1	OB84B-314	B_BPTB168	250 - 320	1 - 15	15	0	0	0
	7	1		B_BPTB169	325 - 370	16 - 25	10	0	0	0
	7	1		B_BPTB170	375 - 450	26 - 41	16	0	0	0
	7	1		B_BPTB171	455 - 535	42 - 56	15	0	2	0
	7	1		B_BPTB172	540 - 585	57 - 66	10	0	0	0
	7	1		B_BPTB173	590 - 665	67 - 79	13	0	0	0
	7	1		B_BPTB174	670 - 740	80 - 93	14	0	0	0
	7	1		B_BPTB175	740 - 810	94 - 108	15	0	0	0
	7	1		B_BPTB176	815 - 895	109 - 123	15	0	0	0
	7	1		B_BPTB177	900 - 970	124 - 138	15	0	0	0
	7	1		B_BPTB178	975 - 1055	139 - 153	15	0	0	0
	7	1		B_BPTB179	1060 - 1125	154 - 167	14	0	0	0
	8	1	OB84B-316	FTCOPY-1	1385 - 985	1 - 73	73	0	0	0
	8	1		FTCOPY-2	980 - 590	74 - 143	70	0	1	0
	8	1		FTCOPY-3	585 - 280	144 - 203	60	0	0	0
	8	1		FTCOPY-4	275 - 150	204 - 229	26	0	0	0
	9	1	OB84B-34	B_BPTB232	100 - 175	1 - 14	14	0	2	0
	9	1		B_BPTB233	215 - 245	15 - 29	15	0	3	0
	9	1		B_BPTB234	255 - 345	30 - 44	15	0	0	0
	9	1		B_BPTB235	350 - 425	45 - 59	15	0	1	0
	9	1		B_BPTB236	420 - 450	60 - 73	14	0	3	0
	9	1		B_BPTB237	455 - 575	74 - 88	15	0	0	0
	9	1		B_BPTB238	580 - 660	89 - 103	15	0	0	0
	9	1		B_BPTB239	665 - 735	104 - 118	15	0	1	0
	9	1		B_BPTB240	740 - 820	119 - 133	15	0	0	0
	9	1		B_BPTB241	825 - 915	134 - 148	15	0	0	0
	9	1		B_BPTB242	920 - 990	149 - 163	15	0	3	0
	9	1		B_BPTB243	995 - 1075	164 - 178	15	0	0	0
	9	1		B_BPTB244	1080 - 1140	179 - 191	13	0	0	0
	9	1		B_BPTB245	1145 - 1215	192 - 206	15	0	0	0
	9	1		B_BPTB246	1220 - 1290	207 - 221	15	0	1	0
	9	1		B_BPTB247	1295 - 1365	222 - 236	15	0	0	0
	9	1		B_BPTB248	1370 - 1440	237 - 251	15	0	2	0
	9	1		B_BPTB249	1445 - 1520	252 - 266	15	0	0	0
	9	1		B_BPTB250	1525 - 1540	267 - 270	4	0	0	0
	10	1	OB84B-55	B_BPTB205	160 - 235	1 - 16	16	0	0	0
	10	1		B_BPTB206	240 - 310	17 - 31	15	0	0	0
	10	1		B_BPTB207	315 - 385	32 - 46	15	0	0	0
	10	1		B_BPTB208	390 - 455	47 - 61	15	0	1	0
	10	1		B_BPTB209	525 - 565	62 - 76	15	0	1	0
	10	1		B_BPTB210	570 - 640	77 - 91	15	0	0	0
	10	1		B_BPTB211	645 - 725	92 - 106	15	0	0	0
	10	1		B_BPTB212	730 - 810	107 - 121	15	0	0	0

TRANSCRIPTION DETAILS

Output Media ID	Output File No.	Input File No	Line Number	Reel ID	Shotpoint Range	Record Range	Records Read Count	Records Dropped Count	Hard Error Count	Soft Error Count
AU32501-001A	10	1	OB84B-55	B_BPTB213	810 - 850	122 - 135	14	0	0	0
	10	1		B_BPTB214	850 - 950	136 - 151	16	0	0	0
	10	1		B_BPTB215	955 - 1025	152 - 166	15	0	0	0
	10	1		B_BPTB216	1030 - 1100	167 - 181	15	0	0	0
	10	1		B_BPTB217	1105 - 1165	182 - 196	15	0	0	0
	10	1		B_BPTB218	1165 - 1250	197 - 211	15	0	0	0
	10	1		B_BPTB219	1255 - 1330	212 - 226	15	0	0	0
	10	1		B_BPTB220	1335 - 1420	227 - 241	15	0	0	0
	10	1		B_BPTB221	1425 - 1500	242 - 257	16	0	0	0
	10	1		B_BPTB222	1505 - 1590	258 - 273	16	0	0	0
	10	1		B_BPTB223	1590 - 1660	274 - 288	15	0	0	0
	10	1		B_BPTB224	1670 - 1760	289 - 303	15	0	0	0
	10	1		B_BPTB225	1765 - 1845	304 - 318	15	0	0	0
	10	1		B_BPTB226	1845 - 1890	319 - 333	15	0	0	0
	10	1		B_BPTB227	1925 - 2010	334 - 348	15	0	0	0
	10	1		B_BPTB228	2015 - 2090	349 - 363	15	0	0	0
	10	1		B_BPTB229	2095 - 2180	364 - 378	15	0	0	0
	10	1		B_BPTB230	2185 - 2260	379 - 393	15	0	0	0
	10	1		B_BPTB231	2265 - 2335	394 - 408	15	0	0	0
	11	1	OB84B-6	B_BPTB149	1500 - 1430	1 - 15	15	0	0	0
	11	1		B_BPTB150	1425 - 1335	16 - 31	16	0	0	0
	11	1		B_BPTB151	1330 - 1260	32 - 46	15	0	0	0
	11	1		B_BPTB152	1255 - 1200	47 - 61	15	0	1	0
	11	1		B_BPTB153	1200 - 1110	62 - 76	15	0	0	0
	11	1		B_BPTB154	1105 - 1015	77 - 91	15	0	0	0
	11	1		B_BPTB155	1010 - 940	92 - 104	13	0	0	0
	11	1		B_BPTB156	935 - 855	105 - 119	15	0	0	0
	11	1		B_BPTB157	855 - 775	120 - 135	16	0	6	0
	11	1		B_BPTB158	770 - 680	136 - 150	15	0	9	0
	11	1		B_BPTB159	675 - 595	151 - 166	16	0	2	0
	11	1		B_BPTB160	590 - 520	167 - 179	13	0	2	0
	11	1		B_BPTB161	515 - 465	180 - 190	11	0	5	0
	11	1		B_BPTB162	460 - 385	191 - 205	15	0	0	0
	11	1		B_BPTB163	380 - 310	206 - 220	15	0	0	0
	11	1		B_BPTB164	305 - 235	221 - 235	15	0	0	0
	11	1		B_BPTB165	230 - 155	236 - 250	15	0	0	0
	11	1		B_BPTB166	150 - 80	251 - 265	15	0	0	0
	11	1		B_BPTB167	75 - 15	266 - 278	13	0	0	0
	12	1	OB84B-62	B_BPTB251	100 - 180	1 - 15	15	0	0	0
	12	1		B_BPTB252	185 - 260	16 - 30	15	0	1	0
	12	1		B_BPTB253	265 - 335	31 - 45	15	0	1	0
	12	1		B_BPTB254	340 - 415	46 - 60	15	0	0	0
	12	1		B_BPTB255	420 - 500	61 - 76	16	0	0	0
	12	1		B_BPTB257	590 - 675	93 - 107	15	0	4	0
	13	1	OB84B-8	B_BPTB130	100 - 180	1 - 15	15	0	2	0
	13	1		B_BPTB131	185 - 265	16 - 30	15	0	5	0

TRANSCRIPTION DETAILS

Output Media ID	Output File No.	Input File No	Line Number	Reel ID	Shotpoint Range	Record Range	Records Read Count	Records Dropped Count	Hard Error Count	Soft Error Count
AU32501-001A	13	1	OB84B-8	B_BPTB132	270 - 365	31 - 45	15	0	2	0
	13	1		B_BPTB133	380 - 455	46 - 60	15	0	0	0
	13	1		B_BPTB134	460 - 535	61 - 75	15	0	0	0
	13	1		B_BPTB135	540 - 610	76 - 90	15	0	0	0
	13	1		B_BPTB136	615 - 670	91 - 105	15	0	0	0
	13	1		B_BPTB137	710 - 770	106 - 119	14	0	0	0
	13	1		B_BPTB138	775 - 855	120 - 132	13	0	1	0
	13	1		B_BPTB139	860 - 930	133 - 148	16	0	0	0
	13	1		B_BPTB140	930 - 1010	149 - 163	15	0	0	0
	13	1		B_BPTB141	1015 - 1075	164 - 176	13	0	0	0
	13	1		B_BPTB142	1080 - 1150	177 - 191	15	0	0	0
	13	1		B_BPTB143	1155 - 1225	192 - 206	15	0	0	0
	13	1		B_BPTB144	1225 - 1300	207 - 221	15	0	0	0
	13	1		B_BPTB145	1305 - 1340	222 - 229	8	0	0	0
	13	1		B_BPTB146	1340 - 1420	229 - 242	14	0	0	0
	13	1		B_BPTB148	1425 - 1435	243 - 245	3	0	0	0
	14	1	OB84B-96	B_BPTB001	145 - 200	1 - 14	14	0	3	0
Remarks : [OTH-Higher frequency tape]										
	14	1		B_BPTB002	205 - 270	15 - 26	12	0	1	0
Remarks : [OTH-Higher frequency tape]										
	14	1		B_BPTB004	345 - 415	41 - 55	15	0	0	0
Remarks : [OTH-File 53 - wrong spread (use 004A)]										
	14	1		B_BPTB005	420 - 490	56 - 70	15	0	2	0
	14	1		B_BPTB006	495 - 565	71 - 85	15	0	1	0
	14	1		B_BPTB007	570 - 640	86 - 100	15	0	0	0
	14	1		B_BPTB008	645 - 715	101 - 115	15	0	0	0
	14	1		B_BPTB009	720 - 790	116 - 130	15	0	0	0
	14	1		B_BPTB010	795 - 865	131 - 145	15	0	3	0
	14	1		B_BPTB011	870 - 940	146 - 160	15	0	0	0
	14	1		B_BPTB012	945 - 1035	161 - 175	15	0	0	0
	14	1		B_BPTB013	1040 - 1130	176 - 190	15	0	1	0
	14	1		B_BPTB014	1135 - 1205	191 - 205	15	0	0	0
	14	1		B_BPTB015	1210 - 1280	206 - 220	15	0	1	0
	14	1		B_BPTB016	1285 - 1355	221 - 235	15	0	1	0
	14	1		B_BPTB017	1360 - 1435	236 - 250	15	0	0	0
	14	1		B_BPTB018	1435 - 1505	251 - 265	15	0	0	0
	14	1		B_BPTB019	1510 - 1580	266 - 280	15	0	0	0
	14	1		B_BPTB020	1585 - 1655	281 - 295	15	0	1	0
	14	1		B_BPTB021	1660 - 1730	296 - 310	15	0	0	0
	14	1		B_BPTB022	1730 - 1815	311 - 325	15	0	0	0
	14	1		B_BPTB023	1820 - 1875	326 - 337	12	0	0	0
	14	1		B_BPTB024	1880 - 1950	338 - 352	15	0	0	0
	14	1		B_BPTB025	1955 - 2015	353 - 365	13	0	0	0
	14	1		B_BPTB026	2020 - 2090	366 - 380	15	0	1	0
	14	1		B_BPTB027	2095 - 2165	381 - 395	15	0	0	0
	14	1		B_BPTB028	2170 - 2265	396 - 410	15	0	0	0
	14	1		B_BPTB029	2270 - 2290	411 - 415	5	0	0	0

TRANSCRIPTION DETAILS

Output Media ID	Output File No.	Input File No	Line Number	Reel ID	Shotpoint Range	Record Range	Records Read Count	Records Dropped Count	Hard Error Count	Soft Error Count
AU32501-001A	14	1	OB84B-96	B_BPTB030	2290 - 2360	415 - 429	15	0	0	0
	14	1		B_BPTB031	2365 - 2445	430 - 444	15	0	0	0
	14	1		B_BPTB032	2450 - 2520	445 - 459	15	0	0	0
	14	1		B_BPTB033	2525 - 2595	460 - 474	15	0	0	0
	14	1		B_BPTB034	2600 - 2605	475 - 476	2	0	0	0
	14	1		TEST_TAPE_1	860 - 2605	1 - 20	20	0	1	0
	14	1		TEST_TAPE_2	860 - 2605	25 - 40	16	0	0	0

TRANSCRIPTION REMARK CODES

ERROR TYPE	CODE	ERROR	ACTION
------------	------	-------	--------

PHYSICAL TAPE CONDITION	SY	STICKY TAPE	INSERT REMARK
	PD	PHYSICALLY DAMAGED TAPE(HARD ERROR)	CHEWED, STRETCHED, HARD ERROR, OXIDE LOSS

LABELLING & DOCUMENTATION	TLD	TAPE LABEL DIFFERS FROM REFERENCE DOCUMENTATION	DESCRIBE LABELLING DIFFERENCE
	DOL	DATA ON TAPE DIFFERS FROM REFERENCE DOCUMENTATION	DESCRIBE DIFFERENCE
	DOC	REFERENCE DOCUMENTATION IS DIFFERENT FROM THAT STATED AT THE BEGINNING OF THE TRANSCRIPTION REPORT	DESCRIBE SUBSTITUTE DOCUMENTATION USED

DATA FORMAT	FORM	DATA FORMAT ERROR	DESCRIBE ERROR IN DATA FORMAT
----------------	-------------	-------------------	-------------------------------

MISCELLANEOUS TAPE PROBLEMS	OTH	ADDITIONAL ERRORS NOT DESCRIBED IN ABOVE LIST	DESCRIBE ERROR
	SKEW	DATA SKEWED ON TAPE	INSERT REMARK
	BLNK	BLANK	CONTAINS NO DATA
	MISS	MISSING INPUT REEL ACCORDING TO REFERENCE DOCUMENTATION	INSERT REMARK
	SCRT	SCRATCH TAPE ACCORDING TO REFERENCE DOCUMENTATION	DO NOT PROCESS-INSERT REMARK