

Guardian Data SEISMIC

Guardian Data Seismic
38 Ord Street
WEST PERTH WA 6005
Telephone: (08) 9214-6212
Facsimile: (08) 9214-6260
Email: gdsperth@gds.com.au

TRANSCRIPTION REPORT

DATA TYPE: Seismic Field Data

J O B D E T A I L S

CLIENT :	Dept of Nat. Res. & Env - Vic	NO. OF COPIES:	2
YOUR REF NO:	G162	NO. REELS TRANSCRIBED:	359
OUR REF NO. :	AU32591	NO. REELS NOT TRANSCRIBED:	0
	Dept of Nat. Res. & Env - Vic	NO. OUTPUT MEDIA:	1
REFER. DOC. :		TRANSCRIPTION DATE:	April, 2003
JOB TYPE:	Reformatting/Demultiplexing		

PRINTED: 16/04/2003 10:40:38

S U R V E Y D E T A I L S

SURVEY : OWM82A (WM81) Otway Basin
SURVEY YEAR : 1982
SURVEY TYPE : 2D Survey / Land

ACQUISITION COMPANY : Seismograph Service Ltd

M E D I A D E T A I L S

INPUT TYPE : 9 Track ½" open reel tape, 800 BPI NRZI
INPUT LEN/CAP : 1200 feet
INPUT FORMAT : SEG B

OUTPUT TYPE : 128 Track 3590 cartridge
OUTPUT LEN/CAP : 10.0 GByte
OUTPUT FORMAT : SEG Y

TRANSCRIPTION DETAILS

Output Media ID	Output File No.	Input File No	Line Number	Reel ID	Shotpoint Range	Record Range	Records Read Count	Records Dropped Count	Hard Error Count	Soft Error Count
AU32591-001A	1	1	OWM82A-H	97	100 - 108	1 - 9	9	1	2	0
	1	1		98	109 - 117	10 - 18	9	0	1	0
	1	1		99	118 - 126	19 - 27	9	0	0	0
	1	1		100	127 - 135	28 - 36	9	0	2	0
	1	1		101	136 - 144	37 - 45	9	0	0	0
	1	1		102	145 - 152	46 - 54	8	1	1	0
	1	1		103	153 - 160	55 - 64	10	0	3	0
	1	1		104	161 - 168	65 - 72	14	0	3	0
	1	1		105	169 - 175	73 - 79	10	1	2	0
	1	1		106	176 - 185	80 - 88	9	0	3	0
	1	1		107	186 - 194	90 - 98	9	0	0	0
	1	1		108	195 - 203	99 - 107	9	0	1	0
	1	1		109	204 - 212	108 - 116	9	0	0	0
	1	1		110	213 - 221	117 - 125	9	0	0	0
	1	1		111	222 - 230	126 - 134	9	0	6	0
	1	1		112	231 - 239	135 - 143	9	0	9	0
	1	1		113	240 - 246	144 - 150	17	0	2	0
	1	1		114	247 - 254	151 - 158	10	1	10	0
	1	1		115	256 - 265	159 - 167	9	0	4	0
	1	1		116	266 - 273	169 - 176	8	0	7	0
	1	1		117	274 - 280	177 - 183	7	0	7	0
	1	1		118	281 - 287	184 - 190	7	0	5	0
	1	1		119	288 - 294	191 - 198	8	0	6	0
	1	1		120	295 - 302	199 - 206	8	0	7	0
	1	1		121	303 - 311	207 - 215	8	0	5	0
	1	1		122	312 - 317	216 - 221	14	0	7	0
	1	1		123	318 - 323	222 - 227	9	0	6	0
	1	1		124	324 - 331	228 - 235	7	1	7	0
	1	1		125	332 - 338	236 - 243	8	0	7	0
	1	1		126	339 - 347	244 - 251	8	1	4	0
	1	1		127	348 - 356	252 - 260	9	1	4	0
	1	1		128	359 - 366	263 - 271	9	0	4	0
	1	1		129	367 - 375	272 - 282	9	0	1	0
	1	1		130	376 - 384	283 - 291	9	1	8	0
	1	1		131	385 - 393	292 - 300	9	1	1	0
	1	1		132	394 - 398	301 - 306	17	1	6	0
	1	1		133	400 - 408	307 - 315	9	0	6	0
	1	1		134	409 - 417	316 - 324	9	0	1	0
	1	1		135	418 - 426	325 - 333	9	1	3	0
	1	1		136	427 - 428	334 - 336	3	0	3	0
	2	1	OWM82A-J	137	316 - 308	1 - 9	9	0	3	0
	2	1		138	307 - 299	10 - 18	9	1	2	0
	2	1		139	298 - 290	19 - 27	9	0	3	0
	2	1		140	289 - 281	28 - 36	9	0	0	0
	2	1		141	280 - 272	37 - 45	9	0	2	0
	2	1		142	271 - 263	46 - 54	9	0	1	0

TRANSCRIPTION DETAILS

Output Media ID	Output File No.	Input File No	Line Number	Reel ID	Shotpoint Range	Record Range	Records Read Count	Records Dropped Count	Hard Error Count	Soft Error Count
AU32591-001A	2	1	OWM82A-J	143	262 - 258	55 - 60	17	0	4	0
	2	1		144	257 - 249	61 - 68	8	0	1	0
	2	1		145	248 - 239	69 - 77	9	0	6	0
	2	1		146	238 - 231	78 - 86	9	0	0	0
	2	1		147	230 - 223	87 - 95	9	0	3	0
	2	1		148	222 - 214	96 - 104	9	0	4	0
	2	1		149	213 - 205	105 - 113	9	0	1	0
	2	1		150	204 - 196	114 - 122	9	0	2	0
	2	1		151	195 - 187	123 - 131	9	0	1	0
	2	1		152	186 - 180	132 - 138	16	1	5	0
	2	1		153	179 - 171	140 - 146	9	0	4	0
	2	1		154	170 - 163	148 - 156	9	0	1	0
	2	1		155	162 - 154	157 - 165	9	0	5	0
	2	1		156	153 - 145	166 - 174	9	0	2	0
	2	1		157	144 - 136	175 - 183	9	0	3	0
	2	1		158	135 - 127	184 - 192	9	0	1	0
	2	1		159	126 - 121	193 - 198	17	0	3	0
	2	1		160	120 - 112	199 - 207	10	1	2	0
	2	1		161	111 - 103	208 - 216	9	0	5	0
	2	1		162	102 - 100	217 - 220	4	0	1	0
	3	1	OWM82A-K	163	331 - 323	1 - 9	9	0	6	0
	3	1		164	322 - 314	10 - 18	9	0	3	0
	3	1		165	313 - 305	19 - 27	9	0	3	0
	3	1		166	304 - 298	28 - 33	17	1	0	0
	3	1		167	297 - 291	34 - 42	9	1	2	0
	3	1		168	290 - 282	43 - 51	9	0	2	0
	3	1		169	281 - 273	52 - 60	9	0	4	0
	3	1		170	272 - 264	61 - 70	9	1	2	0
	3	1		171	263 - 255	71 - 79	9	1	7	0
	3	1		172	254 - 246	80 - 88	9	0	1	0
	3	1		173	245 - 237	90 - 97	8	1	2	0
	3	1		174	236 - 228	98 - 106	9	1	2	0
	3	1		175	227 - 223	107 - 112	19	1	11	0
	3	1		176	221 - 213	113 - 121	9	1	3	0
	3	1		177	212 - 204	122 - 130	9	1	5	0
	3	1		178	203 - 195	131 - 139	9	1	3	0
	3	1		179	194 - 186	140 - 148	9	0	8	0
	3	1		180	185 - 177	149 - 157	9	1	5	0
	3	1		181	176 - 166	158 - 167	9	0	5	0
	3	1		182	165 - 158	169 - 177	9	1	1	0
	3	1		183	157 - 149	178 - 188	9	0	6	0
	3	1		184	148 - 142	189 - 195	17	1	2	0
	3	1		185	141 - 133	196 - 203	9	0	3	0
	3	1		186	132 - 124	205 - 213	9	0	2	0
	3	1		187	123 - 115	214 - 222	9	0	7	0
	3	1		188	114 - 106	223 - 231	9	1	6	0

TRANSCRIPTION DETAILS

Output Media ID	Output File No.	Input File No	Line Number	Reel ID	Shotpoint Range	Record Range	Records Read Count	Records Dropped Count	Hard Error Count	Soft Error Count
AU32591-001A	3	1	OWM82A-K	189	105 - 100	232 - 237	6	0	6	0
	4	1	OWM82A-L	190	334 - 326	1 - 9	9	0	2	0
	4	1		191	325 - 317	10 - 18	9	1	7	0
	4	1		192	316 - 308	19 - 27	9	0	7	0
	4	1		193	307 - 299	28 - 37	9	0	8	0
	4	1		194	298 - 290	38 - 48	9	0	9	0
	4	1		195	289 - 285	49 - 54	17	0	0	0
	4	1		196	284 - 276	55 - 63	9	0	3	0
	4	1		197	275 - 269	64 - 73	9	0	2	0
	4	1		198	268 - 260	74 - 82	9	0	6	0
	4	1		199	259 - 252	83 - 92	9	0	3	0
	4	1		200	251 - 243	93 - 101	9	0	9	0
	4	1		201	242 - 234	102 - 110	9	0	1	0
	4	1		202	233 - 225	112 - 121	9	0	9	0
	4	1		203	224 - 219	122 - 130	9	1	5	0
	4	1		204	218 - 212	133 - 139	7	1	4	0
	4	1		205	211 - 204	140 - 147	15	0	5	0
	4	1		206	203 - 197	148 - 154	10	0	4	0
	4	1		207	196 - 188	155 - 163	9	1	1	0
	4	1		208	187 - 179	164 - 172	9	0	1	0
	4	1		209	178 - 170	173 - 181	9	1	9	0
	4	1		210	169 - 161	182 - 191	9	0	5	0
	4	1		211	160 - 153	192 - 199	10	1	10	0
	4	1		212	152 - 144	200 - 208	9	0	2	0
	4	1		213	143 - 135	209 - 219	9	0	4	0
	4	1		214	134 - 126	220 - 227	8	2	7	0
	4	1		215	125 - 118	228 - 236	9	0	1	0
	4	1		216	117 - 113	237 - 242	17	0	10	0
	4	1		217	112 - 104	243 - 251	9	0	4	0
	5	1	OWM82A-M	218	320 - 312	1 - 9	9	0	2	0
	5	1		219	311 - 303	10 - 18	9	1	3	0
	5	1		220	302 - 294	19 - 28	9	0	2	0
	5	1		221	293 - 285	29 - 37	9	0	3	0
	5	1		222	284 - 276	38 - 47	9	0	9	0
	5	1		223	275 - 267	48 - 56	9	0	1	0
	5	1		224	266 - 264	57 - 61	3	0	2	0
	5	1		225	263 - 258	64 - 70	16	0	3	0
	5	1		226	257 - 250	71 - 78	12	0	9	0
	5	1		227	249 - 241	79 - 87	9	0	9	0
	5	1		228	240 - 232	88 - 96	9	0	1	0
	5	1		229	231 - 223	98 - 105	8	1	4	0
	5	1		230	222 - 214	106 - 114	9	0	0	0
	5	1		231	213 - 205	115 - 123	9	0	5	0
	5	1		232	204 - 196	124 - 133	9	0	2	0
	5	1		233	195 - 187	134 - 142	9	0	6	0
	5	1		234	186 - 178	143 - 151	9	2	9	0

TRANSCRIPTION DETAILS

Output Media ID	Output File No.	Input File No	Line Number	Reel ID	Shotpoint Range	Record Range	Records Read Count	Records Dropped Count	Hard Error Count	Soft Error Count
AU32591-001A	5	1	OWM82A-M	235	177 - 178	152 - 157	16	2	8	0
	5	1		236	171 - 164	158 - 166	9	0	2	0
	5	1		237	136 - 155	167 - 175	9	0	5	0
	5	1		238	154 - 146	176 - 184	9	0	3	0
	5	1		239	145 - 137	186 - 193	8	1	6	0
	5	1		240	136 - 128	194 - 202	9	0	2	0
	5	1		241	127 - 119	203 - 211	9	0	9	0
	5	1		242	118 - 110	212 - 220	9	0	7	0
	5	1		243	109 - 101	221 - 229	9	0	3	0
	5	1		244	100 - 101	230 - 231	2	0	2	0
	6	1	OWM82A-N	245	470 - 466	1 - 6	17	0	2	0
	6	1		246	465 - 458	7 - 15	9	0	9	0
	6	1		247	457 - 449	16 - 24	9	0	3	0
	6	1		248	448 - 441	25 - 35	9	0	0	0
	6	1		249	440 - 432	36 - 44	9	0	8	0
	6	1		250	431 - 423	45 - 53	9	0	8	0
	6	1		251	422 - 414	54 - 62	9	0	1	0
	6	1		252	413 - 405	63 - 71	9	1	2	0
	6	1		253	401 - 396	72 - 80	9	0	4	0
	6	1		254	395 - 387	81 - 90	9	0	9	0
	6	1		255	386 - 381	91 - 96	17	0	5	0
	6	1		256	380 - 372	97 - 107	9	1	8	0
	6	1		257	371 - 363	108 - 116	9	0	9	0
	6	1		258	362 - 354	117 - 125	9	0	5	0
	6	1		259	353 - 345	126 - 134	9	4	5	0
	6	1		260	344 - 336	135 - 143	9	1	3	0
	6	1		261	335 - 327	145 - 152	8	1	8	0
	6	1		262	326 - 318	153 - 161	9	0	0	0
	6	1		263	317 - 309	162 - 170	9	0	2	0
	6	1		264	308 - 300	171 - 179	9	0	1	0
	6	1		265	299 - 291	180 - 186	7	2	7	0
	6	1		266	290 - 282	189 - 197	9	0	2	0
	6	1		267	281 - 272	198 - 203	17	0	8	0
	6	1		268	275 - 267	204 - 212	9	0	1	0
	6	1		269	266 - 258	213 - 221	9	1	9	0
	6	1		270	257 - 249	220 - 230	9	0	9	0
	6	1		271	248 - 240	231 - 239	9	0	2	0
	6	1		272	239 - 231	240 - 248	9	0	7	0
	6	1		273	230 - 222	249 - 257	9	1	7	0
	6	1		274	221 - 213	258 - 266	9	0	7	0
	6	1		275	212 - 204	267 - 275	9	0	1	0
	6	1		276	203 - 195	276 - 284	9	3	7	0
	6	1		277	194 - 186	285 - 293	9	0	2	0
	6	1		278	185 - 178	294 - 301	15	0	6	0
	6	1		279	177 - 171	302 - 308	11	11	11	0
	6	1		280	170 - 162	309 - 317	9	0	2	0

TRANSCRIPTION DETAILS

Output Media ID	Output File No.	Input File No	Line Number	Reel ID	Shotpoint Range	Record Range	Records Read Count	Records Dropped Count	Hard Error Count	Soft Error Count
AU32591-001A	6	1	OWM82A-N	281	161 - 152	318 - 326	9	13	6	0
	6	1		282	152 - 144	327 - 335	9	0	3	0
	6	1		283	143 - 139	336 - 344	9	0	7	0
	6	1		284	134 - 126	345 - 353	9	0	2	0
	6	1		285	125 - 117	354 - 362	9	0	9	0
	6	1		286	116 - 108	363 - 371	9	0	0	0
	6	1		287	107 - 100	372 - 379	8	0	4	0
	7	1	OWM82A-P	311	161 - 156	1 - 6	17	0	4	0
	7	1		312	155 - 147	7 - 15	9	0	5	0
	7	1		313	146 - 138	16 - 24	9	0	7	0
	7	1		314	137 - 129	25 - 33	9	0	3	0
	7	1		315	128 - 120	34 - 42	9	0	8	0
	7	1		316	119 - 111	43 - 51	9	0	9	0
	7	1		317	110 - 102	52 - 60	9	0	8	0
	7	1		318	101 - 100	61 - 64	4	0	2	0
	8	1	OWM82A-Q	288	100 - 108	2 - 9	8	0	1	0
	8	1		289	109 - 115	10 - 16	16	0	4	0
	8	1		290	116 - 123	17 - 24	10	0	4	0
	8	1		291	124 - 132	25 - 33	9	0	6	0
	8	1		292	133 - 141	34 - 42	9	0	4	0
	8	1		293	142 - 150	43 - 51	9	0	8	0
	8	1		294	151 - 159	52 - 60	9	0	9	0
	8	1		295	160 - 168	61 - 69	9	0	9	0
	8	1		296	169 - 177	70 - 78	9	0	8	0
	8	1		297	178 - 186	79 - 87	9	0	5	0
	8	1		298	187 - 195	88 - 96	9	0	2	0
	8	1		299	196 - 204	97 - 105	9	0	8	0
	8	1		300	205 - 212	106 - 113	17	0	9	0
	8	1		301	213 - 220	114 - 121	10	0	1	0
	8	1		302	221 - 229	122 - 130	9	0	7	0
	8	1		303	230 - 238	131 - 139	9	0	7	0
	8	1		304	239 - 247	140 - 148	9	0	6	0
	8	1		305	248 - 256	149 - 157	9	0	5	0
	8	1		306	257 - 265	158 - 166	9	0	9	0
	8	1		307	266 - 274	167 - 175	9	0	5	0
	8	1		308	275 - 283	176 - 184	9	0	9	0
	8	1		309	284 - 292	185 - 193	9	0	3	0
	8	1		310	293 - 300	194 - 202	9	0	8	0
	9	1	OWM82A-R	319	271 - 264	1 - 9	9	0	1	0
	9	1		320	263 - 254	10 - 19	10	0	4	0
	9	1		321	253 - 245	20 - 28	9	0	1	0
	9	1		322	244 - 238	29 - 36	16	0	2	0
	9	1		323	237 - 230	37 - 44	11	0	11	0
	9	1		324	229 - 221	45 - 56	9	0	9	0
	9	1		325	220 - 212	57 - 65	9	0	7	0
	9	1		326	211 - 203	66 - 75	9	0	8	0

TRANSCRIPTION DETAILS

Output Media ID	Output File No.	Input File No	Line Number	Reel ID	Shotpoint Range	Record Range	Records Read Count	Records Dropped Count	Hard Error Count	Soft Error Count
AU32591-001A	9	1	OWM82A-R	327	202 - 194	76 - 84	9	0	9	0
	9	1		328	193 - 185	85 - 93	9	0	9	0
	9	1		329	184 - 176	95 - 102	8	0	8	0
	9	1		330	175 - 167	104 - 111	8	1	8	0
	9	1		331	166 - 158	112 - 120	9	0	8	0
	9	1		332	157 - 158	121 - 121	1	0	1	0
	9	1		333	156 - 148	122 - 130	9	0	8	0
	9	1		335	141 - 133	137 - 145	9	0	7	0
	9	1		336	132 - 124	146 - 154	9	0	6	0
	9	1		337	123 - 115	155 - 163	9	0	4	0
	9	1		338	114 - 106	164 - 172	9	0	9	0
	9	1		339	105 - 100	173 - 179	7	0	2	0
	9	1		334	147 - 142	131 - 135	5	15	5	0
	10	1	OWM82A-S	340	100 - 105	1 - 6	17	1	3	0
	10	1		341	106 - 114	7 - 16	9	0	9	0
	10	1		342	115 - 123	17 - 25	9	8	8	0
	10	1		343	124 - 132	26 - 34	9	0	5	0
	10	1		344	133 - 141	35 - 43	9	0	8	0
	10	1		345	142 - 150	44 - 52	9	0	9	0
	10	1		346	151 - 159	53 - 61	9	0	5	0
	10	1		347	160 - 164	62 - 68	17	1	6	0
	10	1		348	164 - 174	69 - 77	9	0	6	0
	10	1		349	175 - 183	78 - 87	9	0	7	0
	10	1		350	184 - 192	88 - 96	9	2	5	0
	10	1		351	193 - 201	97 - 105	9	0	3	0
	10	1		352	202 - 211	106 - 114	9	0	7	0
	10	1		353	212 - 220	115 - 123	9	1	5	0
	10	1		354	221 - 229	124 - 132	9	0	8	0
	10	1		355	230 - 238	133 - 141	9	3	9	0
	10	1		356	239 - 247	142 - 150	9	0	2	0
	10	1		357	248 - 253	151 - 159	9	1	9	0
	10	1		358	257 - 264	160 - 167	8	0	3	0
	10	1		359	265 - 270	168 - 173	17	3	17	0
	10	1		360	271 - 279	174 - 182	9	0	2	0
	10	1		361	280 - 288	183 - 192	9	0	9	0
	10	1		362	289 - 297	192 - 200	9	0	8	0
	10	1		363	298 - 306	201 - 209	9	0	7	0
	10	1		364	307 - 315	210 - 218	9	0	4	0
	10	1		365	316 - 324	219 - 227	9	0	4	0
	10	1		366	325 - 333	228 - 236	9	0	9	0
	10	1		367	334 - 343	237 - 245	9	0	5	0
	10	1		368	344 - 349	246 - 251	18	0	6	0
	10	1		369	350 - 358	252 - 260	9	0	1	0
	11	1	OWM82A-T	11	100 - 103	1 - 5	15	1	3	0
	11	1		12	104 - 111	6 - 13	8	1	0	0
	11	1		13	107 - 119	14 - 21	8	1	3	0

TRANSCRIPTION DETAILS

Output Media ID	Output File No.	Input File No	Line Number	Reel ID	Shotpoint Range	Record Range	Records Read Count	Records Dropped Count	Hard Error Count	Soft Error Count
AU32591-001A	11	1	OWM82A-T	14	120 - 123	22 - 29	8	1	0	0
	11	1		15	128 - 135	30 - 37	8	1	5	0
	11	1		16	136 - 143	38 - 45	8	1	1	0
	11	1		17	144 - 151	46 - 53	8	1	1	0
	11	1		18	148 - 159	54 - 61	8	0	2	0
	11	1		19	160 - 164	62 - 68	15	0	7	0
	11	1		20	165 - 168	69 - 71	9	0	6	0
	11	1		21	169 - 171	72 - 78	7	0	5	0
	11	1		22	172 - 183	79 - 86	8	0	3	0
	11	1		23	184 - 190	87 - 93	7	0	7	0
	11	1		24	191 - 198	94 - 101	8	0	2	0
	11	1		25	199 - 205	103 - 108	6	0	0	0
	11	1		26	206 - 212	109 - 115	7	0	7	0
	11	1		27	213 - 220	116 - 123	8	0	3	0
	11	1		28	222 - 228	124 - 130	7	0	3	0
	11	1		29	229 - 236	131 - 138	8	0	5	0
	11	1		30	237 - 245	139 - 146	8	0	1	0
	11	1		31	246 - 250	147 - 147	1	1	1	0
Remarks : [SY] [PD-Oxide loss from BOT to EOT]										
	11	1		32	251 - 257	153 - 158	6	1	4	0
	11	1		33	258 - 264	159 - 165	7	0	5	0
	11	1		34	265 - 271	166 - 172	7	0	6	0
	11	1		35	272 - 278	173 - 179	7	0	4	0
	11	1		36	279 - 286	180 - 186	7	0	0	0
	11	1		37	287 - 293	187 - 193	7	0	3	0
	11	1		38	294 - 300	194 - 200	7	0	0	0
	11	1		39	301 - 308	201 - 208	8	0	3	0
	11	1		40	309 - 315	209 - 215	7	0	3	0
	11	1		41	316 - 322	216 - 222	7	0	5	0
	11	1		42	323 - 326	223 - 226	15	0	1	0
	11	1		43	327 - 333	227 - 233	7	0	1	0
	11	1		44	334 - 340	234 - 240	7	0	1	0
	11	1		45	341 - 347	241 - 247	7	0	3	0
	11	1		46	348 - 354	248 - 254	7	0	4	0
	11	1		47	355 - 362	255 - 262	8	0	6	0
	11	1		48	363 - 370	264 - 270	7	1	3	0
	11	1		49	371 - 377	271 - 277	7	0	2	0
	11	1		50	378 - 384	278 - 284	7	0	0	0
	11	1		51	385 - 392	285 - 292	8	0	7	0
	11	1		52	398 - 399	293 - 299	7	0	0	0
	11	1		53	400 - 406	300 - 306	7	0	2	0
	11	1		54	407 - 413	307 - 313	7	0	1	0
	11	1		55	414 - 417	314 - 317	15	0	0	0
	11	1		56	418 - 424	318 - 324	7	0	3	0
	11	1		57	425 - 431	325 - 331	7	0	0	0
	11	1		58	432 - 438	333 - 338	6	1	2	0

TRANSCRIPTION DETAILS

Output Media ID	Output File No.	Input File No	Line Number	Reel ID	Shotpoint Range	Record Range	Records Read Count	Records Dropped Count	Hard Error Count	Soft Error Count
AU32591-001A	11	1	OWM82A-T	59	439 - 446	339 - 346	7	0	2	0
	11	1		60	446 - 453	347 - 354	8	0	1	0
	11	1		61	454 - 459	355 - 362	7	0	2	0
	11	1		62	460 - 466	363 - 369	7	0	3	0
	11	1		63	467 - 473	370 - 376	7	0	6	0
	11	1		64	474 - 481	377 - 383	7	0	0	0
	11	1		65	482 - 489	384 - 391	8	0	4	0
	11	1		66	490 - 497	392 - 399	8	0	2	0
	11	1		67	498 - 505	400 - 407	8	0	2	0
	11	1		68	506 - 512	408 - 414	8	0	1	0
	11	1		69	513 - 516	415 - 418	14	4	3	0
	11	1		70	517 - 524	419 - 426	8	0	1	0
	11	1		71	525 - 531	427 - 433	7	0	3	0
	11	1		72	532 - 539	434 - 441	8	0	3	0
	11	1		73	540 - 546	442 - 448	7	0	5	0
	11	1		74	547 - 553	449 - 455	7	0	5	0
	11	1		75	554 - 560	456 - 462	7	0	7	0
	11	1		76	561 - 568	463 - 470	8	0	3	0
	11	1		77	569 - 575	471 - 477	7	0	6	0
	11	1		78	576 - 582	478 - 484	7	0	2	0
	11	1		79	583 - 590	485 - 492	8	1	8	0
	11	1		80	591 - 597	493 - 499	7	0	1	0
	11	1		81	598 - 605	500 - 507	8	0	4	0
	11	1		82	606 - 613	508 - 515	8	4	8	0
	11	1		83	614 - 615	516 - 520	15	0	6	0
	11	1		84	619 - 625	521 - 528	8	0	8	0
	11	1		85	626 - 633	528 - 535	8	0	7	0
	11	1		86	634 - 641	537 - 543	7	0	4	0
	11	1		87	643 - 648	544 - 550	7	0	7	0
	11	1		88	649 - 656	551 - 558	8	0	8	0
	11	1		89	657 - 664	560 - 566	7	1	5	0
	11	1		90	665 - 672	567 - 574	8	0	6	0
	11	1		91	673 - 680	576 - 583	8	1	5	0
	11	1		92	681 - 688	584 - 591	8	1	6	0
	11	1		93	689 - 696	592 - 599	8	0	2	0
	11	1		94	697 - 700	600 - 601	12	0	6	0
	11	1		95	701 - 707	604 - 610	7	0	6	0
	11	1		96	708 - 712	611 - 615	5	1	2	0

TRANSCRIPTION REMARK CODES

ERROR TYPE	CODE	ERROR	ACTION
------------	------	-------	--------

PHYSICAL TAPE CONDITION	SY	STICKY TAPE	INSERT REMARK
	PD	PHYSICALLY DAMAGED TAPE(HARD ERROR)	CHEWED, STRETCHED, HARD ERROR, OXIDE LOSS

LABELLING & DOCUMENTATION	TLD	TAPE LABEL DIFFERS FROM REFERENCE DOCUMENTATION	DESCRIBE LABELLING DIFFERENCE
	DOL	DATA ON TAPE DIFFERS FROM REFERENCE DOCUMENTATION	DESCRIBE DIFFERENCE
	DOC	REFERENCE DOCUMENTATION IS DIFFERENT FROM THAT STATED AT THE BEGINNING OF THE TRANSCRIPTION REPORT	DESCRIBE SUBSTITUTE DOCUMENTATION USED

DATA FORMAT	FORM	DATA FORMAT ERROR	DESCRIBE ERROR IN DATA FORMAT
----------------	-------------	-------------------	-------------------------------

MISCELLANEOUS TAPE PROBLEMS	OTH	ADDITIONAL ERRORS NOT DESCRIBED IN ABOVE LIST	DESCRIBE ERROR
	SKEW	DATA SKEWED ON TAPE	INSERT REMARK
	BLNK	BLANK	CONTAINS NO DATA
	MISS	MISSING INPUT REEL ACCORDING TO REFERENCE DOCUMENTATION	INSERT REMARK
	SCRT	SCRATCH TAPE ACCORDING TO REFERENCE DOCUMENTATION	DO NOT PROCESS-INSERT REMARK