



Verification Listing

Listing Created: 31-MAR-2006 13:18:37
Version: 13C0-300

Input Source: D:\OP_Folder\Clients\ExxonMobil\CBA_F_1A\PFCS\COMP_PFCS_COMP_021.DLIS
Format: DLIS
Storage Set ID: Default Storage Set

Max Record Length: 8192
Storage Unit Sequence: 1

File Header File: FCS_DEFT_ILS_PSP_015LUP Sequence: 1

Defining Origin: 97

File ID: FCS_DEFT_ILS_PSP_015LUP File Type: DEPTH LOG
Producer Name: Schlumberger Product/Version: OP 13C0-300 File Set: 41 File Number: 14 9-MAR-2006 8:59:12
Company Name: Esso Australia Ltd
Well Name: CBA F-1a
Field Name: Cobia
Tool String: PFCS-A, DEFT-C2, PILS-A, PSPT-A
Computations: WELLCAD, BORDYN

Error Summary File: FCS_DEFT_ILS_PSP_015LUP Sequence: 1

No errors detected in file.

Well Site Data File: FCS_DEFT_ILS_PSP_015LUP Sequence: 1

Origin: 97

Well Data

Company Name	Esso Australia Ltd	CN
Well Name	CBA F-1a	WN
Field Name	Cobia	FN
Rig:	Prod 4 / Crane	CLAB, COUN
State:	Victoria	SLAB, STAT
Nation	Australia	NATI
Field Location	Gippsland Basin	FL
	Bass Strait	FL1
Maximum Hole Deviation	61.0 (deg)	MHD
Permanent Datum	Mean Sea Level	PDAT
Log Measured From	Kelly Bushing	LMF
Drilling Measured From	Kelly Bushing	DMF

Absent Valued Parameters: CN1, CONT, FL2, SECT, TOWN, RANG, APIN, SON, LONG, LATI, EKB, EGL, EDF, EPD, APD

Job Data

Run Number	1	RUN
Current Casing Size	5.50 (in)	CSIZ
Casing Weight	17.0 (lbm/ft)	CWEI
Bit Size	8.50 (in)	BS
Logging Unit Number	1	LUN, LUL
Logging Unit Location	AUSL	
Engineer's Name	Paul Tarrant	ENGI
Witness's Name	Greg Rimmer	WITN

Absent Valued Parameters: DATE, TDD, TDL, BLI, TLI, CDF, CADT, CASG, BSDF, BSDT, DLAB, TLAB, SON

Mud Data

Drilling Fluid Type	Production Fluids	DFT
---------------------	-------------------	-----

Absent Valued Parameters: DFD, DFV, DFL, DFPH, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT, MRT1, MRT2, MRT3, DCS, TCS, DLAB, TLAB

PVT Data

Absent Valued Parameters: ODEN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR

Cement Data

Cement Job Type	Primary	CJT
-----------------	---------	-----

Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA

Remarks

Log correlated to Solar Log, dated , provided by client	R1
Maximum Well Deviation = 61 degrees at m MDKB.	R2
Specialist: Paul Tarrant	R16
Operators: John Light & Andy Hall	R17

Other Services

Origin: 97			
Well Data			
Company Name	Esso Australia Ltd		CN
Well Name	CBA F-1a		WN
Field Name	Cobia		FN
Rig:	Prod 4 / Crane		CLAB, COUN
State:	Victoria		SLAB, STAT
Nation	Australia		NATI
Field Location	Gippsland Basin		FL
	Bass Strait		FL1
Maximum Hole Deviation	61.0 (deg)		MHD
Permanent Datum	Mean Sea Level		PDAT
Log Measured From	Kelly Bushing		LMF
Drilling Measured From	Kelly Bushing		DMF
Absent Valued Parameters: CN1, CONT, FL2, SECT, TOWN, RANG, APIN, SON, LONG, LATI, EKB, EGL, EDF, EPD, APD			
Job Data			
Run Number	1		RUN
Current Casing Size	5.50 (in)		CSIZ
Casing Weight	17.0 (lbm/ft)		CWEI
Bit Size	8.50 (in)		BS
Logging Unit Number	1	Logging Unit Location	AUSL
Engineer's Name	Paul Tarrant		LUN, LUL
Witness's Name	Greg Rimmer		ENGI
			WITN
Absent Valued Parameters: DATE, TDD, TDL, BLI, TLI, CDF, CADT, CASG, BSDF, BSDT, DLAB, TLAB, SON			
Mud Data			
Drilling Fluid Type	Production Fluids		DFT
Absent Valued Parameters: DFD, DFV, DFL, DFPH, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT, MRT1, MRT2, MRT3, DCS, TCS, DLAB, TLAB			
PVT Data			
Absent Valued Parameters: ODEN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR			

Cement Data		Cement Job Type	Primary	CJT
Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA				
Remarks				
Log correlated to Solar Log, dated , provided by client		R1		
Maximum Well Deviation = 61 degrees at m MDKB.		R2		
Specialist: Paul Tarrant		R16		
Operators: John Light & Andy Hall		R17		
Other Services				
None		OS1		

Frame Summary		File: FCS_DEFT_ILS_PSP_016LUP	Sequence: 2			
Origin: 97						
<u>Index Type</u>	<u>Start</u>	<u>Stop</u>	<u>Spacing</u>	<u>Channels</u>	<u>Index Channel</u>	<u>Frame Name</u>
BOREHOLE-DEPTH	3411.02	3345.48 m	-60.0 (0.1 in) up	74	TDEP	60B
	11191.00	10976.00 ft				
BOREHOLE-DEPTH	3411.02	3345.51 m	-10.0 (0.1 in) up	6	TDEP;1	10B
	11191.00	10976.08 ft				

File Header		File: FCS_DEFT_ILS_PSP_018LUP	Sequence: 3
Defining Origin: 97			
File ID: FCS_DEFT_ILS_PSP_018LUP		File Type: DEPTH LOG	
Producer Name: Schlumberger		Product/Version: OP 13C0-300	
		File Set: 41	File Number: 17
		9-MAR-2006 14:08:20	
Company Name: Esso Australia Ltd			
Well Name: CBA F-1a			
Field Name: Cobia			
Tool String: PFCS-A, DEFT-C2, PILS-A, PSPT-A			
Computations: WELLCAD, BORDYN			

Error Summary		File: FCS_DEFT_ILS_PSP_018LUP	Sequence: 3
No errors detected in file.			

Well Site Data		File: FCS_DEFT_ILS_PSP_018LUP	Sequence: 3
Origin: 97			
Well Data			
Company Name	Esso Australia Ltd	CN	
Well Name	CBA F-1a	WN	
Field Name	Cobia	FN	
Rig:	Prod 4 / Crane	CLAB, COUN	
State:	Victoria	SLAB, STAT	
Nation	Australia	NATI	
Field Location	Gippsland Basin	FL	
	Bass Strait	FL1	
Maximum Hole Deviation	61.0 (deg)	MHD	
Permanent Datum	Mean Sea Level	PDAT	
Log Measured From	Kelly Bushing	LMF	
Drilling Measured From	Kelly Bushing	DMF	
Absent Valued Parameters: CN1, CONT, FL2, SECT, TOWN, RANG, APIN, SON, LONG, LATI, EKB, EGL, EDF, EPD, APD			
Job Data			
Run Number	1	RUN	
Current Casing Size	5.50 (in)	CSIZ	
Casing Weight	17.0 (lbm/ft)	CWEI	
Bit Size	8.50 (in)	BS	
Logging Unit Number	1	LUN, LUL	
Engineer's Name	Paul Tarrant	ENGI	
	Logging Unit Location	AUSL	

Witness's Name

Greg Rimmer

WITN

Absent Valued Parameters: DATE, TDD, TDL, BLI, TLI, CDF, CADT, CASG, BSDF, BSDT, DLAB, TLAB, SON

Mud Data

Drilling Fluid Type

Production Fluids

DFT

Absent Valued Parameters: DFD, DFV, DFL, DFPH, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT, MRT1, MRT2, MRT3, DCS, TCS, DLAB, TLAB

PVT Data

Absent Valued Parameters: ODEN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR

Cement Data

Cement Job Type

Primary

CJT

Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA

Remarks

Log correlated to Solar Log, dated , provided by client

Maximum Well Deviation = 61 degrees at m MDKB.

Specialist: Paul Tarrant

Operators: John Light & Andy Hall

R1

R2

R16

R17

Other Services

None

OS1

Frame Summary File: FCS_DEFT_ILS_PSP_018LUP Sequence: 3						
Origin: 97						
<div>Index Type</div> BOREHOLE-DEPTH	<div>Start</div> 3411.17	<div>Stop</div> 3343.35 m	<div>Spacing</div> -60.0 (0.1 in) up	<div>Channels</div> 74	<div>Index Channel</div> TDEP	<div>Frame Name</div> 60B
<div>BOREHOLE-DEPTH</div>	<div>11191.50</div>	<div>10969.00 ft</div>				
<div>BOREHOLE-DEPTH</div>	<div>3411.17</div>	<div>3343.38 m</div>	<div>-10.0 (0.1 in) up</div>	<div>6</div>	<div>TDEP;1</div>	<div>10B</div>
<div>11191.50</div>	<div>10969.08 ft</div>					

File Header

File: FCS_DEFT_ILS_PSP_019LUP

Sequence: 4

Defining Origin: 97

File ID: FCS_DEFT_ILS_PSP_019LUP File Type: DEPTH LOG

Producer Name: Schlumberger Product/Version: OP 13C0-300 File Set: 41 File Number: 18 9-MAR-2006 14:22:58

Company Name:

Esso Australia Ltd

Well Name:

CBA F-1a

Field Name:

Cobia

Tool String:

PFCS-A, DEFT-C2, PILS-A, PSPT-A

Computations:

WELLCAD, BORDYN

Error Summary

File: FCS_DEFT_ILS_PSP_019LUP

Sequence: 4

No errors detected in file.

Well Site Data

File: FCS_DEFT_ILS_PSP_019LUP

Sequence: 4

Origin: 97

Well Data

Company Name

Esso Australia Ltd

CN

Well Name

CBA F-1a

WN

Field Name

Cobia

FN

Rig:

Prod 4 / Crane

CLAB, COUN

State:

Victoria

SLAB, STAT

Nation

Australia

NATI

Field Location

Gippsland Basin

FL

Bass Strait

FL1

Maximum Hole Deviation

61.0 (deg)

MHD

Permanent Datum

Mean Sea Level

PDAT

Log Measured From

Kelly Bushing

LME

Drilling Measured From

Kelly Bushing

DMF

Absent Valued Parameters: CN1, CONT, FL2, SECT, TOWN, RANG, APIN, SON, LONG, LATI, EKB, EGL, EDF, EPD, APD

Job Data

Run Number

1

RUN

Current Casing Size

5.50 (in)

CSIZ

Casing Weight

17.0 (lbm/ft)

CWEI

Bit Size

8.50 (in)

BS

Logging Unit Number

1

Logging Unit Location

AUSL

LUN, LUL

Engineer's Name

Paul Tarrant

ENGI

Witness's Name

Greg Rimmer

WITN

Absent Valued Parameters: DATE, TDD, TDL, BLI, TLI, CDF, CADT, CASG, BSDF, BSDT, DLAB, TLAB, SON

Mud Data

Drilling Fluid Type

Production Fluids

DFT

Absent Valued Parameters: DFD, DFV, DFL, DFPH, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT, MRT1, MRT2, MRT3, DCS, TCS, DLAB, TLAB

PVT Data

Absent Valued Parameters: ODEN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR

Cement Data

Cement Job Type

Primary

CJT

Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA

Remarks

Log correlated to Solar Log, dated , provided by client

Maximum Well Deviation = 61 degrees at m MDKB.

Specialist: Paul Tarrant

Operators: John Light & Andy Hall

R1

R2

R16

R17

Other Services

None

OS1

Frame Summary							File: FCS_DEFT_ILS_PSP_019LUP	Sequence: 4
Origin: 97								
<div>Index Type</div>	<div>Start</div>	<div>Stop</div>	<div>Spacing</div>	<div>Channels</div>	<div>Index Channel</div>	<div>Frame Name</div>		
BOREHOLE-DEPTH	3411.47	3343.66 m	-60.0 (0.1 in) up	74	TDEP	60B		
	11192.50	10970.00 ft						
BOREHOLE-DEPTH	3411.47	3343.68 m	-10.0 (0.1 in) up	6	TDEP;1	10B		
	11192.50	10970.08 ft						