

Input DLIS Files

DEFAULT FCS_DEFT_GMS_ILS_034LUP FN:26 PRODUCER 15-Aug-2006 20:59 2211.9 M 1990.4 M


Output DLIS Files


DEFAULT FCS_DEFT_GMS_ILS_068PUP FN:59 PRODUCER 16-Aug-2006 14:07 2211.5 M 1990.5 M


OP System Version: 14C0-302


MCM

PFCS-A 14C0-302 DEFT-C2 14C0-302
PGMC-A/B 14C0-302 PILS-A 14C0-302
PSPT-B 14C0-302













				Image 16 colors (DBIMAG E_16C) (----			
Probe1 RB (D1RB) (DEG) 0 360	PFCs Caliper X (PFC1) (IN) 8 3		Avg Holdup (DDFHM) 0 (----) 1		Cable Speed (CS) (F/HR) 2000 0	Amplified Temperature (WTEP) (DEGF) 2	Tension (TENS) (LBF) 2500 0
Tension (TENS) (LBF) 0 2500	PFCs Caliper Y (PFC2) (IN) 8 3		Filtered Water Holdup (FHM) 0 (----) 1		Avg BUB count (DDFBM) (CPS) 500	Well Pressure (WPRE) (PSIA) 1500	Well Fluid Density (WFDE) (G/C3) 1
	Well Diameter From PFC1 to PFCs_T1		PFCs Fluid Resistivity (DRES) 0 (OHMM) 360		Filtered Bubble Count (FBM) (CPS) 500	Well Temperature (WTEP) (DEGF) 200	
	Well Diameter From PFC2 to PFCs_T1				PFCs Spinner (SPIN) -15 (RPS) 15		
	Pipe Ovalisation Between PFC1 and PFC2						

Format: PFCS_Image_DL	Vertical Scale: 1:200	Graphics File Created: 16-Aug-2006 14:08
OP System Version: 14C0-302 MCM		
PFCS-A	14C0-302	DEFT-C2
PGMC-A/B	14C0-302	PILS-A
PSPT-B	14C0-302	14C0-302

Parameters

DLIS Name	Description	Value
PFCS-A: PSP Flow and caliper Tool		
AMOD	Spinner Filter Averaging Mode	LINEAR_AVERAGE
CSID	Casing Size I.D.	3.5 IN
DDRC	Dual DEFT DELTA RB COMPUTATION	D1RB2-D1RB
DDRS	Dual DEFT RB Source	D1RB
DFBD	DEFT Blank Disallowed Probes	NO
DFFI	DEFT Flip Image	NO
DFII	DEFT Image Interpolation	YES
DFIRS	DEFT Image Rotation Selection	TOP_MIDDLE
DFPP	Probes Arm Position	C
PFGC	PFCs Geometrical coefficient	1200
PFRE1	Downhole Resistor Probe 1	3000 OHMS
PFRE2	Downhole Resistor Probe 2	3000 OHMS
PFRE3	Downhole Resistor Probe 3	3000 OHMS
PFRE4	Downhole Resistor Probe 4	3000 OHMS
SDCF	Spinner Depth Constant Filter	6
SPIN	Main Spinner Flowmeter Sonde	PFCS-A_TURB
DEFT-C2: DEFT_C Tool		
CSID	Casing Size I.D.	3.5 IN
DDRC	Dual DEFT DELTA RB COMPUTATION	D1RB2-D1RB
DDRS	Dual DEFT RB Source	D1RB
DFBD	DEFT Blank Disallowed Probes	NO
DFFI	DEFT Flip Image	NO
DFII	DEFT Image Interpolation	YES
DFIRS	DEFT Image Rotation Selection	TOP_MIDDLE
DFPP2	Probes Arm Position (2nd tool)	D
PFGC	PFCs Geometrical coefficient	1200
PGMC-A/B: PSP Gradiomanometer Measurement Module		
CSID	Casing Size I.D.	3.5 IN
GCPG	Gradio Surf.Cal Diff.Pres Gain	1
GCPD	Gradio Surf.Cal Diff.Pres Offset	0 KPAA
PDSH	Gradio Correction Density Shift	0 G/C3
PILS-A: PSP In Line Spinner Flowmeter		
AMOD	Spinner Filter Averaging Mode	LINEAR_AVERAGE
SDCF	Spinner Depth Constant Filter	6
SPIN	Main Spinner Flowmeter Sonde	PFCS-A_TURB
PSPT-B: Production Services Logging Platform		

CSID	BORDYN: BorDyn (Well Test Validation)	Casing Size I.D.	3.5	IN
GDEV		Average Angular Deviation of Borehole from Normal	0	DEG
CSID		Casing Size I.D.	3.5	IN
CSIZ		Current Casing Size	7.000	IN
DO		Depth Offset for Playback	-0.5	M
PP		Playback Processing	RECOMPUTE	
Input DLIS Files				
DEFAULT	FCS_DEFT_GMS_ILS_034LUP	FN:26	PRODUCER	15-Aug-2006 20:59 2211.9 M 1990.4 M
Output DLIS Files				
DEFAULT	FCS_DEFT_GMS_ILS_068PUP	FN:59	PRODUCER	16-Aug-2006 14:07