



# Input DLIS Files

DEFAULT Flip\_FCS\_DEFT\_GMS\_119LUP PRODUCER 19-Aug-2006 07:06 3387.7 M 3284.2 M


# Output DLIS Files


DEFAULT FCS\_ILS\_DEFT\_GMS\_120PUP FN:110 PRODUCER 19-Aug-2006 07:07 3384.2 M 3281.2 M


## OP System Version: 14C0-302

MCM

PFCS-A 14C0-302 PILS-A 14C0-302  
DEFT-C2 14C0-302 PGMC-A/B 14C0-302  
PSPT-B 14C0-302







0 (DEG) 360	8 (IN) 3	0 (----) 1	0 (F/MR) 10000	0 (DEGF) 2	0 (LBF) 2500
Tension (TENS) (LBF) 0 2500	PFCS Caliper Y (PFC2) 8 (IN) 3	Filtered Water Holdup (FHM) 0 (----) 1	Avg BUB count (DDFBM) 0 (CPS) 500	Well Pressure (WPRE) 2290 (PSIA) 2350	Well Fluid Density (WFDE) 0 (G/C3) 1
	Well Diameter From PFC1 to PFC2_T1	PFCS Fluid Resistivity (DRES) 0 (OHMM) 360	Filtered Bubble Count (FMB) 0 (CPS) 500	Well Temperature (WTEP) 208 (DEGF) 212	
	Well Diameter From PFC2 to PFC2_T1		PFCS Spinner (SPIN) -15 (RPS) 15		
	Pipe Ovalisation Between PFC1 and PFC2				

Format: PFCS\_Image\_DL Vertical Scale: 1:200 Graphics File Created: 19-Aug-2006 07:07

## OP System Version: 14C0-302

MCM

PFCS-A	14C0-302	PILS-A	14C0-302
DEFT-C2	14C0-302	PGMC-A/B	14C0-302
PSPT-B	14C0-302		

## Parameters

DLIS Name	Description	Value
PFCS-A: PSP Flow and caliper Tool		
AMOD	Spinner Filter Averaging Mode	LINEAR_AVERAGE
CSID	Casing Size I.D.	3.5 IN
DDRC	Dual DEFT DELTA RB COMPUTATION	D1RB2-D1RB
DDRS	Dual DEFT RB Source	D1RB
DFBD	DEFT Blank Disallowed Probes	NO
DFFI	DEFT Flip Image	NO
DFII	DEFT Image Interpolation	YES
DFIRS	DEFT Image Rotation Selection	TOP_MIDDLE
DFPP	Probes Arm Position	C
GDEV	Average Angular Deviation of Borehole from Normal	50 DEG
PFGC	PFCS Geometrical coefficient	1200
PFRE1	Downhole Resistor Probe 1	3000 OHMS
PFRE2	Downhole Resistor Probe 2	3000 OHMS
PFRE3	Downhole Resistor Probe 3	3000 OHMS
PFRE4	Downhole Resistor Probe 4	3000 OHMS
SDCF	Spinner Depth Constant Filter	6
SPIN	Main Spinner Flowmeter Sonde	PFCS-A_TURB
PILS-A: PSP In Line Spinner Flowmeter		
AMOD	Spinner Filter Averaging Mode	LINEAR_AVERAGE
SDCF	Spinner Depth Constant Filter	6
SPIN	Main Spinner Flowmeter Sonde	PFCS-A_TURB
DEFT-C2: DEFT_C Tool		
CSID	Casing Size I.D.	3.5 IN
DDRC	Dual DEFT DELTA RB COMPUTATION	D1RB2-D1RB
DDRS	Dual DEFT RB Source	D1RB
DFBD	DEFT Blank Disallowed Probes	NO
DFFI	DEFT Flip Image	NO
DFII	DEFT Image Interpolation	YES
DFIRS	DEFT Image Rotation Selection	TOP_MIDDLE
DFPP2	Probes Arm Position (2nd tool)	D
PFGC	PFCS Geometrical coefficient	1200
PGMC-A/B: PSP Gradiomanometer Measurement Module		
CSID	Casing Size I.D.	3.5 IN
GCPG	Gradio Surf.Cal Diff.Pres Gain	1
GCPO	Gradio Surf.Cal Diff.Pres Offset	0 KPAA
PDSH	Gradio Correction Density Shift	0 G/C3
PSPT-B: Production Services Logging Platform		
CSID	Casing Size I.D.	3.5 IN
GDEV	Average Angular Deviation of Borehole from Normal	50 DEG
BORDYN: BorDyn (Well Test Validation)		
CSID	Casing Size I.D.	3.5 IN
System and Miscellaneous		
CSIZ	Current Casing Size	7.000 IN
DO	Depth Offset for Playback	-3.5 M
PP	Playback Processing	NORMAL

### Input DLIS Files

DEFAULT	Flip_FCS_DEFT_GMS_119LUP	PRODUCER	19-Aug-2006 07:06	3387.7 M	3284.2 M
---------	--------------------------	----------	-------------------	----------	----------

### Output DLIS Files

DEFAULT	FCS_ILS_DEFT_GMS_120PUP	FN:110	PRODUCER	19-Aug-2006 07:07
---------	-------------------------	--------	----------	-------------------