



Verification Listing

Listing Created: 2-OCT-2006 13:00:41
Version: 14C0-302

Input Source: D:\OP_Folder\Clients\Ess0\BMB_6\GUN\COMP_BMB_6_COMP_031.DLIS
Format: DLIS
Storage Set ID: Default Storage Set

Max Record Length: 8192
Storage Unit Sequence: 1

File Header File: PERFO_026LUP Sequence: 1

Defining Origin: 15

File ID: PERFO_026LUP File Type: DEPTH LOG
Producer Name: Schlumberger Product/Version: OP 14C0-302 File Set: 41 File Number: 23 2-OCT-2006 10:59:16
Tool String: SHM_GUN, CCL-L
Computations: WELLCAD

Error Summary File: PERFO_026LUP Sequence: 1

No errors detected in file.

Well Site Data File: PERFO_026LUP Sequence: 1

Origin: 15

Well Data

Permanent Datum GROUND LEVEL PDAT

Absent Valued Parameters: CN, CN1, WN, FN, COUN, STAT, NATI, CONT, FL, FL1, FL2, SECT, TOWN, RANG, APIN, SON, LONG, LATI, MHD, EKB, EGL, EDF, EPD, LMF, APD, DMF

Job Data

Run Number 1 RUN
Current Casing Size 0.0 (in) CSIZ
Casing Weight 0.0 (lbm/ft) CWEI
Bit Size 8.00 (in) BS

Absent Valued Parameters: DATE, TDD, TDL, BLI, TLI, CDF, CADT, CASG, BSDF, BSDT, DLAB, TLAB, LUN, LUL, ENGI, WITN, SON

Mud Data

Absent Valued Parameters: DFT, DFD, DFV, DFL, DFPH, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT, MRT1, MRT2, MRT3, DCS, TCS, DLAB, TLAB

PVT Data

Absent Valued Parameters: ODEN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR

Cement Data

Cement Job Type Primary CJT

Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA

Frame Summary File: PERFO_026LUP Sequence: 1

Origin: 15

<u>Index Type</u>	<u>Start</u>	<u>Stop</u>	<u>Spacing</u>	<u>Channels</u>	<u>Index Channel</u>	<u>Frame Name</u>
BOREHOLE-DEPTH	2048.26	2013.05 m	-60.0 (0.1 in) up	7	TDEP	60B
	6720.00	6604.50 ft				
BOREHOLE-DEPTH	2048.26	2013.08 m	-10.0 (0.1 in) up	7	TDEP;1	10B
	6720.00	6604.58 ft				

File Header File: PERFO_030PUP Sequence: 2

Defining Origin: 41

File ID: PERFO_030PUP File Type: PLAYBACK
Producer Name: Schlumberger Product/Version: OP 14C0-302 File Set: 41 File Number: 26 2-OCT-2006 11:51:38
Tool String: SHM_GUN, CCL-L
Computations: WELLCAD

Error Summary File: PERFO_030PUP Sequence: 2

No errors detected in file.

Well Site Data		File: PERFO_030PUP	Sequence: 2
Origin: 41			
Well Data			
Permanent Datum	GROUND LEVEL		PDAT
Absent Valued Parameters: CN, CN1, WN, FN, COUN, STAT, NATI, CONT, FL, FL1, FL2, SECT, TOWN, RANG, APIN, SON, LONG, LATI, MHD, EKB, EGL, EDF, EPD, LMF, APD, DMF			
Job Data			
Run Number	1		RUN
Current Casing Size	0.0 (in)		CSIZ
Casing Weight	0.0 (lbm/ft)		CWEI
Bit Size	8.00 (in)		BS
Absent Valued Parameters: DATE, TDD, TDL, BLI, TLI, CDF, CADT, CASG, BSDF, BSDT, DLAB, TLAB, LUN, LUL, ENGI, WITN, SON			
Mud Data			
Absent Valued Parameters: DFT, DFD, DFV, DFL, DFPH, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT, MRT1, MRT2, MRT3, DCS, TCS, DLAB, TLAB			
PVT Data			
Absent Valued Parameters: ODEN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR			
Cement Data			
Cement Job Type	Primary		CJT
Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA			

Frame Summary		File: PERFO_030PUP	Sequence: 2			
Origin: 41						
<u>Index Type</u>	<u>Start</u>	<u>Stop</u>	<u>Spacing</u>	<u>Channels</u>	<u>Index Channel</u>	<u>Frame Name</u>
BOREHOLE-DEPTH	2048.26	2016.86 m	-60.0 (0.1 in) up	7	TDEP	60B
	6720.00	6617.00 ft				
BOREHOLE-DEPTH	2048.26	2016.89 m	-10.0 (0.1 in) up	4	TDEP;1	10B
	6720.00	6617.08 ft				

File Header			File: PERFO_Perfo_WPGRT_012LUP	Sequence: 3
Defining Origin: 52				
File ID: PERFO_Perfo_WPGRT_012LUP File Type: DEPTH LOG				
Producer Name: Schlumberger		Product/Version: OP 14C0-302		File Set: 41
				File Number: 9
				1-OCT-2006 12:25:40
Company Name: Esso Australia Ltd.				
Well Name: B-6				
Field Name: Bream B				
Tool String: WPP_GUN, WPST-AB, WPPTT-AA/BA, WPGRT-A, WPTET-				
Computations: WELLCAD				

Error Summary			File: PERFO_Perfo_WPGRT_012LUP	Sequence: 3
No errors detected in file.				

Well Site Data			File: PERFO_Perfo_WPGRT_012LUP	Sequence: 3
Origin: 52				

Well Data

Company Name	Esso Australia Ltd.	CN
Well Name	B-6	WN
Field Name	Bream B	FN
Rig :	Prod4	CLAB, COUN
State:	Victoria	SLAB, STAT
Nation	Australia	NATI
Field Location	Gippsland	FL
	Basin	FL1
	Bass Strait	FL2
Service Order Number	Ausl06328186	SON
Longitude	147 50'16.81"E	LONG
Latitude	038 31'10.90"S	LATI
Maximum Hole Deviation	28.0 (deg)	MHD
Elevation of Ground Level	-61.0 (m)	EGL
Elevation of Derrick Floor	47.1 (m)	EDF
Permanent Datum	M.S.L	PDAT, EPD
Log Measured From	D.F	LMF, APD
Drilling Measured From	D.F	DMF
	Elevation of Permanent Datum 0.0 (m)	
	Above Permanent Datum 47.1 (m)	

Absent Valued Parameters: CN1, CONT, SECT, TOWN, RANG, APIN, EKB

Job Data

Date as Month-Day-Year	1-Oct-2006	DATE
Run Number	One	RUN
Total Depth - Driller	2061.0 (m)	TDD
Total Depth - Logger	2061.0 (m)	TDL
Bottom Log Interval	2058.0 (m)	BLI
Top Log Interval	2000.0 (m)	TLI
Current Casing Size	7.00 (in)	CSIZ
Casing Depth From	21.0 (m)	CDF
Casing Depth To	2187.9 (m)	CADT
Casing Grade	LT&C	CASG
Casing Weight	26.0 (lbm/ft)	CWEI
Bit Size	8.50 (in)	BS
Date Logger At Bottom	1-Oct-2006	DLAB, TLAB
Logging Unit Number	1	LUN, LUL
Engineer's Name	G Wright	ENGI
Witness's Name	B White	WITN
Service Order Number	Ausl06328186	SON
	Time Logger At Bottom 10:00	
	Logging Unit Location Prod4 / Ausl	

Absent Valued Parameters: BSDF, BSDT

Mud Data

Drilling Fluid Type	Production Fluids	DFT
Maximum Recorded Temperature	101.7 (degC)	MRT
	101.7 (degC)	MRT1
Date Logger At Bottom	1-Oct-2006	DLAB, TLAB
	Time Logger At Bottom 10:00	

Absent Valued Parameters: DFD, DFV, DFL, DFPH, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT2, MRT3, DCS, TCS

PVT Data

Absent Valued Parameters: ODEN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR

Cement Data

Cement Job Type	Primary	CJT
-----------------	---------	-----

Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA

Remarks

Log correlated to ExxonMobil composite supplied with program.	R1
Maximum well deviation 24 degrees at 930m MDKB.	R2

Other Services

None	OS1
------	-----

Frame Summary

File: PERFO_Perfo_WPGRT_012LUP Sequence: 3

Origin: 52

Index Type	Start	Stop	Spacing	Channels	Index Channel	Frame Name
BOREHOLE-DEPTH	2056.49	2024.94 m	-60.0 (0.1 in) up	22	TDEP	60B
	6747.00	6643.50 ft				
BOREHOLE-DEPTH	2056.49	2024.96 m	-10.0 (0.1 in) up	9	TDEP;1	10B
	6747.00	6643.58 ft				

File Header

File: PERFO_Perfo_WPGRT_012LUP Sequence: 4

File Header		File: PERFO_Perfo_WPGRT_013LTP	Sequence: 4
Defining Origin: 52			
File ID: PERFO_Perfo_WPGRT_013LTP File Type: STATION			
Producer Name: Schlumberger		Product/Version: OP 14C0-302	File Set: 41
		File Number: 10	1-OCT-2006 12:29:35
Company Name: Esso Australia Ltd.			
Well Name: B-6			
Field Name: Bream B			
Tool String: WPP_GUN, WPST-AB, WPPTT-AA/BA, WPGRT-A, WPTET-			
Computations: WELLCAD			

Error Summary	File: PERFO_Perfo_WPGRT_013LTP	Sequence: 4
No errors detected in file.		

Well Site Data	File: PERFO_Perfo_WPGRT_013LTP	Sequence: 4
Origin: 52		
Well Data		
Company Name	Esso Australia Ltd.	CN
Well Name	B-6	WN
Field Name	Bream B	FN
Rig :	Prod4	CLAB, COUN
State:	Victoria	SLAB, STAT
Nation	Australia	NATI
Field Location	Gippsland	FL
	Basin	FL1
	Bass Strait	FL2
Service Order Number	Ausl06328186	SON
Longitude	147 50'16.81"E	LONG
Latitude	038 31'10.90"S	LATI
Maximum Hole Deviation	28.0 (deg)	MHD
Elevation of Ground Level	-61.0 (m)	EGL
Elevation of Derrick Floor	47.1 (m)	EDF
Permanent Datum	M.S.L	PDAT, EPD
Log Measured From	D.F	LMF, APD
Drilling Measured From	D.F	DMF
Elevation of Permanent Datum		0.0 (m)
Above Permanent Datum		47.1 (m)
Absent Valued Parameters: CN1, CONT, SECT, TOWN, RANG, APIN, EKB		

Job Data		
Date as Month-Day-Year	1-Oct-2006	DATE
Run Number	One	RUN
Total Depth - Driller	2061.0 (m)	TDD
Total Depth - Logger	2061.0 (m)	TDL
Bottom Log Interval	2058.0 (m)	BLI
Top Log Interval	2000.0 (m)	TLI
Current Casing Size	7.00 (in)	CSIZ
Casing Depth From	21.0 (m)	CDF
Casing Depth To	2187.9 (m)	CADT
Casing Grade	LT&C	CASG
Casing Weight	26.0 (lbm/ft)	CWEI
Bit Size	8.50 (in)	BS
Date Logger At Bottom	1-Oct-2006	DLAB, TLAB
Logging Unit Number	1	LUN, LUL
Engineer's Name	G Wright	ENGI
Witness's Name	B White	WITN
Service Order Number	Ausl06328186	SON
Time Logger At Bottom		10:00
Logging Unit Location		Prod4 / Ausl
Absent Valued Parameters: BSDF, BSDT		

Mud Data		
Drilling Fluid Type	Production Fluids	DFT
Maximum Recorded Temperature	101.7 (degC)	MRT
	101.7 (degC)	MRT1
Date Logger At Bottom	1-Oct-2006	DLAB, TLAB
Time Logger At Bottom		10:00
Absent Valued Parameters: DFD, DFV, DFL, DFPH, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT2, MRT3, DCS, TCS		

PVT Data		
Absent Valued Parameters: ODEN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR		
Cement Data		
Cement Job Type	Primary	CJT
Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA		

Remarks	
Log correlated to ExxonMobil composite supplied with program.	R1
Maximum well deviation 24 degrees at 930m MDKB.	R2
Other Services	
None	OS1

Frame Summary						
File:		PERFO_Perfo_WPGRT_013LTP		Sequence: 4		
Origin: 52						
Index Type	Start	Stop	Spacing	Channels	Index Channel	Frame Name
TIME	1772.29	2023.49 s	400.0 (0.5 ms)	13	TIME;2	400T
TIME	1772.29	2023.66 s	2.0 (0.5 ms)	4	TIME;3	2T
TIME	1772.29	2023.29 s	2000.0 (0.5 ms)	7	TIME;6	2000T

File Header	File: PERFO_Perfo_WPGRT_020PUP	Sequence: 5
Defining Origin: 30		
File ID: PERFO_Perfo_WPGRT_020PUP	File Type: PLAYBACK	
Producer Name: Schlumberger	Product/Version: OP 14C0-302	File Set: 41
		File Number: 17
		1-OCT-2006 15:33:37
Company Name:	Esso Australia Ltd.	
Well Name:	B-6	
Field Name:	Bream B	
Tool String:	WPP_GUN, WPST-AB, WPPTT-AA/BA, WPGRT-A, WPTET-	
Computations:	WELLCAD	

Error Summary	File: PERFO_Perfo_WPGRT_020PUP	Sequence: 5
No errors detected in file.		

Well Site Data	File: PERFO_Perfo_WPGRT_020PUP	Sequence: 5
Origin: 30		
Well Data		
Company Name	Esso Australia Ltd.	CN
Well Name	B-6	WN
Field Name	Bream B	FN
Rig :	Prod4	CLAB, COUN
State:	Victoria	SLAB, STAT
Nation	Australia	NATI
Field Location	Gippsland	FL
	Basin	FL1
	Bass Strait	FL2
Service Order Number	Ausl06328186	SON
Longitude	147 50'16.81"E	LONG
Latitude	038 31'10.90"S	LATI
Maximum Hole Deviation	28.0 (deg)	MHD
Elevation of Ground Level	-61.0 (m)	EGL
Elevation of Derrick Floor	47.1 (m)	EDF
Permanent Datum	M.S.L	PDAT, EPD
Log Measured From	D.F	LMF, APD
Drilling Measured From	D.F	DMF
Absent Valued Parameters: CN1, CONT, SECT, TOWN, RANG, APIN, EKB		
Job Data		
Date as Month-Day-Year	1-Oct-2006	DATE
Run Number	One	RUN
Total Depth - Driller	2061.0 (m)	TDD

Total Depth – Driller2061.0 (m)
Total Depth – Logger2061.0 (m)
Bottom Log Interval2058.0 (m)
Top Log Interval2000.0 (m)
Current Casing Size7.00 (in)
Casing Depth From21.0 (m)
Casing Depth To2187.9 (m)
Casing GradeLT&C
Casing Weight26.0 (lbm/ft)
Bit Size8.50 (in)
Date Logger At Bottom1–Oct–2006
Logging Unit Number1
Engineer's NameG Wright
Witness's NameB White
Service Order NumberAusl06328186

Time Logger At Bottom10:00
Logging Unit LocationProd4 / Ausl

TDL
BLI
TLI
CSIZ
CDF
CADT
CASG
CWEI
BS
DLAB, TLAB
LUN, LUL
ENGI
WITN
SON

Absent Valued Parameters: BSDF, BSDT

Mud Data

Drilling Fluid TypeProduction Fluids
Maximum Recorded Temperature101.7 (degC)
101.7 (degC)
Date Logger At Bottom1–Oct–2006
Time Logger At Bottom10:00

DFT
MRT
MRT1
DLAB, TLAB

Absent Valued Parameters: DFD, DFV, DFL, DFPH, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT2, MRT3, DCS, TCS

PVT Data

Absent Valued Parameters: ODEN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR

Cement Data

Cement Job TypePrimary

CJT

Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA

Remarks

Log correlated to ExxonMobil composite supplied with program.
Maximum well deviation 24 degrees at 930m MDKB.


R1
R2

Other Services

None

OS1

Frame Summary File: PERFO_Perfo_WPGRT_020PUP Sequence: 5						
Origin: 30						
<u>Index Type</u>	<u>Start</u>	<u>Stop</u>	<u>Spacing</u>	<u>Channels</u>	<u>Index Channel</u>	<u>Frame Name</u>
BOREHOLE–DEPTH	2064.11	2017.32 m	–60.0 (0.1 in) up	22	TDEP	60B
	6772.00	6618.50 ft				
BOREHOLE–DEPTH	2064.11	2017.34 m	–10.0 (0.1 in) up	9	TDEP;1	10B
	6772.00	6618.58 ft				

Verification Listing

Listing Completed: 2–OCT–2006 13:00:42