

**Input Source:** D:\OP\_Folder\Clients\Eso2007\MLA\_A\_2a\RSTC\COMP\_MLA2ARST\_COMP\_014.DLIS  
**Format:** DLIS  
**Storage Set ID:** Default Storage Set

**Max Record Length:** 8192  
**Storage Unit Sequence:** 1

**File Header** File: **RST\_PSP\_009PUP** Sequence: **1**

**Defining Origin: 56**

File ID: RST\_PSP\_009PUP File Type: PLAYBACK

Producer Name: Schlumberger

Product/Version: OP 14C0-302

File Set: 41

File Number: 8

23-OCT-2007 15:31:32

Company Name: Esso Australia Pty Ltd.

Well Name: A-2A

Field Name: Marlin

Tool String: RST-C, PSPT-A/B

Computations: WELLCAD, BORDYN

**Error Summary** File: **RST\_PSP\_009PUP** Sequence: **1**

No errors detected in file.

**Well Site Data** File: **RST\_PSP\_009PUP** Sequence: **1**

**Origin: 56**

**Well Data**

Company Name	Esso Australia Pty Ltd.	CN
Well Name	A-2A	WN
Field Name	Marlin	FN
Rig:	Prod 4 / Crane	CLAB, COUN
State:	Victoria	SLAB, STAT
Nation	Australia	NATI
Field Location	Gippsland	FL
	Basin	FL1
	Bass Strait	FL2
Service Order Number	AusI07509092	SON
Longitude	148 13'09.18"E	LONG
Latitude	038 13'55.49"S	LATI
Maximum Hole Deviation	37.0 (deg)	MHD
Elevation of Kelly Bushing	27.4 (m)	EKB
Elevation of Ground Level	-59.0 (m)	EGL
Elevation of Derrick Floor	27.4 (m)	EDF
Permanent Datum	M.S.L	PDAT, EPD
Log Measured From	K.B	LMF, APD
Drilling Measured From	K.B	DMF
	Elevation of Permanent Datum 0.0 (m)	
	Above Permanent Datum 27.4 (m)	

Absent Valued Parameters: CN1, CONT, SECT, TOWN, RANG, APIN

**Job Data**

Date as Month-Day-Year	23-Oct-2007	DATE
Run Number	One	RUN
Total Depth - Driller	1589.0 (m)	TDD
Total Depth - Logger	1589.0 (m)	TDL
Bottom Log Interval	1589.0 (m)	BLI
Top Log Interval	1475.0 (m)	TLI
Current Casing Size	9.63 (in)	CSIZ
Casing Depth From	11.7 (m)	CDF
Casing Depth To	1658.1 (m)	CADT
Casing Grade	J-55	CASG
Casing Weight	47.0 (lbm/ft)	CWEI
Bit Size	12.5 (in)	BS
Bit Size Depth From	0.0 (m)	BSDF
Bit Size Depth To	0.0 (m)	BSDT
Date Logger At Bottom	23-Oct-2007	DLAB, TLAB
Logging Unit Number	889	LUN, LUL
Engineer's Name	G Wright.	ENGI
Witness's Name	G Rimmer.	WITN
Service Order Number	AusI07509092	SON
	Time Logger At Bottom 14:35	
	Logging Unit Location AusI / Prod 4	

**Mud Data**

<b>Mud Data</b>		Production Fluid	DFT
Drilling Fluid Type		229.0 (degF)	MRT
Maximum Recorded Temperature		229.0 (degF)	MRT1
Date Logger At Bottom	23-Oct-2007	Time Logger At Bottom	14:35
			DLAB, TLAB
Absent Valued Parameters: DFD, DFV, DFL, DFPH, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT2, MRT3, DCS, TCS			
<b>PVT Data</b>			
Absent Valued Parameters: ODEN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR			
<b>Cement Data</b>			
Cement Job Type	Primary		CJT
Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA			
<b>Remarks</b>			
Log correlated to Solar composite supplied with logging program.			R1
Maximum well deviation = 37 degree's at 1570m MDKB.			R2
RST-C Sigma survey with the well shut-in, 2 passes at 900 ft/hr.			R3
Crew : J Light, J Annear, K Kerr, B Taylor.			R12
<b>Other Services</b>			
None			OS1

Frame Summary		File: RST_PSP_009PUP	Sequence: 1			
Origin: 56						
<u>Index Type</u>	<u>Start</u>	<u>Stop</u>	<u>Spacing</u>	<u>Channels</u>	<u>Index Channel</u>	<u>Frame Name</u>
BOREHOLE-DEPTH	1594.41	1476.30 m	-60.0 (0.1 in) up	121	TDEP	60B
	5231.00	4843.50 ft				
BOREHOLE-DEPTH	1594.41	1476.48 m	-10.0 (0.1 in) up	7	TDEP;1	10B
	5231.00	4844.08 ft				

<b>File Header</b>		File: RST_PSP_010PUP	Sequence: 2
<b>Defining Origin: 56</b>			
File ID: RST_PSP_010PUP File Type: PLAYBACK			
Producer Name: Schlumberger		Product/Version: OP 14C0-302	File Set: 41
		File Number: 9	23-OCT-2007 15:32:39
Company Name: Esso Australia Pty Ltd.			
Well Name: A-2A			
Field Name: Marlin			
Tool String: RST-C, PSPT-A/B			
Computations: WELLCAD, BORDYN			

<b>Error Summary</b>		File: RST_PSP_010PUP	Sequence: 2
No errors detected in file.			

<b>Well Site Data</b>		File: RST_PSP_010PUP	Sequence: 2
<b>Origin: 56</b>			
<b>Well Data</b>			
Company Name	Esso Australia Pty Ltd.		CN
Well Name	A-2A		WN
Field Name	Marlin		FN
Rig:	Prod 4 / Crane		CLAB, COUN
State:	Victoria		SLAB, STAT
Nation	Australia		NATI
Field Location	Gippsland		FL
	Basin		FL1
	Bass Strait		FL2
Service Order Number	Ausl07509092		SON
Longitude	148 13'09.18"E		LONG
Latitude	038 13'55.10"S		LATI

Latitude	030 15 33.49 S			LAT
Maximum Hole Deviation	37.0 (deg)			MHD
Elevation of Kelly Bushing	27.4 (m)			EKB
Elevation of Ground Level	-59.0 (m)			EGL
Elevation of Derrick Floor	27.4 (m)			EDF
Permanent Datum	M.S.L	Elevation of Permanent Datum	0.0 (m)	PDAT, EPD
Log Measured From	K.B	Above Permanent Datum	27.4 (m)	LMF, APD
Drilling Measured From	K.B			DMF
Absent Valued Parameters: CN1, CONT, SECT, TOWN, RANG, APIN				
<b>Job Data</b>				
Date as Month-Day-Year	23-Oct-2007			DATE
Run Number	One			RUN
Total Depth - Driller	1589.0 (m)			TDD
Total Depth - Logger	1589.0 (m)			TDL
Bottom Log Interval	1589.0 (m)			BLI
Top Log Interval	1475.0 (m)			TLI
Current Casing Size	9.63 (in)			CSIZ
Casing Depth From	11.7 (m)			CDF
Casing Depth To	1658.1 (m)			CADT
Casing Grade	J-55			CASG
Casing Weight	47.0 (lbm/ft)			CWEI
Bit Size	12.5 (in)			BS
Bit Size Depth From	0.0 (m)			BSDF
Bit Size Depth To	0.0 (m)			BSDT
Date Logger At Bottom	23-Oct-2007	Time Logger At Bottom	14:35	DLAB, TLAB
Logging Unit Number	889	Logging Unit Location	Ausl / Prod 4	LUN, LUL
Engineer's Name	G Wright.			ENGI
Witness's Name	G Rimmer.			WITN
Service Order Number	Ausl07509092			SON
<b>Mud Data</b>				
Drilling Fluid Type	Production Fluid			DFT
Maximum Recorded Temperature	229.0 (degF)			MRT
	229.0 (degF)			MRT1
Date Logger At Bottom	23-Oct-2007	Time Logger At Bottom	14:35	DLAB, TLAB
Absent Valued Parameters: DFD, DFV, DFL, DFPB, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT2, MRT3, DCS, TCS				
<b>PVT Data</b>				
Absent Valued Parameters: ODEN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR				
<b>Cement Data</b>				
Cement Job Type	Primary			CJT
Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA				
<b>Remarks</b>				
Log correlated to Solar composite supplied with logging program.				R1
Maximum well deviation = 37 degree's at 1570m MDKB.				R2
RST-C Sigma survey with the well shut-in,2 passes at 900 ft/hr.				R3
Crew : J Light,J Annear,K Kerr,B Taylor.				R12
<b>Other Services</b>				
None				OS1

<b>Frame Summary</b> File: <b>RST_PSP_010PUP</b> Sequence: <b>2</b>						
<b>Origin: 56</b>						
<u>Index Type</u>	<u>Start</u>	<u>Stop</u>	<u>Spacing</u>	<u>Channels</u>	<u>Index Channel</u>	<u>Frame Name</u>
BOREHOLE-DEPTH	1588.47	1474.47 m	-60.0 (0.1 in) up	121	TDEP	60B
	5211.50	4837.50 ft				
BOREHOLE-DEPTH	1588.47	1474.65 m	-10.0 (0.1 in) up	7	TDEP;1	10B
	5211.50	4838.08 ft				

