





Input DLIS Files					
DEFAULT	PSP_020LUP	FN:18	PRODUCER	09-May-2006 03:33	2600.4 M 2287.7 M
Output DLIS Files					
DEFAULT	PSP_021PUP	FN:19	PRODUCER	09-May-2006 04:33	2601.3 M 2289.0 M


OP System Version: 14C0-302	
MCM	
PSPT-A/B	14C0-302


PIP SUMMARY


Time Mark Every 60 S

















0	Gamma Ray (GR) (GAPI)	150	Discriminat ed CCL (CCLD) (V)	3	-1	0	Tension (TENS) (LBF)	3000	0	Cable Speed (CS) (F/HR)	5000
---	--------------------------	-----	--	---	----	---	-------------------------	------	---	----------------------------	------

Perfo Zone From PERFO_ CURVE to D3T	Well Temperature (WTEP)										
	0	(DEGF)									250
	0	Well Temperature (WTEP) (DEGF)									25
	0	Well Pressure (WPRE) (PSIA)									3000
	0	Amplified Well Pressure (WPRE) (PSIA)									50

PIP SUMMARY

Time Mark Every 60 S

Format: PSP\_1 Vertical Scale: 1:200 Graphics File Created: 09-May-2006 04:33

OP System Version: 14C0-302  
MCM  
PSPT-A/B 14C0-302

Parameters		
DLIS Name	Description	Value
DO PP	System and Miscellaneous Depth Offset for Playback Playback Processing	0.9 M NORMAL

Input DLIS Files						
DEFAULT	PSP_020LUP	FN:18	PRODUCER	09-May-2006 03:33	2600.4 M	2287.7 M
Output DLIS Files						
DEFAULT	PSP_021PUP	FN:19	PRODUCER	09-May-2006 04:33		