

































Operator : APACHE ENERGY LTD	POSITION Latitude : 38 07 47.91 S Longitude : 148 09 08.44E	CASING 762mm Shoe at (mMDRT): 111.0 m 340mm Shoe at (mMDRT): 817.6 m	Spud Date : 24-10-05 Total Depth Date : 01-11-05 Total Depth (mRT) : 2610.0 m T.V.D. (mSSAHD) : P & A
Country : AUSTRALIA			
Field : GIPPSLAND			
Permit : VIC/P-54			
Well Type : EXPLORATION	RT-AHD (m) : 21.5		
Rig Name : OCEAN PATRIOT	RT-Seabed (m) : 78.12		

ABBREVIATIONS		LITHOLOGY LEGEND			ENGINEERING LEGEND
MW MUD WEIGHT	NB NEW BIT	 Limestone	 Conglomerate	 Mica	 Deviation Survey
FV FUNNEL VISCOSITY	RR RERUN BIT	 Coal	 Dolomite	 Ferrous	 Wiper Trip
PV PLASTIC VISCOSITY	CB CORE BIT	 Claystone	 Carb. Siltstone	 Chert	 SWC (rec)
YP YIELD POINT	WOB WEIGHT ON BIT	 Calclutite	 Calc. Siltstone	 Calcareous	 SWC (unrec)
FC FILTER CAKE	RPM REVS PER MINUTE	 Med Sandstone	 Pyrite	 Dolomitic	 Casing Shoe
SOL SOLIDS	FLC FLOW CHECK	 Coarse Sandston	 Siderite	 Carbonaceous	 Bit Trip
WL FILTRATE	CR CIRCULATE RETURNS	 Fine Sandstone	 Glaucanite	 Lithoclast	 Core
SD SAND-%	PR POOR RETURNS	 VF Sandstone	 Feldspar	 Breccia	 DST
S SALINITY-PPM	NR NO RETURNS				
RM MUD RESISTIVITY	BG BACKGROUND GAS				
RMF MUD FILTRATE	TG TRIP GAS				
C CARBIDE TEST	STG SHORT TRIP GAS				
LAT LOGGED AFTER TRIP	CG CONNECTION GAS				
DS DEVIATION SURVEY	SG SWAB GAS				
	SVG SURVEY GAS				

