

FTA A12A LWD RM 200MD

IDF

ARC6A-AA id12_0c_01
SON675 id12_0c_01


MWD_10 id12_0c_01
ADN id12_0c_01


Format: VISION Service RM Log Vertical Scale: 1:200 Graphics File Created: 31-Mar-2007 22:39


PIP SUMMARY

Density Samples Density Samples
ARC Gamma Ray Samples Neutron Samples
ARC Resistivity Samples

Rate of Penetration, Averaged over Last 5ft (ROP5_RM) (M/HR)	ARC Phase-Shift Resistivity 40-in. at 2 MHz (P40H) (OHMM)	
200 0	0.2 2000	
ARC Gamma Ray (GR_ARC) (GAPI)	ARC Phase-Shift Resistivity 34-in. at 2 MHz (P34H) (OHMM)	Thermal Neutron Porosity (TNPH) (PU)
0 200	0.2 2000	45 -15
Vertical Hole Diameter (VERD) (IN)	ARC Phase-Shift Resistivity 28-in. at 2 MHz (P28H) (OHMM)	Bulk Density, Bottom (ROBB) (G/C3)
6 16	0.2 2000	1.85 2.85
Horizontal Hole Diameter (HORD) (IN)	ARC Phase-Shift Resistivity 22-in. at 2 MHz (P22H) (OHMM)	Photoelectric Factor, Bottom (PEB) (----)
6 16	0.2 2000	0 10
Density Time After Bit (TAB_DEN) (HR)	ADN Rotational Speed (RPM_ADN) (RPM)	ARC Phase-Shift Resistivity 16-in. at 2 MHz (P16H) (OHMM)
0 10	0 250	0.2 2000
		Bulk Density Correction, Bottom (DRHB) (G/C3)
		-0.75 0.25









1450


1475









1500

1525











1675



1700






1725


1750






1775

1800








1825



1850


1875
















2125


2150






2175


2200






2225

2250








2275

2300


2325






2350


2375









2400


2425






















2725

2750











2850


2875
















3125


3150






3175

3200







3225

3250


3275






3300


3325








3350

3375









3450

3475









3500


3525


3550






















3850

3875









Density Time After Bit (TAB_DEN) (HR) 010	ADN Rotational Speed (RPM_ADN) (RPM) 0250	ARC Phase-Shift Resistivity 16-in. at 2 MHz (P16H) 0.22000 (OHMM)	Bulk Density Correction, Bottom (DRHB) -0.750.25 (G/C3)
Horizontal Hole Diameter (HORD) (IN) 616		ARC Phase-Shift Resistivity 22-in. at 2 MHz (P22H) 0.22000 (OHMM)	Photoelectric Factor, Bottom (PEB) 010 (-----)
Vertical Hole Diameter (VERD) (IN) 616		ARC Phase-Shift Resistivity 28-in. at 2 MHz (P28H) 0.22000 (OHMM)	Bulk Density, Bottom (ROBB) 1.852.85 (G/C3)
ARC Gamma Ray (GR_ARC) (GAPI) 0200		ARC Phase-Shift Resistivity 34-in. at 2 MHz (P34H) 0.22000 (OHMM)	Thermal Neutron Porosity (TNPH) 45-15 (PU)
Rate of Penetration, Averaged over Last 5ft (ROP5_RM) 2000 (M/HR)		ARC Phase-Shift Resistivity 40-in. at 2 MHz (P40H) 0.22000 (OHMM)	

IDEAL Version: ID12_0C_06

IDF

ARC6A-AA
SON675

id12_0c_01
id12_0c_01

MWD_10
ADN

id12_0c_01
id12_0c_01