

Schlumberger

geoVISION

1:500 True Vertical Depth

Real Time Data

Company: ROC Oil

Well: Basker-7

Field: Gippsland Basin

Rig Name: Ocean Patriot

State: Victoria

Country: AUSTRALIA

Latitude: 38° 17' 58.78" S

Longitude: 148° 42' 22.31" E

Block:

FL: VIC/L26


FL1:

FL2:

Custom: 09ASQ0007

Rig Name: Ocean Patriot

Rig Type: Semi-Submersible



|                    |                        |                     |
|--------------------|------------------------|---------------------|
| Acquisition Dates: | 31 Jul 09              | Other Services:     |
| Print Interval:    | 2450.0(m) to 2886.3(m) | Directional Surveys |
| Index Types:       | True Vertical Depth    |                     |
| Index Scales:      | 1:500                  |                     |
| Depth Source:      | Driller's Depth        |                     |
| Depth Sensor:      | DES                    |                     |
| Conveyance:        | Drill Pipe             |                     |
| Print Type:        | Field                  |                     |
| Spud Date:         |                        |                     |

Disclaimer

THE USE OF AND RELIANCE UPON THIS RECORDED-DATA BY THE HEREIN NAMED COMPANY (AND ANY OF ITS AFFILIATES, PARTNERS, REPRESENTATIVES, AGENTS, CONSULTANTS AND EMPLOYEES) IS SUBJECT TO THE TERMS AND CONDITIONS AGREED UPON BETWEEN SCHLUMBERGER AND THE COMPANY, INCLUDING: (a) RESTRICTIONS ON USE OF THE RECORDED-DATA; (b) DISCLAIMERS AND WAIVERS OF WARRANTIES AND REPRESENTATIONS REGARDING COMPANY'S USE AND RELIANCE UPON THE RECORDED-DATA; AND (c) CUSTOMER'S FULL AND SOLE RESPONSIBILITY FOR ANY INFERENCE DRAWN OR DECISION MADE IN CONNECTION WITH THE USE OF THIS RECORDED-DATA.

Contents

1. Header
2. Disclaimer
3. Contents
4. Run 4


4.1 Software Version


4.2 Pass Summary


4.3 Log ( TVD RT RES-GR Depth )

4.4 Parameter Listing
5. Tail









|                                                                |                                |                                             |
|----------------------------------------------------------------|--------------------------------|---------------------------------------------|
| Rate of penetration averaged over the last 5 ft (1.5 m) (ROP5) | Collar Rotational Speed (CRPM) | Raw Deep Button Resistivity (RES_BD_RAW)    |
| 200 m/h 0                                                      | 0 c/min 250                    | 0.2 ohm.m 2000                              |
| Gamma Ray (GR)                                                 | Stick Slip Indicator (STICK)   | Raw Medium Button Resistivity (RES_BM_RAW)  |
| 0 gAPI 200                                                     | 0 c/min 500                    | 0.2 ohm.m 2000                              |
|                                                                |                                | Raw Shallow Button Resistivity (RES_BS_RAW) |
|                                                                |                                | 0.2 ohm.m 2000                              |
|                                                                |                                | Raw Ring Resistivity (RES_RING_RAW)         |
|                                                                |                                | 0.2 ohm.m 2000                              |


Description: ARC Blended Resistivity RT    Format: Log ( TVD RT RES-GR Depth )    Index Scale: 1:500    Index Unit: m    Index Type: TVD    Creation Date: 02-Aug-2009 04:25:27

| Channel Processing Parameters |                        |            |             |         |
|-------------------------------|------------------------|------------|-------------|---------|
| Parameter                     | Description            | ToolPath   | Value       | Unit    |
| BS                            | Bit Size               | COMPLETION | Depth Zoned | in      |
| DFD                           | Drilling Fluid Density | Borehole   | Time Zoned  | lbm/gal |

| Depth Zone Parameters |       |             |            |
|-----------------------|-------|-------------|------------|
| Parameter             | Value | Start ( m ) | Stop ( m ) |
| BS                    | 12.25 | 2450        | 2475.84    |
| BS                    | 8.5   | 2475.84     |            |
| All depth are actual. |       |             |            |

| Time Zone Parameters        |       |                      |                      |                   |                  |
|-----------------------------|-------|----------------------|----------------------|-------------------|------------------|
| Parameter                   | Value | Start Time           | Stop Time            | Start Depth ( m ) | Stop Depth ( m ) |
| DFD                         | 9.55  | 31-Jul-2009 23:29:56 | 02-Aug-2009 02:51:38 | 2849.8            | 2869.45          |
| DFD                         | 9.4   | 02-Aug-2009 02:51:38 |                      | 2869.45           |                  |
| All depth are at tool zero. |       |                      |                      |                   |                  |

| Tool Control Parameters |                                                      |             |       |      |
|-------------------------|------------------------------------------------------|-------------|-------|------|
| Parameter               | Description                                          | ToolPath    | Value | Unit |
| OFFBTM_TH               | Threshold for deciding whether the bit is off bottom | DnMWorkflow | 0.55  | m    |

|           |                 |                                                                                       |
|-----------|-----------------|---------------------------------------------------------------------------------------|
| Company:  | ROC Oil         |  |
| Well:     | Basker-7        |                                                                                       |
| Field:    | Gippsland Basin |                                                                                       |
| Rig Name: | Ocean Patriot   |                                                                                       |
| State:    | Victoria        |                                                                                       |
| Country:  | AUSTRALIA       |                                                                                       |

|              |                           |
|--------------|---------------------------|
| Schlumberger | geoVISION                 |
|              | 1:500 True Vertical Depth |
|              | Real Time Data            |