

True Vertical Depth Log

CBA A15b – Recorded Mode Data – 200TVD

IDF

Format: VISION Service RM Log

Vertical Scale: 1:200

Graphics File Created: 23-Aug-2009 10:14

Rate of Penetration, Averaged over Last
5ft (ROP5_RM)

200 (M/HR) 0

ARC Phase-Shift Resistivity 40-in. at 2
MHz (P40H)

0.2 (OHMM) 2000

ARC Phase-Shift Resistivity 34-in. at 2
MHz (P34H)

0.2 (OHMM) 2000

Thermal Neutron Porosity (TNPH)

0.45 (V/V) -0.15

ARC Gamma Ray (GR_ARC)

0 (GAPI) 200

Vertical Hole Diameter (VERD)

6 (IN) 16

ARC Phase-Shift Resistivity 28-in. at 2
MHz (P28H)

0.2 (OHMM) 2000

Bulk Density, Bottom (ROBB)

1.85 (G/C3) 2.85

Horizontal Hole Diameter (HORD)

6 (IN) 16

ARC Phase-Shift Resistivity 22-in. at 2
MHz (P22H)

0.2 (OHMM) 2000

Photoelectric Factor, Bottom (PEB)

0 (----) 10

Density Time After Bit (TAB_DEN)

0 (HR) 10


ARC Phase-Shift Resistivity 16-in. at 2
MHz (P16H)


0.2 (OHMM) 2000



Bulk Density Correction, Bottom


(DRHB)
(G/C3) -0.75 0.25



ADN
Rotational
Speed
(RPM_ADN)
(RPM)
0 250




















850
TVD

875
TVD













1000
TVD



1025
TVD


1050
TVD
























































































2350
TVD

2375
TVD







Density Time After Bit (TAB_DEN) (HR)	ADN Rotational Speed (RPM_ADN) (RPM)	ARC Phase-Shift Resistivity 16-in. at 2 MHz (P16H)	Bulk Density Correction, Bottom (DRHB)
010	0250	0.22000 (OHMM)	-0.750.25 (G/C3)
Horizontal Hole Diameter (HORD) (IN)		ARC Phase-Shift Resistivity 22-in. at 2 MHz (P22H)	Photoelectric Factor, Bottom (PEB)
616		0.22000 (OHMM)	010 (----
Vertical Hole Diameter (VERD) (IN)		ARC Phase-Shift Resistivity 28-in. at 2 MHz (P28H)	Bulk Density, Bottom (ROBB)
616		0.22000 (OHMM)	1.852.85 (G/C3)
ARC Gamma Ray (GR_ARC) (GAPI)		ARC Phase-Shift Resistivity 34-in. at 2 MHz (P34H)	Thermal Neutron Porosity (TNPH)
0200		0.22000 (OHMM)	0.45-0.15 (V/V)
Rate of Penetration, Averaged over Last 5ft (ROP5_RM)		ARC Phase-Shift Resistivity 40-in. at 2 MHz (P40H)	
2000 (M/HR)		0.22000 (OHMM)	

IDEAL Version: ID14_OC_16
IDF

True Vertical Depth Log

