


Elver-1_EcoScope_GeoVISION Service RM 500MD


Format: 8.5_RM_200MD_1_1 Vertical Scale: 1:500 Graphics File Created: 12-Jan-2009 22:19


PIP SUMMARY


- ┆ Gamma Ray Samples
- ┆ Resistivity Samples
- Density Ticks, 0.1 ft ┆
- Neutron Ticks, 0.1 ft ┆


	ARC Attenuation Resistivity 40 inch at 2 MHz (A40H) 0.2 (OHMM) 2000		
	Medium Button Resistivity (RES_BM) 0.2 (OHMM) 2000		
	Deep Button Resistivity (RES_BD) 0.2 (OHMM) 2000		
	Ring Resistivity (RES_RING) 0.2 (OHMM) 2000		
Time after BIT (between drilling and measurement) (TAB_DEN) 0 (HR) 10	ARC Phase Shift Resistivity 40 inch at 2 MHz (P40H) 0.2 (OHMM) 2000		
Rate of Penetration, Averaged over Last 5ft (ROP5_RM) 200 (M/HR) 0	ARC Phase Shift Resistivity 28 inch at 2 MHz (P28H) 0.2 (OHMM) 2000	Photoelectric Factor, Bottom (PEB) 0 (----) 10	Bulk Density Correction, Bottom (DRHB) -0.25 (G/C3) 0.25
Gamma Ray, Average (GRMA) 0 (GAPI) 200	Shallow Button Resistivity (RES_BS) 0.2 (OHMM) 2000	Bulk Density, Bottom (ROBB) 1.95 (G/C3) 2.95	
Ultrasonic Caliper Average (UCAV) 6 (IN) 16	ARC Phase Shift Resistivity 16 inch at 2 MHz (P16H) 0.2 (OHMM) 2000	Best Thermal Neutron Porosity, Average (BPHI) 0.45 (V/V) -0.15	
	Collar Rotational Speed (CRPM) (RPM) 0 200		














<p>Ultrasonic Caliper Average (UCAV) 6 (IN) 16</p>	<p>Collar Rotational Speed (CRPM) (RPM) 0 200</p>	<p>ARC Phase Shift Resistivity 16 inch at 2 MHz (P16H) 0.2 (OHMM) 2000</p>	<p>Best Thermal Neutron Porosity, Average (BPHI) 0.45 (V/V) -0.15</p>
<p>Gamma Ray, Average (GRMA) 0 (GAPI) 200</p>		<p>Shallow Button Resistivity (RES_BS) 0.2 (OHMM) 2000</p>	<p>Bulk Density, Bottom (ROBB) 1.95 (G/C3) 2.95</p>
<p>Rate of Penetration, Averaged over Last 5ft (ROP5_RM) 200 (M/HR) 0</p>		<p>ARC Phase Shift Resistivity 28 inch at 2 MHz (P28H) 0.2 (OHMM) 2000</p>	<p>Photoelectric Factor, Bottom (PEB) 0 (----) 10</p> <p>Bulk Density Correction, Bottom (DRHB) -0.25 (G/C3) 0.25</p>
<p>Time after BIT (between drilling and measurement) (TAB_DEN) 0 (HR) 10</p>		<p>ARC Phase Shift Resistivity 40 inch at 2 MHz (P40H) 0.2 (OHMM) 2000</p>	
		<p>Ring Resistivity (RES_RING) 0.2 (OHMM) 2000</p>	
		<p>Deep Button Resistivity (RES_BD) 0.2 (OHMM) 2000</p>	
		<p>Medium Button Resistivity (RES_BM) 0.2 (OHMM) 2000</p>	
		<p>ARC Attenuation Resistivity 40 inch at 2 MHz (A40H)</p>	

0.2 mHz (A-401)
(OHMM) 2000

PIP SUMMARY

+ Gamma Ray Samples

+ Resistivity Samples

Density Ticks, 0.1 ft +

Neutron Ticks, 0.1 ft +