




SNA A26A DrillMech RM 200MD Run 1

IDEAL Version: ID14_OC_02 <MD> Vertical Scale: 1:200

Graphics File Created: 08-Dec-2008 22:57







<div>ROP*5 (ROP5)</div> <div>200 (M/HR)</div> <div>0</div>	<div>Local comp 1 6in (LCOMP1)</div> <div>0 (----) 100</div>	<div>MWD Lateral Vib (VIBLAT_RT)</div> <div>5 (----) 0</div>	<div>Surface RPM (RPM)</div> <div>(RPM)</div> <div>0 200</div>	<div>CONT_INC (INCL_CONT_RT)</div> <div>0 (DEG) 90</div>	<div>Equivalent Circulating Density (ECD_ARC)</div> <div>8 (LB/G) 14</div>
<div>ARC Gamma Ray (GR_ARC)</div> <div>0 (GAPI) 200</div>	<div>MWD Vib X-Axis (VIBX_RT)</div> <div>5 (----) 0</div>	<div>STOR (TQA)</div> <div>0 (KFLB) 50</div>	<div>MWD Shock Peak (SHKP K_RT)</div> <div>(----)</div> <div>0 200</div>	<div>CONT_AZIM (AZIM_CONT_RT)</div> <div>-180 (DEG) 180</div>	<div>Annulus Temperature (ATMP)</div> <div>0 (DEGC) 200</div>
			<div>MWD Collar</div>		

	SWOB (SWOB)	
0	(KLBF)	100

RPM (CRPM _RT) (RPM)	PKPK_RPM (Stick_RT)	Standpipe Pressure (SPPA)
0 200	0 (RPM) 400	0 (PSI) 5000
		TUR_RPM (TRPM_RT)
		0 (RPM) 5000
		T_FLOW (TFLO)
		0 (GPM) 1200