




SNA A11A-ST DrillMech RM 200TVD Run 2


IDEAL Version: ID14_OC_02 <TVD> Vertical Scale: 1:200


Graphics File Created: 11-Nov-2008 13:55





























<div>ARC Gamma Ray (GR_ARC)</div> <div>0 (GAPI) 200</div>			<div>Local comp 1 6in (LCOMP1)</div> <div>0 (PSI) 100000</div>			<div>MWD Lateral Vib (VIBLAT_RT)</div> <div>5 (G) 0</div>			<div>Surface RPM (RPM)</div> <div>0 200</div>			<div>CONT_INC (INCL_CONT_RT)</div> <div>0 (DEG) 90</div>			<div>Equivalent Circulating Density (ECD_ARC)</div> <div>9 (LB/G) 14</div>		
<div>Rate of Penetration, Averaged over Last 5ft (ROP5_RM)</div> <div>200 (M/HR) 0</div>			<div>MWD Vib X-Axis (VIBX_RT)</div> <div>5 (G) 0</div>			<div>STOR (TQA)</div> <div>0 (KFLB) 50</div>			<div>MWD Shock Peak (SHKP_K_RT)</div> <div>0 200</div>			<div>CONT_AZIM (AZIM_CONT_RT)</div> <div>-180 (DEG) 180</div>			<div>Annulus Temperature (ATMP)</div> <div>0 (DEGC) 200</div>		
			<div>SWOB (SWOB)</div> <div>0 (KLBF) 100</div>						<div>MWD Collar RPM (CRPM_RT)</div> <div>0 400</div>			<div>PKPK_RPM (Stick_RT)</div> <div>0 (RPM) 400</div>			<div>Standpipe Pressure (SPPA)</div> <div>0 (PSI) 5000</div>		
															<div>TUR_RPM (TRPM_RT)</div> <div>0 (RPM) 5000</div>		
															<div>T_FLOW (TFLO)</div> <div>0 (GPM) 800</div>		